PROPOSAL V1 FOR MOBVE.COM AND THE STAFF APP

Mobve Design System

One set of values for the public website and the staff workspace, rebuilt from a small base: a primary, a secondary, an ink, a paper and two grays. Everything else is calculated.

- Inter Variable
- Primary #0b63ce
- Secondary #ffc845
- 8 px, 14 px, pill
- 4 px spacing base
- 44 px touch targets

What this fixes

One scale
The website uses 20 font sizes and 8 weights. The system keeps 9 text roles and 3 weights.

Six base colors
The theme had 30 color variables and six blues. It now has a primary, a secondary, an ink, a paper, a text gray, a background gray and three semantic signals. States and tints are calculated.

Every state defined
Hover, pressed, focus, disabled, loading and error exist for every control, with exact values.

One font on both products
The site names Inter but never loads it. The app loads Inter Variable. Both load it from their own server.

Readable sizes
Nothing smaller than 12 px. Body text is 16 px on the site. Controls are 44 px high.

Measured, not guessed
Current values come from computed styles on the live pages. Every contrast ratio below is calculated.

All specimens on this page use the system's own tokens and classes. Hover and keyboard focus work on every live example. The Inter font loads from Google Fonts here only to render the specimens; on mobve.com it must be self-hosted because the site's security policy allows only its own files.

Color

Route A. One blue does every "act here" job, including the logo and information messages. A warm yellow carries highlights, featured items and the second chart series; it is never text on paper. One gray serves secondary text and control borders, and #fafafa, the light gray the app already uses, is the page background under white cards and panels. The blue tint is kept for interactive states. Status colors follow traffic lights: green, amber and red, each with a dark text in the same hue and a light tint for backgrounds.

Base, 6

`--color-primary`
#0b63ce
Buttons, links, selected state, focus, information, logo
white text 5.69:1 AA

`--color-secondary`
#ffc845
Highlights, featured badge, second chart series, accents on the dark band. Never text on paper
ink text on it 11.21:1 AAA

`--color-ink`
#101b2b
All text and the dark band
on paper 17.3:1 AAA

`--color-paper`
#ffffff
Background and every surface

`--color-muted`
#536173
Gray for secondary text, captions, placeholders and control borders
on paper 6.32:1 AA

`--color-bg`
#fafafa
Page background, as in the current app. Header, sidebar, cards and panels are paper on it, with a divider border
muted text on it 6.05:1 AA

Semantic, 3 traffic-light signals and their text

`--color-success`
#03a14a
Success signal: dots, borders, icons on paper, chart status
on paper 3.39:1, graphics only (3:1)

`--color-success-text`
#09672e
Success text and icon
on paper 7.02:1 AAA

`--color-warning`
#f7a30d
Warning signal: fills under ink text; dots and borders only next to a label
ink text on it 8.4:1 AAA

`--color-warning-text`
#7d5002
Warning text and icon
on paper 6.95:1 AA

`--color-danger`
#d73431
Error signal: destructive button, error border, dots
white text 4.75:1 AA

`--color-danger-text`
#a12623
Error text and icon
on paper 7.45:1 AAA

Calculated, not chosen

These follow from the chosen colors with `color-mix()`. Change a base color and they update. A state is the same hue made darker or lighter.

Token	Formula	Result	Use	Contrast
`--color-divider`	muted at 20 percent over paper	`#dddfe3`	Dividers, card edges, neutral badge, disabled field	Decorative
`--color-tint`	primary at 10 percent over paper	`#e7effa`	Hover fills, selected state, information notice	primary text 4.91:1
`--color-tint-strong`	primary at 24 percent over paper	`#c4daf3`	Pressed fills (text switches to primary hover)	primary hover text 5.67:1
`--color-primary-hover`	primary with 22 percent black	`#094da1`	Hover	white text 8.11:1
`--color-primary-active`	primary with 44 percent black	`#063773`	Pressed	white text 11.66:1
`--color-on-dark-muted`	paper at 72 percent over ink	`#bcbfc4`	Secondary text on the dark band	on ink 9.38:1
`--color-success-tint`	success at 12 percent over paper	`#e1f4e9`	Success notice and badge	its text 6.12:1
`--color-warning-tint`	warning at 16 percent over paper	`#fef0d8`	Warning notice and badge	its text 6.18:1
`--color-danger-tint`	danger at 10 percent over paper	`#fbebea`	Error notice and badge	its text 6.45:1
`--color-danger-hover`	danger with 22 percent black	`#a82926`	Destructive button hover	white text 6.98:1
`--color-danger-active`	danger with 44 percent black	`#781d1b`	Destructive button pressed	white text 10.55:1

From six blues to one

Found today	Where	Becomes
`#0878f9`	brand.html, logo	`--color-primary` #0b63ce (logo recolor is the client's decision)
`#075cae`	Website links and buttons	`--color-primary`
`#0a88db`	App token --primary, 3.8:1 with white	`--color-primary`
`#0878c4`	App primary button, focus ring	`--color-primary`
`#0875bd`	App links	`--color-primary`
`#0867a6`	App information status	`--color-primary`

From eight neutrals to four

Before	After	Why
ink	`--color-ink`	All text, and the dark band.
muted, subtle, line-strong	`--color-muted` #536173	One gray for secondary text, placeholders and control borders. 6.32:1 on paper, so it is readable as text and clear as an outline.
line	`--color-divider`, calculated	The gray at 20 percent. Decorative, no contrast needed.
canvas, soft	`--color-bg` #fafafa	Page background, the same as the current app. White surfaces sit on it with a divider border, because white and #fafafa differ by only 1.04:1.
surface	`--color-paper`	White background and surfaces.

Semantic colors, from traffic lights

State	Traffic reference	Signal	Text	Tint	Before
Success	green #00a651	#03a14a	#09672e	12 percent	#166534 on #e7f4ec
Warning	amber #ffbf00	#f7a30d	#7d5002	16 percent	#854d0e on #fbf1dc
Error	red #e30613	#d73431	#a12623	10 percent	#b42318 on #fdecea
Information	none	Uses the primary and its tint			#0867a6 on #e6f1f9

Each signal keeps the hue of its traffic light (green 150, amber 72, red 27 in OKLCH) at a similar lightness, so the three read as a set. The signal marks the state: badge dot, notice border, error border, destructive button, chart status. Text stays in the dark version, which reaches 6 to 7.5:1 on its tint. The real traffic amber (#ffbf00) is almost the same as the secondary yellow, so the warning moves toward orange (#f7a30d); keep the secondary away from status and always show a warning with its icon and text.

Appointment categories, 5

The app colors appointments by purpose. The original five colors collided with the new palette (Tour with the primary, Maintenance with error, Billing between blue and violet). Tour and Billing sit at the lightness of the success signal; Lease, Inspection and Maintenance are

deeper. Their hues avoid the primary, the secondary and the orange-red arc used by warning and error, and are at least 0.12 apart in OKLab from each other and from every brand and semantic color. They mark dots, event borders and bars. Text on them is always ink on a 12 percent tint, never the category color on paper.

Category	Token	New	On paper (graphics, 3:1)	Before	Purposes (inferred, confirm with the team)	Why it changed
Tour	`--color-cat-tour`	`#0891c9`	3.56:1	`#2a78d6`	Tour, Second Tour	Was almost the primary blue. Now a lighter sky blue at the signal lightness
Lease	`--color-cat-lease`	`#794db6`	5.92:1	`#8654b3`	Lease Signing, Renewal Meeting, Document Review, Key Pickup	Kept violet
Inspection	`--color-cat-inspection`	`#6a7a31`	4.73:1	`#167a77`	Move In Inspection, Move Out Inspection, Move In	Teal sat too close to the cyan Tour. Now olive
Billing	`--color-cat-billing`	`#b55fba`	3.95:1	`#5956c9`	Billing or payment consultation	Indigo sat between the primary and Lease. Now magenta
Maintenance	`--color-cat-maintenance`	`#864821`	7.09:1	`#b54242`	Maintenance Visit	Red read as an error. Now copper

Typography

Inter Variable, three weights (400, 500, 600). Headings step down fluidly on small screens. Text blocks stop at 65 characters. Headline tracking is -0.02em, which is safe with Inter and avoids the risk of touching letters that -0.055em brings when the font falls back to the system face.

TODAY (MEASURED ON MOBVE.COM, 1440 PX)

VOICE AI FOR PROPERTY OPERATIONS

PROPOSED

VOICE AI FOR PROPERTY OPERATIONS

Know why residents call.

Know why residents call.

Mobve connects resident and leasing conversations to the property, the issue, and the person who owns what happens next.

Try the 60-second demo

Mobve connects resident and leasing conversations to the property, the issue, and the person who owns what happens next.

Try the 60-second demo

The left panel is drawn with the current values. Both panels use Inter so that only the scale, spacing and tracking differ.

Roles

Role	Token and value	Size in px (390 / 768 / 1440 wide)	Line height	Tracking	Weight
h1 Display	`var(--fs-h1)` clamp(2.5rem, 1.75rem + 3.2vw, 4rem)	40.5 / 52.6 / 64	1.08	-0.02em	600
h2 Section title	`var(--fs-h2)` clamp(2rem, 1.5rem + 2vw, 2.75rem)	32 / 39.4 / 44	1.12	-0.02em	600
h3 Card and panel title	`var(--fs-h3)` 1.5rem	24 / 24 / 24	1.25	-0.01em	600
lead Lead paragraph	`var(--fs-lead)` 1.25rem	20	1.45	0	400
body Body	`var(--fs-body)` 1rem	16	1.5	0	400
ui Menu, labels, table	`var(--fs-ui)` 0.875rem	14	1.4	0	500
button Button label	`var(--fs-button)` 0.9375rem	15	1	0	600
caption Caption, hint, legal	`var(--fs-caption)` 0.75rem	12	1.4	0	400

Role	Token and value	Size in px (390 / 768 / 1440 wide)	Line height	Tracking	Weight
eyebrow Section label	`var(--fs-caption)` 0.75rem	12	1.4	+0.08em, uppercase	600

Specimens

h1 · 64 px max

Own what's next.

h2 · 44 px max

A plan for the operation you run.

h3 · 24 px

Jackson Apartments

lead · 20 px

Property-aware voice AI. Built for the work that follows.

body · 16 px

A returning issue should come with its history. Connect the new conversation to the previous request, so the resident doesn't have to reconstruct the story.

ui · 14 px

Maintenance Requests · Appointments · Call Log

caption · 12 px

Illustrative scenario. Stock photography, not a customer property.

eyebrow · 12 px

REAL PLACES. EVERYDAY RESPONSIBILITIES.

Space and layout

Every margin, padding and gap comes from this list. The base unit is 4 px.

`--space-1`	4 px	
`--space-2`	8 px	
`--space-3`	12 px	
`--space-4`	16 px	
`--space-5`	24 px	
`--space-6`	32 px	
`--space-7`	48 px	
`--space-8`	64 px	
`--space-9`	96 px	

Container

`--container: 1240px`, side gutter `clamp(1rem, 4vw, 2rem)`

Section padding

`--section-y: clamp(3rem, 2rem + 4vw, 5rem)`: 48 px on phones, 80 px on desktop, the same for every section

Grid gap

32 px in marketing content, 16 px in app screens, 8 px in dense tables

Card padding

24 px (`--space-5`)

Breakpoints

480, 768, 1024 and 1280 px. Mobile first: styles grow with `min-width`.

Reading width

`--measure: 65ch` for paragraphs. The demo intro is 96 characters per line today.

Shape and elevation

Three radii replace nine. Four shadow levels, used by role.

8 px
`--radius-sm`
Buttons, inputs, notices

14 px
`--radius-md`
Cards, panels, dialogs

999 px
`--radius-pill`
Badges, chips

Level 1
Cards at rest
`--shadow-1`

Level 2
Card hover, menus
`--shadow-2`

Level 3
Sticky header
`--shadow-3`

Level 4
Dialogs
`--shadow-4`

Motion

Four durations and two curves. Hover and pressed feedback use 200 ms. With reduced motion on, every transition drops to 0.01 ms and lifts are removed.

Token	Value	Use
`--dur-instant`	100 ms	Table row hover, icon toggles
`--dur-fast`	200 ms	Buttons, links, cards, inputs
`--dur-base`	300 ms	Panels, accordions, tabs
`--dur-slow`	500 ms	Dialog entry, page-level changes
`--ease-standard`	cubic-bezier(0.4, 0, 0.2, 1)	State changes
`--ease-emphasized`	cubic-bezier(0.2, 0.6, 0.3, 1)	Elements entering or leaving the screen

Components

Every component shows its states with forced classes (`.is-hover` , `.is-active` , `.is-focus`) so they can be compared side by side. The real `:hover` , `:active` and `:focus-visible` selectors work as well.

Button

	Default	Hover	Pressed	Focus	Disabled	Loading
Primary	Save	Save	Save	Save	Save	
Secondary	Cancel	Cancel	Cancel	Cancel	Cancel	
Ghost	Reset	Reset	Reset	Reset	Reset	
Danger	Remove	Remove	Remove	Remove	Remove	

Height 44 px, padding 24 px, radius 8 px, label 15 px weight 600. Hover: 22 percent darker, lifts 1 px, shadow level 2. Pressed: 44 percent darker, sinks 1 px, inner shadow. Each step changes color and position, so the three states are distinct. Disabled is 38 percent opacity with the label still readable. Compact (36 px) is allowed only for dense tables used with a mouse.

Inverse default | Inverse hover | Inverse focus | Inverse disabled

Link and menu item

How it helps | Hover | Current page | Text link | Text link, focus

Menu items are 44 px high, 14 px, weight 500. Hover and the current page both show a 2 px underline in the primary.

Form field

Work email (required)

name@company.com

We only use it to reply.

Hover

Maple Grove Commons

Focus

Maple Grove Commons

Error (required)

name@

Enter an email like name@company.com.

Disabled

Not editable

Select

All properties

Message

What would you like to discuss?

It is OK for Mobve to contact me about this request.

Input height 44 px, 16 px text (prevents zoom on iPhone), border in the muted gray `#536173` at 6.32:1. Labels sit above the field and are never replaced by a placeholder. Required fields say "(required)" in text, not only with an asterisk. Errors use the danger color plus an icon and a sentence.

Badge

Normal | Assigned | Recommended | Completed | Needs attention | Overdue | Illustrative data

Chart series and legend

Current, Received | Completed | Waiting on parts | Overdue | Average, target

Series	Color	Form	Why
Main measure (Current, Received, Calls)	`--color-primary`	Bars or a solid line	5.69:1 on paper, the brand color for the main number
Outcomes (Completed, Resolved)	`--color-success`	Bars or a 3 px line	Same meaning as the success badge; 3.39:1 on paper
Waiting, on hold	`--color-warning`	Bars only, always with the legend	2.06:1 on paper is too low for thin lines
Overdue, failed, missed	`--color-danger`	Bars or a line	4.75:1 on paper
Reference (Average call duration, target)	`--color-muted`	2.5 px dashed line with dot markers	6.32:1 on paper; dashed so it reads as a reference, not a measure
A second measure of the same kind	`--color-secondary`	Bars only, with the legend	1.54:1 on paper, never a thin line
Appointment purposes	Category colors	Bars, dots, event edges	See the category table

Legend markers are 14 px squares (22 px dashes for lines) with 14 px labels. The current app uses 11 px squares with 9 to 10 px labels.

Category tag and calendar event

Tour · Lease · Inspection · Billing · Maintenance · General

10:00 Tour
Raicelle · Maple Grove Commons

11:30 Lease signing
Unit 208 · Riverwalk Court

14:00 Move-in inspection
Unit 104 · Juno Village

15:00 Billing consultation
Unit 702 · Riverwalk Court

16:30 Maintenance visit
Unit 202 · Maple Grove Commons

The category color appears as the dot and the 4 px event edge. The background is the same color at 12 percent and the text is ink (about 14.5:1). "General" uses the muted gray.

Tabs

The resident | The team | The manager

A returning issue should come with its history. Connect the new conversation to the previous request.

Selected: primary text and a 2 px underline. Hover: ink text and a gray underline. No lift, so the row does not jump.

Accordion

What can I try in the live demo? +

Does Mobve replace my current management software? +

How much does a pilot cost? +

Questions get a hover color and a "+" and "−" marker, the same pattern as "See all features".

Card

Static
Shadow level 1. Not clickable, so it has no hover.

Interactive
A link. Hover lifts 2 px and goes to shadow level 2.

Interactive, hover
The forced hover state.

Recommended

Featured
Primary border, shadow level 2 and a secondary badge.

Cards that look clickable must be links. The eight property-type cards on the site are static today, so they should drop the card hover look or link to a page.

Notice

Heads up
Information the person can use right now.

Request sent
We saved your message and will reply by email.

The live demo is not open yet
Request early access and we will tell you when it is.

We could not send your message
Check your connection and try again. Your text is still in the form.

Light tint, a border in the signal color, dark text and a matching icon. Color is never the only signal. The explanation text uses ink for body-level contrast.

Table

Maintenance requests (example)

Request	Property	Issue	Stage
CALL-0A8DB8A5	Maple Grove Commons	Toilet leaking in unit 202	Assigned
CALL-BE001E08	Maple Grove Commons	Door does not lock	New
CALL-DBF0B3FB	Riverwalk Court	Refrigerator not working	In progress

Rows highlight on hover in 100 ms. The wide-table wrapper scrolls inside itself, is keyboard focusable and has a label, as the app already does.

Empty state

No calls match these filters

Try a different date range or property. New calls will appear after Mobve records them.

Reset filters

Page patterns

Four compositions that use only the tokens above. They address findings from the audit: a smaller hero action, an unavailable demo that looks active, no pricing emphasis and no working contact path.

Hero

VOICE AI FOR PROPERTY OPERATIONS

Know why residents call. Own what's next.

Every conversation becomes a clear next step.

Request early access

See how it works

English and Spanish · Property-aware intake · Human handoff

Operations overview — Illustrative data

Conversations	First-contact resolution	Open follow-ups
184	71%	7
Across your portfolio	Illustrative cohort	With assigned owners

Pricing, with one recommended plan (the choice of plan is an example, the owner decides)

Essentials

$99 / month

Up to 100 units · 5 staff

- Staff workspace
- Operations dashboards
- Request queues

Recommended

AI Operations

$349 / month

Up to 300 units · 15 staff

- 24/7 AI answering
- 500 AI minutes included

Portfolio

$999 / month

Up to 1,000 units · 50 staff

- 1,500 pooled AI minutes
- 3 departmental agents
- Reporting

Enterprise

Custom

Larger or complex portfolios

- Agreed capacity
- Custom workflows
- Rollout support

Choose Essentials

- Call summaries and transcripts

Choose AI Operations

Choose Portfolio

Talk to us

Demo section when the live call is not available

A SMALL PROPERTY. A REAL CONVERSATION.

One minute. Your questions.

Hear how Jenny handles a rent question for a fictional property.

⚠ **The live demo is not open yet**
Request early access and we will tell you when it opens.

Call Jenny

Request early access

Contact form (works without the chat). Try it: empty fields show errors, valid data shows the confirmation.

Name (required)

⊗ Enter your name.

Work email (required)

⊗ Enter an email like name@company.com.

Phone

Optional.

What would you like to discuss?

Up to 500 characters.

It is OK for Mobve to contact me about this request.

Confirm so we can reply.

Send request Clear

Accessibility

Target: WCAG 2.2 AA. Every text pair below is calculated from the exact hex values.

Contrast
Text 4.5:1 or more. Controls and borders 3:1 or more.

Touch targets
44 px high. 36 px only for dense tables used with a mouse.

Focus
2 px solid, offset 2 px, primary (secondary yellow on the dark band). Never removed.

Reduced motion
Transitions drop to 0.01 ms and lifts are removed.

Minimum text
12 px. Captions, hints and legal text included.

Labels
Visible label above every field. Placeholders are examples only.

Text pairs

Use	Foreground	Background	Ratio	Level
Body text	`#101b2b`	`#ffffff`	17.3:1	AAA

Use	Foreground	Background	Ratio	Level
Body text on the background	`#101b2b`	`#fafafa`	16.58:1	AAA
Secondary text and placeholder	`#536173`	`#ffffff`	6.32:1	AA
Secondary text on the background	`#536173`	`#fafafa`	6.05:1	AA
Link, eyebrow, selected tab	`#0b63ce`	`#ffffff`	5.69:1	AA
Link on the background	`#0b63ce`	`#fafafa`	5.45:1	AA
Primary button label	`#ffffff`	`#0b63ce`	5.69:1	AA
Primary button hover	`#ffffff`	`#094da1`	8.11:1	AAA
Primary button pressed	`#ffffff`	`#063773`	11.66:1	AAA
Secondary button on hover	`#094da1`	`#e7effa`	7.0:1	AAA
Selected badge and information notice	`#0b63ce`	`#e7effa`	4.91:1	AA
Highlight and featured badge	`#101b2b`	`#ffc845`	11.21:1	AAA
Danger button label	`#ffffff`	`#d73431`	4.75:1	AA
Danger button hover	`#ffffff`	`#a82926`	6.98:1	AA
Inverse button label	`#101b2b`	`#ffffff`	17.3:1	AAA
Text on the dark band	`#ffffff`	`#101b2b`	17.3:1	AAA
Secondary text on the dark band	`#bcbfc4`	`#101b2b`	9.38:1	AAA
Eyebrow and links on the dark band	`#ffc845`	`#101b2b`	11.21:1	AAA
Success badge and notice	`#09672e`	`#e1f4e9`	6.12:1	AA
Warning badge and notice	`#7d5002`	`#fef0d8`	6.18:1	AA
Error badge and notice	`#a12623`	`#fbebea`	6.45:1	AA
Secondary button pressed	`#094da1`	`#c4daf3`	5.67:1	AA

Use	Foreground	Background	Ratio	Level
Ink on the warning signal	`#101b2b`	`#f7a30d`	8.4:1	AAA

Controls and graphics

Use	Color	Against	Ratio	Result
Control border (muted) on paper	`#536173`	`#ffffff`	6.32:1	Pass (3:1)
Control border (muted) on the background	`#536173`	`#fafafa`	6.05:1	Pass (3:1)
Error border on paper	`#d73431`	`#ffffff`	4.75:1	Pass (3:1)
Success signal on paper (graphics)	`#03a14a`	`#ffffff`	3.39:1	Pass (3:1)
Warning signal on paper: never alone, always with its label	`#f7a30d`	`#ffffff`	2.06:1	Fail (3:1)
Focus ring on paper	`#0b63ce`	`#ffffff`	5.69:1	Pass (3:1)
Focus ring on the dark band	`#ffc845`	`#101b2b`	11.21:1	Pass (3:1)
Secondary on paper: fills under ink text, or chart bars with a legend	`#ffc845`	`#ffffff`	1.54:1	Fail (3:1)

Migration map

What changes on the existing pages. Values on the left were measured on the live site and app.

Item	Today	Proposed
H1	70 px, line 1.06, tracking -0.055em, weight 620	64 px max (fluid, 40 px on phones), 1.08, -0.02em, 600
H2	46 px (three sections) and 32 px weight 500 in one	44 px max (fluid, 32 px on phones), 1.12, -0.02em, 600, same everywhere

Item	Today	Proposed
H3	34, 24 and 22 px	24 px, 1.25, -0.01em, 600
Lead	21 px, line 1.55	20 px, 1.45
Body	15 and 16 px, line 1.6 and 1.8	16 px, line 1.5, 65 characters per line at most
Section label	10 px, +0.12em, weight 750	12 px, +0.08em, weight 600
Captions and notes	9 to 10 px	12 px
Buttons	12 to 13 px, weight 650	15 px, weight 600, 44 px high
Menu and footer links	13 px and 12 px	14 px
Font	System font on the website (Inter named, never loaded). Inter Variable in the app	Inter Variable self-hosted on both
Font weights	400, 500, 550, 600, 620, 650, 700, 750	400, 500, 600
Color variables	30 on the website theme: 8 neutrals, 7 brand and action, 4 dark band, 9 semantic, 2 focus	6 base colors and 3 semantic signals with their text chosen; 11 calculated from them
Blues	#0878f9, #075cae, #0a88db, #0878c4, #0875bd, #0867a6	One primary #0b63ce for the logo, actions and information
Accent	None	Secondary #ffc845 for highlights, featured items, charts and the dark band
Neutrals	ink, muted, subtle, line, line-strong, canvas, soft, surface	ink, paper, gray #536173 for secondary text and borders, background #fafafa; divider and tint are calculated
Dark band	navy #071e3a	ink #101b2b
Semantic	Dark tones #166534, #854d0e, #b42318 with pale backgrounds	Traffic-light signals (#03a14a, #f7a30d, #d73431), same-hue text (#09672e, #7d5002, #a12623) and light tints
Button states	Hover 15 percent darker, pressed 30 percent darker: hard to tell apart	Hover 22 percent darker, lifts 1 px with a shadow; pressed 44 percent darker, sinks 1 px with an inner shadow
Appointment categories	Tour #2a78d6, Lease #8654b3, Inspection #167a77, Billing #5956c9, Maintenance #b54242	Tour #0891c9, Lease #794db6, Inspection #6a7a31, Billing #b55fba, Maintenance #864821
Hints and placeholders	#a3a3a3 on white in the app (2.5:1)	Muted #536173 (6.32:1)

Item	Today	Proposed
Radii	6, 7, 8, 10, 14, 20, 23, 30 px and 50 percent	8 px, 14 px, pill; circles stay 50 percent
Section spacing	80 px, 50 px and 42 px	--section-y: 48 px on phones to 80 px on desktop
Hover and pressed	Missing on footer, FAQ, language buttons, chat button, app secondary buttons. No pressed state	Defined for every control (see Components)
Touch targets	21 to 36 px high in menus and utility links	44 px minimum; 36 px only for dense tables with a mouse

CSS

The complete values. The same file ships as `mobve-design-system.css`. Load order: font, tokens, base and components, then page styles.

Tokens

Copy tokens

```
/* Mobve design system, proposal v1 (2026-11-03)
   Source of values: measured on mobve.com and the staff app, brand.html colors kept.
   One token layer for the website and the app. */

/* Font: self-host Inter Variable (the site CSP is default-src 'self', so a Google Fonts link would be blocked).
@font-face {
  font-family: "Inter Variable";
  src: url("/assets/fonts/InterVariable.woff2") format("woff2");
  font-weight: 100 900;
  font-style: normal;
  font-display: swap;
}
*/

:root {
  /* Color, chosen: base colors (route A). Muted is the gray for secondary text and control borders; bg is the page background under white surfaces, as in the
  --color-primary: #0b63ce;
  --color-secondary: #ffc845;
  --color-ink: #101b2b;
  --color-paper: #ffffff;
  --color-muted: #536173;
```

```
  --color-bg: #fafafa;
```

Base and components

Copy base and components

```
/* Base */
html { font-family: var(--font-sans); font-size: 100%; color: var(--color-ink); background: var(--color-bg); -webkit-text-size-adjust: 100%; }
body { margin: 0; font-size: var(--fs-body); line-height: var(--lh-body); font-weight: var(--fw-regular); font-optical-sizing: auto; }
h1, h2, h3 { margin: 0; font-weight: var(--fw-semibold); text-wrap: balance; }
h1 { font-size: var(--fs-h1); line-height: var(--lh-h1); letter-spacing: var(--ls-h1); }
h2 { font-size: var(--fs-h2); line-height: var(--lh-h2); letter-spacing: var(--ls-h2); }
h3 { font-size: var(--fs-h3); line-height: var(--lh-h3); letter-spacing: var(--ls-h3); }
p { max-width: var(--measure); margin: 0; }
.lead { font-size: var(--fs-lead); line-height: var(--lh-lead); color: var(--color-muted); }
.ui { font-size: var(--fs-ui); line-height: var(--lh-ui); font-weight: var(--fw-medium); }
.caption { font-size: var(--fs-caption); line-height: var(--lh-caption); color: var(--color-muted); }
.eyebrow { font-size: var(--fs-caption); line-height: var(--lh-caption); font-weight: var(--fw-semibold); letter-spacing: var(--ls-eyebrow); text-transform: u
a { color: var(--color-primary); text-underline-offset: 0.2em; transition: color var(--dur-fast) var(--ease-standard); }
a:hover { color: var(--color-primary-hover); }
:focus-visible { outline: 2px solid var(--color-primary); outline-offset: 2px; }
.on-dark :focus-visible { outline-color: var(--color-secondary); }
.on-dark { background: var(--color-ink); color: var(--color-paper); }
.on-dark .lead, .on-dark .caption { color: var(--color-on-dark-muted); }
.on-dark .eyebrow { color: var(--color-secondary); }
.on-dark a:not(.btn) { color: var(--color-secondary); }
.container { max-width: var(--container); margin-inline: auto; padding-inline: var(--gutter); }
.section { padding-block: var(--section-y); }
.section--alt { background: var(--color-paper); }
```

Using it

1. Self-host `InterVariable.woff2` and enable the commented `@font-face` at the top of the tokens. The site's policy (`default-src 'self'`) blocks Google Fonts.
2. Load the tokens first, then base and components, then page styles. In the app, review the `--primary: #0a88db` token (3.8:1 with white) and align it to the primary.
3. Use token names in new CSS and replace the values listed in the migration map as pages are touched.

Open decisions

- **Dark mode** is not proposed. Both products are light, and the demo section already carries a dark band.
- **Icons** are limited to the four status icons shown. An icon set for the app needs its own decision.
- **Charts** need their own palette. Use the primary and the secondary as the first two series until a data palette is designed.
- **Logo color**: route A moves the logo blue from #0878f9 to #0b63ce so that one blue passes contrast everywhere. This is a brand decision for the client; the logo files are not changed here.
- **Calculated colors** use `color-mix()`, supported by all current browsers. If an older browser must be supported, replace the calculated tokens with their results from the table above.
- **Recommended plan** in the pricing pattern is an example. The owner chooses.
- **To validate on the real pages:** check headline tracking and line breaks with Inter loaded, and test the type scale on a phone.