# Keine Angst vor dem eigenen Quellcode

Java Lounge Mai, 2017



Thomas Gassmann (@gassmannT)





@gassmannT

@tbandixen



## ■ Who are we?

#### **Thomas Bandixen**

Senior Consultant & Trainer

Trivadis AG

thomas.bandixen@trivadis.com

@tbandixen





## ■ Who are we?



#### **Thomas Bandixen**

Senior Consultant & Trainer

Trivadis AG

thomas.gassmann@trivadis.com

@gassmannT



# Content

- 1. Introduction
- 2. Unit Test
- 3. e2e
- 4. Outro



## What kind of tests exists?

#### **Unit Tests**

- Test certain functions or units of code
- Super fast
- Easy to write

#### e2e Tests

- Runs the real application and simulate the users behavior
- Very slow
- Very fragile



# **Tools & Setup**

























- Test runner
- Test code on various browsers
- Integrate with various continuous integration services like Jenkins





- Behavior-driven development framework
- Fast
- Dependency free






- End-to-end test framework
- Built on top of Selenium WebDriverJS
- Runs in a real browser
- Test like a user



# Insiders' tip



## Wallaby.js

Integrated Continuous TestingTool for JavaScript



# Demo



# **Unit Tests**



## Definition

Unit Testing is a level of software testing where individual functions of a sofware are tested. The purpose is to validate that each function of the software performs as designed.



# ■ Unit Test vs. Integration Test


#### **Unit Test**

- Test in isolation, without external resources (e.g. templates)
- Just a simple function


#### **Integration Test**

Test with external resources (e.g. templates)











# It helps you catch defects **before** releasing software

```
describe('Test Suite', () => { //Test Suite
   it("A single spec", () => { // Spec or test
   });
});
```



Make your test clean and readable

Arrange

Act

Assert



```
describe('Test Suite', () => { // Test Suite
    it("A single spec", () => { // Spec or test
        // Arrange
        let component = new AppComponent();
        // Act
        component.ngOnInit();
        // Assert
        expect(component.title).toBe("hallo thomas");
    });
});
```



# Demo



# **E2e Tests**



## e2e Tests

- Test the entire app as a whole
- Simulate a real user
- With protractor



```
import { browser, element, by } from 'protractor';
describe('QuickStart E2E Tests', function () {
    beforeEach(function () {
        browser.get('/');
    });
    it('should display title', function () {
        expect(element(by.css('h1')).getText()).toEqual("hallo basta");
    });
});
```



# Demo



## How to start

- Angular CLI
- Our Demos
- Documentation on Angular Docs
- Ask us ©





github.com/gassmannT/Angular-Testing-JavaLounge



# Thank you – Besten Dank

Thomas Bandixen thomas.bandixen@trivadis.com

@tbandixen Tel. +41 58 459 52 78 **Thomas Gassmann** thomas.gassmann@trivadis.com

@gassmannT Tel. +41 58 459 52 81



