

WEEK 8 – GIT

TASK 1:-

```

MINGW64/c/Users/KIIT/GitDemo
KIIT@Adarsh MINGW64 ~
$ git --version
git version 2.50.1.windows.1

KIIT@Adarsh MINGW64 ~
$ git config --global user.name "Adarsh"

KIIT@Adarsh MINGW64 ~
$ git config --global user.email "adarsh.s101@gmail.com"

KIIT@Adarsh MINGW64 ~
$ git config --global core.editor "C:/Program Files/Notepad+/notepad+.exe" -multiInst -notabbar -nosession -noPlugin

KIIT@Adarsh MINGW64 ~
$ ^C

KIIT@Adarsh MINGW64 ~
$ alias np="notepad+.exe"

KIIT@Adarsh MINGW64 ~
$ mkdir GitDemo && cd GitDemo

KIIT@Adarsh MINGW64 ~/GitDemo
$ git init
Initialized empty Git repository in C:/Users/KIIT/GitDemo/.git/

KIIT@Adarsh MINGW64 ~/GitDemo (master)
$ echo "welcome to git demo" > welcome.txt

KIIT@Adarsh MINGW64 ~/GitDemo (master)
$ git status
On branch master
No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    welcome.txt

nothing added to commit but untracked files present (use "git add" to track)

KIIT@Adarsh MINGW64 ~/GitDemo (master)
$ ^C

KIIT@Adarsh MINGW64 ~/GitDemo (master)
$ git add welcome.txt
warning: in the working copy of 'welcome.txt', LF will be replaced by CRLF the next time Git touches it

KIIT@Adarsh MINGW64 ~/GitDemo (master)
$ git commit -m "Initial commit with welcome.txt"
[master (root-commit) baa6c5d] Initial commit with welcome.txt
 1 file changed, 1 insertion(+)
 create mode 100644 welcome.txt

KIIT@Adarsh MINGW64 ~/GitDemo (master)
$ git remote add origin <your-gitlab-repo-url>
bash: syntax error near unexpected token `newline'

KIIT@Adarsh MINGW64 ~/GitDemo (master)
$ https://github.com/alive-exe/GitDemo
bash: syntax error near unexpected token `newline'

KIIT@Adarsh MINGW64 ~/GitDemo (master)
$ ^C

KIIT@Adarsh MINGW64 ~/GitDemo (master)
$ git remote add origin https://github.com/alive-exe/GitDemo.git

KIIT@Adarsh MINGW64 ~/GitDemo (master)
$ git pull origin master
fatal: couldn't find remote ref master

KIIT@Adarsh MINGW64 ~/GitDemo (master)
$ git push origin master
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 258 bytes | 258.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Ananyalupadhyay1/GitDemo.git
 * [new branch]      master -> master

KIIT@Adarsh MINGW64 ~/GitDemo (master)
$

```

welcome.txt	Initial commit with welcome.txt	1 hour ago
README		

TASK 2:-

MINGW64/C:/Users/KIIT/GitDemo

To https://github.com/alive-exe/GitDemo.git
[new branch] master -> master

Adarsh MINGW64 ~/GitDemo (master)

\$ mkdir log

Adarsh MINGW64 ~/GitDemo (master)

\$ echo "some logs" > log/errors.log

Adarsh MINGW64 ~/GitDemo (master)

\$ echo "*.log" > .gitignore

Adarsh MINGW64 ~/GitDemo (master)

\$ echo "log/" >> .gitignore

Adarsh MINGW64 ~/GitDemo (master)

\$ git status

On branch master

Untracked files:

(use "git add <file>..." to include in what will be committed)

.gitignore

nothing added to commit but untracked files present (use "git add" to track)

Adarsh MINGW64 ~/GitDemo (master)

\$ git add .gitignore

Warning: in the working copy of '.gitignore', LF will be replaced by CRLF the next time git touches it

Adarsh MINGW64 ~/GitDemo (master)

\$ git commit -m "Ignore log files and folders"

[master ecc3188] Ignore log files and folders

1 file changed, 2 insertions(+)

create mode 100644 .gitignore

Adarsh MINGW64 ~/GitDemo (master)

\$ git push origin master

Enumerating objects: 4, done.

Counting objects: 100% (4/4), done.

Delta compression using up to 8 threads

Compressing objects: 100% (2/2), done.

Writing objects: 100% (3/3), 310 Bytes | 310.00 KiB/s, done.

Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)

To https://github.com/AnanyaUpadhyay1/GitDemo.git

ba6c5d..ecc3188 master -> master

Adarsh MINGW64 ~/GitDemo (master)

\$

.gitignore

Ignore log files and folders

now

welcome.txt

Initial commit with welcome.txt

1 hour ago

Code

Blame

2 lines (2 loc) · 11 Bytes

Raw

1

*.log

2

log/

TASK 3:-

```
MINGW64/c/Users/KIIT/GitDemo
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 310 bytes | 310.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Ananyalupadhyay1/GitDemo.git
   baa6c5d..ecc3188  master -> master

KIITAdarsh MINGW64 ~/GitDemo (master)
$ git checkout -b GitNewBranch
Switched to a new branch 'GitNewBranch'

KIITAdarsh MINGW64 ~/GitDemo (GitNewBranch)
$ echo "File in new branch" > newfile.txt

KIITAdarsh MINGW64 ~/GitDemo (GitNewBranch)
$ git add newfile.txt
warning: in the working copy of 'newfile.txt', LF will be replaced by CRLF the next time Git touches it

KIITAdarsh MINGW64 ~/GitDemo (GitNewBranch)
$ git commit -m "Added newfile in GitNewBranch"
[GitNewBranch b70ff1f] Added newfile in GitNewBranch
 1 file changed, 1 insertion(+)
 create mode 100644 newfile.txt

KIITAdarsh MINGW64 ~/GitDemo (GitNewBranch)
$ git checkout master
Switched to branch 'master'

KIITAdarsh MINGW64 ~/GitDemo (master)
$ git merge GitNewBranch
Updating ecc3188..b70ff1f
Fast-forward
 newfile.txt | 1 +
 1 file changed, 1 insertion(+)
 create mode 100644 newfile.txt

KIITAdarsh MINGW64 ~/GitDemo (master)
$ git log --oneline --graph --decorate
* b70ff1f (HEAD -> master, GitNewBranch) Added newfile in GitNewBranch
* ecc3188 (origin/master) Ignore log files and folders
* baa6c5d Initial commit with welcome.txt

KIITAdarsh MINGW64 ~/GitDemo (master)
$ git branch -d GitNewBranch
Deleted branch GitNewBranch (was b70ff1f).


KIITAdarsh MINGW64 ~/GitDemo (master)
$ |
```

TASK 4:-

```

MINGW64/c/Users/KIIT/GitDemo
$ git checkout -b GitNewBranch
Switched to a new branch 'GitNewBranch'
$ git add .
$ git commit -m "Initial commit with welcome.txt"
[master b70ff1f] Initial commit with welcome.txt
$ git branch -d GitNewBranch
Deleted branch GitNewBranch (was b70ff1f).
$ git checkout -b Gitwork
Switched to a new branch 'Gitwork'
$ echo "Hello from Gitwork branch" > hello.xml
$ git add hello.xml
warning: in the working copy of 'hello.xml', LF will be replaced by CRLF the next time Git touches it
$ git commit -m "Add hello.xml in Gitwork"
[Gitwork 37ebbb1] Add hello.xml in Gitwork
1 file changed, 1 insertion(+)
create mode 100644 hello.xml
$ git checkout master
Switched to branch 'master'
$ echo "Hello from master branch" > hello.xml
$ git add hello.xml
warning: in the working copy of 'hello.xml', LF will be replaced by CRLF the next time Git touches it
$ git commit -m "Add conflicting hello.xml in master"
[master c5f888a] Add conflicting hello.xml in master
1 file changed, 1 insertion(+)
create mode 100644 hello.xml
$ ^C
$ ^C
$ git merge Gitwork
Auto-merging hello.xml
CONFLICT (add/add): Merge conflict in hello.xml
Automatic merge failed; fix conflicts and then commit the result.
$ ^C
$ np hello.xml
Bash: notepad++.exe: command not found
$ ^C
$ "C:/Program Files/Notepad++/notepad++.exe" hello.xml

```



The image shows two sequential screenshots of a Notepad++ window editing a file named 'hello.xml' at the path 'C:\Users\KIIT\GitDemo\hello.xml'. The window title is '*C:\Users\KIIT\GitDemo\hello.xml - Notepad++'. The menu bar includes File, Edit, Search, View, Encoding, Language, Settings, Tools, Macro, Run, Plugins, Window, and ?. The status bar at the bottom indicates 'eXtensible Markup Language file', 'length: 85 lines: 6', 'Ln: 3 Col: 8 Pos: 40', 'Windows (CR LF)', 'UTF-8', and 'INS'.


The first screenshot shows the file content with a merge conflict on line 5. The text is as follows:

```
1 HEAD
2 Hello from master branch
3 -----
4 Hello from GitWork branch
5 >>>>> GitWork
6
```

The second screenshot shows the same file after the conflict has been resolved. The text is now:

```
1 HEAD
2 Hello from master branch
3
4 Hello from GitWork branch
5 GitWork
6
```

The status bar in the second screenshot shows 'length: 71 lines: 6', 'Ln: 6 Col: 1 Pos: 72', and 'Windows (CR LF) UTF-8 INS'.



The image shows a Windows Command Prompt window with the title 'MINGW64/C:/Users/KIIT/GitDemo'. The user is 'KIIT\Adarsh' and the shell is 'MINGW64'. The commands and their outputs are as follows:

```
MIIT\Adarsh MINGW64 -
$ cd ~/GitDemo
MIIT\Adarsh MINGW64 ~/GitDemo (master|MERGING)
$ git status
On branch master
You have unmerged paths.
  (fix conflicts and run "git commit")
  (use "git merge --abort" to abort the merge)

Unmerged paths:
  (use "git add <file>..." to mark resolution)
        both added:   hello.xml

no changes added to commit (use "git add" and/or "git commit -a")
MIIT\Adarsh MINGW64 ~/GitDemo (master|MERGING)
$ "C:/Program Files/Notepad++/notepad++.exe" hello.xml
MIIT\Adarsh MINGW64 ~/GitDemo (master|MERGING)
$ git add hello.xml
MIIT\Adarsh MINGW64 ~/GitDemo (master|MERGING)
$ git commit -m "Resolved merge conflict in hello.xml"
[master 763b4af] Resolved merge conflict in hello.xml
MIIT\Adarsh MINGW64 ~/GitDemo (master)
$ ^C
MIIT\Adarsh MINGW64 ~/GitDemo (master)
$ |
```

TASK 5:-

