

PROJECT TITLE: Implement Client Script and UI Policy (Incident)

TASK 2: CREATE UI POLICY ACTION – URGENCY

1. Introduction

ServiceNow UI Policies are used to control the behavior of fields on forms according to specific conditions. A UI Policy Action is used along with a UI Policy to define how an individual field should behave when the policy condition is satisfied.

In Task 2, a UI Policy Action is created for the **Urgency** field of the Incident table. This action is connected to the **High Impact Control** UI Policy created in Task 1.

The main purpose of this task is to make the Urgency field read-only whenever the Incident Impact is set to High. This helps control the field behavior and prevents users from changing the Urgency value while the defined UI Policy condition is active.

2. Problem Statement

Incident records may require controlled field behavior when they reach a particular level of impact. If users can freely modify all fields, important Incident information may be changed incorrectly or inconsistently.

For High-impact Incidents, the Urgency field needs controlled behavior according to the configured business rule. To address this requirement, a UI Policy Action can be used to make the Urgency field read-only when the High Impact Control condition is satisfied.

This ensures that the Urgency field remains visible to users while preventing them from changing its value under the specified condition.

3. Objectives

The main objectives of this task are:

- To configure a UI Policy Action for the Incident table.
- To connect the action with the **High Impact Control** UI Policy.
- To select the **Urgency** field.
- To make the Urgency field read-only when Impact is High.

- To keep the Urgency field visible on the Incident form.
- To understand how UI Policy Actions control individual fields.
- To verify the behavior of the Urgency field under different Impact conditions.

4. Skills and Technologies Used

ServiceNow

ServiceNow is used to configure and manage the Incident form and its field behavior.

Incident Management

The Incident table is used as the target table for the UI Policy Action.

UI Policy

The **High Impact Control** UI Policy provides the condition under which the action is applied.

UI Policy Action

A UI Policy Action defines the behavior of a particular field when the associated UI Policy condition is satisfied.

Field Control

Field control is used to make the Urgency field read-only while keeping it visible to the user.

5. Task Description

The purpose of this task is to configure a UI Policy Action for the **Urgency** field.

The action is created under the **High Impact Control** UI Policy.

The main configuration is:

- **Field name:** Urgency
- **Read-only:** True
- **Visible:** Leave unchanged

When the Impact of an Incident is set to High, the UI Policy condition is satisfied and the Urgency field becomes read-only.

Users can still view the Urgency value, but they cannot modify it while the policy condition is active.

6. Activity 1: Configure the Urgency Field

6.1 Open the UI Policy

The first step is to open the **High Impact Control** UI Policy created in Task 1.

Navigate to the UI Policy record and locate the **UI Policy Actions** related list.

The UI Policy Actions section contains the actions associated with the selected UI Policy.

6.2 Create a New UI Policy Action

Click the **New** button in the UI Policy Actions related list.

A new UI Policy Action form is displayed. This form is used to define the behavior of an individual field.

7. Configure the Field Name

In the UI Policy Action form, select:

Field name: Urgency

The Urgency field is selected because the task requires the field to be controlled when the Incident has High Impact.

The action will therefore apply specifically to the Urgency field.

8. Configure Read-Only Behavior

The **Read-only** option is set to:

True

This configuration makes the Urgency field read-only whenever the High Impact Control UI Policy condition is satisfied.

When the Incident Impact is High, users can view the Urgency value, but they cannot manually change it.

This provides controlled access to the field while keeping the information visible on the Incident form.

9. Configure Visibility

The **Visible** field is left unchanged.

The purpose of this configuration is to keep the Urgency field visible on the Incident form.

The field is not hidden from the user. Instead, only its editing capability is restricted.

Therefore, users can continue to see the Urgency value while the UI Policy Action controls whether it can be modified.

10. Relationship Between UI Policy and UI Policy Action

The UI Policy and UI Policy Action work together.

The **High Impact Control** UI Policy defines the condition:

Impact = 1 – High

The UI Policy Action defines the field behavior:

Urgency → Read-only

When the condition is satisfied, the action is automatically applied.

This demonstrates how ServiceNow separates the condition from the field behavior while allowing both configurations to work together.

11. Submit the UI Policy Action

After entering the required configuration, review the settings.

The following details should be verified:

- The action belongs to **High Impact Control**.
- The selected field is **Urgency**.
- **Read-only** is set to True.

- **Visible** is left unchanged.

After confirming the configuration, click **Submit** to save the UI Policy Action.

The action is now associated with the High Impact Control UI Policy.

12. Working of the Configuration

The configured behavior can be understood through the following sequence:

1. An Incident record is opened.
2. The Impact field is changed to High.
3. The High Impact Control UI Policy condition becomes true.
4. The UI Policy Action is triggered.
5. The Urgency field becomes read-only.
6. The Urgency value remains visible.
7. The user cannot manually modify the Urgency field while the condition is active.

This provides controlled field behavior on the Incident form.

13. Testing and Verification

The configuration can be tested using an Incident record.

First, open an Incident record.

Next, set the **Impact** field to:

High

After the Impact value is changed to High, check the Urgency field.

The Urgency field should become read-only.

The field should remain visible, but the user should not be able to change its value.

14. Reverse Condition Verification

The behavior can also be checked by changing the Impact value to another level.

When the Impact is changed from High to a different value, the High Impact Control condition is no longer satisfied.

The UI Policy Action should then be reversed according to the UI Policy configuration.

The Urgency field should become editable again when the condition is no longer active.

This confirms that the UI Policy and its associated action are responding dynamically to the Impact value.

15. Expected Result

The expected result of this task is that the **Urgency** field becomes read-only whenever the Incident Impact is set to High.

The field remains visible on the Incident form.

When the Impact value changes to a condition that does not satisfy the UI Policy, the field behavior should revert according to the configured policy.

16. Benefits

The UI Policy Action provides controlled behavior for the Urgency field.

It helps prevent unwanted changes to the field when an Incident has High Impact.

It also improves consistency in Incident data entry by applying the same field behavior whenever the policy condition is satisfied.

Keeping the field visible while making it read-only also allows users to view the information without modifying it.

17. Result

The UI Policy Action for the **Urgency** field was successfully configured under the **High Impact Control** UI Policy.

The Urgency field was configured as read-only while the Incident Impact is High. The field remains visible on the form, allowing users to view its value while preventing changes under the specified condition.

18. Conclusion

Task 2 demonstrates how a UI Policy Action can be used to control an individual field on an Incident form. The **Urgency** field was selected and configured as read-only under the High Impact Control UI Policy.

This configuration shows how ServiceNow can dynamically control field behavior based on Incident conditions. The implementation helps maintain consistent data entry and provides controlled interaction with important Incident fields.

The task also demonstrates the relationship between a UI Policy and its UI Policy Action. The UI Policy determines when the behavior should be applied, while the UI Policy Action determines how the selected field should behave.