

PROJECT TITLE: Implement Client Script and UI Policy (Incident)

TASK 4: CREATE ONSUBMIT CLIENT SCRIPT – SAVE VALIDATION

1. Introduction

ServiceNow Client Scripts can be used to validate information before an Incident record is submitted. An **onSubmit Client Script** runs when a user attempts to save or submit a record.

In this task, an onSubmit Client Script is created for the Incident table to check whether the **Assigned To** field is filled when the Incident has High Impact.

The script prevents the Incident from being saved when Impact is High and Assigned To is empty. It also displays an error message to inform the user that the Assigned To field is required.

2. Problem Statement

Incident records should contain complete information before they are submitted. In particular, a High-impact Incident should have an assigned user so that the Incident can be properly handled.

If a user attempts to save a High-impact Incident without entering an Assigned To value, the record may be incomplete.

To prevent this situation, an onSubmit Client Script is implemented. The script validates the Assigned To field during submission and stops the save operation when the required condition is not satisfied.

3. Objectives

The main objectives of this task are:

- To create an onSubmit Client Script.
- To apply the script to the Incident table.
- To validate the Assigned To field during form submission.
- To check whether the Incident Impact is High.
- To prevent saving when Assigned To is empty for a High-impact Incident.

- To display an appropriate error message.
- To understand save-time form validation.
- To improve the completeness of Incident records.

4. Skills and Technologies Used

ServiceNow

ServiceNow is used to create and configure the Client Script.

Incident Management

The Client Script is applied to the Incident table.

Client Script

Client Scripts provide client-side control over Incident form behavior.

onSubmit

The onSubmit type is used to execute validation when the user attempts to submit the record.

JavaScript

JavaScript is used to check the Impact and Assigned To field values and control whether the record can be saved.

5. Task Description

The Client Script created in this task is named:

Prevent save if Assigned To missing

The script is configured with:

- **Name:** Prevent save if Assigned To missing
- **Table:** Incident
- **Type:** onSubmit
- **Active:** True

The script checks two conditions:

1. Impact is High.
2. Assigned To is empty.

If both conditions are true, the script displays an error message and returns false, preventing the Incident from being saved.

6. Activity 1: Create Client Script

6.1 Navigate to Client Scripts

Navigate to:

System UI → Client Scripts

This module contains the Client Scripts configured in the ServiceNow instance.

6.2 Create a New Client Script

Click **New** to create a new Client Script.

A new Client Script form opens where the required configuration can be entered.

7. Client Script Configuration

The Client Script is configured as follows:

Name

Prevent save if Assigned To missing

The name clearly indicates the purpose of the script.

Table

Incident

This ensures that the validation applies to Incident records.

Type

onSubmit

This causes the script to execute when the user attempts to save or submit the Incident.

Active True

The Active option ensures that the Client Script is enabled.

8. Validation Logic

The script checks whether the Impact field contains the High value and whether the Assigned To field is empty.

The required script is:

```
function onSubmit() {  
    if (g_form.getValue('impact') == '1' &&  
        g_form.getValue('assigned_to') == "") {  
  
        g_form.showErrorMessage(  
            'assigned_to',  
            'Assigned To is mandatory for High impact incidents.'  
        );  
  
        return false;  
    }  
  
    return true;  
}
```

The script uses the Incident form values to determine whether the record can be submitted.

9. Working of the Script

The script works when the user attempts to submit the Incident.

First, it checks the value of the Impact field.

If Impact is equal to High, the script then checks the Assigned To field.

If Assigned To is empty, an error message is displayed.

The script then returns false.

Returning false prevents the Incident record from being saved.

If the Assigned To field contains a value, the validation condition is not satisfied and the script returns true, allowing the record to be saved.

10. Error Message

When the required condition is not satisfied, the following error message is displayed:

Assigned To is mandatory for High impact incidents.

The message is displayed against the Assigned To field so that the user can easily identify which field needs to be completed.

This helps users correct the Incident before trying to submit it again.

11. Submit the Client Script

After entering the configuration and script, verify the following:

- Name is **Prevent save if Assigned To missing**.
- Table is **Incident**.
- Type is **onSubmit**.
- Active is **True**.
- The validation script is entered correctly.

Click **Submit** to save the Client Script.

12. Testing and Verification

The Client Script must be tested using an Incident record.

Open an Incident and set the Impact field to:

High

Leave the Assigned To field empty.

Then click **Submit**.

The script should execute before the Incident is saved.

13. Expected Validation Result

Because the Impact is High and Assigned To is empty, the validation condition is satisfied.

The Incident should **not be saved**.

An error message should appear indicating that Assigned To is mandatory for High-impact Incidents.

The user must enter a value in Assigned To before the record can be successfully submitted.

14. Successful Save Test

A second test can be performed by entering a valid user in the Assigned To field.

Set the Impact to High and select a user in Assigned To.

Click **Submit**.

Since Assigned To is no longer empty, the validation condition is false.

The script returns true, allowing the Incident record to be saved.

15. Importance of Save Validation

Save validation helps prevent incomplete Incident records from being submitted.

Instead of allowing incorrect information to enter the system, the Client Script checks the required condition before the record is saved.

This provides an additional level of data validation at the user interface level.

16. Benefits

The onSubmit Client Script provides several benefits:

- Prevents incomplete High-impact Incidents from being saved.
- Ensures Assigned To information is provided.
- Provides immediate feedback to the user.
- Improves Incident data quality.
- Reduces the possibility of incomplete records.
- Provides conditional validation based on Impact.
- Makes the Incident submission process more controlled.

17. Result

The **Prevent save if Assigned To missing** onSubmit Client Script was successfully configured for the Incident table.

The script validates the Assigned To field when the Impact is High and prevents submission when the field is empty.

The validation message helps the user identify and correct the missing information before saving the Incident.

18. Conclusion

Task 4 demonstrates how an **onSubmit Client Script** can be used for save-time validation in ServiceNow.

The script checks whether a High-impact Incident has an Assigned To value before allowing the record to be submitted. When the field is empty, the script displays an error message and prevents the record from being saved.

This task provides practical knowledge of client-side validation and demonstrates how ServiceNow can enforce data requirements before Incident records are submitted. It also shows how JavaScript and the `g_form` object can be used to validate form information and control the submission process.