

PROJECT TITLE:Implement Client Script and UI Policy (Incident)

TASK 3: CREATE ONCHANGE CLIENT SCRIPT

1. Introduction

ServiceNow Client Scripts are used to control the behavior of forms on the client side. They can respond to changes made by users and perform specific actions automatically.

In this task, an **onChange Client Script** is created for the Incident table. The script monitors changes to the **Impact** field. When the Impact value is changed to High, the script automatically sets the **Urgency** field to High.

This task demonstrates how a Client Script can be used to automate field values and provide dynamic behavior on an Incident form.

2. Problem Statement

Incident records contain important fields such as Impact and Urgency. When users manually enter these values, there may be a possibility of inconsistent or incorrect data.

When an Incident has High Impact, the Urgency should also be set to High according to the configuration required in this project. Manually updating the Urgency field every time can lead to unnecessary user actions.

To solve this problem, an onChange Client Script can be used. The script automatically detects a change in the Impact field and updates the Urgency field when the Impact value becomes High.

3. Objectives

The main objectives of this task are:

- To create an onChange Client Script.
- To apply the Client Script to the Incident table.
- To configure the Impact field as the triggering field.
- To automatically set Urgency to High when Impact is High.
- To understand how onChange Client Scripts work.

- To reduce manual field updates.
- To improve consistency between Impact and Urgency values.
- To verify the automatic behavior on an Incident form.

4. Skills and Technologies Used

ServiceNow

ServiceNow is used to configure and manage the Incident form and Client Script.

Client Scripts

Client Scripts are used to perform client-side actions when specific form events occur.

onChange Client Script

An onChange Client Script executes when the value of a selected field changes.

Incident Management

The Incident table is used as the target table for this Client Script.

JavaScript

JavaScript is used to define the logic that automatically updates the Urgency field.

5. Task Description

The purpose of this task is to create an onChange Client Script named:

Auto set urgency for high impact

The script is configured for the Incident table.

The **Impact** field is selected as the field that triggers the script.

When the Impact value changes to High, the script checks the new value and automatically sets the Urgency field to High.

6. Activity 1: Create Client Script

6.1 Navigate to Client Scripts

The first step is to navigate to:

System UI → Client Scripts

The Client Scripts module contains the Client Scripts configured in the ServiceNow instance.

6.2 Create a New Client Script

Click the **New** button to create a new Client Script.

A new Client Script form is displayed. The required details can then be entered.

7. Client Script Configuration

The Client Script is configured with the following details:

- **Name:** Auto set urgency for high impact
- **Table:** Incident
- **Type:** onChange
- **Field name:** Impact
- **Active:** True

Each configuration plays an important role in the execution of the script.

8. Name Configuration

The name of the Client Script is:

Auto set urgency for high impact

The name clearly describes the purpose of the script. It indicates that the script is used to automatically set the Urgency field when the Incident has High Impact.

A meaningful name also makes the configuration easier to identify and manage.

9. Table Configuration

The Table is selected as:

Incident

This ensures that the Client Script runs only for Incident records.

The script is therefore directly associated with Incident Management.

10. Type Configuration

The Type is selected as:

onChange

An onChange Client Script executes when the value of its selected field changes.

In this task, the script responds specifically to changes in the Impact field.

This allows the Urgency value to be updated immediately when the Impact value changes.

11. Field Name Configuration

The Field name is selected as:

Impact

The Impact field acts as the triggering field for the Client Script.

Whenever the Impact field changes, the script checks the new value.

If the new value is High, the script performs the required action.

12. Active Configuration

The **Active** option is set to:

True

This ensures that the Client Script is active and can execute when the specified field changes.

If the Client Script is not active, the configured logic will not be applied.

13. Script Logic

The Client Script contains logic that checks whether the Impact field has changed to the High value.

The script first checks whether the form is still loading or whether the new value is empty. If either condition is true, the script stops.

When the new Impact value is **1**, the script sets the Urgency value to **1**.

The script also displays an informational message to the user.

The configured script is:

```
function onChange(control, oldValue, newValue, isLoading) {  
    if (isLoading || newValue == "") {  
        return;  
    }  
  
    if (newValue == '1') {  
        g_form.setValue('urgency', '1');  
        g_form.addInfoMessage('Urgency set to High for High impact incident.');    }  
}
```

The script uses the g_form object to update the Urgency field on the Incident form.

14. Working of the Script

The script works in the following sequence:

1. The Incident form is opened.
2. The user changes the Impact field.
3. The onChange Client Script is triggered.
4. The script checks the new Impact value.

5. If the value is High, the script sets Urgency to High.
6. An informational message is displayed.
7. The user can see the updated Urgency value on the form.

This provides automatic field behavior without requiring the user to manually select the Urgency value.

15. Submit the Client Script

After entering all the required details and the script, the configuration is reviewed.

The following details should be verified:

- Name is **Auto set urgency for high impact**.
- Table is **Incident**.
- Type is **onChange**.
- Field name is **Impact**.
- Active is **True**.
- The required script is entered correctly.

After verifying the configuration, click **Submit** to save the Client Script.

16. Testing and Verification

The Client Script can be tested by opening an Incident record.

Change the **Impact** field to:

High

After changing the Impact value, the Client Script should execute automatically.

The Urgency field should then be updated to:

High

An informational message should also be displayed indicating that the Urgency has been set to High for the High-impact Incident.

17. Expected Result

The expected result is that the Urgency field is automatically updated when the Impact field is changed to High.

The user does not need to manually select High in the Urgency field after selecting High Impact.

This demonstrates successful execution of the onChange Client Script.

18. Benefits

The Client Script provides several benefits.

It reduces manual data entry by automatically updating the Urgency field.

It also improves consistency between Impact and Urgency values according to the configured rule.

The automatic update provides immediate feedback to the user and makes the Incident form easier to use.

The script also demonstrates how JavaScript can be used within ServiceNow to provide dynamic client-side behavior.

19. Result

The **Auto set urgency for high impact** onChange Client Script was successfully configured for the Incident table.

The Impact field was selected as the triggering field, and the script was configured to set the Urgency value to High when the Impact value is High.

20. Conclusion

Task 3 demonstrates the use of an **onChange Client Script** in ServiceNow Incident Management. The script monitors changes to the Impact field and automatically updates the Urgency field when the Impact is set to High.

This task shows how Client Scripts can automate repetitive actions and provide immediate responses to user input. By automatically setting the Urgency value, the configuration helps maintain consistent Incident information and reduces unnecessary manual data entry.

