Area	Purpose	Bad	Comment	Good
Naming	Reveal intention	`int d;` `char a;`		`int days;` `char age;`
		`List<int> list;`	what's list for?	`List<int> listOfFileNames;`
		`return 4;`	What's 4? 'magic numbers'	`return EnumErrorCode::INCOMPLETE;`
	Avoid misinformation	`String accountList;`	is it a list or string?	`String csvAccounts;`
		`copy(char a1[], char[] a2)`	which is src? Dest?	`copy(char[] src, char[] dest)`
	Meaningful distinction	`ProductInfo, ProductData`	whats what?	

	Use 'Pronounceable' names	`class DtaRcrd102 {`
		`  private Date genymdhms;`
		…
				`class Customer {`
				` private Date generationTimestamp;`
				…

	Searchable names	`s += t[j];`		`sumOfHours += numberOfHours;`
	Avoid Encoding	`iDays`	Hungarian Notations	`days`
		`m_time`	Prefixes	`time`
		`IShapeFactory`	Encode impl than interface	`ShapeFactory`
	one word per concept	`fetch, retrieve, get`	same concept for each word	`get`
		`controller, manager, driver`	similar meaning	`controller`
		`DeviceManager, ProtocolContro`	cannot distinguish even for two different classes	`DeviceManager, ProtocolManager`
	Unthought Prefixes	`GSDAddress, GSDCustomer, GSDBroker`	Unnecessary context applied everywhere	`Address, Customer, Broker`