


# Tarefa UD6 - Diana Ramos Torrado

-Captura da petición exitosa de **POST register**:



POST

Query Headers <sup>2</sup> Auth Body <sup>1</sup> Tests Pre Run

JSON XML Text Form Form-encode GraphQL Binary

JSON Content Format


```
1 {
2   "nombre": "Diana Ramos",
3   "email": "dianaramos@gmail.com",
4   "password": "123456"
5 }
6
```

Status: 200 OK Size: 32 Bytes Time: 170 ms

Response Headers <sup>6</sup> Cookies Results Docs {} ≡

1 {
2 "message": "Usuario registrado"
3 }

-Captura da petición de **POST register** co erro de que xa existe:



POST

Query Headers <sup>2</sup> Auth Body <sup>1</sup> Tests Pre Run

JSON XML Text Form Form-encode GraphQL Binary

JSON Content Format

```
1 {
2   "nombre": "Diana Ramos",
3   "email": "dianaramos@gmail.com",
4   "password": "123456"
5 }
6
```

Status: 400 Bad Request Size: 26 Bytes Time: 170 ms

Response Headers <sup>9</sup> Cookies Results Docs {} ≡

1 Error al registrar usuario

-Captura de petición exitosa de **POST login**:

The screenshot displays a REST client interface with a POST request to `http://localhost/UD6/entregaTarea/login`. The request body is a JSON object containing email and password. The response is a 200 OK status with a JSON token.

**Request:**

- Method: POST
- URL: `http://localhost/UD6/entregaTarea/login`
- Body (JSON):

```
{  "email": "dianaramos@gmail.com",  "password": "123456"}
```

**Response:**

- Status: 200 OK
- Size: 76 Bytes
- Time: 177 ms
- Body (JSON):

```
{  "token": "6728ab16d1d1ced274f518bab0b990e19b192e5b9f8837569bd5c5e33917fdce"}
```

-Captura de petición de **POST login** co erro de que as credenciais non son válidas:

The screenshot displays a REST client interface with a POST request to `http://localhost/UD6/entregaTarea/login`. The request body is a JSON object containing email and password. The response is a 401 Unauthorized status with the message "Credenciales inválidas".

**Request:**

- Method: POST
- URL: `http://localhost/UD6/entregaTarea/login`
- Body (JSON):

```
{  "email": "samuel@gmail.com",  "password": "abc123"}
```

**Response:**

- Status: 401 Unauthorized
- Size: 23 Bytes
- Time: 121 ms
- Body: `Credenciales inválidas`

-Captura de petición exitosa de **POST contactos**:

POST

Query Headers <sup>3</sup> Auth Body <sup>1</sup> Tests Pre Run

JSON XML Text Form Form-encode GraphQL Binary

JSON Content Format

```
1 {
2   "nombre": "María",
3   "telefono": "693889076",
4   "email": "maria@gmail.com"
5 }
```

Status: 200 OK Size: 31 Bytes Time: 129 ms

Response Headers <sup>6</sup> Cookies Results Docs {} ≡

```
1 {
2   "message": "Contacto agregado"
3 }
```

-Captura de petición de **POST contactos** co erro de non proporcionar o token:

POST

Query Headers <sup>2</sup> Auth Body <sup>1</sup> Tests Pre Run

HTTP Headers ☐ Raw

<input checked="" type="checkbox"/>	Accept	*/*
<input checked="" type="checkbox"/>	User-Agent	Thunder Client (https://www.thunderclie
<input type="checkbox"/>	X-Token	6728ab16d1d1ced274f518bab0b990e19
<input type="checkbox"/>	header	value

Status: 401 Unauthorized Size: 22 Bytes Time: 124 ms

Response Headers <sup>9</sup> Cookies Results Docs {} ≡

```
1 Token no proporcionado
```

-Captura de petición de **POST contactos** co erro de non proporcionar un token válido:

POST `http://localhost/UD6/entregaTarea/contactos` Send

Query Headers<sup>3</sup> Auth Body<sup>1</sup> Tests Pre Run

HTTP Headers ☐ Raw

<input checked="" type="checkbox"/> Accept	*/*
<input checked="" type="checkbox"/> User-Agent	Thunder Client (https://www.thunderclie
<input checked="" type="checkbox"/> X-Token	valordetokennonvalido
<input type="checkbox"/> header	value

Status: 401 Unauthorized Size: 15 Bytes Time: 130 ms

Response Headers<sup>9</sup> Cookies Results Docs {} ≡

1 Token inválido

Response Preview Chart ↗

-Captura de petición exitosa de **GET contactos**:

GET `http://localhost/UD6/entregaTarea/contactos` Send

Query Headers<sup>3</sup> Auth Body Tests Pre Run

HTTP Headers ☐ Raw

<input checked="" type="checkbox"/> Accept	*/*
<input checked="" type="checkbox"/> User-Agent	Thunder Client (https://www.thunderclie
<input checked="" type="checkbox"/> X-Token	6728ab16d1d1ced274f518bab0b990e19
<input type="checkbox"/> header	value

Status: 200 OK Size: 254 Bytes Time: 118 ms

Response Headers<sup>6</sup> Cookies Results Docs {} ≡

```
1 [
2   {
3     "id": 8,
4     "nombre": "María",
5     "telefono": "693889076",
6     "email": "maria@gmail.com",
7     "usuario_id": 7,
8     "created_at": "2025-04-13 14:53:09"
9   },
10  {
11    "id": 9,
12    "nombre": "Alba",
13    "telefono": "693889055",
14    "email": "alba@gmail.com",
15    "usuario_id": 7,
16    "created_at": "2025-04-13 15:30:12"
17  }
18 ]
```

Response Chart ↗

-Captura de petición exitosa de **GET contactos** buscando co id de contacto:

The screenshot shows the Thunder Client interface. The top bar displays the method **GET** and the URL `http://localhost/UD6/entregaTarea/contactos/8`. The **Send** button is visible. Below the top bar, the **Headers** tab is selected, showing the following headers:

Header	Value
Accept	*/*
User-Agent	Thunder Client (https://www.thunderclient.com)
X-Token	6728ab16d1d1ced274f518bab0b990e19
header	value

The **Response** tab is also visible, showing the status **200 OK**, size **129 Bytes**, and time **112 ms**. The response body is a JSON object:

```
{
  "id": 8,
  "nombre": "María",
  "telefono": "693889076",
  "email": "maria@gmail.com",
  "usuario_id": 7,
  "created_at": "2025-04-13 14:53:09"
}
```

-Captura de petición exitosa de **GET contactos** buscando co id de contacto de un contacto que non é seu:


The screenshot shows the Thunder Client interface. The top bar displays the method **GET** and the URL `http://localhost/UD6/entregaTarea/contactos/7`. The **Send** button is visible. Below the top bar, the **Headers** tab is selected, showing the following headers:

Header	Value
Accept	*/*
User-Agent	Thunder Client (https://www.thunderclient.com)
X-Token	6728ab16d1d1ced274f518bab0b990e19
header	value

The **Response** tab is also visible, showing the status **403 Forbidden**, size **40 Bytes**, and time **131 ms**. The response body is a plain text message:


```
No tienes permiso para ver este contacto
```

-Captura de petición exitosa de **GET contactos** buscando co id de contacto de un contacto que non existe:



O GET de contactos tamén ten os erro 401 de token inválido e token non proporcionado implementados.

-Captura de petición exitosa de **PUT contactos** modificando según o id:



O PUT de contactos tamén ten os erro 401 de token inválido e token non proporcionado implementados. Ao igual que o 403 cando se intenta modificar un contacto que non é seu e o 404 cando se intenta modificar un contacto que non existe.

-Captura de petición exitosa de **DELETE contactos** eliminando según o id:

The screenshot displays the Thunder Client interface. The top bar shows the method **DELETE** and the URL **http://localhost/UD6/entregaTarea/contactos/8**. The status bar indicates **Status: 200 OK**, **Size: 32 Bytes**, and **Time: 116 ms**. The left sidebar shows the **Headers** tab with the following headers:

Header	Value
Accept	*/*
User-Agent	Thunder Client (https://www.thunderclie...
X-Token	6728ab16d1d1ced274f518bab0b990e19...
header	value

The right sidebar shows the **Response** tab with the following JSON response:

```
1 {  
2   "message": "contacto eliminado"  
3 }
```

O DELETE de contactos tamén ten os erro 401 de token inválido e token non proporcionado implementados. Ao igual que o 403 cando se intenta eliminar un contacto que non é seu e o 404 cando se intenta eliminar un contacto que non existe.