ReviveCheck

Migration acceptance for Portaldot V3

For Solidity developers and the maintainers reviewing their migration

RPC settings, mapped accounts, deployment logs and contract state need one repeatable acceptance record.

Check-in prototype, 23 October 2026

V3 makes acceptance specific

01 Native and EVM accounts

ReviveApi resolves both directions. The report records the actual account pair before treating it as the same caller.

02 A shared finalized checkpoint


Native and EVM block hashes differ. ReviveApi.ethBlockHash links the same finalized height across both interfaces.

03 Constructor encoding

A real unsigned simulation reproduces EvmConstructorNonEmptyData. Appending the ABI argument to EVM initcode corrects that failure.

One project, repeatable review

Create a target
Run acceptance
Correct and rerun
Compare saved inputs
Export the evidence



Changed account, contract or assertion requires a new baseline.
The screenshot shows explicitly synthetic rehearsal results.

Evidence at Check-in

26

automated tests passed

Production build passed

Real read-only network evidence
V3 identity and finalized checkpoint verified
Five deployment-related checks remain blocked

Real unsigned constructor simulation
Failure reproduced and correction verified
Simulation does not establish deployment

JSON report integrity verifies through the CLI. Its live result remains blocked.

Next chain milestone

Signed deployment and write/readback remain pending

01 **Confirm test-token funding**

The latest recorded dedicated-wallet balance is 0 tPOT.
Ticket creation does not establish token receipt.

02 **Deploy and record a finalized receipt**

Use the isolated native wallet with fresh weight/storage estimates
and an explicit test-token budget.

Then perform a separate state-changing write and finalized dual-interface readback.

Continued ecosystem work

Reusable V3 acceptance plans and reviewable comparisons

The next validation is one external builder bringing a compatible contract, running the workflow, and explaining the result without reconstructed logs.

Initial distribution: MIT-licensed local workbench and CLI.
Next scope: a CI example and additional validated V3 assertions.

Independent adoption, time savings, revenue and production safety remain unvalidated.