Time Zone: Japan Standard Time (JST)

Final Program: 9th ICIEV, 4th IVPR & 2nd ABC, 26-29 August, 2020, Kitakyushu, Japan

1200 1215 Opening Ceremony Opening Ceremony Opening Ceremony Title Sozo Inoue, General Chair, 2nd ABC; Program Chair, 4th IVPR; Kyushu Institute of Tomatitute at Chicago, USA; University of California, Santa Barbara, USA Michihiko Minoh, 9th ICIEV; Kyoto University, Japan; Executive Director, RIKEN, Saifur Rahman, Life Fellow, IEEE; Virginia Tech., USA; Advidory Board Member, IC Daniel Roggen, Program Chair, 2nd ABC; Sussex University, UK Saifur Rahman, Life Fellow, IEEE; Virginia Tech., USA; Advidory Board Member, IC Daniel Roggen, Program Chair, 2nd ABC; Sussex University, UK Synthesizing Cell Protein data for Human Protein Cell Profiling Using Dual Deep Generative Modeling Early Pulmonary Embolism Detection from Computed Tomography Pulmonary Angiography Using Convolutional Neural Networks AdversarialQR: An adversarial patch in QR code format Aran Chindaudom (Mahidol University); Kazunori Kotani (Japan Advanced Institut Technology); Karin Sumongkayothin University); Kazunori Kotani (Japan Advanced Institut of Technology); Karin Sumongkayothin University); Kazunori Kotani (Japan Advanced Institut of Technology); Karin Sumongkayothin University); Kazunori Kotani (Japan Advanced Institut of Technology); Karin Sumongkayothin University); Kazunori Kotani (Japan Advanced Institut Silibasaki (University); Kazunori Kotani (Japan Advanced Institut Open International Chair Sumongkayothin University); Kazunori Kotani (Japan Advanced Institut Silibasaki (University); Kazunori Kotani (Japan Advanced Institut Open International Chair Sumongkayothin University); Kazunori Kotani (Japan Advanced Institut Open International Chair Sumongkayothin University); Kazunori Kotani (Japan Advanced Institut Open International Chair Sumongkayothin University); Kazunori Kotani (Japan Advanced Institut Open International Chair Sumongkayothin University); Kazunori Kotani (Japan Advanced Institut Open International Chair Sumongkayothin University); Kazunori Kotani (Japan Advanced Institut Open Internat	yota Technological Japan CIEV & IVPR 2020 Fechnology)*; Sozo gy); Tomohiro ogy) g University)*; Chin y Hospital, College niversity); Yun- Juiversity) ity)*; Prarinya
Matthew Turk, General Chair, 9th ICIEV; Fellow, IEEE; Fellow, IAPR; President, Toy Institute at Chicago, USA; University of California, Santa Barbara, USA	yota Technological Japan CIEV & IVPR 2020 Fechnology)*; Sozo gy); Tomohiro ogy) g University)*; Chin y Hospital, College niversity); Yun- Juiversity) ity)*; Prarinya
Matthew Turk, General Chair, 9th ICIEV; Fellow, IEEE; Fellow, IAPR; President, Toy Institute at Chicago, USA; University of California, Santa Barbara, USA	yota Technological Japan CIEV & IVPR 2020 Fechnology)*; Sozo gy); Tomohiro ogy g University)*; Chin y Hospital, College niversity); Yun- Juiversity) ity)*; Prarinya
Institute at Chicago, USA; University of California, Santa Barbara, USA Michihiko Minoh, 9th ICIEV; Kyoto University, Japan; Executive Director, RIKEN, Saifur Rahman, Life Fellow, IEEE; Virginia Tech., USA; Advidory Board Member, IC Daniel Roggen, Program Chair, 2nd ABC; Sussex University, UK Synthesizing Cell Protein data for Human Protein Cell Profiling Using Dual Deep Generative Modeling Early Pulmonary Embolism Detection from Computed Tomography Pulmonary Angiography Using Convolutional Neural Networks AdversarialQR: An adversarial patch in QR code format Institute at Chicago, USA; University, Galifornia, Santa Barbara, USA Michihiko Minoh, 9th ICIEV; Kyoto University, Japan; Executive Director, RIKEN, Saifur Rahman, Life Fellow, IEEE; Virginia Tech., USA; Advidory Board Member, IC Barkesh Ranjan (Kyushu Institute of Technolog Shibata (Kyushu Institute	Japan CIEV & IVPR 2020 Gechnology)*; Sozo gy); Tomohiro ogy) g University)*; Chin y Hospital, College niversity); Yun- Juiversity) ity)*; Prarinya
Michihiko Minoh, 9th ICIEV; Kyoto University, Japan; Executive Director, RIKEN, Saifur Rahman, Life Fellow, IEEE; Virginia Tech., USA; Advidory Board Member, IC Daniel Roggen, Program Chair, 2nd ABC; Sussex University, UK 1215 1330 IVPR-1 Generator 168 Synthesizing Cell Protein data for Human Protein Cell Profiling Using Dual Deep Generative Modeling Early Pulmonary Embolism Detection from Computed Tomography Pulmonary Angiography Using Convolutional Neural Networks AdversarialQR: An adversarial patch in QR code format Aran Chindaudom (Mahidol University Chien Cheng); Karin Sumongkayothin University); Kazunori Kotani (Japan Advanced Institute Of Science and Technology) Deep Learning with AnoGAN and Shinji KAWAKURA (Osaka City University); Deep Learning with AnoGAN and Shinji KAWAKURA (Osaka City University); Careful Profiling Using Dual Deep Institute of Technology Shibata (Kyushu Institute of Technology) AdversarialQR: An adversarial patch in University); Kazunori Kotani (Japan Advanced Institute Of Technology)	Ciechnology)*; Sozo gy); Tomohiro ogy) g University)*; Chin y Hospital, College niversity); Yun- Juiversity) ity)*; Prarinya
Daniel Roggen, Program Chair, 2nd ABC; Sussex University, UK 1330 IVPR-1 Generator 168 Synthesizing Cell Protein data for Human Protein Cell Profiling Using Dual Deep Generative Modeling Inoue (Kyushu Institute of Technolog Shibata (Kyushu	Fechnology)*; Sozo gy); Tomohiro ogy) g University)*; Chin y Hospital, College niversity); Yun- Iniversity) ity)*; Prarinya
Synthesizing Cell Protein data for Human Rakesh Ranjan (Kyushu Institute of Technolog Shibata (Kyushu Institute of Technolog Shibat	gy); Tomohiro ogy) 3 University)*; Chin y Hospital, College niversity); Yun- University) ity)*; Prarinya
1215 1330 IVPR-1 Generator 168 Protein Cell Profiling Using Dual Deep Generative Modeling 169 Generative Modeling Inoue (Kyushu Institute of Technolog Shibata (Kyushu Insti	gy); Tomohiro ogy) 3 University)*; Chin y Hospital, College niversity); Yun- University) ity)*; Prarinya
1215 1330 IVPR-1 Generator 168 Protein Cell Profiling Using Dual Deep Generative Modeling 169 Generative Modeling Inoue (Kyushu Institute of Technolog Shibata (Kyushu Insti	gy); Tomohiro ogy) 3 University)*; Chin y Hospital, College niversity); Yun- University) ity)*; Prarinya
from Computed Tomography Pulmonary Angiography Using Convolutional Neural Networks AdversarialQR: An adversarial patch in QR code format Aran Chindaudom (Mahidol University) Technology); Karin Sumongkayothin University); Kazunori Kotani (Japan A of Science and Technology) Deep Learning with AnoGAN and Kuo (National Cheng Kung University) of Medicine, National Cheng Kung University of Medicine, National Cheng Ku	y Hospital, College niversity); Yun- University) ity)*; Prarinya
Angiography Using Convolutional Neural Networks AdversarialQR: An adversarial patch in QR code format AdversarialQR: An adversarial patch in University; Kazunori Kotani (Japan Advanced Institut Technology); Karin Sumongkayothin University); Kazunori Kotani (Japan Advanced Institut Technology) Deep Learning with AnoGAN and Shinji KAWAKURA (Osaka City University); Kazunori Katani (Japan Advanced Institut)	niversity); Yun- Jniversity) ity)*; Prarinya
AdversarialQR: An adversarial patch in QR code format 26 AdversarialQR: An adversarial patch in QR code format Siritanawan (Japan Advanced Institut Technology); Karin Sumongkayothin University); Kazunori Kotani (Japan Advanced Institut Technology); Kazunori Kotani (Japan Advanced Institut Technology); Kazunori Kotani (Japan Advanced Institut Technology) Deep Learning with AnoGAN and Shinji KAWAKURA (Osaka City University); Kazunori Kotani (Japan Advanced Institut Technology)	ity)*; Prarinya
QR code format Siritanawan (Japan Advanced Institut Technology); Karin Sumongkayothin University); Kazunori Kotani (Japan A of Science and Technology) Deep Learning with AnoGAN and Shinji KAWAKURA (Osaka City Unive	
University); Kazunori Kotani (Japan A of Science and Technology) Deep Learning with AnoGAN and Shinji KAWAKURA (Osaka City Unive	te of Science and
of Science and Technology) Deep Learning with AnoGAN and Shinji KAWAKURA (Osaka City Unive	
Deep Learning with AnoGAN and Shinji KAWAKURA (Osaka City Unive	Advanced Institute
	rersity)*· Ryosuke
Harvest Image Data	crossy, rejound
PerceptionGAN: Real-world Image Kanish Garg (Indian Institute of Tech	
Construction from Provided Text through Aject Singh (IIT DELHI); Dorien Here	
Perceptual Understanding University of Technology and Design) Delhi)); Brejesh Lall (IIT
1330 1340 Coffee-1	
Data Mining Anomaly Detection using Variational Umaporn Yokkampon (Kyushu Institu	tute of Technology)*
1340 IEV-1 & Autoencoder with Spectrum Analysis for Time Series Data	
Informatics Time Series Data IntellCache: An Intelligent Web Caching Nishat Niloy (University of Dhaka)*; I	Md Shariful Islam
Scheme for Multimedia Contents (University of Dhaka)	Ma. Sharirar Islam
Forecasting the Risk of Type II Diabetes Most. Fatematuz Zohora (Jahangirna	
using Reinforcement Learning Marzia Tania (Bangladesh University	
Shamim Kaiser (Jahangirnagar Universi Mahmud (Nottingham Trent Universi	
Hybrid Text Summarizer for Bangla Mahimul Islam (Ahsanullah Universit	
Document Technology); Fariha Nuzhat Majumda	
University of Science and Technology (Ahsanullah University of Science and	
Moinul Hoque (Ahsanullah University	
Technolgy)*	•
Knowledge-Base Optimization to Reduce Md. Kowsher (Noakhali Science and T	
the Response Time of Bangla Chatbot University)*; Anik Tahabilder (PUST) 239 University)*; Anik Tahabilder (PUST) Sanjid (BRAC University); Nusrat Jah	
Sanjid (BRAC University); Nusrat Jah (Daffodil International University); M	
Sarker (Comilla University)	
A learning mechanism for BRBES using Raihan Ul Islam (Luleå University of	
enhanced Belief Rule-Based Adaptive Mohammad Shahadat Hossain (University Differential Evolution Chittagong); Karl Andersson (Luleå U	
Technology)	Shiversity of
1510 1520 Coffee-2	
Michihiko Minoh, Kyoto University, Japan; Executive Director, RIKEN, Japan (Title	e: AI and
Tsychology)	
1605 1610 Break 5min	mitur)*. Cairra It
Towards Detailed 3D Modeling: Mesh Ryo Tamura (Aoyama Gakuin University); Naoshi	
1610 1740 IVPR-2 3D Vision 229 Gakuin University); Kazuhiko Sumi (A	• •
University)	
Object Detection in 3D Point Clouds via Chengzhi Wu (Karlsruhe Institute of T Local Correlation-Aware Point Pfrommer (Fraunhofer IOSB); Jürger	
Local Correlation-Aware Point Pfrommer (Fraunhofer IOSB); Jürger Embedding (Fraunhofer IOSB); kangning Li (Karl	
Technology); Boris Neubert (Karlsrul	
Technology)	
New Graph Embedding Approach for 3D Kamel Madi (UMANIS)*; Eric Paquet Protein Shape Classification Council)	t (National Research
Protein Shape Classification Council) Performance Evaluation of Markerless 3D Rollyn Labuguen (Kyushu Institute of	f Technology)*·
Skeleton Pose Estimates with Pop Dance Tomohiro Shibata (Kyushu Institute of	
Motion Sequence Salvador Blanco Negrete (Kyushu Inst	
Technology); Tonan Kogami (Kyushu Technology); Wally Enrico M. Ingco (
Technology); Wally Enrico M. Ingco (. University)	Ateneo de Manna
Feature Bridging Networks for 3D Human Naoshi Kaneko (Aoyama Gakuin Univ	versity)*; Mei
Body Shape Estimation from a Single Oyama (Ricoh Company, Ltd.); Masal	ki Hayashi (Keio
Deput Map University); Setya ito (Aoyania Gakun	
Kazuhiko Sumi (Aoyama Gakuin Univ	• -
Two-Stream 3D Convolution Attentional Raden Hadapiningsyah Kusumosenia Network for Action Recognition Taiwan University of Science and Tec	
	5.7

	1740	1750				Coffee-3	
	1750		ABC-1	Activity & Behavior Analysis	88	A Basic study on Ballroom Dance Figure Classification with LSTM Using Multi- modal Sensor	Hitoshi Matsuyama (Nagoya University)*; Kei Hiroi (Kyoto University); Katsuhiko Kaji (Aichi Institute of Technology); Takuro Yonezawa (Nagoya University); Nobuo Kawaguchi (Nagoya University)
					181	Reducing Energy Consumption by Behavioural Change – It is possible!	Dietrich Albert (University of Graz & Graz University of Technology)*; Michael Bedek (University of Graz & Graz University of Technology); Wolfgang Horn (Horn Consult, Leibnitz)
					194	Estimation of Record Contents for Automatic Generation of Care Records	Haru Kaneko (Kyushu Institute of Technology); Tahera Hossain (Kyushu Institute of Technology)*; Sozo Inoue (Kyushu Institute of Technology)
					74	Biological and Behavioral Information- based Method of Predicting Listener Emotions toward Speaker Utterances during Group Discussion	Motoki Sakai (Tokyo Denki University)*; Masaki Shuzo (Tokyo Denki University); Masahide Yuasa (Shonan Institute of Technology); Kanae Matsui (Tokyo Denki University); Eisaku Maeda (Tokyo Denki University)
					126	Investigating Correlations Between Usage of Communication Apps and Instant Messengern and a Smartphone User's Extraversion	Anja Exler (Karlsruhe Institute of Technology)*; Tobias Hornberger (Karlsruhe Institute of Technology); Michael Beigl (Karlsruhe Institute of Technology)
					189	Multilabel Classification of Nursing Activities in a Realistic Scenario	Farina Faiz (Kyushu Institute of Technology)*; Yoshinori Ideno (CARECOM CO., LTD); Hiromichi Iwasaki (University of Fukui Hospital); Yoko Muroi (University of Fukui Hospital); Sozo Inoue (Kyushu Institute of Technology)
	1920	1945				Networking	
27-Aug							
2/-Aug				26 71		Visual Analytics for Anomaly	Yuwei Sun (The University of Tokyo)*; Hiroshi Esaki
	1200	1330	IEV-2	Machine Learning	210	Classification in LAN Based on Deep Convolutional Neural Network	(University of Tokyo, Japan); Hideya Ochiai (The University of Tokyo)
					156	Mutual Information based Feature Selection for Nurse Care Activity Recognition	Md. Hasan Tarek (University of Dhaka)*; Md. Eusha Kadir (University of Dhaka); Mahir Mahbub (University of Dhaka); Pritom Saha Akash (University of Dhaka); Amin Ahsan Ali (Independent University Bangladesh); Mohammad Shoyaib (University of Dhaka)
					103	Pathfinder: A Fog Assisted Vision-Based System for Optimal Path Selection of Service Robots	Niloy Irtisam (University of Dhaka)*; Riad Ahmed (University of Dhaka); Mohammad Moniruzzaman Akash (University of Dhaka); Raiyaan Abdullah (University of Dhaka); Sujan Sarker (University of Dhaka); Sejuti Rahman (University of Dhaka); Lafifa Jamal (University of Dhaka)
					54	An Improved Adaptive Optimization Technique for Image Classification	Nazmus Saqib (KUET)*; Fatema Tuz Zahra (KUET)
						An Integrated Real-Time Deep Learning and Belief Rule Base Intelligent System to Assess Facial Expression under Uncertainty	Tawsin Uddin Ahmed (University of Chittagong)*; Mohammad Newaj Jamil (University of Chittagong); Mohammad Hossain (University of Chittagong); Karl Andersson (Luleå University of Technology); Sazzad Hossain (University of Liberal Arts Bangladesh)
	1330	1335			90	Alzheimer's Disease Prediction Using Convolutional Neural Network Models Leveraging Pre-existing Architecture and Transfer Learning Break 5min	Mahjabeen Tamanna Abed (BRAC University); Umme Fatema (BRAC University); Shanewas Ahmed Nabil (BRAC University); Md. Ashraful Alam (BRAC University); Md Tanzim Reza (BRAC University)*
1	1030	-030			Oleg		A; Presidential Early Career Award for Scientists and
	1335	1420		ynote 2	Engir		nt Detection Sensors, Biometrics, and Health
	1420 1430	10	Coffee-4 IVPR-3	Algorithms	17	Multi-branch Semantic Segmentation	LiHua Wei (Inner Mongolia University); Yingdong Ma
	1430	1000	111 K-3	angoriumis	18	Network Multi-Level Feature and Context Pyramid	(Inner Mongolia University)* Xia Wang (Inner Mongolia University); Yingdong Ma
					34	Network for Object Detection A Warp Speed Chain-Code Algorithm Based on Binary Decision Trees	(Inner Mongolia University)* Stefano Allegretti (Università degli Studi di Modena e Reggio Emilia)*; Federico Bolelli (Università degli Studi di Modena e Reggio Emilia); Costantino Grana (University of Modena and Reggio Emilia)
					128	The Planar/Hyper-Planar Rotated Polar Coordinate System and Its Mathematical Solid Vector Addition, Multiplication, Division, Dot Product and Cross Product Operations	Jalal Al-Anssari (University of Cincinnati)*; Inam Naser (University of Cincinnati); Anca Ralescu (University of Cincinnati)
					222	Visual Attention: Deep Rare Features	Matei Mancas (U Mons/ittention)*; Phutphalla Kong (Institute of Technology of Cambodia); Bernard Gosselin (Université de Mons (UMONS))
					224	Second-Order Estimation Based Attention Network for Metric Learning	Zeyu Sun (Waseda University)*; Sei-ichiro Kamata (Waseda University)
	1600 1610	1610 1740	Indust	ry Session	Mar	Coffee-5 nezou Co., Ltd.	
	1010	1/40	maust	r J Dession		vation Plus Co., Ltd.	
					Fusi	c Co., Ltd.	
						rt Co., Ltd.	
						Co., Ltd.	
	1740	1750			-ui C	Coffee-6	

	1750	1920	ABC-2	Activity Analysis: Devices & Systems	187	Exploring Human Activity by Using eSense Earable Device	Md Shafiqul Islam (Kyushu Institute of Technology)*; Tahera Hossain (Kyushu Institute of Technology); M.A.R. Ahad (University of Dhaka); Sozo Inoue (Kyushu Institute of Technology)					
					150	Head-AR: Human Activity Recognition with Head Mounted IMU Using Weighted Ensemble Learning	Hristijan Gjoreski (Ss. Cyril and Methodius University)*; Ivana Kiprijanovska (Institute Jozef Stefan); Simon Stankoski (Institute Jozef Stefan); Stefan Kalabakov (Institute Jozef Stefan); John Broulidakis (Emteq Ltd.); Charles Nduka (Emteq Ltd.); Martin Gjoreski (Institute Jozef Stefan)					
					39	In-shoe motion sensor for initial contact and toe-off event detection	Chenhui Huang (NEC)*; Kenichiro Fukushi (NEC); Zhenwei Wang (NEC); Hiroshi Kajitani (NEC); Fumiyuki Nihey (NEC); Kentaro Nakahara (NEC)					
					149	Classification Method of Eating Behavior by Dietary Sound Collected in Natural Meal Environment	Haruka Kamachi (Aoyama Gakuin University)*; Takumi Kondo (Aoyama Gakuin University); Anna Yokokubo (Aoyama Gakuin University); Guillaume Lopez (Aoyama Gakuin University)					
						Human Pose Tracking by Fusing Human Joint Positions from Multiple Kinect 3 : New Results	Jessica Colombel (Inria)*; David Daney (Inria); Vincent Bonnet (Univ Paris Est Creteil, LISSI); Francois Charpillet (Inria)					
					155	ExerSense: Real-Time Physical Exercise Segmentation, Classification, and Counting Algorithm Using an IMU Sensor	Shun Ishii (Aoyama Gakuin University)*; Kizito Nkurikiyeyezu (Aoyama Gakuin University); Mika Luimula (Turku University of Applied Sciences); Anna Yokokubo (Aoyama Gakuin University); Guillaume Lopez (Aoyama Gakuin University)					
	1920	2020		n-progress VIP)-1	144	Glioma Histopathological Images Classification with Deep CNN and Object Level Features	Daisuke Saito (Mie University)*; Hiroharu Kawanaka (Mie University); Shinji Tsuruoka (Mie University); Bruce J. Aronow (Cincinnati Children's Hospital Medical Center); V. B. Surya Prasath (Cincinnati Children's Hospital Medical Center)					
					216	The Measurement of bio medical reaction of the VR motion sickness in elderly subjects	Yutaka Yoshida (Nagoya City University)*; Emi Yuda (Tohoku University); Norihiro Ueda (Nagoya City University); Junichiro Hayano (Nagoya City University); Itaru Kaneko (Nagoya City University)					
					260	On the Elliptical Ring-canal of Starfish Routing	Md Ahsan Habib (University of Dhaka)*; Sajeeb Saha (Jagannath University); Md. Abdur Razzaque (University of Dhaka); Md. Mamun-Or- Rashid (University of Dhaka)					
						Relation between frequency of opening and closing of vascular and area of skin by microvascular wave	Yutaka Yoshida (Nagoya City University)*; Emi Yuda (Tohoku University); Yutaka Miura (Shigakkan University); Norihiro Ueda (Nagoya City University); Junichiro Hayano (Nagoya City University); Itaru Kaneko (Nagoya City University)					
						Development of Electrical Impedance Imaging System for Continuous Monitoring of Lung Diseases	Aniqa Tabassum (University of Dhaka)*; Md. Adnan Kiber (University of Dhaka)					
						Development of an optimal signal control method for the next-generation traffic at intersections	Makoto Hasegawa (Gunma University)*; MAS Kamal (Gunma University); Kotaro Hashikura (Gunma University); Kou Yamada (Gunma University)					
					136	Development of Cytology Support System using Machine Learning Methods	Hiroki Kiyose (University of Hyogo)*					
						Hand detection in UKA surgery videos using Deep Convolutional Neural Network	General Hospital); Syoji Kobashi (University of Hyogo)					
						Question-Answ	er Session for All WIP-1					
28-Aug						Static Output Feedback Control Design	Inn Vanavama (Acyares Calmin Hairreit)*					
	1200	1330	IEV-3	Information System	169	for Takagi-Sugeno Descriptor Fuzzy Systems	Jun Yoneyama (Aoyama Gakuin University)*					
					106	Simulation of Pattern Formation of Swarm with Minimum Shape Parameters	Md. Tahmeed Abdullah (University of Dhaka)*; Md Jubair Ahmed (University of Dhaka); Sejuti Rahman (University of Dhaka); Sujan Sarker (University of Dhaka)					
											Attack Detection in Internet of Things using Software Defined Network and Fuzzy Neural Network	Fahiba Farhin (Jahangirnagar University); Ishrat Sultana (Jahangirnagar University); Nahida Islam (Jahangirnagar University); Md Sazzadur Rahman (Jahangirnagar University); Shamin Kaiser (Jahangirnagar University)*; Mufti Mahmud (Nottingham Trent University, Nottingham)
					85	Water Quality Classification Using Data Mining Techniques: A Case Study on Wang River in Thailand	Krittakom srijiranon (Thammasat University)*; Kittichai Northep (Thammasat University); Narissara Eiamkanitchat (Chiang Mai University)					
						Lemmatization Algorithm Development for Bangla Natural Language Processing	Md. Kowsher (Noakhali Science and Technology University)*; Anik Tahabilder (PUST); Md. Murad Hossain Sarker (Comilla University); Md. Zahidul Islam Sanjid (BRAC University); Nusrat Jahan Prottasha (Daffodil International University)					
						Inference and Multi-level Learning in a Belief Rule-Based Expert System to Predict Flooding	Raihan Ul Islam (Luleå University of Technology)*; Mohammad Shahadat Hossain (University of Chittagong); Karl Andersson (Luleå University of Technology)					
	1330	1335			Monit	Break 5min	USA: Follow ACM: Follow, IEEE (Title: Contributed and					
						Mani Srivastava, University of California, LA, USA; Fellow ACM; Fellow, IEEE (Title: Security and Privacy Challenges: in Learning-enabled IoT Systems)						
	1420	1430		Coffee-7								

					4 1 1 Cm 1 1 127 11 11 11 11 11 11 11 11 11 11 11 11 11	
1430	1600	IVPR-4	Vision & Imaging: Applications	140	Analysis of Tourists' Nationality Effects on Behavior-based Emotion and Satisfaction Estimation	Yuki Matsuda (Nara Institute of Science and Technology)*; Dmitrii Fedotov (Ulm University); Yutaka Arakawa (Nara Institute of Science and Technology); Hirohiko Suwa (Nara Institute of Science and Technology); Wolfgang Minker (Ulm University); Keiichi Yasumoto (Nara Institute of Science and Technology)
				157	Embedded Discriminant Analysis based Speech Activity Detection for Unsupervised Stress Speech Clustering	Barlian Henryranu Prasetio (University of Miyazaki)*; Hiroki Tamura (University of Miyazaki); Koichi Tanno (University of Miyazaki)
				240	Lip Reading using Facial Expression Features	Tatsuya Shirakata (Kyushu Institute of Technology); Takeshi Saitoh (Kyushu Institute of Technology)*
				13	Improved visual inspection for nozzle inner radius based on panoramic imaging	Sanao Hunor (Kyusha Institute of Technology Sanao Hunor (University of Science and Technology Beijing); Ke Xu (University of Science and Technology Beijing)*; Ruixin Wang (University of Science and Technology Beijing); Maocheng Hong (CGN Inspection Technology Co., Ltd)
				32	Diabetic retinopathy grading based on Lesion correlation graph	DAMING LUO (Waseda University)*; Sei-ichiro Kamata (Waseda University)
				225	Data Augmentation for Ancient Characters via Semi-MixFontGan	Yuan Zhiyi (Waseda University)*; Sei-ichiro Kamata (Waseda University)
1610	1740	IVPR-5	Medical Aspects	37	Coffee-8 A Method for Predicting Dose Distribution of Nasopharyngeal Carcinoma Cases by Multiple Deep Neural Networks	Bilel Daoud (Kyushu University)*; Ken'ichi Morooka (Okayama University); Shoko Miyauchi (Kyushu University); Ryo Kurazume (Kyushu University); Wafa Mnejja (EPS HABIB BOURGUIBA); Farhat Leila (EPS HABIB BOURGUIBA); Jamel Daoud (EPS HABIB BOURGUIBA)
				223	A Review of the Technology of Activity Recognition for Dementia	Muhammad Fikry (Kyushu Institute of Technology)*; Defry Hamdhana (Kyushu Institute of Technology); Paula Lago (Kyushu Institute of Technology); Sozo Inoue (Kyushu Institute of Technology)
				221	A Coarse to Fine Framework for Multi- organ Segmentation in Head and Neck Images	Yan Pu (Waseda University)*; Sei-ichiro Kamata (Waseda University); Youjie Wang (Waseda University)
				226	Combined Convolutional Neural Network for Highly Compressed Images Denoising	Binying Liu (Waseda University)*; Sei-ichiro Kamata (Waseda University)
				244	A Hybrid Deep Learning Framework using CNN and GRU-based RNN for Recognition of Pairwise Similar Activities	Md. Sadman Siraj (University of Dhaka)*; M.A.R. Ahad (University of Dhaka; Osaka University)
				214	Stain-Refinement and Boundary- Enhancement Weight Maps for Multi- organ Nuclei Segmentation	Ruochan Wang (Waseda University)*; Sei-ichiro Kamata (Waseda University)
1740	1750				Accuracy of Motion Estimation using	Tsubasa Maruyama (National Institute of Advanced
					Sparse Set IMUs in Gait Analysis	
1750	1920	ABC-3	Activity & Behavior Analysis: Method	159		Industrial Science and Technology)*; Haruki Toda (National Institute of Advanced Industrial Science and Technology); Suguru Kanoga (AIST); Mitsunori Tada (National Institute of Advanced Industrial Science and Technology); Yui Endo (National Institute of Advanced Industrial Science and Technology)
1750	1920	ABC-3	Behavior Analysis:		Improving Smartphone based Transport Mode Recognition using Generative Adversarial Networks	National Institute of Advanced Industrial Science and Technology); Suguru Kanoga (AIST); Mitsunori Tada (National Institute of Advanced Industrial Science and Technology); Yui Endo (National Institute of Advanced Industrial Science and Technology) Lukas Gunthermann (University of Sussex)*; Daniel Roggen (University of Sussex); Andrew Philippides (University of Sussex)
1750	1920	ABC-3	Behavior Analysis:	191	Improving Smartphone based Transport Mode Recognition using Generative Adversarial Networks New Class Candidate Generation applied to On-Body Smartphone Localization	National Institute of Advanced Industrial Science and Technology); Suguru Kanoga (AIST); Mitsunori Tada (National Institute of Advanced Industrial Science and Technology); Yui Endo (National Institute of Advanced Industrial Science and Technology) Lukas Gunthermann (University of Sussex)*; Daniel Roggen (University of Sussex); Andrew Philippides (University of Sussex) Mitsuaki Saito (Tokyo University of Agriculture and Technology)*; Kaori Fujinami (Tokyo University of Agriculture and Technology)
1750	1920	ABC-3	Behavior Analysis:	191	Improving Smartphone based Transport Mode Recognition using Generative Adversarial Networks New Class Candidate Generation applied to On-Body Smartphone Localization Mapping Vicon Motion Tracking to 6-axis IMU Data for Wearable Activity Recognition	National Institute of Advanced Industrial Science and Technology); Suguru Kanoga (AIST); Mitsunori Tada (National Institute of Advanced Industrial Science and Technology); Yui Endo (National Institute of Advanced Industrial Science and Technology) Lukas Gunthermann (University of Sussex)*; Daniel Roggen (University of Sussex); Andrew Philippides (University of Sussex) Mitsuaki Saito (Tokyo University of Agriculture and Technology)*; Kaori Fujinami (Tokyo University of Agriculture and Technology) Lloyd Pellatt (University of Sussex)*; Alex Dewar (University of Sussex); Andrew Philippides (University of Sussex); Daniel Roggen (University of Sussex)
1750	1920	ABC-3	Behavior Analysis:	191	Improving Smartphone based Transport Mode Recognition using Generative Adversarial Networks New Class Candidate Generation applied to On-Body Smartphone Localization Mapping Vicon Motion Tracking to 6-axis IMU Data for Wearable Activity Recognition Improvement of Human Action Recognition Using 3D Pose Estimation	National Institute of Advanced Industrial Science and Technology); Suguru Kanoga (AIST); Mitsunori Tada (National Institute of Advanced Industrial Science and Technology); Yui Endo (National Institute of Advanced Industrial Science and Technology) Lukas Gunthermann (University of Sussex)*; Daniel Roggen (University of Sussex); Andrew Philippides (University of Sussex) Mitsuaki Saito (Tokyo University of Agriculture and Technology)*; Kaori Fujinami (Tokyo University of Agriculture and Technology) Lloyd Pellatt (University of Sussex)*; Alex Dewar (University of Sussex); Andrew Philippides (University of Sussex); Daniel Roggen (University of Sussex) Kohei Adachi (Kyushu Institute of Technology); Faula Lago (Kyushu Institute of Technology); Sozo Inoue (Kyushu Institute of Technology)
1750	1920	ABC-3	Behavior Analysis:	191	Improving Smartphone based Transport Mode Recognition using Generative Adversarial Networks New Class Candidate Generation applied to On-Body Smartphone Localization Mapping Vicon Motion Tracking to 6-axis IMU Data for Wearable Activity Recognition Improvement of Human Action	National Institute of Advanced Industrial Science and Technology); Suguru Kanoga (AIST); Mitsunori Tada (National Institute of Advanced Industrial Science and Technology); Yui Endo (National Institute of Advanced Industrial Science and Technology) Lukas Gunthermann (University of Sussex)*; Daniel Roggen (University of Sussex); Andrew Philippides (University of Sussex) Mitsuaki Saito (Tokyo University of Agriculture and Technology)*; Kaori Fujinami (Tokyo University of Agriculture and Technology)*; Alex Dewar (University of Sussex); Andrew Philippides (University of Sussex); Daniel Roggen (University of Sussex) Kohei Adachi (Kyushu Institute of Technology)*; Paula Lago (Kyushu Institute of Technology); Sozo Inoue (Kyushu
1920		Work-i	Behavior Analysis:	191 190 183 188	Improving Smartphone based Transport Mode Recognition using Generative Adversarial Networks New Class Candidate Generation applied to On-Body Smartphone Localization Mapping Vicon Motion Tracking to 6-axis IMU Data for Wearable Activity Recognition Improvement of Human Action Recognition Using 3D Pose Estimation	National Institute of Advanced Industrial Science and Technology); Suguru Kanoga (AIST); Mitsunori Tada (National Institute of Advanced Industrial Science and Technology); Yui Endo (National Institute of Advanced Industrial Science and Technology) Lukas Gunthermann (University of Sussex)*; Daniel Roggen (University of Sussex); Andrew Philippides (University of Sussex) Mitsuaki Saito (Tokyo University of Agriculture and Technology)*; Kaori Fujinami (Tokyo University of Agriculture and Technology) Lloyd Pellatt (University of Sussex)*; Alex Dewar (University of Sussex); Andrew Philippides (University of Sussex); Daniel Roggen (University of Sussex) Kohei Adachi (Kyushu Institute of Technology)*; Paula Lago (Kyushu Institute of Technology); Sozo Inoue (Kyushu Institute of Technology) Takashi Morimoto (Hiroshima City University); Ikuhisa
		Work-i	Behavior Analysis: Method	191 190 183 188 165	Improving Smartphone based Transport Mode Recognition using Generative Adversarial Networks New Class Candidate Generation applied to On-Body Smartphone Localization Mapping Vicon Motion Tracking to 6-axis IMU Data for Wearable Activity Recognition Improvement of Human Action Recognition Using 3D Pose Estimation 3D Pose Estimation Using Multiple Asynchronous Cameras Towards Automatic Waistline	National Institute of Advanced Industrial Science and Technology); Suguru Kanoga (AIST); Mitsunori Tada (National Institute of Advanced Industrial Science and Technology); Yui Endo (National Institute of Advanced Industrial Science and Technology) Lukas Gunthermann (University of Sussex)*; Daniel Roggen (University of Sussex); Andrew Philippides (University of Sussex); Andrew Philippides (University of Sussex) Mitsuaki Saito (Tokyo University of Agriculture and Technology)*; Kaori Fujinami (Tokyo University of Agriculture and Technology) Lloyd Pellatt (University of Sussex)*; Alex Dewar (University of Sussex); Andrew Philippides (University of Sussex); Daniel Roggen (University of Sussex) Kohei Adachi (Kyushu Institute of Technology)*; Paula Lago (Kyushu Institute of Technology); Sozo Inoue (Kyushu Institute of Technology) Takashi Morimoto (Hiroshima City University); Ikuhisa Mitsugami (Hiroshima City University)* Yuki Matsuda (Nara Institute of Science and Technology)*; Yugo Nakamura (Nara Institute of Science
		Work-i	Behavior Analysis: Method	191 190 183 188 165 107	Improving Smartphone based Transport Mode Recognition using Generative Adversarial Networks New Class Candidate Generation applied to On-Body Smartphone Localization Mapping Vicon Motion Tracking to 6-axis IMU Data for Wearable Activity Recognition Improvement of Human Action Recognition Using 3D Pose Estimation 3D Pose Estimation Using Multiple Asynchronous Cameras Towards Automatic Waistline Measurement with A Smartwatch Drone Control for Monitoring a Walking	National Institute of Advanced Industrial Science and Technology); Suguru Kanoga (AIST); Mitsunori Tada (National Institute of Advanced Industrial Science and Technology); Yui Endo (National Institute of Advanced Industrial Science and Technology) Lukas Gunthermann (University of Sussex)*; Daniel Roggen (University of Sussex); Andrew Philippides (University of Sussex) Mitsuaki Saito (Tokyo University of Agriculture and Technology)*; Kaori Fujinami (Tokyo University of Agriculture and Technology) Lloyd Pellatt (University of Sussex)*; Alex Dewar (University of Sussex); Andrew Philippides (University of Sussex); Daniel Roggen (University of Sussex) Kohei Adachi (Kyushu Institute of Technology)*; Paula Lago (Kyushu Institute of Technology); Tsuyoshi Okita (Kyushu Institute of Technology); Sozo Inoue (Kyushu Institute of Technology); Sozo Inoue (Kyushu Institute of Technology) Takashi Morimoto (Hiroshima City University); Ikuhisa Mitsugami (Hiroshima City University)* Yuki Matsuda (Nara Institute of Science and Technology) Hiroto Yamashita (Hiroshima City University); Takashi Morimoto (Hiroshima City University); Ikuhisa
		Work-i	Behavior Analysis: Method	191 190 183 188 165 107 145	Improving Smartphone based Transport Mode Recognition using Generative Adversarial Networks New Class Candidate Generation applied to On-Body Smartphone Localization Mapping Vicon Motion Tracking to 6-axis IMU Data for Wearable Activity Recognition Improvement of Human Action Recognition Using 3D Pose Estimation 3D Pose Estimation Using Multiple Asynchronous Cameras Towards Automatic Waistline Measurement with A Smartwatch Drone Control for Monitoring a Walking Person from Constant Distance Towards Mapping Activity Classes for Transfer Learning in Human Activity	National Institute of Advanced Industrial Science and Technology); Suguru Kanoga (AIST); Mitsunori Tada (National Institute of Advanced Industrial Science and Technology); Yui Endo (National Institute of Advanced Industrial Science and Technology) Lukas Gunthermann (University of Sussex)*; Daniel Roggen (University of Sussex); Andrew Philippides (University of Sussex) Mitsuaki Saito (Tokyo University of Agriculture and Technology)*; Kaori Fujinami (Tokyo University of Agriculture and Technology)*; Kaori Fujinami (Tokyo University of Agriculture and Technology) Lloyd Pellatt (University of Sussex)*; Alex Dewar (University of Sussex); Andrew Philippides (University of Sussex); Daniel Roggen (University of Sussex) Kohei Adachi (Kyushu Institute of Technology); Paula Lago (Kyushu Institute of Technology); Sozo Inoue (Kyushu Institute of Technology); Sozo Inoue (Kyushu Institute of Technology) Takashi Morimoto (Hiroshima City University); Ikuhisa Mitsugami (Hiroshima City University); Takashi Morimoto (Hiroshima City University); Sayeda Shamma Alia (Kyushu Institute of Technology); Sayeda Shamma Alia (Kyushu Institute of Technology);
		Work-i	Behavior Analysis: Method	191 190 183 188 165 107 145	Improving Smartphone based Transport Mode Recognition using Generative Adversarial Networks New Class Candidate Generation applied to On-Body Smartphone Localization Mapping Vicon Motion Tracking to 6-axis IMU Data for Wearable Activity Recognition Improvement of Human Action Recognition Using 3D Pose Estimation 3D Pose Estimation Using Multiple Asynchronous Cameras Towards Automatic Waistline Measurement with A Smartwatch Drone Control for Monitoring a Walking Person from Constant Distance Towards Mapping Activity Classes for Transfer Learning in Human Activity Recognition Hardware Trojan for OFDM based	National Institute of Advanced Industrial Science and Technology); Suguru Kanoga (AIST); Mitsunori Tada (National Institute of Advanced Industrial Science and Technology); Yui Endo (National Institute of Advanced Industrial Science and Technology) Lukas Gunthermann (University of Sussex)*; Daniel Roggen (University of Sussex); Andrew Philippides (University of Sussex) Mitsuaki Saito (Tokyo University of Agriculture and Technology)*; Kaori Fujinami (Tokyo University of Agriculture and Technology)*; Lloyd Pellatt (University of Sussex)*; Alex Dewar (University of Sussex); Andrew Philippides (University of Sussex); Daniel Roggen (University of Sussex) Kohei Adachi (Kyushu Institute of Technology)*; Paula Lago (Kyushu Institute of Technology); Sozo Inoue (Kyushu Institute of Technology); Sozo Inoue (Kyushu Institute of Technology); Sozo Inoue (Kyushu Institute of Technology) Takashi Morimoto (Hiroshima City University); Ikuhisa Mitsugami (Hiroshima City University); Takashi Morimoto (Hiroshima City University); Takashi

Do Dubla Autogenedation Technologie for Landerson Symptotics and Charles Soprometrial Charles Charles Soprometrial Charles Soprometrial Charles Charles Sopr								
29-Aug 1200 1330 IVPR-6 Objects 200 IVPR-6 Objects 200						152	of Lung Confocal Immunofluorescent	J. Aronow (Cincinnati Children's Hospital Medical Center); V. B. Surya Prasath (Cincinnati Children's
29-Aug 200 1330 1VPR-6 Chijects 201 Objects (Chijects) 201 Objects (Chijects) 201 Objects (Chijects) Objects (Ch						192		Technology)*; Brahim Benaissa (Kyushu Institute of Technology); Sozo Inoue (Kyushu Institute of
1300 1330 NPR-6 Vision Decision Disting VOLOys Conting VOLOys Con							Question-Answ	er Session for All WIP-2
1300 1330 IVPR-6								
Page	29-Aug							
The process of the		1200	1330	IVPR-6		201	Detection Using YOLOv3	(Mavinci Informatics Inc.); Anıl Yarıcı (Mavinci Informatics Inc.); Salih Çetin (Mavinci Informatics Inc.)
1 Voxelization Pres pd Originet Detection Deep Learning Sased Surface EAGH Hand To Gesture Classification for Low-Cost Moudenter Prostable Hand To Gesture Classification for Low-Cost Moudenter Prostable Hand Social Programme						208	Fusion for Object Tracking	University)*; Quan Wang (Xidian University); Fei Cheng (Xidian University)
Deep Learning Based Surface EMG Hand 176 Gesture (Lassification for Leastification (Lastification for Leastification (Lastification for Surface) (Lastification Lastification Lastific						11		
Weakly Supervised Semantitic Roadside 35 Object Segmentation Using Digital Maps Polygonization of 3D Objects using Norm 167 Similarity Polygonization of 3D Objects using Norm 168 Simplary Polygonization of 3D Objects using Norm 167 Similarity Polygonization of 3D Objects using Norm 168 Simplary 168 Si						176	Deep Learning Based Surface EMG Hand Gesture Classification for Low-Cost	Nazmun Nahid (University of Dhaka); Arafat Rahman (University of Dhaka)*; M.A.R. Ahad (University of
1330 1340 1340 1340						35	Weakly Supervised Semantic Roadside	Johannes A.P. Guelen (CycloMedia Technology B.V.); Albert Ali Salah (Utrecht University)*; Bas Boom
Circular Equivalent Planar Arrays A new approach Seminary Seminary System System Seminary Semin						167		Somrita Saha (Indian Institute of Engineering Science And Technology, Shibpur)*; Arindam Biswas (IIEST
1440 1440		1330	1340				•	
Antenna and Beam Steering for X Band RADAR Application RADAR Application Seience and Technology)*, Real Adairs (University of Science and Technology)*, Real Adairs (University of Chaitagong); Md. Rashedul Islam (Universiti Kebangsan Malaysia); M. T. Islam (University of Diaka); M. R. Ahad (University of Diaka); M. R. Ahad (University of Diaka); M. A. R. Ahad (University of Diaka); M. A. R. Ahad (University of Diaka); M. A. R. Ahad (University of Diaka); M. R. A. R. Ahad (University of Diaka); M. R. A. Ahad (University of Diaka); M. R. A. Ahad (University of Diaka); M. T. Sham (University of Diaka); M. T		1340	1440	IEV-IVPR 4	ion and	58		Malaysia); Md. Shazzadul Islam (International Islamic University Malaysia); Md. Rafiqul Islam (International Islamic University Malaysia)*; Adnan Noor Hidayah M.
Learning Model for Information Charts Suitability of Single-channel Acoustic Myography for Classification of Individual 1525 Keynote 4 Anton Njiholt, University of Twente, The Netherlands (Title: Virtual and Augmented Reality Animals in Smart and Playful Cities) 1525 1535 Cooking Activity Challenge 261 Recognition with multi-modal Sensor Data Multi-class Multi-label Classification for Data Multi-dass Multi-dase Multi-label Classification for Data Multi-dass Multi-dase Multi-dase for Preparation Using Motion Capture Data: A 263 Submission to the Cooking Activity Recognition Challenge 264 Multi-Sampling Classifiers for the Cooking Activity Recognition Challenge 265 Activity Recognition of Milti-dase Multi-dase M						158	Antenna and Beam Steering for X Band RADAR Application	Technology)*; Md. Ibnul Hasan (Pabna University of Science and Technology); Rezaul Azim (University of Chittagong); Md. Rashedul Islam (Universiti Kebangsaan Malaysia); M. T. Islam (Universiti Kebangsaan Malaysia)
1440 1525 Keynote 4 Anton Nijholt, University of Twente, The Netherlands (Title: Virtual and Augmented Reality Anton Nijholt, University of Twente, The Netherlands (Title: Virtual and Augmented Reality Anton Nijholt, University of Twente, The Netherlands (Title: Virtual and Augmented Reality Coffee-11 SCAR-Net: Scalable ConvNet for Activity Challenge						147	Learning Model for Information Charts	(Dr.S P Mukherjee International Institute of Information Technology); Mithilesh Kumar Chaube (IIITNR Raipur)
Scar							Myography for Classification of Individual Finger Movements	Nahiyan (University of Dhaka); M.A.R. Ahad (University of Dhaka)
SCAR-Net: Scalable ConvNet for Activity Recognition with multi-modal Sensor Data SCAR-Net: Scalable ConvNet for Activity Recognition with multi-modal Sensor Data Multi-class Multi-label Classification for Cooking Activity Recognition of Cooking Preparation Shkurta Gashi (Università della Svizzera italiana)*; Elena Di Lascio (Università della Svizzera italiana)*; Silvia Santini (University of Lugano) Clement Picard (Ecole normale supérieure de Rennes)*; Vito Janko (Jožef Stefan Institute); Nina Reščič (Jožef Stefan), Mitja Lustrek (Jožef Stefan Institute); Nina Reščič (Jožef Stefan), Mitja Lustrek (Jožef Stefan Institute); Nina Reščič (Jožef Stefan), Mitja Lustrek (Jožef Stefan Institute); Ninar Reščič (Jožef Stefan), Mitja Lustrek (Jožef Stefan Institute); Ninar Reščič (Jožef Stefan), Mitja Lustrek (Jožef Stefan Institute); Ninar Reščič (Jožef Stefan), Mitja Lustrek (Jožef Stefan Institute); Ninar Reščič (Jožef Stefan Institute);		1440	1525	Ke	ynote 4			erlands (Title: Virtual and Augmented Reality
Cooking Activity Challenge		1525	1535				-	
Identification of Cooking Preparation Santini (Università della Svizzera italiana); Silvia Santini (University of Lugano)						261	Recognition with multi-modal Sensor	Zabir Al Nazi (MazeGeek, Inc.)*
Using Motion Capture Data: A Submission to the Cooking Activity Recognition Challenge 4 Multi-Sampling Classifiers for the Cooking Activity Recognition Challenge 4 Multi-Sampling Classifiers for the Cooking Activity Recognition Challenge 4 Acceleration Data Using CNN and GCN Cooking Activity Recognition with Acceleration Data Using CND Acceleration Data Using Only Mao Donghui (Shandong University)* Mao Donghui (Shandong University)* Mao Sadman Siraj (University of Dhaka)* Swapnil Sayan Saha (University of California - Los Angeles)* Sandeep Singh Sandha (University of California - Los Angeles)* Atsuhiro Fujii (Ritsumeikan University); Daiki Kajiwara (Ritsumeikan University)* Let's not make it complicated - Using only LightGBM and Naive Bayes for macro and micro activity recognition from a small dataset Question-Answer Session for Cooking						262		Di Lascio (Università della Svizzera italiana); Silvia
265 265 Activity Recognition From Skeleton and Acceleration Data Using CNN and GCN 266 Varying Sampling Rates using Deep Convolutional GRU Framework Deep Convolutional Bidirectional LSTM for Complex Activity Recognition with Missing Data Cooking Activity Recognition with Convolutional LSTM using Multi-label Loss Function and Majority Vote Let's not make it complicated - Using only LightGBM and Naive Bayes for macro and micro activity recognition from a small dataset Question-Answer Session for Cooking Activity Challenge						263	Using Motion Capture Data: A Submission to the Cooking Activity Recognition Challenge	Vito Janko (Jožef Stefan Institute); Nina Reščič (Jožef Stefan Institute); Martin Gjoreski (Institute Jozef Stefan); Mitja Luštrek (Jožef Stefan Institute)
Acceleration Data Using CNN and GCN Cooking Activity Recognition with Varying Sampling Rates using Deep Convolutional GRU Framework Deep Convolutional Bidirectional LSTM for Complex Activity Recognition with Missing Data Cooking Activity Recognition with Convolutional LSTM using Multi-label Loss Function and Majority Vote Let's not make it complicated - Using only LightGBM and Naive Bayes for macro and micro activity recognition from a small dataset Question-Answer Session for Cooking Activity Challenge							Cooking Activity Recognition Challenge	Hakaru Tamukoh (Kyushu Institute of Technology)
Varying Sampling Rates using Deep Convolutional GRU Framework Deep Convolutional Bidirectional LSTM for Complex Activity Recognition with Missing Data Cooking Activity Recognition with Convolutional LSTM using Multi-label Loss Function and Majority Vote Let's not make it complicated - Using only lightGBM and Naive Bayes for macro and micro activity recognition from a small dataset Shahid (University of Dhaka); M.A.R. Ahad (University of Dhaka) Shahid (University of Dhaka); M.A.R. Ahad (University of Dhaka) Shahid (University of Dhaka); M.A.R. Ahad (University of Dhaka) Shahid (University of Dhaka); M.A.R. Ahad (University of Dhaka) Shahid (University of Dhaka); M.A.R. Ahad (University of Dhaka) Shahid (University of Dhaka); M.A.R. Ahad (University of Dhaka) Angeles)*; Sandeep Singh Sandha (University of California - Los Angeles); Angeles); Angeles) Angeles)*; Sandeep Singh Sandha (University of California - Los Angeles) Angeles)*; Sandeep Singh Sandha (University of California - Los Angeles) Angeles)*; Sandeep Singh Sandha (University of California - Los Angeles) Angeles)*; Sandeep Singh Sandha (University of California - Los Angeles) Angeles)*; Sandeep Singh Sandha (University of California - Los Angeles) Angeles)*; Sandeep Singh Sandha (University of California - Los Angeles) Angeles)*; Sandeep Singh Sandha (University of California - Los Angeles) Angeles)*; Sandeep Singh Sandha (University of California - Los Angeles) Angeles)*; Sandeep Singh Sandha (University of California - Los Angeles) Angeles)*; Sandeep Singh Sandha (University of California - Los Angeles) Angeles)*; Sandeep Singh Sandha (University of California - Los Angeles) Angeles)*; Sandeep Singh Sandha (University of California - Los Angeles) Angeles)*; Sandeep Singh Sandha (University of California - Los Angeles) Angeles)*; Sandeep Singh Sandha (University of California - Los Angeles) Angeles)*; Sandeep Singh Sandha (University of California - Los Angeles) Angeles)** Angeles)** Angeles)** Angeles)* Angeles)* Angele						265	Acceleration Data Using CNN and GCN	, , , , , , , , , , , , , , , , , , ,
for Complex Activity Recognition with Missing Data Cooking Activity Recognition with Convolutional LSTM using Multi-label Loss Function and Majority Vote Let's not make it complicated - Using only LightGBM and Naive Bayes for macro and micro activity recognition from a small dataset Question-Answer Session for Cooking Activity Challenge						266	Varying Sampling Rates using Deep Convolutional GRU Framework	Shahid (University of Dhaka); M.A.R. Ahad (University of Dhaka)
269 Convolutional LSTM using Multi-label Loss Function and Majority Vote Let's not make it complicated - Using only LightGBM and Naive Bayes for macro and micro activity recognition from a small dataset (Ritsumeikan University); Kazuya Murao (Ritsumeikan University)* Ryoichi Kojima (KDDI Research, Inc.)*; Roberto Legaspi (KDDI Research, Inc.); Kiyohito Yoshihara (KDDI Research, Inc.); Shinya Wada (KDDI Research, Inc.)						268	for Complex Activity Recognition with Missing Data	Angeles)*; Sandeep Singh Sandha (University of California - Los Angeles); Mani Srivastava (University of California - Los Angeles)
LightGBM and Naive Bayes for macro and micro activity recognition from a small dataset LightGBM and Naive Bayes for macro and micro activity recognition from a small dataset (KDDI Research, Inc.); Kiyohito Yoshihara (KDDI Research, Inc.); Shinya Wada (KDDI Research, Inc.)						269	Convolutional LSTM using Multi-label Loss Function and Majority Vote	(Ritsumeikan University); Kazuya Murao (Ritsumeikan University)*
						270	LightGBM and Naive Bayes for macro and micro activity recognition from a small	(KDDI Research, Inc.); Kiyohito Yoshihara (KDDI

		272	Summary of the Cooking Activity Recognition Challenge	Sayeda Shamma Alia (Kyushu Institute of Technology)*, Paula Lago (Kyushu Institute of Technology), Shingo Takeda (Kyushu Institute of Technology), Kohei Adachi (Kyushu Institute of Technology), Brahim Benaissa (Kyushu Institute of Technology), M.A.R. Ahad (University of Dhaka), and Sozo Inoue (Kyushu Institute of Technology)
	1705		Seiichi Serikawa , Vice-President, Kyu nazon Web Service; MAS Kamal , Gunm	shu Institute of Technology; Sozo Inoue , Kyushu Institute of a University