## Introduction / Thinking Like a Computer

Day One of Programming Workshop

Andie Creel (she/her)

January 2024

TF: Eliana Stone

#### My background

- Freshman in college: financial engineering (whatever that is) -> Java
  - "I am a magician"
- Majored in Econ, minored in CS
- TAed programming labs in college
- Pandemic Hobby: big data
- Master's thesis: Parks use in pandemic (Cell Phone Data)
- Dissertation work: Environmental Econ -- value of local recreation and urban green space



### My motivation for knowing how to program

- Sustainable development: "meets the needs of the present without compromising the ability of future generations to meet their own needs" -- Brundtland Report, 1987
- Needs: consumption of goods, health, political stability, culture
  - The environment affects this
  - That effect can be hard to observe/measure
- Explosion of data and computing power can help us observe and understand how nature affects sustainable development
- "What gets measured gets managed" Peter Drucker (maybe?)



#### Eliana's background

- Majored in Environmental Studies and Economics
- Didn't start coding till junior year of college
  - Felt a huge barrier to entry compared to peers with programming backgrounds
- Started with classes in R
- Now other languages like Python and Google Earth Engine JavaScript are easy to self-learn with online resources
- Master's thesis: Agribusiness lobbying on Brazilian economy and public health (remotely-sensed crop data, decades of municipal election data)

#### Introductions

- Name (pronouns)
- What you do at YSE
- Why you decided to take this workshop

#### Logistics

- 9:30am to ~noon
  - Two 60 to 80-minute lectures per day
  - 30 min break between
  - Lunch!
- A mini problem set every day
  - Not graded, but Eliana providing some feedback
  - I will release my code at 8pm
- Office hours
  - Location: 301 Prospect St, room 101
  - Time: 2-5 pm
  - Come to OH (even if you don't know how to ask your question)!

#### **Outline of Material**

- Today
  - Thinking Like a Computer (pseudo code)
  - Base R
- Tomorrow tidyverse packages
  - Data manipulation (dplyr, tidyr)
  - Data Management and visualization (ggplot2)
- Friday
  - Collaboration and Version Control (GitHub)
  - Programming is Programming (python)

#### Thinking Like A Computer

Skills to help you outline and (eventually) debug code

Thanks to Ethan Addicott and Matt Gordon for early iterations of this lecture

#### What is programming

- 1. Bits and bytes what the computer actually speaks (0s and 1s)
- 2. Machine and Assembly languages -- translates our code to 0s and 1s
- 3. Code R, Python, etc.
- 4. Software Windows, iOS, Applications, Excel, R Studio

#### What is programming

- 1. Bits and bytes what the computer actually speaks (0s and 1s)
- 2. Machine and Assembly languages -- translates our code to 0s and 1s
- 3. Code R, Python, etc.
- 4. Software Windows, iOS, Applications, Excel, R Studio

#### Some definitions

- Code (in many different programming languages)
  - What your computer runs
- Script: The text file where you write your code
- Comments
  - Notes you write yourself that the computer doesn't read
- Run (aka compile and execute): when the computer executes your code
- IDE/GUI/Software
  - Where you write and run your scripts and comments
  - R Studio, Jupyter Notebooks, Google Collab (Collaboratory)

#### Think like a computer: more than coding



Programming is defining and solving problems



Requires creativity



Clear definition of "problems"



Solutions to "problems"

#### Think like a computer: coding

Efficiency and Speed

Accurate

Replicability

Customize

Collaboration

Employment

#### Pseudo Code – first step of coding

- What
  - Pseudo code is the outline of your code
  - Similar to the writing process
  - Not a coding language
  - I do it on scrap paper or in comments at the top of my scripts
- Why
  - Clarify your logic
  - Serves as road map and plan
  - Collaboration/Documentation

# Exercise One: Coffee

Write instructions for how to brew a cup of coffee (3 min)

# Exercise One: Coffee

Switch instructions with a partner

Have them "run" your code

Do you find any bugs? (5 min)

# Exercise Two: Rock Paper Scissors

Write instructions for how to play Rock, Paper, Scissors

You will need multiple cases (5 min)

# Exercise Two: Rock Paper Scissors

Switch with a partner.

Play by the rules they just gave you.

Can you cheat?? (5 min)

#### My pseudo code (lazy)

```
Player: choose rock paper scissor
Computer: random generate rock paper scissor
Compare P & C
  If P = Rock
     And C = Rock: tie
     And C = paper: player loses
     And C = scissors: player wins
  Same for if P = paper and P = Scissors
```

#### Not Lazy Pseudo Code

```
While play again is true
  Prompt the player to select Rock, Paper, or Scissors
  Generate a random choice for the computer (Rock, Paper, or Scissors)
  If player's choice is the same as computer's choice
   Display "It's a tie!"
  Else If player chooses Rock and computer chooses Scissors
   Display "Player wins! Rock crushes Scissors."
  Else If player chooses Paper and computer chooses Rock
   Display "Player wins! Paper covers Rock."
  Else If player chooses Scissors and computer chooses Paper
   Display "Player wins! Scissors cut Paper."
  Else
   Display "Computer wins!"
  Ask the player if they want to play again
```

set play again to true or false

#### R Code

```
# Function to get computer's choice
get_computer_choice <- function() {</pre>
 choices <- c("Rock", "Paper", "Scissors")</pre>
 sample(choices, size = 1)
# Function to determine the winner
determine_winner <- function(player_choice, computer_choice) {</pre>
 if (player_choice == computer_choice) {
   return("It's a tie!")
 } else if (player_choice == "Rock" && computer_choice == "Scissors")
   return("Player wins! Rock crushes Scissors.")
 } else if (player_choice == "Paper" && computer_choice == "Rock") {
   return("Player wins! Paper covers Rock.")
  } else if (player_choice == "Scissors" && computer_choice == "Paper"
   return("Player wins! Scissors cut Paper.")
 } else {
   return("Computer wins!")
```

```
while (play_again) {
 # Get player's choice
 player_choice <- readline(prompt = "Choose Rock, Paper, or Scissors:</pre>
 # Validate input
 while(!(player_choice %in% c("Rock", "Paper", "Scissors"))) {
    player_choice <- readline(prompt = "Invalid choice. Choose Rock, Pa</pre>
 # Get computer's choice
 computer_choice <- get_computer_choice()</pre>
 cat("Computer chose:", computer_choice, "\n")
 # Determine and display the winner
 result <- determine_winner(player_choice, computer_choice)</pre>
 cat(result, "\n")
 # Ask if the player wants to play again
 play_again_input <- readline(prompt = "Play again? (yes/no): ")</pre>
 play_again <- tolower(play_again_input) == "yes"</pre>
cat("Game Over. Thanks for playing!")
```

## Couple of notes on writing, debugging code


- "I minored in stack overflow"
- I still have to look things up constantly
- Knowing programming makes me better at:
  - Defining problems
  - Developing solution strategies
  - Solving harder and harder problems
- Documentation, Google, Stack Overflow, and ChatGPT can help you from there
  - But if you don't know how to define and solve problems, you won't be able to take full advantage of these aids

## Couple of notes on writing, debugging code

- "I minored in stack overflow"
- I still have to look things up constantly
- Knowing programming makes me better at:
  - Defining problems
  - Developing solution strategies
  - Solving harder and harder problems
- Documentation, Google, Stack Overflow, and ChatGPT can help you from there
  - But if you don't know how to define and solve problems, you won't be able to take full advantage of these aids

#### ChatGPT and other AI tools

- Any of them could solve 100% of what we do this week
- But they can't solve everything you'll eventually want to do
- You can't get to the cutting-edge problems without basics
  - At the very least, you'll be limited
- Learn basics so that you can get to hard problems, and use AI as a collaborative aid once there



#### What's next

- 30 min break
- Base R