

# Bumblebee,sqlite3 、log

---

## Sherlock Scenario

An external contractor has accessed the internal forum here at Forela via the Guest Wi-Fi, and they appear to have stolen credentials for the administrative user! We have attached some logs from the forum and a full database dump in sqlite3 format to help you in your investigation.

\* \* \*

## About Bumblebee

*In this Sherlock, you'll step into the role of a DFIR specialist, tracing the steps of an external contractor who breached Forela's internal forum. Utilizing provided forum logs and an SQLite3 database dump, you'll unravel how the perpetrator exploited the Guest WiFi to steal administrative credentials. This easy task tests the your ability to analyze forensic data, follow digital footprints, and unmask the identity of the intruder.*

文件：`phpbb.sqlite3 、access.log`

参考指令：<https://www.runoob.com/sqlite/sqlite-syntax.html>

---

## Task 1

What was the username of the external contractor?

查看表 `.tables`

```
sqlite> .tables
phpbb_acl_groups          phpbb_oauth_tokens
phpbb_acl_options        phpbb_poll_options
phpbb_acl_roles          phpbb_poll_votes
phpbb_acl_roles_data     phpbb_posts
phpbb_acl_users          phpbb_privmsgs
phpbb_attachments       phpbb_privmsgs_folder
phpbb_banlist            phpbb_privmsgs_rules
phpbb_bbcodes            phpbb_privmsgs_to
phpbb_bookmarks          phpbb_profile_fields
phpbb_bots               phpbb_profile_fields_data
phpbb_config             phpbb_profile_fields_lang
phpbb_config_text        phpbb_profile_lang
phpbb_confirm            phpbb_ranks
phpbb_disallow           phpbb_reports
phpbb_drafts             phpbb_reports_reasons
phpbb_ext                phpbb_search_results
phpbb_extension_groups  phpbb_search_wordlist
phpbb_extensions         phpbb_search_wordmatch
phpbb_forums             phpbb_sessions
phpbb_forums_access      phpbb_sessions_keys
phpbb_forums_track       phpbb_sitelist
phpbb_forums_watch       phpbb_smilies
phpbb_groups             phpbb_styles
phpbb_icons              phpbb_teampage
phpbb_lang               phpbb_topics
phpbb_log                phpbb_topics_posted
phpbb_login_attempts     phpbb_topics_track
phpbb_migrations         phpbb_topics_watch
phpbb_moderator_cache    phpbb_user_group
phpbb_modules            phpbb_user_notifications
phpbb_notification_types phpbb_users
phpbb_notifications      phpbb_warnings
phpbb_oauth_accounts     phpbb_words
phpbb_oauth_states       phpbb_zebra
```

如果直接 `select *`，會很雜亂，我先顯示格式有哪啥？

`.schema phpbb_users`

我在查詢想要的值。

```

select user_id,user_ip,username,user_password from phpbb_users;
* * *
2|10.255.254.2|admin|$2y$10$xAYAKGTtZx6GzDACtLEUv0vqrg8RXh2eXSZS.kgM63lrtskyi
Gs9Ni
48|10.255.254.2|phpbb-
admin|$2y$10$0BCVQ84Ws6.oM26BeLxNV.fgvR12Zpv07mAG1x5qxYGL0ect7ZMSG
49|10.255.254.2|test|$2y$10$s4Z0TRKYB6UQ0zJBZFC1y.ijggBbaEbPNlY39vMlw9PDWq.R
NXNo2
50|10.255.254.2|rsavage001|$2y$10$CRf..a9NKigIiLd1g7JRQ.2M6owu2C7fpxXCvSQyxB
fHLKlQvJyQu
51|10.10.0.78|apoo1e|$2y$10$Zdv/oKUxTjKLqQjL2oNWmuuFZUN9zNeJa0ka.R8RpQ4yqC4m
AcQn.
52|10.10.0.78|apoo1e1|$2y$10$X6g4kRzlgJLcQh0t8t26f.qpst0QVzFJP8U3ETdP7.ZpUQh
wqiCae

```

答案：

---

## Task 2

What IP address did the contractor use to create their account?

同上

---

## Task 3

What is the post\_id of the malicious post that the contractor made?

```

sqlite> .schema phpbb_posts
CREATE TABLE `phpbb_posts` (
  `post_id` integer NOT NULL PRIMARY KEY AUTOINCREMENT
  `topic_id` integer NOT NULL DEFAULT 0
)

```

```

sqlite> select post_id from phpbb_posts;

```

```

2
9
1

```

答案：

---

## Task 4

What is the full URI that the credential stealer sends its data to?

[illegible]

Passw0rd1

## Task 7

What is the user agent of the Administrator user?

排除正常代理：

```
cat access.log | grep -v "Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:109.0)"
```

```
esome.min.css/assets_version=4" Mozilla/5.0 (Macintosh; Intel Mac OS X 10_15_7) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36
10.255.254.2 - - [26/Apr/2023:09:11:16 +0100] "GET /app.php/feed?sid=0c7db2c9e7c0a6b4d3cda40cceb0db62 HTTP/1.1" 200 13548 "-" "Mozilla/5.0 (Macintosh; Intel
Mac OS X 10_15_7) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
10.255.254.2 - - [26/Apr/2023:09:11:16 +0100] "GET /app.php/feed/forum/2?sid=0c7db2c9e7c0a6b4d3cda40cceb0db62 HTTP/1.1" 200 13563 "-" "Mozilla/5.0 (Macintos
h; Intel Mac OS X 10_15_7) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
10.255.254.2 - - [26/Apr/2023:09:11:17 +0100] "GET /app.php/feed/topic/2?sid=0c7db2c9e7c0a6b4d3cda40cceb0db62 HTTP/1.1" 200 12485 "-" "Mozilla/5.0 (Macintos
h; Intel Mac OS X 10_15_7) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
10.255.254.2 - - [26/Apr/2023:09:11:17 +0100] "GET /app.php/feed/topics?sid=0c7db2c9e7c0a6b4d3cda40cceb0db62 HTTP/1.1" 200 13608 "-" "Mozilla/5.0 (Macintosh
; Intel Mac OS X 10_15_7) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
::1 - - [26/Apr/2023:09:11:23 +0100] "OPTIONS * HTTP/1.0" 200 126 "-" "Apache/2.4.56 (Debian) (internal dummy connection)"
```

Mozilla/5.0 (Macintosh; Intel Mac OS X 10\_15\_7) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36

## Task 8

What time did the contractor add themselves to the Administrator group? (UTC)

```
sqlite> select user_id,username,group_id from phpbb_users;
```

```
2|admin|5
```

群組id = 5 <=SQL後面可加where group\_id=5;

共2筆：

```
sqlite> select user_id,username,group_id from phpbb_users where group_id=5;
2|admin|5
48|phpbb-admin|5
```

user\_id=2、48、group\_id=5

查看phpbb.log，他也有user\_id

```
sqlite> .schema phpbb_log
CREATE TABLE `phpbb_log` (
  `log_id` integer NOT NULL PRIMARY KEY AUTOINCREMENT
, `log_type` integer NOT NULL DEFAULT 0
, `user_id` integer NOT NULL DEFAULT 0
```

每一筆user\_id都為48

```
sqlite> select * from phpbb_log;
49|0|48|0|0|0|10.255.254.2|1682352616|LOG_CLEAR_ADMIN|
50|0|48|0|0|0|10.255.254.2|1682353038|LOG_CONFIG_REGISTRATION|
51|0|48|0|0|0|10.255.254.2|1682353166|LOG_ACL_ADD_FORUM_LOCAL_F|a:2:{i:0;s:7:"Welcome";i:1;s:41:"<span cl
52|0|48|0|0|0|10.255.254.2|1682420947|LOG_ADMIN_AUTH_SUCCESS|
53|3|48|0|0|0|51|10.255.254.2|1682420960|LOG_USER_NEW_PASSWORD|a:1:{i:0;s:6:"apooole";}
54|0|48|0|0|0|10.255.254.2|1682420962|LOG_USER_USER_UPDATE|a:1:{i:0;s:6:"apooole";}
55|0|48|0|0|0|10.255.254.2|1682420963|LOG_USER_USER_UPDATE|a:1:{i:0;s:6:"apooole";}
56|0|48|0|0|0|10.255.254.2|1682423167|LOG_EXT_ENABLE|a:1:{i:0;s:13:"rokx/dborldap";}
57|0|48|0|0|0|10.255.254.2|1682423251|LOG_CONFIG_AUTH|
58|3|48|0|0|0|51|10.255.254.2|1682423286|LOG_USER_NEW_PASSWORD|a:1:{i:0;s:6:"apooole";}
59|0|48|0|0|0|10.255.254.2|1682423286|LOG_USER_USER_UPDATE|a:1:{i:0;s:6:"apooole";}
60|0|48|0|0|0|10.255.254.2|1682424836|LOG_CONFIG_AUTH|
61|0|48|0|0|0|10.10.0.78|1682506392|LOG_ADMIN_AUTH_SUCCESS|
62|0|48|0|0|0|10.10.0.78|1682506431|LOG_USERS_ADDED|a:2:{i:0;s:14:"Administrators";i:1;s:6:"apooole";}
63|0|48|0|0|0|10.10.0.78|1682506471|LOG_DB_BACKUP|
sqlite>
```



```
cat access.log | grep group
```

```
# cat access.log | grep group
10.10.0.78 - - [26/Apr/2023:11:53:34 +0100] "GET /adm/index.php?sid=eca30c1b75dc3eed1720423aa1ff95776i=acp_group&icat=126mode=manage HTTP/1.1" 200 3418 "http://10.10.0.27/adm/index.php?i=acp_users&sid=eca30c1b75dc3eed1720423aa1ff95776i=acp_group&icat=126mode=overview" "Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:109.0) Gecko/20100101 Firefox/112.0"
10.10.0.78 - - [26/Apr/2023:11:53:37 +0100] "GET /adm/index.php?i=acp_group&sid=eca30c1b75dc3eed1720423aa1ff95776i=acp_group&icat=126mode=manage&action=list&g=5 HTTP/1.1" 200 3941 "http://10.10.0.27/adm/index.php?sid=eca30c1b75dc3eed1720423aa1ff95776i=acp_group&icat=126mode=manage" "Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:109.0) Gecko/20100101 Firefox/112.0"
10.10.0.78 - - [26/Apr/2023:11:53:51 +0100] "POST /adm/index.php?i=acp_group&sid=eca30c1b75dc3eed1720423aa1ff95776i=acp_group&icat=126mode=manage&g=5 HTTP/1.1" 200 2623 "http://10.10.0.27/adm/index.php?i=acp_group&sid=eca30c1b75dc3eed1720423aa1ff95776i=acp_group&icat=126mode=manage&action=list&g=5" "Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:109.0) Gecko/20100101 Firefox/112.0"
10.10.0.78 - - [26/Apr/2023:11:53:56 +0100] "GET /adm/index.php?i=acp_group&sid=eca30c1b75dc3eed1720423aa1ff95776i=acp_group&icat=126mode=manage&action=list&g=5 HTTP/1.1" 200 3418 "http://10.10.0.27/adm/index.php?i=acp_group&sid=eca30c1b75dc3eed1720423aa1ff95776i=acp_group&icat=126mode=manage" "Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:109.0) Gecko/20100101 Firefox/112.0"
```

26/04/2023 10:53:51

## Task 9

What time did the contractor download the database backup? (UTC)

```
10.10.0.78 - - [26/Apr/2023:12:01:09 +0100] "GET /adm/index.php?sid=eca30c1b75dc3eed1720423aa1ff95776i=acp_database&mode=backup HTTP/1.1" 200 3770 "http://10.10.0.27/adm/index.php?sid=eca30c1b75dc3eed1720423aa1ff95776i=25" "Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:109.0) Gecko/20100101 Firefox/112.0"
10.10.0.78 - - [26/Apr/2023:12:01:38 +0100] "GET /store/backup_1682506471_dcsr71p7fyijoyq8.sql.gz HTTP/1.1" 200 34707 "-" "Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:109.0) Gecko/20100101 Firefox/112.0"
10.10.0.78 - - [26/Apr/2023:12:01:52 +0100] "GET /ucp.php?mode=logout&sid=eca30c1b75dc3eed1720423aa1ff9577 HTTP/1.1" 302 949 "http://10.10.0.27/adm/index.php?sid=eca30c1b75dc3eed1720423aa1ff95776i=acp_database&mode=backup" "Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:109.0) Gecko/20100101 Firefox/112.0"
10.10.0.78 - - [26/Apr/2023:12:01:53 +0100] "GET /index.php?sid=be3cc6e2de08bafa4044f552813e2cbe HTTP/1.1" 200 3796 "http://10.10.0.27/adm/index.php?sid=eca30c1b75dc3eed1720423aa1ff95776i=acp_database&mode=backup" "Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:109.0) Gecko/20100101 Firefox/112.0"
```

也可以下 `cat access.log | grep backup`

26/04/2023 11:01:38

## Task 10

What was the size in bytes of the database backup as stated by access.log?

同上

34707