

LeaseGov — User Testing Roadmap: FC-2 Extraction & FC-4 Approvals

Document version: 2026-07-21
Scope: Feature Clusters 2 (Extraction Verification) and 4 (Approvals Queue, Review, and Final Approval)
Build checkpoint: 3daf8d53
Prepared by: Manus AI

Overview

This roadmap defines the end-to-end testing scenarios for all fixes and enhancements shipped across FC-2 and FC-4 in the current session. It is structured as a sequence of **pre-flight checks**, **scenario walkthroughs**, **cross-cluster integration tests**, and a **known-limitations register**. Each scenario includes a clear entry state, numbered steps, and the expected outcome so that a tester can execute it independently without prior knowledge of the implementation details.

Pre-Flight Checklist

Before beginning any scenario, complete the following setup steps to ensure a clean, reproducible baseline.

#	Action	Expected State
1	Navigate to the app root and click Reset Demo in the sidebar	All pipeline, extraction, and approvals state returns to seed data
2	Confirm the Pipeline Dashboard (Table 1) shows exactly 4 staged documents	Retail-HQ-Lease-2026.pdf , Office-Tower-Amendme ... , Corrupted-Scan-Draft.pdf , Retail-Sublease-Notice....
3	Navigate to /approvals/queue and confirm the My Reviews tab shows 4 rows	t1 (Pending), t2 (Opened), t4 (Rework), t7 (Resubmitted)
4	Confirm the My Approvals tab shows 2 rows	t3 (Pending), t5 (Pending)
5	Confirm the My Submissions tab shows 3 rows	t1, t4, t7 (submitted by J. Martinez)
6	Open browser DevTools → Application → Local Storage and confirm leasegov_demo_events key exists or is absent	Either state is acceptable; Reset Demo clears it

FC-2 Extraction — Testing Scenarios

Scenario A: Multi-Page PDF Navigation

Entry state: Navigate to `/extraction/verify` (or open any job from the Extraction Queue).

Step	Action	Expected Outcome
A-1	Observe the PDF panel header	Shows <code>< p.1/4 ></code> with a disabled <code><</code> button and an enabled <code>></code> button
A-2	Click <code>></code>	Page advances to 2; header reads <code>p.2/4</code> ; content shows Exhibit A — Premises Description with a premises table (Suite 2400 / 2450, 24,500 SF total)
A-3	Verify anchor highlights on page 2	Blue anchor highlight appears over the <code>24,500 SF</code> cell; heatmap overlay is absent on page 2
A-4	Click <code>></code> again	Page advances to 3; header reads <code>p.3/4</code> ; content shows Exhibit B stub
A-5	Click <code>></code> again	Page advances to 4; header reads <code>p.4/4</code> ; <code>></code> button is now disabled
A-6	Click <code><</code> three times	Page returns to 1; <code><</code> button is disabled; page 1 amendment body is restored
A-7	On page 1, click any field row in the left panel	Anchor highlight appears on page 1; heatmap overlay is visible
A-8	Navigate to page 2 and click a field row	Viewer stays on page 2; no scroll jump to page 1
A-9	Change zoom to 150% using the <code>+</code> button, then navigate pages	Page navigation works at all zoom levels; content scales correctly

Pass criteria: All 9 steps produce the expected outcome without console errors.

Scenario B: Field-to-Anchor Scroll Sync

Entry state: `/extraction/verify`, page 1, zoom at 100%.

Step	Action	Expected Outcome
B-1	Click the Landlord Name field row in the left panel	PDF panel smoothly scrolls so the blue anchor highlight for Landlord Name is vertically centred in the viewport
B-2	Click Base Rent Amount	Smooth scroll to the rent section; anchor highlight moves to the rent line
B-3	Click Commencement Date	Smooth scroll to the dates section; anchor highlight moves
B-4	Click Expiration Date	Anchor highlight moves without a full-page jump
B-5	Click Amendment Effective Date	Smooth scroll to the amendment section near the bottom of page 1
B-6	Reduce zoom to 75% and repeat B-1	Anchor is still centred in the viewport at the smaller zoom level
B-7	Navigate to page 2, then click a page-1 field in the left panel	Viewer navigates back to page 1 and scrolls to the correct anchor

Pass criteria: Scroll is smooth (`behavior: smooth`), anchor is visible in the viewport after each click, and no field click causes a blank or mis-scrolled state.

Scenario C: classificationResult Seeding (End-to-End)

Entry state: Extraction Queue (`/extraction/queue`). Open any pending job to trigger `ProcessingWorkflowDialog` .

C-1: Amendment filename → “Lease Amendment” badge

Step	Action	Expected Outcome
C-1a	Open a job whose filename contains “Amendment” (e.g. <code>Office-Tower-Amendment-3.pdf</code>)	<code>ProcessingWorkflowDialog</code> opens at Step 1
C-1b	Observe Step 1 classification card	Classification badge reads Lease Amendment at ≥ 94% confidence
C-1c	Advance through all steps to completion	Dialog closes and navigates to <code>/extraction/verify</code>
C-1d	Observe the page header in <code>ExtractionVerification</code>	Two badge pills appear: Template (e.g. “Amendment Template v2.1”) and Classification (“Lease Amendment · 94%”)

C-2: Commercial lease filename → “Commercial Lease” badge

Step	Action	Expected Outcome
C-2a	Open a job whose filename contains “Lease” but not “Amendment” (e.g. <code>Retail-HQ-Lease-2026.pdf</code>)	<code>ProcessingWorkflowDialog</code> opens at Step 1
C-2b	Observe Step 1 classification card	Classification badge reads Commercial Lease at ~91% confidence
C-2c	Complete the workflow and check <code>ExtractionVerification</code> header	Classification badge reads “Commercial Lease · 91%”

C-3: contractType prop override

Step	Action	Expected Outcome
C-3a	Open a job with <code>contractType</code> set to “Lease Renewal” via the upload modal	<code>ProcessingWorkflowDialog</code> opens
C-3b	Observe Step 1 classification	Badge reads Lease Renewal regardless of filename content
C-3c	Confirm <code>ExtractionVerification</code> header	Badge reflects “Lease Renewal” — prop takes precedence over filename heuristic

Pass criteria: All three sub-scenarios produce the correct badge text and confidence value. No badge is blank or shows “Unknown”.

Scenario D: Submit for Review Button (Regression)

Entry state: `/extraction/verify` , at least one field marked as Accepted.

Step	Action	Expected Outcome
D-1	Click Submit for Review	<code>SUBMIT_FOR_REVIEW</code> event fires; toast “Submitted for review” appears
D-2	Observe navigation	App navigates to <code>/approvals/queue</code>
D-3	Check the My Reviews tab	A new task row appears at the top with status Pending and the record label from the submitted file
D-4	Verify the tooltip on the Submit button when confidence threshold is not met	Button is disabled; tooltip reads “Raise confidence threshold to submit”

FC-4 Approvals — Testing Scenarios

Scenario E: REVIEW_OPENED Badge — Reviewer Opens Task

Entry state: `/approvals/queue` , My Reviews tab. Task t1 shows status **Pending**.

Step	Action	Expected Outcome
E-1	Click Open on task t1 (Office Tower — 350 Fifth Ave)	Navigates to <code>/approvals/review/t1</code>
E-2	Observe the <code>REVIEW_OPENED</code> event fires on mount	No visible action needed; event is published automatically
E-3	Click the ✕ button to return to <code>/approvals/queue</code>	Queue re-renders
E-4	Observe task t1 in the My Reviews tab	Status badge reads Opened (blue, with pulsing dot); tooltip shows “Opened at HH:MM”
E-5	Reload the page	Status badge still reads Opened (replayed from event history)

Pass criteria: Badge updates live on return and persists after reload.

Scenario F: REVIEW_OPENED Badge — Approver Opens Final Task

Entry state: `/approvals/queue`, My Approvals tab. Task t3 (Warehouse Lease) shows status **Pending**.

Step	Action	Expected Outcome
F-1	Click Open on task t3	Navigates to <code>/approvals/final/t3</code>
F-2	Return to <code>/approvals/queue</code>	Queue re-renders
F-3	Switch to My Approvals tab	Task t3 status badge reads Opened
F-4	Reload the page	Status badge still reads Opened

Pass criteria: Final-approval tasks flip to Opened via the new `useEffect` publish added to `ApprovalsApprover`.

Scenario G: Recall Availability Guard

Entry state: `/approvals/queue`, My Submissions tab. Task t1 shows **Recall** button enabled (green).

Step	Action	Expected Outcome
G-1	Confirm task t1 Recall button is enabled	Green “Recall” button; tooltip reads “Recall available — reviewer has not opened”
G-2	In a second browser tab, navigate to <code>/approvals/review/t1</code>	<code>REVIEW_OPENED</code> event fires
G-3	Return to the first tab (My Submissions)	Task t1 Recall button is now disabled (red, 50% opacity); tooltip reads “Reviewer has opened this record at HH:MM”
G-4	Reload the first tab	Recall button remains disabled
G-5	Repeat G-2 to G-4 for a final-approval task (t3) via <code>/approvals/final/t3</code>	Recall button for t3 also disables after the Approver opens it

Pass criteria: Recall disables immediately on `REVIEW_OPENED` and stays disabled after reload for both review-stage and final-approval tasks.

Scenario H: Approver DECLINE_SUBMITTED → Pipeline Restoration

Entry state: `/approvals/final/t1` (or navigate from queue). At least 10 characters of decline comments entered.

Step	Action	Expected Outcome
H-1	Click Decline for Rework to open the inline form	Decline form expands
H-2	Enter at least 10 characters of comments	Confirm button becomes enabled
H-3	Click Confirm Decline	<code>DECLINE_SUBMITTED</code> event fires with <code>document_ids</code> , <code>perFileReasons</code> , <code>batchRef</code> (= <code>task_reference</code>), and <code>submissionId</code> (= <code>record_id</code>)
H-4	Navigate to Pipeline Dashboard (<code>/pipeline/dashboard</code>)	The matching submission row in Table 3 (Contract Packages) shows status Declined
H-5	Check Table 1 (Stage Documents)	The submission's files reappear as staged documents with status restored to their original valid/invalid state
H-6	Confirm a toast notification appears	Toast reads "{packageNum} declined — Declined for rework by Approver" with file count
H-7	Confirm a bell notification appears	Notification reads "{packageNum} declined — Declined for rework by Approver"

Pass criteria: Files are restored to Table 1 without duplicates; submission row in Table 3 shows Declined; toast and notification both fire.

Scenario I: my_approvals Tab Filter (Final-Approval Tasks)

Entry state: `/approvals/queue`, My Approvals tab.

Step	Action	Expected Outcome
I-1	Confirm seed tasks t3 and t5 appear in My Approvals	Both show <code>final_approval</code> stage with status Pending
I-2	Open t3 (<code>/approvals/final/t3</code>) and return to queue	t3 status changes to Opened; t3 still appears in My Approvals tab
I-3	Confirm tab badge count decrements only after Approve or Reject	Opening a task does not remove it from the tab

Pass criteria: ['pending' , 'opened'] filter correctly retains opened tasks in the My Approvals tab.

Cross-Cluster Integration Test

This scenario exercises the full FC-2 → FC-4 handoff in a single continuous flow.

Step	Action	Expected Outcome
X-1	Upload a file via Pipeline Dashboard → Upload Files	File appears in Table 1
X-2	Group the file into a package and Submit All Ready	BATCH_SUBMITTED event fires; submission appears in Table 3
X-3	Navigate to Extraction Queue; open the new job	ProcessingWorkflowDialog opens; classification badge appears in Step 1
X-4	Complete all 5 steps; click Submit for Review	SUBMIT_FOR_REVIEW fires; app navigates to Approvals Queue
X-5	In My Reviews tab, open the new task	REVIEW_OPENED fires; task flips to Opened
X-6	Return to queue; confirm Recall button for the task is disabled	recall_available is false
X-7	In ApprovalsReview, click Approve for Final	APPROVE_FOR_FINAL fires; task advances to final_approval stage
X-8	In My Approvals tab, open the task	REVIEW_OPENED fires from ApprovalsApprover; task flips to Opened
X-9	Click Final Approve	RECORD_APPROVED fires; task moves to Approved state
X-10	Navigate to Pipeline Dashboard	Submission row shows Approved; no files remain in Table 1 for this batch

Pass criteria: All 10 steps complete without errors, and each cross-role event correctly updates the corresponding UI state.

Known Limitations Register

The following items are expected gaps in the current build and should **not** be filed as bugs unless explicitly noted.

#	Area	Description	Workaround
L-1	FC-2 PDF Viewer	Anchor position percentages are calibrated for 100% zoom; slight drift may occur at very narrow viewports (< 900 px wide)	Test at ≥ 1280 px viewport width
L-2	FC-2 PDF Viewer	Page 2 fields (premises_address, rentable_area_sqft) are not yet wired to the left panel field list	No workaround; scheduled for next session
L-3	FC-2 ExtractionStore	Store resets on hard page reload (in-memory only); classification badge disappears after F5	Navigate via the app rather than reloading
L-4	FC-2 PDF Viewer	Pages 3 and 4 render Exhibit B/C stubs only; no extracted fields are anchored there	Expected — stub pages are placeholders
L-5	FC-4 Approvals	<code>document_ids</code> in Approver DECLINE_SUBMITTED uses field IDs as a proxy; exact file-ID matching requires <code>ApprovalTaskSummary.document_ids</code> to be populated	PipelineDashboard falls back to <code>batchRef / submissionId</code> match which is reliable for seed data
L-6	FC-4 Approvals	<code>APPROVE_FOR_FINAL</code> does not yet set <code>recall_available: false</code>	Recall button remains enabled after Approve for Final; scheduled for next session
L-7	FC-4 Approvals	My Submissions tab hardcodes <code>submitted_by ≡ "J. Martinez"</code> ; live-submitted tasks use “Current User (Preparer)”	Switch role to Document Submitter to see live tasks

Regression Checklist

After completing all scenarios above, run the following quick regression checks to confirm no prior functionality was broken.

Check	Route	Expected
Pipeline Table 1 filters	/pipeline/dashboard	Workspace and preparer filters work; search filters file names
Pipeline DECLINE_SUBMITTED (Preparer)	Decline from ExtractionQueue	Files restored to Table 1; submission shows Declined
Extraction heatmap toggle	/extraction/verify	Heatmap overlay toggles on/off independently of page navigation
Extraction zoom controls	/extraction/verify	+ / - buttons change zoom; content scales; navigation still works
ApprovalsReview Approve for Final	/approvals/review/t1	APPROVE_FOR_FINAL fires; task advances to final_approval in queue
ApprovalsApprover close button	/approvals/final/t1	× navigates back to /approvals/queue
Sidebar badge count	Any page	Approvals badge reflects actionable task count (pending + resubmitted + opened)