

Vehicle categories & scope

Synthetic test corpus | Version 2.0 | 10 October 2026

This document is a fictional automotive training corpus for a Cited Answer Engine. Every named vehicle profile, numerical value, policy and dated change below is synthetic. BYD and Nissan Patrol are recognizable brand and model context only. These profiles are not manufacturer specifications, purchase advice or descriptions of actual model years.

1.1 Three profiles

The BYD E-Test is a battery electric vehicle (BEV). It has an electric motor and no petrol engine. The Nissan Patrol P-Test is a petrol-powered four-wheel-drive SUV. It has no traction battery and cannot be charged from an external electricity supply. The Hybrid H-Test combines a petrol engine with an electric motor.

1.2 Hybrid distinction

The Hybrid H-Test is a conventional hybrid, not a plug-in hybrid. Its traction battery receives energy from regenerative braking and its engine-driven generator. It has no external charging socket. A plug-in hybrid is a separate category with an external charging connection; this corpus assigns no numerical specifications to that category.

1.3 Controlled vocabulary

In this corpus, range means estimated driving distance unless the phrase product range is used. Product range means a group of vehicle models. The word charge is ambiguous: battery charge means stored energy, while service charge means a monetary fee. A question asking only about the charge needs clarification before a single meaning can be selected.

1.4 Evidence boundaries

All measurements apply only to the stated fictional profile and test conditions. There is no specification for a real BYD vehicle or real Nissan Patrol in this document. Sections are labeled to support page-level citations. Later pages distinguish current values from historical values; a historical statement must not be treated as a current specification.

Electric power & charging

2.1 Current battery and range

In version 2.0, the BYD E-Test has a usable battery capacity of 60 kWh and an estimated driving range of 400 km. These are current synthetic values. The battery uses the fictional LFP chemistry profile. Usable capacity means energy available for driving, rather than total gross pack capacity.

2.2 Historical contrast

In archived version 1.0, dated 1 October 2025, the BYD E-Test had a usable battery capacity of 54 kWh and an estimated driving range of 360 km. Version 2.0 replaces both archived values. The current range is 400 km, not 360 km; the current usable capacity is 60 kWh, not 54 kWh.

2.3 Charging limits

The BYD E-Test supports a maximum AC charging input of 7 kW and a maximum DC charging input of 100 kW. The 100 kW value is a peak limit, not a constant charging rate. Under the fictional reference conditions, DC charging from 20% to 80% takes 30 minutes. This timing does not describe charging from 0% to 100%.

2.4 Temperature exception

The usual maximum DC input is 100 kW. Exception: when battery temperature is below 5 degrees Celsius, the BYD E-Test limits DC input to 40 kW until the battery reaches 5 degrees Celsius. At exactly 5 degrees Celsius, this cold-battery limit no longer applies. Other conditions can still prevent the vehicle from reaching its peak input.

2.5 Battery care

The fictional handbook recommends an 80% daily charging target for the BYD E-Test. Exception: the driver may select 100% before a planned long journey. The recommendation is an operating policy in this corpus, not a universal rule for every battery chemistry. Battery condition and cabin energy use can affect observed driving distance.

Patrol, terrain & driver assistance

3.1 Off-road configuration

The Nissan Patrol P-Test has selectable four-wheel drive, a low-range transfer setting and 250 mm of ground clearance. Its off-road evaluation uses a marked dry gravel route. The test does not include deep water, dunes, rock crawling or towing. Low-range gearing is a drivetrain setting; it does not mean low remaining fuel range.

3.2 Access rule and exception

On the fictional Ridge Route, vehicles normally require four-wheel drive and at least 240 mm ground clearance. Exception: a two-wheel-drive vehicle may enter only the paved visitor section with staff permission. That exception does not allow entry to the gravel trail. The Nissan Patrol P-Test meets the gravel-trail equipment rule because it has four-wheel drive and 250 mm clearance.

3.3 Electric profile limitation

The BYD E-Test has front-wheel drive and 160 mm ground clearance. It does not meet the Ridge Route gravel-trail equipment rule. Its electric motor does not by itself establish off-road eligibility. No off-road clearance or drivetrain specification is supplied for the Hybrid H-Test.

3.4 ADAS features

The Nissan Patrol P-Test includes adaptive cruise control and lane-departure warning. Lane-departure warning alerts the driver; it does not steer the vehicle back into its lane. Adaptive cruise control can adjust speed to maintain a selected following gap under the test conditions. The driver remains responsible for steering, observation and braking when intervention is required.

3.5 Operating boundary

In this corpus, ADAS means advanced driver assistance systems. The listed systems do not provide autonomous driving. The fictional handbook instructs the driver to switch off adaptive cruise control on the Ridge Route gravel trail. No crash rating, autonomous-driving level or accident-reduction percentage is assigned to any profile.

Efficiency & ownership costs

4.1 Matched test conditions

The synthetic efficiency test uses a 100 km paved route at 25 degrees Celsius with one occupant and no cargo. The BYD E-Test consumes 15 kWh per 100 km measured from its usable battery. The Nissan Patrol P-Test consumes 12 litres of petrol per 100 km. The Hybrid H-Test consumes 5 litres of petrol per 100 km. These units are different and should not be compared as identical quantities.

4.2 Explicit cost assumptions

The fictional electricity tariff is AED 0.30 per kWh. The fictional petrol price is AED 3.00 per litre. Charging losses are excluded. At these assumptions, BYD E-Test energy cost is AED 4.50 per 100 km; Nissan Patrol P-Test fuel cost is AED 36.00 per 100 km; Hybrid H-Test fuel cost is AED 15.00 per 100 km. These are energy-only costs, not total ownership costs.

4.3 Service charge contrast

The current annual service charge for the BYD E-Test is AED 600 in version 2.0. The archived version 1.0 annual service charge was AED 500. Here, service charge means a fee, not battery energy. The service charge does not include tyres or damage repair. No service fee is specified for the Nissan Patrol P-Test or Hybrid H-Test.

4.4 Warranty scope

The synthetic BYD E-Test traction-battery warranty lasts 8 years or 160,000 km, whichever occurs first. Exception: damage caused by unauthorized battery modification is excluded. This is a fictional warranty rule, not an actual BYD warranty. The warranty duration does not establish the battery replacement price or its remaining capacity after eight years.

4.5 Ownership interpretation

Choosing a vehicle also involves charging access, route needs and maintenance. A household without reliable external charging may find a conventional hybrid operationally convenient. This document does not rank vehicles by total ownership cost because purchase prices, insurance, depreciation and resale values are absent.

Reference ledger & intentional gaps

5.1 Citation map

Page 1 defines the vehicle categories and ambiguous vocabulary. Page 2 contains BYD E-Test battery capacity, driving range, charging limits and temperature exceptions. Page 3 contains Nissan Patrol P-Test ground clearance, Ridge Route access rules and ADAS limits. Page 4 contains consumption, energy costs, service charges and the synthetic battery warranty.

5.2 Historical and current values

For present-tense questions, use version 2.0. For questions explicitly about archived version 1.0, use the dated historical statements. The historical BYD E-Test range is 360 km and the current range is 400 km. The historical annual service fee is AED 500 and the current annual service fee is AED 600. A question containing an old value may therefore have a contradicted current premise without being false about the archive.

5.3 Deliberately absent topics

This corpus supplies no vehicle purchase prices, insurance premiums, resale values, battery replacement prices, acceleration times, maximum towing capacities, crash-test ratings or public charging-station locations. It also supplies no real manufacturer specifications, dealer inventory or government incentive rules. A missing number must not be invented or inferred from another vehicle.

5.4 Evidence is not implication

The presence of adaptive cruise control does not establish autonomous driving. A battery warranty does not establish replacement cost. A peak charging input does not establish a full-charge time. Ground clearance does not establish towing capacity. A service fee does not establish total ownership cost. These distinctions are intentional evidence boundaries for retrieval and premise verification.

5.5 Retrieval discipline

A page number suggested by a question is a claim to check, not a trusted citation. If a question points to page 2 for Nissan Patrol P-Test ground clearance, retrieve the actual evidence on page 3. If a requested specification is absent, report insufficient evidence. The document contains evidence passages only; it does not contain a question bank or answer key.