Explicit Loading of Related Data

Article • 07/26/2022

Explicit loading

You can explicitly load a navigation property via the DbContext.Entry(...) API.

```
using (var context = new BloggingContext())
{
  var blog = context.Blogs
    .Single(b => b.BlogId == 1);

  context.Entry(blog)
    .Collection(b => b.Posts)
    .Load();

  context.Entry(blog)
    .Reference(b => b.Owner)
    .Load();
}
```

You can also explicitly load a navigation property by executing a separate query that returns the related entities. If change tracking is enabled, then when a query materializes an entity, EF Core will automatically set the navigation properties of the newly-loaded entity to refer to any entities already loaded, and set the navigation properties of the already-loaded entities to refer to the newly loaded entity.

Querying related entities

You can also get a LINQ query that represents the contents of a navigation property.

This allows you to apply other operators over the query. For example, applying an aggregate operator over the related entities without loading them into memory.

```
c#
using (var context = new BloggingContext())
{
  var blog = context.Blogs
```

```
.Single(b => b.BlogId == 1);

var postCount = context.Entry(blog)
    .Collection(b => b.Posts)
    .Query()
    .Count();
}
```

You can also filter which related entities are loaded into memory.

```
using (var context = new BloggingContext())
{
  var blog = context.Blogs
    .Single(b => b.BlogId == 1);

  var goodPosts = context.Entry(blog)
    .Collection(b => b.Posts)
    .Query()
    .Where(p => p.Rating > 3)
    .ToList();
}
```

Collaborate with us on GitHub

The source for this content can be found on GitHub, where you can also create and review issues and pull requests. For more information, see our contributor guide.



.NET feedback

.NET is an open source project. Select a link to provide feedback:

🖔 Open a documentation issue

Provide product feedback