

JS

Events

in HTML

Mouse Events

click	→	Triggered when a mouse button is clicked.
dblclick	→	Triggered when a mouse button is double-clicked.
mousedown	→	Triggered when a mouse button is pressed down.
mouseup	→	Triggered when a mouse button is released.
mouseover	→	Triggered when the mouse pointer enters an element.
mouseout	→	Triggered when the mouse pointer leaves an element.

Window Events

load	→	Triggered when the page and its dependent resources have finished loading.
resize	→	Triggered when the browser window is resized.
scroll	→	Triggered when the document view or an element is scrolled.

Focus Events

focus	→	Triggered when an element gains focus.
blur	→	Triggered when an element loses focus.

Keyboard Events

keydown	→	Triggered when a key is pressed down.
keypress	→	Triggered when a key is pressed and held down.
keyup	→	Triggered when a key is released.

Form Events

change	→	Triggered when the value of an input element changes.
input	→	Similar to 'change', triggered when the value of an input element changes (more frequently).
submit	→	Triggered when a form is submitted.

Other Events

contextmenu	→	Triggered when the right mouse button is clicked, opening the context menu.
DOMContent Loaded	→	Triggered when the initial HTML document has been completely loaded and parsed, without waiting for stylesheets, images, and subframes to finish loading.
hashchange	→	Triggered when the fragment identifier in the URL changes.