## Crea un diseño básico

Hagamos una prueba rápida. Debes responder al menos 7 preguntas de manera correcta para aprobar el cuestionario.

Volver a la ruta de aprendizaje (https://developer.android.com/courses/pathways/android-basics-compose-unit-1-pathway-3?authuser=0&hl

1. What is Jetpack Compose?
A Modern toolkit to develop Android UI
O Toolkit to design libraries
O Database Interface
O Plugin to build APK
2. Composable functions are the basic building block of Compose.
True
○ False
3. What annotation is used to annotate a Composable function?
@Annotation
@ComposableFunction
@Composable
○ @Preview
4. The three basic standard layout elements in Compose are
Selecciona todas las respuestas que consideres correctas.  Column
✓ Column  ✓ Row
☐ Text
✓ Box
<b>■</b>
5. What is the tool window for importing, creating, managing, and using resources in your app?
O Application Manager
Resource Manager

6. Which class is an automatically generated class by Android that contains the IDs of all resources in the project.  The Android class  The Resource class  The Resource class  The Resource D class  7. Which function is used is to load a drawable image resource.  The istringResource() function  The InageResource() function  The InageResource() function  8. What is the function parameter used to add accessibility text, used by talkback?  accessibilityText  contentText  accessibilitySexription  9. The Box layout stacks the UI elements on top of one another.  © True  False  10. What parameter is used to align the child element to the beginning of the parent?  Alignment. Englin  Alignment. Englin  Alignment. Start  Alignment. Top	Resource Tool
The Android class The Resource class The Resource class The Resource class The Resource Class  7. Which function is used is to load a drawable image resource. The stringlesource() function The smageResource() function The JamgeResource() function The JamgeResource() function  8. What is the function parameter used to add accessibility text, used by talkback? accessibilityText contentText accessibilityOsscription  9. The Box layout stacks the UI elements on top of one another. True False  10. What parameter is used to align the child element to the beginning of the parent? Alignment.End Alignment.Start Alignment.Top	C Layout Manager
The Android class The Resource class The Resource class The Resource class The Resource Class  7. Which function is used is to load a drawable image resource. The stringlesource() function The smageResource() function The JamgeResource() function The JamgeResource() function  8. What is the function parameter used to add accessibility text, used by talkback? accessibilityText contentText accessibilityOsscription  9. The Box layout stacks the UI elements on top of one another. True False  10. What parameter is used to align the child element to the beginning of the parent? Alignment.End Alignment.Start Alignment.Top	
The Resource Class  The Resource Class  The Resource () dass  7. Which function is used is to load a drawable image resource.  The stringResource () function  The JanageResource () function  The JanageResource () function  3. What is the function parameter used to add accessibility text, used by talkback?  accessibilityText  contentText  accessibilityDescription  9. The Box layout stacks the UI elements on top of one another.  True  False  10. What parameter is used to align the child element to the beginning of the parent?  Alignment . End  Alignment . Begin  Alignment . Start  Alignment . Start	6. Which class is an automatically generated class by Android that contains the IDs of all resources in the project.
The ResourceID class  7. Which function is used is to load a drawable image resource.  The stringResource() function  The JanageResource() function  The JanageResource() function  8. What is the function parameter used to add accessibility text, used by talkback?  accessibilityText  contentText  accessibilityDescription  9. The Box layout stacks the UI elements on top of one another.  True  False  10. What parameter is used to align the child element to the beginning of the parent?  Alignment .End  Alignment .Begin  Alignment .Start  Alignment .Start	The Android class
The ResourceID class  7. Which function is used is to load a drawable image resource.  The stringResource() function  The JangeResource() function  The JangeResource() function  8. What is the function parameter used to add accessibility text, used by talkback?  accessibilityText  contentText  accessibilityDescription  9. The Box layout stacks the UI elements on top of one another.  True  False  10. What parameter is used to align the child element to the beginning of the parent?  Alignment.End  Alignment.Begin  Alignment.Start  Alignment.Top	The Resource class
7. Which function is used is to load a drawable image resource.  The stringResource() function  The ImageResource() function  The ImageResource() function  The loadResource() function  8. What is the function parameter used to add accessibility text, used by talkback?  accessibilityText  contentText  accessibilityDescription  ocontentDescription  7. The Box layout stacks the UI elements on top of one another.  True  False  10. What parameter is used to align the child element to the beginning of the parent?  Alignment.End  Alignment.Start  Alignment.Top	The R Class
The stringResource() function The ImageResource() function The ImageResource() function  8. What is the function parameter used to add accessibility text, used by talkback? accessibilityText contentText accessibilityDescription contentDescription  9. The Box layout stacks the UI elements on top of one another. True False  10. What parameter is used to align the child element to the beginning of the parent? Alignment.End Alignment.Begin Alignment.Start Alignment.Top	The ResourceID class
The stringResource() function The ImageResource() function The ImageResource() function  8. What is the function parameter used to add accessibility text, used by talkback? accessibilityText contentText accessibilityDescription contentDescription  9. The Box layout stacks the UI elements on top of one another. True False  10. What parameter is used to align the child element to the beginning of the parent? Alignment.End Alignment.Begin Alignment.Start Alignment.Top	
<ul> <li>The painterResource() function</li> <li>The ImageResource() function</li> <li>The loadResource() function</li> <li>8. What is the function parameter used to add accessibility text, used by talkback?</li> <li>accessibilityText</li> <li>contentText</li> <li>accessibilityDescription</li> <li>contentDescription</li> <li>9. The Box layout stacks the UI elements on top of one another.</li> <li>True</li> <li>False</li> <li>10. What parameter is used to align the child element to the beginning of the parent?</li> <li>Alignment.End</li> <li>Alignment.Begin</li> <li>Alignment.Start</li> <li>Alignment.Top</li> </ul>	7. Which function is used is to load a drawable image resource.
The ImageResource() function  8. What is the function parameter used to add accessibility text, used by talkback?  accessibilityText  contentText  accessibilityDescription  9. The Box layout stacks the UI elements on top of one another.  True  False  10. What parameter is used to align the child element to the beginning of the parent?  Alignment.End  Alignment.Start  Alignment.Start  Alignment.Top	The stringResource() function
<ul> <li>The loadResource() function</li> <li>8. What is the function parameter used to add accessibility text, used by talkback?</li> <li>accessibilityText</li> <li>contentText</li> <li>accessibilityDescription</li> <li>contentDescription</li> <li>9. The Box layout stacks the UI elements on top of one another.</li> <li>True</li> <li>False</li> <li>10. What parameter is used to align the child element to the beginning of the parent?</li> <li>Alignment.End</li> <li>Alignment.Start</li> <li>Alignment.Top</li> </ul>	The painterResource() function
8. What is the function parameter used to add accessibility text, used by talkback?    accessibilityText   contentText   accessibilityDescription   contentDescription  9. The Box layout stacks the UI elements on top of one another.    True   False  10. What parameter is used to align the child element to the beginning of the parent?    Alignment.End   Alignment.Begin   Alignment.Start   Alignment.Top	The ImageResource() function
accessibilityText contentText accessibilityDescription contentDescription  9. The Box layout stacks the UI elements on top of one another. True False  10. What parameter is used to align the child element to the beginning of the parent? Alignment.End Alignment.Begin Alignment.Start Alignment.Top	The loadResource() function
accessibilityText contentText accessibilityDescription contentDescription  9. The Box layout stacks the UI elements on top of one another. True False  10. What parameter is used to align the child element to the beginning of the parent? Alignment.End Alignment.Begin Alignment.Start Alignment.Top	
contentText accessibilityDescription  9. The Box layout stacks the UI elements on top of one another.  10. True False  10. What parameter is used to align the child element to the beginning of the parent?  Alignment.End Alignment.Begin Alignment.Start Alignment.Top	8. What is the function parameter used to add accessibility text, used by talkback?
<ul> <li>accessibilityDescription</li> <li>contentDescription</li> <li>9. The Box layout stacks the UI elements on top of one another.</li> <li>True</li> <li>False</li> <li>10. What parameter is used to align the child element to the beginning of the parent?</li> <li>Alignment.End</li> <li>Alignment.Begin</li> <li>Alignment.Start</li> <li>Alignment.Top</li> </ul>	<pre>accessibilityText</pre>
<ul> <li>contentDescription</li> <li>9. The Box layout stacks the UI elements on top of one another.</li> <li>True</li> <li>False</li> <li>10. What parameter is used to align the child element to the beginning of the parent?</li> <li>Alignment.End</li> <li>Alignment.Begin</li> <li>Alignment.Start</li> <li>Alignment.Top</li> </ul>	O contentText
<ul> <li>9. The Box layout stacks the UI elements on top of one another.</li> <li>True</li> <li>False</li> <li>10. What parameter is used to align the child element to the beginning of the parent?</li> <li>Alignment.End</li> <li>Alignment.Begin</li> <li>Alignment.Start</li> <li>Alignment.Top</li> </ul>	accessibilityDescription
<ul> <li>True</li> <li>False</li> <li>What parameter is used to align the child element to the beginning of the parent?</li> <li>Alignment.End</li> <li>Alignment.Begin</li> <li>Alignment.Start</li> <li>Alignment.Top</li> </ul>	contentDescription
<ul> <li>True</li> <li>False</li> <li>What parameter is used to align the child element to the beginning of the parent?</li> <li>Alignment.End</li> <li>Alignment.Begin</li> <li>Alignment.Start</li> <li>Alignment.Top</li> </ul>	
<ul> <li>False</li> <li>10. What parameter is used to align the child element to the beginning of the parent?</li> <li>Alignment.End</li> <li>Alignment.Begin</li> <li>Alignment.Start</li> <li>Alignment.Top</li> </ul>	9. The Box layout stacks the UI elements on top of one another.
10. What parameter is used to align the child element to the beginning of the parent?  Alignment.End Alignment.Begin Alignment.Start Alignment.Top	True
Alignment.End Alignment.Begin Alignment.Start Alignment.Top	○ False
Alignment.End Alignment.Begin Alignment.Start Alignment.Top	
Alignment.Start Alignment.Top	10. What parameter is used to align the child element to the beginning of the parent?
<pre>Alignment.Start Alignment.Top</pre>	Alignment.End
Alignment.Top	Alignment.Begin
	<pre>Alignment.Start</pre>
Enviar respuestas	Alignment.Top
Enviar respuestas	
	Enviar respuestas

https://developer.android.com/courses/quizzes/android-basics-compose-unit-1-pathway-3/Build-a-basic-layout?hl=es-419&continue=https%3A... 2/3

(!) Se produjo un error mientras se calificaba el cuestionario. Vuelve a intentarlo.