Design Rules Verification ReportFilename: E:\aKaReZa\#gitHub\eBoard_M66\Quectel M66\PCB.PcbDoc

Warnings 0 Rule Violations 0

Warnings	
Total	0

Rule Violations	
Clearance Constraint (Gap=0.25mm) (All),(InPolygon)	
Clearance Constraint (Gap=0.2mm) (All),(All)	
Short-Circuit Constraint (Allowed=No) (All),(All)	
Un-Routed Net Constraint ((All))	
Modified Polygon (Allow modified: No), (Allow shelved: No)	
Width Constraint (Min=0.2mm) (Max=10mm) (Preferred=0.3mm) (All)	
Routing Layers(All)	0
Routing Via (MinHoleWidth=0.4mm) (Max HoleWidth=3mm) (PreferredHoleWidth=0.4mm) (MinWidth=0.7mm)	0
Differential Pairs Uncoupled Length using the Gap Constraints (Min=0.254mm) (Max=0.254mm) (Prefered=0.254mm)	0
Power Plane Connect Rule(Relief Connect)(Expansion=0.508mm) (Conductor Width=0.254mm) (Air Gap=0.254mm)	0
Minimum Annular Ring (Minimum=0.15mm) (All)	
Acute Angle Constraint [Tracks Only] (Minimum=60.000) (All)	
Hole Size Constraint (Min=0.4mm) (Max=10mm) (All)	0
Hole To Hole Clearance (Gap=0.3mm) (All),(All)	0
Minimum Solder Mask Sliver (Gap=0.01mm) (All),(All)	0
Silk To Solder Mask (Clearance=0.01mm) (IsPad),(All)	0
Net Antennae (Tolerance=0mm) (All)	
Board Clearance Constraint (Gap=0mm) (All)	
Component Clearance Constraint (Horizontal Gap = 0.254mm, Vertical Gap = 0.254mm) (All),(All)	
Height Constraint (Min=0mm) (Max=25.4mm) (Prefered=12.7mm) (All)	
Total	0