




Realistic View




Top Layer (Scale 2:1)




View from Top side (Scale 2:1)




Realistic View



Bottom Layer (Scale 2:1)




View from Bottom side (Scale 2:1)




Title: Bottom View	Drawn by:	Hossein Bagheri	
Project: STM32F103C8	Revision: 1.0.1	 aKaReZa	
Company: github.com/aKaReZa75	Sheet 2 of 7		

Drill Drawing View (Scale 3:1)




Drill Table				
Symbol	Count	Hole Size	Plated	Hole Tolerance
	47	0mm	Plated	
	129	0mm	Plated	
	2	1mm	Non-Plated	
	67	1mm	Plated	
	2	1mm	Plated	
	35	1mm	Plated	
	13	1mm	Plated	
	4	3mm	Plated	
299 Total				

View from Top side (Scale 5:2)




Title: Drill Drawing and Dimensions	Drawn by:	Hossein Bagheri	
Project: STM32F103C8	Revision: 1.0.1		
Company: github.com/aKaReZa75	Sheet 3 of 7		


View from Left side (Scale 5:2)




View from Back side (Scale 5:2)



View from Right side (Scale 5:2)



View from Front side (Scale 5:2)



Layer Stack Legend

Material	Layer	Thickness	Dielectric Material	Type	Gerber
	Top Overlay			Legend	GTO
Surface Material	Top Solder	0mm	Solder Resist	Solder Mask	GTS
Copper	Top Layer	0mm		Signal	GTL
		1mm	FR-4	Dielectric	
Copper	Bottom Layer	0mm		Signal	GBL
Surface Material	Bottom Solder	0mm	Solder Resist	Solder Mask	GBS
	Bottom Overlay			Legend	GBO
Total thickness: 2mm					

