

Does Exploration Behaviour That is Based of Human-Like Curiosity Perceive AI Smartness?

Tomas Mazurkevic

Abstract—Abstract not written yet, as you may see. But as a side note - bullet points

I. INTRODUCTION

ARTIFICIAL intelligence (AI) in video games is very crucial when it's used as one of the main mechanics. Intelligent non-player characters (NPCs) are extremely hard to make due to the nature of it's complexity. The more complex it is the more outcomes developers will have to consider and the more problems will occur during development [1]. Moreover, it tends to use lots of computer's memory [1], which brings more challenges.

Throughout the last 30 years researchers are trying to create intelligent AI using different methods and algorithms. Recent achievements in such area really worthy of respect. For example, AlphaGo being able to beat world champions in Go [2] or OpenAI playing Atari games and, in most of them, getting higher scores than human players (citation required). AI in games, however, is used to create non-player characters (NPCs), which can have very different pattern varying from AI as Adversary to AI as Spectacle [3].

Some of the very complex algorithms, such as reinforcement learning (RL), deep Q-learning, curiosity-driven, evolution-based (add more or change) are being used in video games as testbeds for different disciplines that vary from training algorithms to robotics to Go [4][2][5]. However, due to specificity of games, it is not always the best solution. Depending on game's design, very simple methods can be used instead or less complex than previously mentioned ones. As an example, Finite State Machine (FSM) became a common one to use after the success of the game F.E.A.R or Monte Carlo Tree Search (MCTS), which is also a very common one these days and is being used in most known games (citation required). Another widely spread technique is behaviour tree, which I'm going to use for this paper. (NEED CONTINUATION)

II. RELATED WORK

The main focus of this paper is to demonstrate a potentially valuable AI behaviour that is not complex yet efficient in enhancing smart AI. In Section III different AI implementation methods will be discussed, both complex and simple. Section IV will present human's curiosity and discuss its importance towards one's willingness to discover and some relevant learning algorithm implementations to make interesting and smart AI. The testing material will be discussed in Section V, which will also include an explanation and use of Turing's test. Methodology and hypotheses will be reviewed in sections VI and VII respectively. Methodology will also include

research artefact and how data will be gathered. The proposed behaviour implementation will be made in Unreal Engine 4 (UE4) using our team's game for easier testing purpose as there will be enough assets to create a unique world which AI could be tested on.

- Explain the main focus of this paper
- Explain the testing subject I'm gonna use
- Briefly explain next sections
- Will be using my third year team project game to test the implementation on.

III. AI IMPORTANCE IN GAMES

Different methods that are used in AI learning - reinforcement, evolution-based, q-learning, curiosity-driven, etc.

- Why is it complex and important?
- What does it help to achieve?
- Talk about Halo 2 AI (and maybe TF2 bots - research more)
- Talk about how simple implementations can be much more efficient than complex learning methods

Artificial intelligence has a big place in the modern world. Robots are being created to ease human's life, machines that can beat best players in the world in most complex games such as Go [2] or chess. But AI for games is not created to overcome player's abilities. It's there to enhance player's experience, to make the game more engaging and fun to play [5]. Therefore, other difficult problems are being solved, which may not fit well with AI used in real life, but they are still very valuable. Solving AI problems using games has become pretty common nowadays and is used for many areas as a testing purpose [4]. The testbeds can alter from simplicity to diversity [4] and can include testing natural language understanding and/or production, theorem proving, physical and simulated robotics and the original Turing's test [4].

AI for games is mainly developed to increase player's engagement and/or satisfaction feelings [6]. Whether that's bosses or companions, friends or enemies. Given the flexibility of AI, games use it very differently. Thus, some games decide to enhance players' positive emotions and some might make the game feel terrifying. It is designers' aspiration to create such feelings depending on the game itself. The satisfaction from defeating extremely hard bosses you spent hours on is unforgettable as well as the fright from the ever building up atmosphere enhanced by terrifying creatures. All of this makes games unique and entertaining for people whose desire is to rest from our real world.

Of course, not every game must have AI, but what's the most frustrating a game can have is experience ruining AI. In

which case, immersion breaks and players start complaining about game being "unplayable" even though it's only enemies or friends behaving inappropriately or silly. Indeed, when players want to have a relaxing time playing a game, which is broken by AI only is upsetting. This again shows how important AI is for games, which requires considerable amount of effort put into to create fun and engaging experience. So, to prove this point, next couple subsections (or paragraphs) will present and discuss successful use of AI creating both positive and negative emotions.

A. *Alien: Isolation*

Artificial intelligence is very commonly used to create various feelings alongside an atmosphere of the game. A good example of this is game called *Alien: Isolation* created by Creative Assembly, Feral Interactive and awarded a BAFTA Games Award for Audio Achievement. The alien enemy is the main threat that makes the player fear it to create a horrifying experience. However, atmosphere around it accompanied with audio also plays a huge role. Moreover, specifically in this game, the AI is very complex and smart. In fact, it has two personalities, in other words - brains [7]. The first one playing the role of the Alien "having perfect information about the environment" [7] and the second one responsible for movement and immediate stimuli response [7]. Indeed, this together creates a very interesting and exceptional behaviour of the AI. The alien reacts to any sudden movements, noises and other characters that are not player. In fact, there are other enemies besides aliens, which the alien itself is attacking. This creates different scenarios and entertaining gameplay where player can bait the alien to kill any hazard on the player's way that is another NPC.

B. *Halo 2*

Another excellent example of smart and flexible AI is *Halo 2* developed by Bungie Studios. AI in *Halo 2* "lives in a simulated world" [6] - emphasizes Chris, a developer of game's artificial intelligence - and there's very small distinction between NPCs and the player [6]. Although every creature in *Halo 2* feels unique they all function the same. NPCs perceive the world using their "senses", interprets all this data and makes decisions based on them [6]. It is exactly the same capabilities humans have. Therefore, this makes AI feel very smart and, more importantly, fun to play against. In addition, players can witness AI characters getting surprised, making mistakes and questionable decisions [6], because they perceive their environment the same way a human player would. This particularly makes AI predictable, which was the aim of *Halo 2* making NPCs consistent [6] and is considered to be "smart" AI [8]. Thus, players can predict NPCs' actions, but consequences will be unpredictable.

Even more impressive feature AI in *Halo 2* has is their new joint behaviour system [6]. It allows NPCs to communicate between each other and inform other allies of any threats or request a tactical move. This wouldn't be possible for players to notice if developers didn't add speech to it. Indeed, whenever an enemy does any action, it is followed by it saying

it out loud. This is a simple if/then statement, but it improves AI's predictability, which therefore increases its smartness as was mentioned before. In fact, small features that don't exactly relate to AI implementation might also enhance the way it feels, making it smarter and unique.

AI importance in games

- What makes AI important in games?
- What does it help to accomplish in games? Satisfaction, level of difficulty, engagement, relationship between the player and NPCs
- Has a big research area - making AI interesting and solving complex problems, which can be applied to real world problems with robots
- Potentially talk about *Halo 2* AI, which made the game very engaging and fun to play - as an example
- Talk about what smart AI is like in games (video reference)
- Dendi against AI bot in *dota 2* - AI won

IV. CURIOSITY

Curiosity is a driving force for human's exploration, which consists of exploration, investigation and learning behaviours [9][10]. It makes people chase for knowledge and investigate anything new and potentially valuable. Moreover, curiosity is beneficial for people on two levels: the individual and the social [11]. The first one is represented as the "innate love of learning and of knowledge... without the lure of any profit" [12]. The social level, on the other hand, is presented as "an ingredient for enhancing personal relationships" [9].

In computational form, curiosity can be split into different designs [9]. However, in this case, we are going to look at a curious exploratory agent. It can reach high learning effectiveness in an unknown environment [9][13]. Even though the behaviour this project is going to test will be hard-coded, it gives opportunity for further learning, such as having learning algorithm like curiosity-driven instead of hard-coding. Moreover, due to curiosity being proposed as algorithmic principles [9][14][15] it enhances machines' "exploration" and allows it to own "the desire to improve the model network's knowledge about the world." [16]. It also had success in unsupervised developmental robotics [17][18].

Curiosity-driven learning in games can show some fascinating results. In [19], researchers train AI using curiosity-driven learning without extrinsic rewards and test it on dozens of games, 48 of which are Atari games. Previously, this kind of learning was using either extrinsic or intrinsic reward system, however, this paper applies no rewards for AI and yet demonstrates positive results. The research has also been using Random Network Distillation (RND), which showed a significant progress in *Montezuma's Revenge* [20]. It scored more than twice as high than average human player, which shows potential in future development. However, this kind of learning doesn't always score as high as in *Montezuma's Revenge*. This shows that it still requires improvements to be used in today's games and potentially in robotics.

The way curiosity-driven learning works is that the AI tries to predict the next frame (next-state prediction / noisy-tv problem - might not be suitable)

- Why do curiosity?
- Examples of curiosity-driven behaviours
- How will it make AI look smarter?
- Challenges that occur trying to implement such behaviour
- Explain why curiosity is one of the main drivers that lead human to explore/do something
- What is smartness and how could it be measured?

V. TURING'S TEST

"Intelligence measures an agent's ability to achieve goals in a wide range of environments." [21]

"Intelligence is a very general mental capability that, among other things, involves the ability to reason, plan, solve problems, think abstractly, comprehend complex ideas, learn quickly and learn from experience." [22]

- Explain Turing's test
- Why use this testing method?
- Explain how I'm gonna test my implementation
- Briefly go over what question I'm going to use to get the participants' data
- Analyse critics regarding Turing's test and explain why I chose this method

VI. HYPOTHESES

The aim of this project is to implement a simple curiosity-based exploration behaviour and test it to see whether it makes the AI smarter. This concern is the first hypothesis of the paper. The second hypothesis aims the participants to distinguish player's behaviour from AI's behaviour, which will be provided by the questionnaire data. After analysing this data, the results will show whether the curious behaviour is leaning towards human-like, which will prove or disprove this project's hypothesis.

These hypotheses are mainly aimed to see if exploration behaviour based on human's curiosity enhances smartness for AI in games. Due to AI primarily being used for enemies, idle states are often excluded from having "smart" behaviour. This is done in order to save memory for more important matter, such as combat. However, having a smart looking AI for walking simulators can therefore enhance player's experience in such genres. This could become a decisive factor for developers that want to create a gorgeous walking simulator using fantastic looking environment enhanced with smart and interesting artificial intelligence.

- The AI will feel smarter
- The participants won't distinguish human's behaviour and AI (which is good)

VII. METHODOLOGY

The testing of the hypotheses will be handled by presenting participants with two recordings in random order - (a) non-curious AI behaviour and player's behaviour or (b) curious AI with exploration behaviour and player's behaviour.

A. Research Artefact

For the proposed hypotheses testing the project will be using our team project game that is made using Unreal Engine 4 (UE4) with a few changes in the game to represent first-person walking simulator. The environment in the game will also be changed in order to more accurately generate curiosity from both AI and player perspectives. Moreover, the exploration behaviour this paper is going to test will be implemented using Behaviour Tree. The behaviour will be thoroughly tested for any possibly experience ruining errors and playtested before the start of the research. Afterwards, it will be recorded and, during the testing process, data will be gathered from participants. Another AI behaviour will also be recorded before the data gathering as well as human's behaviour. All the recordings will be handled by the free recording software called Open Broadcaster Software (OBS) due to its simplicity and quality of entries.

B. Participants

Due to the need of human player's behaviour, several people will be asked to play the game and record their gameplay. This necessity does not require a lot of participants and, moreover, they will not be taking part in providing research data and are not counted towards the required sample size presented in (TABLE HERE). Ideally, they will have no to little experience with such games to generate more curious nature of human. The goal for these participants will be to explore the game's environment. However, they will not be told that to avoid bias towards having unnatural curiosity behaviour, which could influence project's testing. Instead, they will have an ability to do whatever they desire. This will instead generate more natural behaviour and thought process from these participants and will benefit this project's outcome. It will be handled in the first place and all the people that will be recruited to record their gameplay will be given a consent form to sign due to university's ethics policy. Participants' data will be anonymous and will not be stored anywhere due to the fact that only game's view, in other words gameplay, will be recorded.

The participants that are going to take part in the research and answer the questionnaire will likely be from different disciplines both inside and outside of Games Academy due to bigger audience variety and experience in such field. There will be two groups of participants observing different recordings of player and AI behaviours that are selected randomly. From the (INSERT TABLE HERE) it is shown that the project will need 70 participants given the effect size of 0.8, which is considered large by the Cohen's guidelines. However, if the project brings more attention, sample size could be increased accordingly, giving more data to analyse.

C. Questionnaire

After the participants have viewed the recordings, they will be asked to complete a survey. The survey will provide the necessary data to analyse and later discuss the efficiency of the proposed exploration behaviour enhancing the AI's smartness. First of all, the survey will ask how often the participant plays

games and whether they have played any first-person walking simulators. This will give the understanding of participant's experience with games, which might influence their insight of the research. The second part of this survey consists only of one questions asking which behaviour felt smarter in their opinion before getting the necessary data to analyse curiosity in each behaviour.

- How the hypotheses will be tested?
- Include potential questions - explain what data each question will provide
- Maybe include an example of similar test?
- Include how smartness will be measured - If the simple behaviour's score is less than exploration behaviour, it will mean that the exploration behaviour is potentially making AI look smarter

VIII. CONCLUSION

The conclusion goes here.

REFERENCES

- [1] D. Isla, "Handling complexity in the halo 2 ai," <https://www.gamasutra.com/view/feature/130663/gdc-2005-proceeding-handling>, 2005.
- [2] D. Silver and D. Hassabis, "AlphaGo: Mastering the ancient game of go with machine learning," <https://ai.googleblog.com/2016/01/alphago-mastering-ancient-game-of-go.html>, 2016.
- [3] M. Treanor, A. Zook, M. P. Eladhari, J. Togelius, G. Smith, M. Cook, T. Thompson, B. Magerko, J. Levine, and A. Smith, "AI-based game design patterns," 2015.
- [4] T. Schaul, J. Togelius, and J. Schmidhuber, "Measuring intelligence through games," *arXiv preprint arXiv:1109.1314*, 2011.
- [5] L. E. S. Maass and A. Luc, "Artificial intelligence in video games," <https://towardsdatascience.com/artificial-intelligence-in-video-games-3e2566d59c22>.
- [6] R. Valdes, "The artificial intelligence of halo 2," <https://electronics.howstuffworks.com/halo2-ai.htm>, 2004.
- [7] M. Seller, "Horrific things: Alien isolation and the queer materiality of gender, desire and being," *Gender and Contemporary Horror in Comics, Games and Transmedia (Emerald Studies in Popular Culture and Gender)*, Emerald Publishing Limited, pp. 43–55, 2019.
- [8] M. Brown, "What makes good ai? — game maker's toolkit," <https://www.youtube.com/watch?v=9bbhJi0NBkk>, 2017.
- [9] Q. Wu and C. Miao, "Curiosity: From psychology to computation," *ACM Computing Surveys (CSUR)*, vol. 46, no. 2, p. 18, 2013.
- [10] T. B. Kashdan, P. Rose, and F. D. Fincham, "Curiosity and exploration: Facilitating positive subjective experiences and personal growth opportunities," *Journal of personality assessment*, vol. 82, no. 3, pp. 291–305, 2004.
- [11] T. B. Kashdan, "Curious?: Discover the missing ingredient to a fulfilling life ." 2010.
- [12] G. Loewenstein, "The psychology of curiosity: A review and reinterpretation," *Psychological bulletin*, vol. 116, no. 1, p. 75, 1994.
- [13] L. Macedo and A. Cardoso, "The role of surprise, curiosity and hunger on exploration of unknown environments populated with entities," in *2005 portuguese conference on artificial intelligence*. IEEE, 2005, pp. 47–53.
- [14] S. Pang, S. Ozawa, and N. Kasabov, "Curiosity driven incremental lda agent active learning," in *2009 International Joint Conference on Neural Networks*. IEEE, 2009, pp. 2401–2408.
- [15] C. Karaoguz, E. Potapova, D. Drix, M. Hülse *et al.*, "Curiosity driven exploration of sensory-motor mappings," in *Deliverable for the IM-CLeVer spring school at the Capo Caccia cognitive neuromorphic engineering workshop*, 2011, pp. 1–7.
- [16] J. Schmidhuber, "A possibility for implementing curiosity and boredom in model-building neural controllers," in *Proc. of the international conference on simulation of adaptive behavior: From animals to animats*, 1991, pp. 222–227.
- [17] Schmidhuber, "Developmental robotics, optimal artificial curiosity, creativity, music, and the fine arts," *Connection Science*, vol. 18, no. 2, pp. 173–187, 2006.
- [18] F. K. Pierre-Yves Oudeyer, "Intelligent adaptive curiosity: a source of self-development," 2004.
- [19] Y. Burda, H. Edwards, D. Pathak, A. Storkey, T. Darrell, and A. A. Efros, "Large-scale study of curiosity-driven learning," *arXiv preprint arXiv:1808.04355*, 2018.
- [20] Y. Burda and H. Edwards, "Reinforcement learning with prediction-based rewards," <https://openai.com/blog/reinforcement-learning-with-prediction-based-rewards/>, 2008.
- [21] S. Legg and M. Hutter, "Universal intelligence: A definition of machine intelligence," *Minds and machines*, vol. 17, no. 4, pp. 391–444, 2007.
- [22] L. S. Gottfredson, "Mainstream science on intelligence: An editorial with 52 signatories, history, and bibliography," 1997.

APPENDIX A FIRST APPENDIX

Appendices are optional. Delete or comment out this part if you do not need them.