



Select a definition

HiLife-API v1

Demo API v1 OAS3

https://localhost:53875/swagger/v1/swagger.json

Authorize

Appointment

GET /api/Appointment

Parameters Try it out

No parameters

Responses

Code	Description	Links
200	<div>Success</div> <div>Media type</div> <div>text/plain</div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div>[{ "id": 0, "patientId": 0, "doctorId": 0, "modality": "string", "appointmentTime": "2022-07-06T14:10:50.028Z" }]</div>	No links

POST

/api/Appointment

^

🔒

Parameters

Try it out

No parameters

Request body

application/json

Example Value

Schema

```
{
  "id": 0,
  "patientId": 0,
  "doctorId": 0,
  "modality": "string",
  "appointmentTime": "2022-07-06T14:10:50.033Z"
}
```

Responses

Code	Description	Links
200	<div>Success</div> <div>Media type</div> <div>text/plain</div> <div>Controls Accept header.</div> <div><div>Example Value</div><div>Schema</div><div><pre>{ "id": 0, "patientId": 0, "doctorId": 0, "modality": "string", "appointmentTime": "2022-07-06T14:10:50.034Z" }</pre></div></div>	No links

PUT

/api/Appointment

^

🔒

Parameters

Try it out

No parameters

Request body

application/json

Example Value Schema

```
{
  "id": 0,
  "patientId": 0,
  "doctorId": 0,
  "modality": "string",
  "appointmentTime": "2022-07-06T14:10:50.036Z"
}
```

Responses

Code	Description	Links
200	Success	No links

Media type

text/plain

Controls Accept header.

Example Value Schema

```
{
  "id": 0,
  "patientId": 0,
  "doctorId": 0,
  "modality": "string",
  "appointmentTime": "2022-07-06T14:10:50.037Z"
}
```

DELETE /api/Appointment



Parameters

Try it out

Name	Description
id integer(\$int64) (query)	<div>id</div>

Responses

Code	Description	Links
200	Success	No links

GET

/api/Appointment/{id}

^

🔒

Parameters

Try it out

Name	Description
id * required integer(\$int64) (path)	<div>id</div>

Responses

Code	Description	Links
200	Success	No links

Media type

text/plain

Controls Accept header.

Example Value

Schema

```
{
  "id": 0,
  "patientId": 0,
  "doctorId": 0,
  "modality": "string",
  "appointmentTime": "2022-07-06T14:10:50.041Z"
}
```

Auth



POST

/api/v1/Auth/Patient/signin

^

🔒

Parameters

Try it out

No parameters

Request body

application/json

Example Value

Schema

```
{  "id": 0,  "email": "string",  "password": "string",  "name": "string",  "cep": "string",  "address": "string",  "imageUrl": "string",  "appointments": [    {      "id": 0,      "patientId": 0,      "doctorId": 0,      "modality": "string",      "appointmentTime": "2022-07-06T14:10:50.045Z"    }  ]}
```

Responses

Code	Description	Links
200	Success	No links

POST

/api/v1/Auth/Patient/register

^

🔒

Parameters

Try it out

No parameters

Request body

application/json

Example Value

Schema

```
{  "id": 0,  "email": "string",  "password": "string",  "name": "string",  "cep": "string",  "address": "string",  "imageUrl": "string",  "appointments": [    {      "id": 0,      "patientId": 0,      "doctorId": 0,      "modality": "string",      "appointmentTime": "2022-07-06T14:10:50.045Z"    }  ]}
```

```
    "id": 0,
    "patientId": 0,
    "doctorId": 0,
    "modality": "string",
    "appointmentTime": "2022-07-06T14:10:50.050Z"
  }
}
```

Responses

Code	Description	Links
200	Success	No links

Doctor



GET /api/Doctor



Parameters

Try it out

No parameters

Responses

Code	Description	Links
------	-------------	-------

Code	Description	Links
200	<div>Success</div> <div>Media type</div> <div>text/plain</div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div>[{ "id": 0, "hospitalName": "string", "email": "string", "password": "string", "name": "string", "specialty": "string", "crm": 0, "availableTimes": [{ "id": 0, "time": "2022-07-06T14:10:50.055Z", "doctorId": 0 }], "appointments": [{ "id": 0, "patientId": 0, "doctorId": 0, "modality": "string", "appointmentTime": "2022-07-06T14:10:50.055Z" }] }]</div>	No links

POST /api/Doctor

^

Parameters

Try it out

No parameters

Request body

application/json

Example Value Schema

{
 "id": 0,
 "hospitalName": "string",
 "email": "string",
 "password": "string",
 "name": "string",
 "specialty": "string",
 "crm": 0,
 "availableTimes": [
 {
 "id": 0,
 "time": "2022-07-06T14:10:50.055Z",
 "doctorId": 0
 }
]
}

```
    "id": 0,
    "time": "2022-07-06T14:10:50.059Z",
    "doctorId": 0
  },
],
"appointments": [
  {
    "id": 0,
    "patientId": 0,
    "doctorId": 0,
    "modality": "string",
    "appointmentTime": "2022-07-06T14:10:50.059Z"
  }
]
}
```

Responses

Code	Description	Links
200	<div>Success</div> <div>Media type</div> <div>text/plain</div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div><pre>{ "id": 0, "hospitalName": "string", "email": "string", "password": "string", "name": "string", "specialty": "string", "crm": 0, "availableTimes": [{ "id": 0, "time": "2022-07-06T14:10:50.061Z", "doctorId": 0 }], "appointments": [{ "id": 0, "patientId": 0, "doctorId": 0, "modality": "string", "appointmentTime": "2022-07-06T14:10:50.061Z" }] }</pre></div>	No links

PUT /api/Doctor



Parameters

Try it out

No parameters

Request body

application/json

Example Value Schema

```
{
  "id": 0,
  "hospitalName": "string",
  "email": "string",
  "password": "string",
  "name": "string",
  "specialty": "string",
  "crm": 0,
  "availableTimes": [
    {
      "id": 0,
      "time": "2022-07-06T14:10:50.065Z",
      "doctorId": 0
    }
  ],
  "appointments": [
    {
      "id": 0,
      "patientId": 0,
      "doctorId": 0,
      "modality": "string",
      "appointmentTime": "2022-07-06T14:10:50.065Z"
    }
  ]
}
```

Responses

Code	Description	Links
------	-------------	-------

Code	Description	Links
200	<div>Success</div> <div>Media type</div> <div>text/plain</div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div><pre>{ "id": 0, "hospitalName": "string", "email": "string", "password": "string", "name": "string", "specialty": "string", "crm": 0, "availableTimes": [{ "id": 0, "time": "2022-07-06T14:10:50.067Z", "doctorId": 0 }], "appointments": [{ "id": 0, "patientId": 0, "doctorId": 0, "modality": "string", "appointmentTime": "2022-07-06T14:10:50.067Z" }]}</pre></div>	No links

DELETE /api/Doctor

Parameters

Try it out

Name	Description
id	id
integer(\$int64)	
(query)	

Responses

Code	Description	Links
------	-------------	-------

Code	Description	Links
200	Success	No links

GET

/api/Doctor/{id}

^

🔒

Parameters

Try it out

Name	Description
id * required integer(\$int64) (path)	<div>id</div>

Responses

Code	Description	Links
------	-------------	-------

Code	Description	Links
200	<div>Success</div> <div>Media type</div> <div>text/plain</div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div><pre>{ "id": 0, "hospitalName": "string", "email": "string", "password": "string", "name": "string", "specialty": "string", "crm": 0, "availableTimes": [{ "id": 0, "time": "2022-07-06T14:10:50.072Z", "doctorId": 0 }], "appointments": [{ "id": 0, "patientId": 0, "doctorId": 0, "modality": "string", "appointmentTime": "2022-07-06T14:10:50.072Z" }]}</pre></div>	No links

GET /api/Doctor/{id}/availableTimes

Parameters

Try it out

Name	Description
id * required	
integer(\$int64)	id
(path)	

Responses

Code	Description	Links
------	-------------	-------

Code	Description	Links
200	<div>Success</div> <div>Media type</div> <div>text/plain</div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div>[{ "id": 0, "time": "2022-07-06T14:10:50.077Z", "doctorId": 0 }]</div>	No links

GET /api/Doctor/{id}/appointments

Parameters

Try it out

Name	Description
id * required integer(\$int64) (path)	id

Responses

Code	Description	Links
------	-------------	-------

Code	Description	Links
200	<div>Success</div> <div>Media type<div>text/plain</div>Controls Accept header.</div> <div>Example ValueSchema<div>[{ "id": 0, "patientId": 0, "doctorId": 0, "modality": "string", "appointmentTime": "2022-07-06T14:10:50.079Z" }]</div></div>	No links

POST

/api/Doctor/availableTimes

^

🔒

Parameters

Try it out

No parameters

Request body

application/json

Example ValueSchema

```
{  
  "id": 0,  
  "time": "2022-07-06T14:10:50.082Z",  
  "doctorId": 0  
}
```

Responses

Code	Description	Links
------	-------------	-------

Code	Description	Links
200	<div>Success</div> <div>Media type</div> <div>text/plain</div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div><pre>{ "id": 0, "time": "2022-07-06T14:10:50.083Z", "doctorId": 0}</pre></div>	No links

Patient



GET /api/Patient

^

Parameters

Try it out

No parameters

Responses

Code	Description	Links
------	-------------	-------

Code	Description	Links
200	<div>Success</div> <div>Media type</div> <div>text/plain</div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div>[{ "id": 0, "email": "string", "password": "string", "name": "string", "cep": "string", "address": "string", "imageUrl": "string", "appointments": [{ "id": 0, "patientId": 0, "doctorId": 0, "modality": "string", "appointmentTime": "2022-07-06T14:10:50.085Z" }] }]</div>	No links

POST /api/Patient

^

Parameters

Try it out

No parameters

Request body

application/json

Example Value Schema

{
 "id": 0,
 "email": "string",
 "password": "string",
 "name": "string",
 "cep": "string",
 "address": "string",
 "imageUrl": "string",
 "appointments": [
 {
 "id": 0,
 "patientId": 0,
 "doctorId": 0,
 "modality": "string",
 "appointmentTime": "2022-07-06T14:10:50.089Z"
 }
]
}


```
]
}
```

Responses

Code	Description	Links
200	<div>Success</div> <div>Media type</div> <div>text/plain</div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div><pre>{ "id": 0, "email": "string", "password": "string", "name": "string", "cep": "string", "address": "string", "imageUrl": "string", "appointments": [{ "id": 0, "patientId": 0, "doctorId": 0, "modality": "string", "appointmentTime": "2022-07-06T14:10:50.091Z" }] }</pre></div>	No links

PUT /api/Patient



Parameters

Try it out

No parameters

Request body

application/json

Example Value Schema

```
{
  "id": 0,
  "email": "string",
  "password": "string",
  "name": "string",
  "cep": "string",
  "address": "string",
```

```
"imageUrl": "string",
"appointments": [
  {
    "id": 0,
    "patientId": 0,
    "doctorId": 0,
    "modality": "string",
    "appointmentTime": "2022-07-06T14:10:50.094Z"
  }
]
```

Responses

Code	Description	Links
200	<div>Success</div> <div>Media type</div> <div>text/plain</div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div><pre>{ "id": 0, "email": "string", "password": "string", "name": "string", "cep": "string", "address": "string", "imageUrl": "string", "appointments": [{ "id": 0, "patientId": 0, "doctorId": 0, "modality": "string", "appointmentTime": "2022-07-06T14:10:50.096Z" }] }</pre></div>	No links

DELETE /api/Patient

^ 🔒

Parameters

Try it out

No parameters

Request body

application/json

Example Value Schema

```
{
  "id": 0,
  "email": "string",
  "password": "string",
  "name": "string",
  "cep": "string",
  "address": "string",
  "imageUrl": "string",
  "appointments": [
    {
      "id": 0,
      "patientId": 0,
      "doctorId": 0,
      "modality": "string",
      "appointmentTime": "2022-07-06T14:10:50.101Z"
    }
  ]
}
```

Responses

Code	Description	Links
200	Success	No links

GET /api/Patient/{id}



Parameters

Try it out

Name Description

id * required

integer(\$int64)

(path)

Responses

Code	Description	Links
------	-------------	-------

Code	Description	Links
200	<div>Success</div> <div>Media type</div> <div>text/plain</div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div><pre>{ "id": 0, "email": "string", "password": "string", "name": "string", "cep": "string", "address": "string", "imageURL": "string", "appointments": [{ "id": 0, "patientId": 0, "doctorId": 0, "modality": "string", "appointmentTime": "2022-07-06T14:10:50.105Z" }]}</pre></div>	No links

GET /api/Patient/{id}/appointments

Parameters

Try it out

Name	Description
<div>id * required</div> <div>integer(\$int64)</div> <div>(path)</div>	<div>id</div>

Responses

Code	Description	Links
------	-------------	-------

Code	Description	Links
200	<div>Success</div> <div>Media type</div> <div>text/plain</div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div>[{ "id": 0, "patientId": 0, "doctorId": 0, "modality": "string", "appointmentTime": "2022-07-06T14:10:50.109Z" }]</div>	No links

Schemas ^

AppointmentVO {
 id integer(\$int64)
 patientId integer(\$int64)
 doctorId integer(\$int64)
 modality string
 nullable: true
 appointmentTime string(\$date-time)
}

AvailableTimeVO {
 id integer(\$int64)
 time string(\$date-time)
 nullable: true
 doctorId integer(\$int64)
}

```
DoctorVO  {
  id                integer($int64)
  hospitalName      string
                   nullable: true
  email             string
                   nullable: true
  password          string
                   nullable: true
  name              string
                   nullable: true
  specialty         string
                   nullable: true
  crm               integer($int32)
  availableTimes    [...]
  appointments      [...]
```

```
PatientVO  {
  id                integer($int64)
  email             string
                   nullable: true
  password          string
                   nullable: true
  name              string
                   nullable: true
  cep               string
                   nullable: true
  address           string
                   nullable: true
  imageURL          string
                   nullable: true
  appointments      [...]
```