

INDUSTRIAL PRODUCT DATASHEET

# XIAO MIDI Synthesizer

XIAO MIDI Synthesizer: Complete hardware and software specifications.

SKU

107990333

UPDATED

2026-04-15 10:39:49

PRICE

\$19.90(Excl. VAT)



# Overview




The XIAO MIDI Synthesizer provides comprehensive hardware specifications. It also includes detailed software specifications.


## Key Features

Hardware Specifications

Software Specifications

# Product Gallery





## Specification

|                             |  |                                                                                                                                                                                                                                         |
|-----------------------------|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Core Module                 |  |                                                                                                                                                                                                                                         |
| MCU                         |  | XIAO ESP32-C3                                                                                                                                                                                                                           |
| Sound Generation            |  |                                                                                                                                                                                                                                         |
| MIDI Chip                   |  | SAM2695                                                                                                                                                                                                                                 |
| Polyphony                   |  | Up to 64 voices                                                                                                                                                                                                                         |
| Instrument Presets          |  | Over 100 different instrument sounds available                                                                                                                                                                                          |
| Interfaces and Connectivity |  |                                                                                                                                                                                                                                         |
| 3.5mm Audio Jack            |  | <ul style="list-style-type: none"> <li>Used to connect external audio devices (e.g., speakers or headphones)</li> <li>Features auto-disabling of the Class D amplifier when a cable is inserted and re-enabling when removed</li> </ul> |
| Physical Buttons            |  | Four side-mounted physical buttons for user interaction                                                                                                                                                                                 |
| XIAO Socket                 |  | A dedicated socket designed for the XIAO module, with expansion capability via additional side connectors                                                                                                                               |
| D-Class Amplifier           |  | Build-in Speaker                                                                                                                                                                                                                        |
| Power and Indicators        |  |                                                                                                                                                                                                                                         |
| Power Supply                |  | 5V Type-C                                                                                                                                                                                                                               |
| Indicator LED               |  | A single-color LED used to indicate power status and provide user feedback                                                                                                                                                              |

|                              |                                                                                                                                                                                                       |
|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Platform Support             | Arduino IDE                                                                                                                                                                                           |
| MIDI Protocol                | Standard MIDI protocol 1.0                                                                                                                                                                            |
| Operating Modes              |                                                                                                                                                                                                       |
| Mode 1: Sound Test           | <ul style="list-style-type: none"> <li>Test audio output, switch between instrument sounds (128 preset options), and adjust notes within a range (21 to 108, with a default C4 at note 60)</li> </ul> |
| Mode 2: Metronome            | <ul style="list-style-type: none"> <li>Tap-based BPM setting and drum track on/off toggling</li> <li>BPM Range: 40 to 240 BPM (default of 120 BPM)</li> </ul>                                         |
| Mode 3: Multi-Track Playback | <ul style="list-style-type: none"> <li>Each track has an on/off state with user-programmed playback sequences</li> <li>Manage simultaneous playback across four different sound tracks</li> </ul>     |
| Button Functionality         |                                                                                                                                                                                                       |

Short Press

Sound Test:

- for cycle through 128 Preset Sounds
- By default, the note is set to C4 (Middle C)

**Beat Keeper:** Default: 120 BPM Range: 40-240 BPM.



**Long Press for 2s:** Volume up | Volume down | Switch Mode

seeed studio

Long Press

Used for global volume adjustments and switching between operating modes (detected with a 2-3-second press)

# Hardware Overview



## Part List

|                                                         |   |
|---------------------------------------------------------|---|
| XIAO MIDI Synthesizer with 3D-Printed Enclosure (White) | 1 |
|---------------------------------------------------------|---|

## Compliance & Logistics

|          |            |
|----------|------------|
| HSCODE   | 9207900090 |
| USHSCODE | 9207900080 |
| UPC      |            |
| EUHSCODE | 9207909000 |
| COO      | CHINA      |

## Resource Links

- <https://www.seeedstudio.com/XIAO-MIDI-Synthesizer-p-6462.html>
- [3D printed enclosure - Thingiveres](#)
- [3D printed enclosure - Portables](#)

**Seeed Technology Co.,Ltd.**  
9F, Building G3, International E City,  
Zhongshanyuan Road, Nanshan, Shenzhen, China

**Tel:** +86 0755-80695676  
**Web:** [www.seeed.cc](http://www.seeed.cc)  
**Shop:** [www.seeedstudio.com](http://www.seeedstudio.com)