MATURE RED PINE FOREST WITH DECIDUOUS UNDERSTORY

Matt Coller, Philip Johns, and Marlys Reuvers

Location: Minnesota; Clearwater Co.; Itasca State Park Wilderness Sanctuary; 47º 13'N, 95° 12'W; Itasca State Park Quadrangle, USGS. Continuity: New. Size: 10.0 ha. Description: The mature forest consists of Red Pine and White Pine that form a 20-25 m canopy. Maple and Quaking Aspen comprise a fairly dense subcanopy up to 10 m. A 1 ha sedge meadow is on the east edge of the plot. As part of a state park and a wilderness sanctuary, fire has been controlled for nearly a century. The following results come from a quantitative vegetation survey following the method described by F. C. James and H. H. Shugart, Jr. (1970. Aud. Field Notes 24: 727-736) as corrected by James (1980. American Birds 34: 22-23): Trees, 7.6 cm diameter and over, based on 10, 0.04-ha circular samples, 590/ha; total basal area 36.5 m²/ha. Species comprising 90% of the total number of trees [figures after each are trees/ha, relative density (%), relative dominance (%), and frequency (%)]: Dead 112.5, 18.8, 18.6, 60; Red-Pine 100, 16.7, 37.3, 80; Sugar Maple 95, 15.9, 7.7, 60; White Pine 70, 11.7, 19.2, 70; Quaking Aspen 65, 10.9, 10.1, 30; Red Oak 37.5, 6.3, 2.1, 30. Trees by diameter size class [figures after each are trees/ha, relative density (%), basal area in m^2/ha , and relative dominance (%)]: A (7.6-15.2 cm) 152.5, 25.5, 0.137, 0.4; B (15.2-22.9) 157.5, 26.4, 4.25, 11.7; C (22.9-38.1) 120, 20.1, 6.45, 17.8; D (38.1-53.3) 60, 10.4, 5.4, 14.8; E (53.3-68.6) 82.5, 13.8, 13.4, 36.3; F (>68.6) 25, 4.2, 7.8, 19.1. Shrub stems/ha, 6445; ground cover, 55%; canopy cover 77%; average canopy height, 21 m. Edge: Bordered on W, N, and E by similar forest; three of five columns on south side buffered by a 50 m zone, remaining two columns abut a road. Topography and Elevation: Flat with scattered inclines, especially near sedge meadow. Elevation 449 m. Weather: Average temperature, 12°C

(range 7-24°C). Clear to overcast, slight winds (0-3 mph). Coverage: 111 h; 8 visits (7 mornings, 1 evening); 23, 26, 29, 30 June; 3, 5, 7, 11 July. Census: Ovenbird 23.5 territories (94/40 ha); Black-throated Green Warbler 14 (56); Red-eyed Vireo 13 (52); Pine Warbler 11 (44); Chestnut-sided Warbler 7.5 (30), Nashville Warbler 6.5 (26); Eastern Wood Pewee 5.5 (22); Brown Creeper 5 (20); Yellow-bellied Sapsucker 3.5 (14); Hermit Thrush 3 (12); Common Yellowthroat 3 (12); Canada Warbler 3 (12); Northern Parula 2.5 (10); Scarlet Tanager 1.5 (6); Winter Wren 1 (4); Ruffed Grouse 1 (10); American Robin. Total: 17 species, 105 territories (420/40 ha). Visitors: Broad-winged Hawk, Hairy Woodpecker, Black-backed Woodpecker, Gray Jay, Blue Jay, Common Raven, Whitebreasted Nuthatch, Red-breasted Nuthatch, Pine Siskin, Black-capped Chickadee, Mourning Warbler, Purple Finch, Evening Grosbeak. Remarks: Common yellowthroats were found in close proximity to the sedge meadow. Unlike previous years, few white pine seedlings were observed. This year is the first year Nashville Warblers have been observed on the red pine plot. Acknowledgements: David Blockstein, Don Graves, Gloria Peterson, Bethany Woodworth.

MATT COLLER 2474 N MAMUNE AUE 1101 E. 574 SE ROSEVILLE, MN. 55 113-3102 CHICAGO, 12 60637 (612) 633-7447

PHILIP JOHNS (312) 702-9974

MARLYS REUVERS 5071 EAGLE LAKE RD DULUTAL HN 55803-1112 (218) 728- 2008

BREEDING BIRD CENSUS DATA FORM

	Cornell Laboratory of Ornithology
•	Resident Bird Counts
Access #:	159 Sapsucker Woods Road
	Ithaca, New York 14850
Date Rec'd:	(607) 254-2441

Publ.	#:
Site	#:

Year:

Deadline: Submit by 10 September

This is the standard data form for annual Breeding Bird Census (BBC) counts. This form is new for 1991. Older data forms should be discarded. Participants establishing new plots are required to complete a Habitat Classification Form, which may be obtained from the above address. Completed BBC forms and habitat data should be submitted to the above address by 10 September.

All applicable data fields below must be filled out in order for your results to be considered for publication. Type or print clearly. Please use metric units. A conversion table is provided for your convenience.

Metric Conversion Units

Acres to Hectares: divide by 2.47 Feet to Meters: divide by 3.28 Fahrenheit to Centigrade: (°F - 32)/1.8 Inches to Centimeters: multiply by 2.54

Compiler(s) Name & Address (as it should appear in print): Phone: PHILIP JOHNS MATTHEW COLLER 2474 N HANLINE AVE 1101 E. 57 th St MARLYS REUVERS 5071 EAGLE LAKE RD RESEVILLE, MN SEN3-3102 CHEAGO, IL 60637 DULUTH AN 55803-11/2 (12) 712- 9974

Piot Name (e.g., Longleaf Pine Forest):

Site Name (e.g., Sapsucker Woods): /// >/// >/// FIRE DECENTION HOND JUDITURE THEM State/Prov.: 11N' County: CLEARWATER City/Town: LAKE ITASCA

Latitude: 47°, ', "N Longitude: 95°, ', "W

U.S.G.S. Quad: LAKE ITASCA Plot Size: 10 ha

First Year Results were Published: 1990 Host Recent Year Results have been Published: 1991

Number of Years Plot has been Censused:

Please reference the journal, volume, page numbers, and year for the most recently published, complete habitat description:

J. FIELD ORNITHOLOGY VOL 62, NO. 1 pp. 41-42 1991

Coverage and Weather Summary

Temperature at

Visit #	Date	Start Time	End Time	Total Hours	at Start (^O C)	Wind*		motion
1	23 JUNE	0515	1200	6.75	10	41		
Z	26 JUNE	0500	1100	6.0	10	41		smoke es rustle constant aper
3	29 JUNE	0500	1100	6,0	18	1-3		
4	30 JUNE	0510	0930	4,15	7	1-3		
5	3 JULY	0515	0930	4.25	10	1-3		verti on sh face 1 tw1
6	5 JULY	0500	0830	3,5	10	1-3		
7 .	7 JULY	0 500	1000	5.0	14	1-3	Scale	rises direct felt on felt on ss, sma
Ŕ	11 JULY	1910	2120	2.15	24	1-3	Wind S	moke r rind di ind fe eaves,
	The second secon	e sautara terrari			ারীকার্যাগের পারে পরামার্গার্যাগের । সংগ্রাহার	er to eye ex	1 1	8 2
	THE RESERVE OF THE PERSON OF T	Andrew State Control		40-1 = 4			Beaufort	
							Bea	oι
							*	scale 0 1 2 3 4
	visits: 8	lot (do not	•		s/Trip:		•	
Total # 1			sum observe	r or party	hours):	7.60	hrs of s	sunset:/
rotal # :	Hours Censusing P	within 1.5	sum observe	r or party	hours):	within 3 l		
Total # : Number o Mean tem Summarize (please)	Hours Censusing P f Visits Started: perature for census e weather below no provide data and s	within 1.5 us days: / oting deviatesource), and	hrs of sunr	ise: 7 Minimperature and ions that many	hours):	within 3 in the second	Max :	sunset:/oc
Total # : Tumber o Tean tem Summarize please	Hours Censusing P f Visits Started: perature for census e weather below no	within 1.5 us days: / oting deviatesource), and	hrs of sunr	ise: 7 Minimperature and ions that many	hours):	within 3 in the second	Max :	sunset:/oc
Cotal # : Cotal # :	Hours Censusing P f Visits Started: perature for census e weather below no provide data and s	within 1.5 us days: / oting deviatesource), and	hrs of sunr	ise: 7 Minimperature and ions that many	hours):	within 3 in the second	Max :	sunset:/oc
Total # : Tumber o Tean tem Summarize please	Hours Censusing P f Visits Started: perature for census e weather below no provide data and s	within 1.5 us days: / oting deviatesource), and	hrs of sunr	ise: 7 Minimperature and ions that many	hours):	within 3 in the second	Max :	sunset:/oc
Cotal # : Lumber o	Hours Censusing P f Visits Started: perature for census e weather below no provide data and s	within 1.5 us days: / oting deviatesource), and	hrs of sunr	ise: 7 Minimperature and ions that many	hours):	within 3 in the second	Max :	sunset:/oc
Total # : Tumber o Tean tem Summarize please	Hours Censusing P f Visits Started: perature for census e weather below no provide data and s	within 1.5 us days: / oting deviatesource), and	hrs of sunr	ise: 7 Minimperature and ions that many	hours):	within 3 in the second	Max :	sunset:/oc
Total # : Tumber o Tean tem Summarize please	Hours Censusing P f Visits Started: perature for census e weather below no provide data and s	within 1.5 us days: / oting deviatesource), and	hrs of sunr	ise: 7 Minimperature and ions that many	hours):	within 3 in the second	Max :	sunset:/oc

2

ožilce use	List Species in order of Abundance	Number of * Territories*	Number of Nests Fledg
~	1. Overbird	23.5	
,	2. Plank-yi nava GREEN Warder		
,	3. Reducael Viceo	/3.	
	4. Pine Walbler	11.	
	5. Chartre-suid Waible	7.5	
	6. Nachaile Manbler	4.5	
	7. Eastern Word Person	5.5	
	8. Binun Creeper	5.	
	9. Yellow - bellied Sapsukar	3.5	2
	10. Hermie Thick	3.	
	11. Common Yellow throat	3.	
	12. Canada Marca	3.	
	13. Nether Para	2.5	
	14. Scarlet Tanager	1.5	
	15. Wieter Ween	/	
	16. Ruffel George	/	
	17. Anoire Robin	<u> </u>	!
	18		
	19	•	
	20	·	
	21	•	
	22	•	i
	23		:
	24		
	23	COLOR CONTROL COLOR COLO	Become
	26. <u> </u>	· · · · · · · · · · · · · · · · · · ·	- 1
	27		
	28		
	29	•	i
	30	<u> </u>	i
	31	•	i
	32	•	
	33	·	
	34	•	
	35	•	
	36	•	
	37	•	
	38	•	

^{*} Round territories to nearest 0.5; use a "+" if \leq 25% of a species' territory is included within plot.

Visitors (list only those species that potentially could nest on the study site, not migrants or vagrants. Please list visitors in AOU checklist order, sixth edition):

Broad-wineral Hack, Black-backed was perfect, Hairy Woodpecker, Blue Jay, Gray Jay, Common Raven, Black-capped Chickadee, Red-broased Nuthanh, White-breasted Nuthanh, Meuring Warbler, Evening Grosbeak, Pine Siskin, Purple Finch

Has the plot's size, shape, location, or habitat changed since the last census? \mathcal{NO} If "yes" please describe the changes in the space provided below.

Remarks (please keep remarks concise, and in a form suitable for publication):

Common Yellow tipoats were found in close proximity to the school meadow. Nashville warblers were reported in the plot for the first time in the three years of censusing.

Blue Jays, Gray Jays, Black-capped Chickadees, and Red-breasted Nuthatches probably nested on the plot earlier in the season because they were observed in Flocks.

Other Observers to be Acknowledged:

DAUS BLOCKSTEIN, BETHANY WOODWORTH, ELORIA PETENSON,
IND DONNED GRAVES

Acknowledgements (as they should appear in print):

RESIDENT BIRD COUNTS HABITAT CLASSIFICATION

Red Kinie

For Breeding Bird Census & Winter Bird Population Study

•	Cornell Laboratory of Ornithology	Publ. #:
	Resident Bird Counts 159 Sapsucker Woods Road	#** A.
Access #:	Ithaca, New York 14850	Site #:
Date Rec'd:	(607) 254-2441	Year:
	with WBPS data by 1 June, with BBC da Please Type or Print Clearly.	
Compiler(s) Name & Address (as	it should appear in print): Philip Johns 1101 = E. \$5712 SE	Phone: (1) 7
PATHEW COLLER	Philip Johns	Marlys Rouvers
474 N. HAMLINE NAVE.	-1101 = E. \$ 5712 SE	507/ Eagle-Lake Rd.
OSEVILLE, MN. 55113-3102	2 . Chicago 1L. 45637	Dutath, mN
612-633-7447	(42) 702 9774	(Z/E) 775, 7775 /// 2
Plot Name (e.g., Longleaf Pine	(SIZ) 702 9774 Forest): MATURE RED PINE FORES	7
	ty: Clearwater city/Ion	
	•	
Latitude: 47°, ', '	N Longitude: 950, ', "W US	as quad: Lake T+asca
	Metric Conversion Units	
Acres to Hectares:	divide by 2.47 Feet to Mete	rs: divide by 3.28
	multiply by 1.61 Feet ² to Meter	· · · · · · · · · · · · · · · · · · ·
a		and the state of
ile '	PLOT DESCRIPTION	
10		449
Plot Size: 10 ha	Minimum Klevation:m	Maximum Elevation: <u>ابالر</u>
Plot Shape: (circle one)	Plot Slope: (circle one)	Slope Class: (circle one)
1 = Square	/1> ≤ 5%	(1)= Nearly Level
(2)= Rectangular	2 = 6 - 10%	2 = Sloped
3 = Circular	3 = 11 - 16%	3 = Undulating/Hilly
4 = Other	4 = > 16%	•
		•
Aspect (compass direction plot or NA for level plots):	faces; specify one - N, NE, E, SE, S, SW, W,	₩, <u> </u>
	_	•
Dimensions: Longest Side: 40	00 m Shortest Side: 250 m I	f Circular, give Diameter:

• •		
Set (circle one for each part)		
Percentage of plot's perimeter bordered by same habitat:		y site is part of a larger tract of the <u>sa</u> at is the size of the whole tract?
1 = < 25%		1 = <u><</u> 25 ha
2 = 26 - 50%		2 = 26 - 50 ha
(3) = 51 - 75%	•	3 = 51 - 100 ha
'Al = > 75%		4 = 101 - 500 ha
		√ √ √ √ √ √ √ √ √ √ √ √ √ √ √ √ √ √ √
	HYDROLOGY	
Circle appropriate descriptor f	or numbered data fields.	fill in the blank for all others.
office appropriate to the first		
Number of Streams/Rivers	Number of Ephemeral or	
that Flow Year Round:	Intermittent Streams:	
(0) = None	O = None	Maximm Width of Streams/Rivers:
1	1 = 1	
2 = 2 - 3	2 = 2 - 3	Maximm Depth:
3 = > 3	3 = > 3	•
Number of Ponds on Plot: 0,		Does the Plot Contain Isolated, Ephenera
		Pools During the Breeding Season?
Maximum Diameter:m		①= No
Maximum Depth: m		
		2 = Yes
: a -	<u> </u>	
Is the Plot Within a River Floodplain?		Yes
Maximum Percentage of Surface that is	Covered by Standing Water (exc)	luding ponds, streams, or rivers):
, During Breeding Season	•	During Winter Season
0 = 0%	•	0= 0%
1 ≤ 25%		1 = ≤ 25%
2 = 26 - 50%		2 = 26 - 50%
3 = > 50%		3 = > 50%
•	·	

Is the Plot Influenced by Tidal Water?:

1 = No

2 = Yes

Categorize Salinity Level:

O Not applicable

1 = Salt

2 = Brackish

'3 = Fresh

Maximum Frequency of of Flooding:

0 = Not applicable

1 = ≤ 15 days/month

2 = > 15 days/month

700CTout taccomess or AeSec	Action (circle one for each stratum occur.	ring on the plot):
Camopy (> 5m)	Understory (1 - 5m)	Ground Cover (< lm)
1. Canopy closed	1. Coverage nearly continuous	1. Coverage nearly continuou
(crowns mostly touching)	2. Plants in groups \leq 5m diameter	 Plants in groups ≤ 5m diameter
 Tree crowns separate, but ≤ 10m apart 	3. Plants in groups > 5m diameter	3. Plants in groups
3. Tree crowns > 10m apart	4. Plants occur singly	> 5m diameter
		4. Plants occur singly with bare ground between individuals
		Maria di Ale
Stand Age, if known, for Dominant	t Tree Layer:	•
1 = ≤ 30 yrs	•	Canopy Height:
2 = 31 - 60 yrs		Minimumm
3= 61 - 100 yrs		Maximum 10 m
4) = > 100 yrs		Mean
•	The second of th	ر المنظم الم المنظم المنظم المنظ
List dominant plant species (% re-		ntific Name
Cancopy (> 5m):		• • • • • • • • • • • • • • • • • • •
1. Red Die	Pinus	resinosa
2. White pine.	1 Pinus	scrobus
3. Quaking aspen	Popul	
Understory (1 - 5m):		
1. Sugar maple	Ac	er saccharem
2. BEARED. HAZEL		rylus cornuda
3. Red-berried, eld	ler 5	ambueus pubescens
Ground Cover'(< lm):		
1. 13/ge-leaved 25	40. A	ster macrophyllus
2. bracken Fern		ecidium aquilinum
3. early meadow - t	ve · I	halictem diaicum

Use an additional sheet of paper to describe plot characteristics not summarized on this form including: unique features, the vegetation and composition of riparian habitats and surrounding edge habitats, and the degree to which the plot is isolated from similar habitat. Keep narrative description concise and in a form suitable for publication.

1/91

HABITAT CLASSIFICATION

Eand Use Type (circle one):

- 1. Urban/Suburban/Residential
- 2. Conservation Land/Preserve
- 3. Wildlife Refuge
- 4. Forestry/Unmanaged
- 5. Forestry/Managed

- 6. Recreational
- 7. Pasture/Idle
- 8. Cropland
- 9. Orchard
- 10. Rangeland/Grazed

- 11. Rangeland/Ungrazed
- 12. Mining
- 13. Industrial/Utilities
- (14) Other (describe) -

Itasca State Par

Ownership (circle one):

- 1. Private
- 2. State
- 3. Federal
- 4. Local Municipality

Land Cover Type (circle one; Refer to instruction sheet for cover type definitions):

- (1.) Upland Forest
- 2. Forested Wetland
- 3. Shrub Wetland
- 4. Bog
- 5. Fresh Water Marsh
- 6. Salt Marsh

- 7. Successional Field
- 8. Non-Desert Shrubland
- 9. Grassland/Prairie Spring Green-Up
- Grassland/Prairie
 Summer Green-Up
- 11. Savannah

- 12. Chaparral
- 13. Desert Scrub/Shrub
- 14. Desert Succulent
- 15. Desert Woodland/ Non-Riparian
- 16. Desert Woodland/ Riparian

- 17. Tundra
- 19. Other (describe)

Dominant Life Form of Vegetation (circle one for each part):

A dominant group comprises > 60% relative cover. For plots with co-dominants or mixed habitats, circle the two most appropriate descriptors for Part A. Parts B and C are for plots dominated by trees or shrubs. Part D is for plots dominated by shrubs, grasses, grass-like plants, or forbs.

Part A Part B Part C Part D (Not Applicable /1. Trees (> 5m in height) O. Not applicable O. Not applicable 1. Perrenial .2. Saplings (< 5m) 1. Broadleaf 1. Deciduous (3.) Tall shrubs (> 2 - 5m) 2. Needleleaf 2, Evergreen 2. Annual 4. Dwarf shrubs (< 2m) 3) Mixed Broadleaf/ 3.) Mixed Evergreen/ Needleleaf Deciduous 5. Tall Grasses or Grass-like Plants (> lm) 4. Dead

- 7. Forbs
- 8. Tall Grasses/Forbs

6. Short Grasses or

Grass-like Plants (≤ lm)

- 9. Short Grasses/Forbs
- 10. Moss-lichen
- 11. Succulent