

# Операционные системы

## Продвинутое использование git

---

Басангова Алана Альбертовна

2026-02-27

## Содержание (i)

Цели и задачи работы

Процесс выполнения лабораторной работы

Выводы по проделанной работе

## 1. Цели и задачи работы

---

## Цель лабораторной работы

Получение навыков правильной работы с репозиториями git.

## Задачи лабораторной работы

- 1 Выполнить работу для тестового репозитория.
- 2 Преобразовать рабочий репозиторий в репозиторий с git-flow и conventional commits.

## 2. Процесс выполнения лабораторной работы



# Node.js

```
aabasangova@aabasangova:~$ pnpm setup
Appended new lines to /home/aabasangova/.bashrc

Next configuration changes were made:
export PNPM_HOME="/home/aabasangova/.local/share/pnpm"
case ":$PATH:" in
  *":$PNPM_HOME:*") ;;
  *) export PATH="$PNPM_HOME:$PATH" ;;
esac

To start using pnpm, run:
source /home/aabasangova/.bashrc
aabasangova@aabasangova:~$ source ~/.bashrc
aabasangova@aabasangova:~$ █
```

Рисунок 1: Node.js

# commitizen

```
aabasangova@aabasangova:~$ pnpm add -g commitizen

Update available! 10.27.0 → 10.30.3.
Changelog: https://pnpm.io/v/10.30.3
To update, run: pnpm self-update

WARN 2 deprecated subdependencies found: glob@7.2.3, inflight@1.0.6
Packages: +149
+-----+
Progress: resolved 149, reused 0, downloaded 149, added 149, done

/home/aabasangova/.local/share/pnpm/global/5:
+ commitizen 4.3.1

Done in 2.4s using pnpm v10.27.0
aabasangova@aabasangova:~$ █
```

Рисунок 2: установка commitizen

## standard-changelog


```
aabasangova@aabasangova:~$ pnpm add -g standard-changelog
WARN GET https://registry.npmjs.org/@simple-libs%2Fchild-process-utils error (502). Will retry in 10
seconds. 2 retries left.
WARN Request took 11016ms: https://registry.npmjs.org/@simple-libs%2Fchild-process-utils
WARN 2 deprecated subdependencies found: glob@7.2.3, inflight@1.0.6
Packages: +32
+++++
Progress: resolved 181, reused 149, downloaded 32, added 32, done

/home/aabasangova/.local/share/pnpm/global/5:
+ standard-changelog 7.0.1
||

Done in 12.3s using pnpm v10.27.0
aabasangova@aabasangova:~$
```

Рисунок 3: установка standard-changelog

## package.json



The screenshot shows a code editor window titled "package.json" with the path "~/.git-extended". The file contains the following JSON configuration:

```
1 {
2   "name": "git-extended",
3   "version": "1.0.0",
4   "description": "Git repo for educational purposes",
5   "main": "index.js",
6   "repository": "git@github.com:aabasangova/git-extended.git",
7   "author": "aabasangova",
8   "license": "CC-BY-4.0",
9   "config": {
10     "commitizen": {
11       "path": "cz-conventional-changelog"
12     }
13   }
14 }
```

Рисунок 4: package.json

## Использование commitizen

```
aabasangova@aabasangova:~/git-extended$ git add .
aabasangova@aabasangova:~/git-extended$ git cz
cz-cli@4.3.1, cz-conventional-changelog@3.3.0

? Select the type of change that you're committing: chore: Other changes that don't modify src or
test files
? What is the scope of this change (e.g. component or file name): (press enter to skip)
? Write a short, imperative tense description of the change (max 93 chars):
(4) test
? Provide a longer description of the change: (press enter to skip)

? Are there any breaking changes? No
? Does this change affect any open issues? No
[master af4bfbf] chore: test
 1 file changed, 14 insertions(+)
  create mode 100644 package.json
aabasangova@aabasangova:~/git-extended$ git push
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 1.12 KiB | 1.12 MiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:aabasangova/git-extended.git
  8a769ab..af4bfbf  master -> master
aabasangova@aabasangova:~/git-extended$
```

Рисунок 5: Отправка

# git-flow

```
aabasangova@aabasangova:~/git-extended$ git flow init

Which branch should be used for bringing forth production releases?
  - master
Branch name for production releases: [master]
Branch name for "next release" development: [develop]

How to name your supporting branch prefixes?
Feature branches? [feature/]
Bugfix branches? [bugfix/]
Release branches? [release/]
Hotfix branches? [hotfix/]
Support branches? [support/]
Version tag prefix? [] v
Hooks and filters directory? [/home/aabasangova/git-extended/.git/hooks]
aabasangova@aabasangova:~/git-extended$ git branch
* develop
  master
aabasangova@aabasangova:~/git-extended$ git push --all
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'develop' on GitHub by visiting:
remote:     https://github.com/aabasangova/git-extended/pull/new/develop
remote:
To github.com:aabasangova/git-extended.git
 * [new branch]      develop -> develop
aabasangova@aabasangova:~/git-extended$
```

Рисунок 6: Инициализация и загрузка изменений

# git-flow

```
aabasangova@aabasangova:~/git-extended$ standard-changelog --first-release
aabasangova@aabasangova:~/git-extended$ git add CHANGELOG.md
aabasangova@aabasangova:~/git-extended$ git commit -am 'chore(site): add changelog'
[release/1.0.0 92915a3] chore(site): add changelog
 1 file changed, 4 insertions(+)
 create mode 100644 CHANGELOG.md
aabasangova@aabasangova:~/git-extended$ git flow release finish 1.0.0
Switched to branch 'master'
Your branch is up to date with 'origin/master'.
Merge made by the 'ort' strategy.
  CHANGELOG.md | 4 +++
  1 file changed, 4 insertions(+)
 create mode 100644 CHANGELOG.md
Already on 'master'
Your branch is ahead of 'origin/master' by 2 commits.
  (use "git push" to publish your local commits)
Switched to branch 'develop'
Your branch is up to date with 'origin/develop'.
Merge made by the 'ort' strategy.
  CHANGELOG.md | 4 +++
  1 file changed, 4 insertions(+)
 create mode 100644 CHANGELOG.md
Deleted branch release/1.0.0 (was 92915a3).

Summary of actions:
- Release branch 'release/1.0.0' has been merged into 'master'
- The release was tagged 'v1.0.0'
- Release tag 'v1.0.0' has been back-merged into 'develop'
- Release branch 'release/1.0.0' has been locally deleted
- You are now on branch 'develop'

aabasangova@aabasangova:~/git-extended$ █
```

Рисунок 7: Завершение релиза

## Отправим данные на github

```
aabasangova@aabasangova:~/git-extended$ git push --all
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 8 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (5/5), 2.67 KiB | 2.67 MiB/s, done.
Total 5 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:aabasangova/git-extended.git
  af4bfbbf..cb52de0  develop -> develop
  af4bfbbf..4c351f1  master -> master
aabasangova@aabasangova:~/git-extended$ git push --tags
Enumerating objects: 1, done.
Counting objects: 100% (1/1), done.
Writing objects: 100% (1/1), 155 bytes | 155.00 KiB/s, done.
Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:aabasangova/git-extended.git
 * [new tag]      v1.0.0 -> v1.0.0
aabasangova@aabasangova:~/git-extended$ gh release create v1.0.0 -F CHANGELOG.md
https://github.com/aabasangova/git-extended/releases/tag/v1.0.0
aabasangova@aabasangova:~/git-extended$
```

Рисунок 8: Отправка

# Объединение веток

```
aabasangova@aabasangova:~/git-extended$ git flow feature start feature_branch
Switched to a new branch 'feature/feature_branch'

Summary of actions:
- A new branch 'feature/feature_branch' was created, based on 'develop'
- You are now on branch 'feature/feature_branch'

Now, start committing on your feature. When done, use:

    git flow feature finish feature_branch

aabasangova@aabasangova:~/git-extended$ touch test2
aabasangova@aabasangova:~/git-extended$ git flow feature finish feature_branch
Switched to branch 'develop'
Your branch is up to date with 'origin/develop'.
Already up to date.
Deleted branch feature/feature_branch (was cb52de0).

Summary of actions:
- The feature branch 'feature/feature_branch' was merged into 'develop'
- Feature branch 'feature/feature_branch' has been locally deleted
- You are now on branch 'develop'

aabasangova@aabasangova:~/git-extended$
```

Рисунок 9: Объединение веток

# git-flow

```
Summary of actions:
- Release branch 'release/1.2.3' has been merged into 'master'
- The release was tagged 'v1.2.3'
- Release tag 'v1.2.3' has been back-merged into 'develop'
- Release branch 'release/1.2.3' has been locally deleted
- You are now on branch 'develop'

aabasangova@aabasangova:~/git-extended$ git push --all
Enumerating objects: 9, done.
Counting objects: 100% (9/9), done.
Delta compression using up to 8 threads
Compressing objects: 100% (6/6), done.
Writing objects: 100% (6/6), 2.78 KiB | 2.78 MiB/s, done.
Total 6 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To github.com:aabasangova/git-extended.git
  cb52de0..866bd33  develop -> develop
    4c351f1..d95b07a  master -> master
aabasangova@aabasangova:~/git-extended$ git push --tags
Enumerating objects: 1, done.
Counting objects: 100% (1/1), done.
Writing objects: 100% (1/1), 156 bytes | 156.00 KiB/s, done.
Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:aabasangova/git-extended.git
 * [new tag]          v1.2.3 -> v1.2.3
aabasangova@aabasangova:~/git-extended$ gh release create v1.2.3 -F CHANGELOG.md
https://github.com/aabasangova/git-extended/releases/tag/v1.2.3
aabasangova@aabasangova:~/git-extended$ █
```

Рисунок 10: Завершение релиза

# Подготовка рабочего репозитория

```
aabasangova@aabasangova:~/work/study/2025-2026/Операционные системы/2026-1--study--os-intro$ gedit package.json
aabasangova@aabasangova:~/work/study/2025-2026/Операционные системы/2026-1--study--os-intro$ git add .
aabasangova@aabasangova:~/work/study/2025-2026/Операционные системы/2026-1--study--os-intro$ git cz
cz-cli@4.3.1, cz-conventional-changelog@3.3.0

? Select the type of change that you're committing: chore:    Other changes that don't modify src or
test files
? What is the scope of this change (e.g. component or file name): (press enter to skip)
? Write a short, imperative tense description of the change (max 93 chars):
(4) test
? Provide a longer description of the change: (press enter to skip)

? Are there any breaking changes? No
? Does this change affect any open issues? No
[master 9bf8201] chore: test
 1 file changed, 11 insertions(+), 11 deletions(-)
aabasangova@aabasangova:~/work/study/2025-2026/Операционные системы/2026-1--study--os-intro$ git push
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 8 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 1.11 KiB | 1.11 MiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To github.com:aabasangova/2026-1--study--os-intro.git
 f76353c..9bf8201  master -> master
aabasangova@aabasangova:~/work/study/2025-2026/Операционные системы/2026-1--study--os-intro$ █
```

Рисунок 11: package.json и коммит

# Подготовка рабочего репозитория

```
Summary of actions:
- Release branch 'release/1.0.0' has been merged into 'master'
- The release was tagged 'v1.0.0'
- Release tag 'v1.0.0' has been back-merged into 'develop'
- Release branch 'release/1.0.0' has been locally deleted
- You are now on branch 'develop'

aabasangova@aabsangova:~/work/study/2025-2026/Операционные системы/2026-1--study--os-intro$ git push
--all
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 8 threads
Compressing objects: 100% (5/5), done.
Writing objects: 100% (5/5), 2.75 KiB | 2.75 MiB/s, done.
Total 5 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To github.com:aabsangova/2026-1--study--os-intro.git
  9bf8201..4fda3b3  develop -> develop
  9bf8201..5baf4e3  master -> master
aabasangova@aabsangova:~/work/study/2025-2026/Операционные системы/2026-1--study--os-intro$ git push
--tags
Enumerating objects: 1, done.
Counting objects: 100% (1/1), done.
Writing objects: 100% (1/1), 155 bytes | 155.00 KiB/s, done.
Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:aabsangova/2026-1--study--os-intro.git
 * [new tag]      v1.0.0 -> v1.0.0
aabasangova@aabsangova:~/work/study/2025-2026/Операционные системы/2026-1--study--os-intro$
```

Рисунок 12: Завершение релиза

### 3. Выводы по проделанной работе

---

Мы приобрели практические навыки взаимодействия с дополнительными функциями гитхаб.