



SWIFT SHIP TRACKER

Team Members :

Amitha A (23CS004)
Janani G K (23CS015)
Sarmila B (23CS042)
Tharshini N (23CS053)
Midhuna A (24RCS061)

TABLE OF CONTENTS

1. Introduction
2. Ideation Phase
3. Requirement Analysis Phase
4. Project Design Phase
5. Project Planning & Scheduling
6. Project Development Phase
7. Functional & Performance Testing
8. Advantages & Disadvantages
9. Conclusion
10. Future Scope
11. Appendix

USER STORY

As a customer, I want to book a parcel shipment, track its live status and manage my delivery preferences by chatting with a single conversational assistant, so that I do not have to switch between multiple platforms or wait for a customer support executive to give me an update.

- As a sender, I want to book a parcel by giving the receiver details and parcel details in a chat, so that booking is quick and simple.
- As a customer, I want to ask for the status, weight and estimated delivery date of my parcel using the parcel ID, so that I always know where my parcel is.
- As a receiver, I want to change my delivery preference, so that the parcel reaches me at a convenient time and place.
- As a support manager, I want routine tracking queries to be handled by the AI agent, so that my team can focus on complex issues.

1. INTRODUCTION

1.1 Project Overview

Customers often experience delays and confusion when booking, tracking and managing parcel deliveries because they must switch between multiple platforms or contact customer support for updates. This project provides a conversational AI agent that gives customers an integrated experience in a single interface. Using the agent, customers can book shipments, get real-time tracking updates and manage delivery preferences through natural language conversation.

The solution is implemented on the Salesforce platform. Parcel and receiver information is stored in custom objects, Prompt Builder is used to generate accurate responses from parcel records, Flows retrieve and update data, and Agentforce provides the conversational agent that ties everything together.

1.2 Purpose

The purpose of this project is to reduce customer effort and support workload by automating the most common parcel-related interactions. The specific goals are:

- To provide a single conversational channel for booking, tracking and managing parcels.
- To give customers instant and accurate parcel status, weight and estimated delivery information.
- To reduce dependence on customer support for routine queries.


- To demonstrate the use of Salesforce Agentforce, Prompt Builder and Flows in building a practical AI agent.

2. IDEATION PHASE

2.1 Problem Statement (Customer Problem Statement Template)


Element	Description
I am	A customer who sends or receives parcels regularly
I am trying to	Book a shipment, check where my parcel is and change delivery details
But	I have to use different platforms or call customer support to get simple updates
Because	Booking, tracking and delivery management systems are not integrated in one place
Which makes me feel	Frustrated, confused and uncertain about my delivery

2.2 Empathy Map Canvas



2.3 Brainstorming & Idea Prioritization

The team brainstormed several ideas to solve the customer problem and then prioritised them by customer impact and ease of implementation.



3. REQUIREMENT ANALYSIS PHASE

3.1 Customer Journey Map

Stages:

Stage	Customer Action	Experience / Opportunity
Awareness	Needs to send or receive a parcel	Customer is looking for a simple, trusted option
Booking	Opens the chat and provides parcel and receiver details	Agent collects details and creates the parcel record

Stage	Customer Action	Experience / Opportunity
Tracking	Asks for the status using the parcel ID	Agent returns status, weight and estimated delivery instantly
Management	Requests changes to delivery preferences	Agent updates preferences without human help
Delivery	Receives the parcel	Customer is informed and satisfied
Feedback	Shares experience	Insights used to improve the agent

3.2 Solution Requirements

Functional Requirements

ID	Requirement	Description
FR-1	Parcel Booking	The agent shall capture parcel and receiver details and create a Parcel record
FR-2	Parcel Tracking	The agent shall retrieve parcel status using the parcel ID
FR-3	Parcel Details	The agent shall display status, weight and estimated delivery date
FR-4	Delivery Preferences	The agent shall allow customers to view and update delivery preferences
FR-5	Conversational Response	The agent shall reply in clear natural language using Prompt Builder templates
FR-6	Error Handling	The agent shall give a helpful message when a parcel ID is invalid

Non-Functional Requirements

ID	Requirement	Description
NFR-1	Usability	Customers shall be able to use the agent without training
NFR-2	Performance	The agent shall respond to tracking queries within a few seconds

ID	Requirement	Description
NFR-3	Security	Access to Parcel and Receiver data shall be controlled through permission sets
NFR-4	Reliability	The agent shall be available whenever the Salesforce org is available
NFR-5	Scalability	The solution shall handle growth in parcels and users on the Salesforce platform
NFR-6	Accuracy	Responses shall be grounded in actual parcel records

3.3 Data Flow Diagram

AI Tracking Flow

The customer sends a message to the agent asking about a parcel. The agent identifies the intent, selects the Parcel Updates subagent and invokes the associated flow. The flow reads the Parcel record, and the result is passed to the prompt template, which creates the reply shown to the customer.

Customer Message → Agentforce Agent → Parcel Updates Subagent → Flow → Parcel Record → Prompt Builder → Conversational Response → Customer

Prompt Builder – Retrieve Parcel Details

A prompt template is created in Prompt Builder to retrieve the details of a parcel based on the parcel ID provided by the customer. The template is grounded in the Parcel record so that the answer reflects real data.

Parcel Record

The Parcel object stores one record for every shipment, including its identifier, status, weight, estimated delivery date and relationship to the Receiver.

Status / Weight / Estimated Delivery

These three fields are the main information returned to customers: the current status of the parcel, its weight, and the estimated delivery date.

Conversational Response

The final response is written in friendly natural language, for example: "Your parcel is currently in transit, weighs 2.5 kg and is expected to be delivered by the estimated delivery date."

3.4 Technology Stack

Layer	Technology
Platform	Salesforce (Developer Org)
AI Agent	Salesforce Agentforce and Agent Builder
AI Setup	Einstein Setup and Salesforce default agent
Prompt Management	Prompt Builder
Automation	Salesforce Flows
Data Model	Custom Objects: Parcel and Receiver, with fields and relationships
Security	Permission Sets and user-level access control

4. PROJECT DESIGN PHASE

4.1 Problem-Solution Fit

The problem is that customers have no single place to book, track and manage parcels. The proposed conversational agent directly addresses this by combining all three activities in one chat interface, removing the need to switch platforms or contact support. The use of Salesforce means customer data, automation and AI live on one platform, which makes the solution practical and maintainable.

4.2 Proposed Solution

The proposed solution is an Agentforce agent that understands customer requests in natural language and performs actions using Salesforce Flows and Prompt Builder templates. Parcel and receiver data are stored in custom objects, and permission sets ensure that only authorised users and the agent user can access them.

Functional Requirements

- Book a shipment by collecting receiver and parcel information.
- Track a parcel using its parcel ID and return status, weight and estimated delivery.
- Manage delivery preferences through conversation.
- Respond in clear, natural language grounded in Salesforce data.

4.3 Solution Architecture

Layer	Component	Role
Conversation	Agentforce Agent	Receives customer messages and returns responses
Reasoning	Parcel Updates Subagent	Interprets intent and chooses the right action
Action	Flow and Prompt Template	Retrieves parcel data and builds the response
Data	Parcel and Receiver Objects	Stores shipment and receiver information
Security	Permission Sets	Controls access to objects and fields

5. PROJECT PLANNING & SCHEDULING

5.1 Project Planning

Phase	Activities	Outcome
Phase 1	Requirement analysis and planning	Scope, objectives, user needs and security model defined
Phase 2	Salesforce backend development and configuration	Objects, tabs, fields, prompt template and flow created
Phase 3	UI/UX development and customisation	Permission sets assigned, Agentforce enabled, agent built
Phase 4	Data migration, testing and security	Agent verified and data validated
Phase 5	Deployment, documentation and maintenance	Solution live and supported

6. PROJECT DEVELOPMENT PHASE

Phase 1: Requirement Analysis & Planning

Defining Project Scope & Objectives

The scope covers parcel tracking, booking support and delivery preference management through a conversational agent. The objective is to reduce customer effort and support workload.

Gathering & Analysing User Needs

Customer pain points were collected through the problem statement, empathy map and journey map. The key needs identified were speed, a single interface and accurate, real-time information.

Identifying Key Salesforce Features & Tools Required

- Custom Objects, Fields and Relationships
- Prompt Builder
- Flows
- Permission Sets
- Agentforce and Agent Builder
- Einstein Setup

Security Model Design

Access is controlled using permission sets that grant only the required object and field permissions to the agent user, following the principle of least privilege.


Phase 2: Salesforce Development - Backend & Configurations

Milestone 1 - Salesforce Account

Create a Salesforce Developer account and log in to the org. This org is used for all configuration and agent development.

Creating Developer Account :

Go to <https://developer.salesforce.com/signup>



Milestone 2 - Objects Creation

Create the custom objects required to store parcel and receiver information.

To create an object:

1. From the setup page
2. Click on Object Manager
3. Click on Create >> Click on Custom Object.
4. Enter the label name as Parcel
5. Enter Plural label name as Parcels
6. Enter Record Name as Parcel Name
7. Select Data Type as Text: Parcel Name
8. Select Allow reports.
9. Select Allow search.
10. Allow Track Field History
11. Click on Save and New

Creating Sender Object

To create an object:

1. From the setup page
2. Click on Object Manager
3. Click on Create >> Click on Custom Object.
4. Enter the label name as Sender
5. Enter Plural label name as Sender's
6. Enter Record Name as SenderName
7. Select Data Type as Text: SenderName
8. Select Allow reports.
9. Select Allow search.
10. Allow Track Field History
11. Click on Save and New

SETUP
New Custom Object

Optional Features

- ☒ Allow Reports
- ☒ Allow Activities
- ☒ Track Field History
- ☐ Allow in Chatter Groups
- ☐ Enable Licensing [?](#)

Object Classification

When these settings are enabled, this object is classified as an Enterprise Application object. When these settings are disabled, this object is classified as a Light Application object. [Learn more](#)

- ☒ Allow Sharing
- ☒ Allow Bulk API Access
- ☒ Allow Streaming API Access

Deployment Status [What is this?](#)

- ☐ In Development
- ☒ Deployed

Search Status

When this setting is enabled, your users can find records of this object type when they search. [Learn more](#)

- ☒ Allow Search

Object Creation Options (Available only when custom object is first created)

- ☒ Add Notes and Attachments related list to default page layout
- ☐ Launch New Custom Tab Wizard after saving this custom object

[Save](#) [Save & New](#) [Cancel](#)

Creating Receiver Object

1. Go to Setup and open Object Manager.
2. Click Create and select Custom Object.

3. Enter the label as Receiver and the plural label as Receivers.
4. Enable the options for reports, activities and search as required.
5. Save the object.

Milestone 3 – Tabs


Creating a tab for Parecel Object

1. Go to the setup page → type Tabs in Quick Find bar
2. Click on tabs
3. Click on New (under custom object tab).
4. Select Object (Parcel) >> Select the tab style
5. Click on Next >> (Add to profiles page) keep it as default >> Click on Next (Add to Custom App) uncheck the include tab.
6. Make sure that the Append tab to the user's existing personal customizations is checked.
7. Click save

The screenshot shows the Salesforce Setup interface. At the top, there's a search bar labeled 'Search Setup'. Below it, the navigation menu includes 'Setup', 'Home', and 'Object Manager'. The left sidebar shows a search for 'Tabs' under the 'User Interface' section, with 'Rename Tabs and Labels' and 'Tabs' as options. The main content area is titled 'Edit Custom Object Tab' for 'Parcel's'. It instructs the user to 'Fill in the fields below to define the custom tab.' The 'Custom Tab Definition Edit' section includes 'Custom Object Tab Information' with fields for 'Tab Label' (Parcel's), 'Object' (Parcel), and 'Tab Style' (Box). There's an optional section for 'Choose a Home Page Custom Link to show as a splash page the first time your users click on this tab.' with a 'Splash Page Custom Link' dropdown set to '--None--'. A 'Description' text area is also present. At the bottom, there are 'Save' and 'Cancel' buttons.

More Tab Creation

1. Go to Setup → type Tabs in the Quick Find box.
2. Click Tabs under the User Interface section.
3. Click New under Custom Object Tabs.
4. Select the object (Delivery, Sender, or Receiver) → choose a Tab Style.
5. Click Next → keep the Add to Profiles settings as default → click Next.
6. On the Add to Custom Apps page, uncheck “Include Tab.”
7. Ensure Append tab to the user’s existing personal customizations is checked.
8. Click Save and repeat the steps for each object (Delivery, Sender, Receiver).



Milestone 4 - Fields & Relationships

Creating Fields and Relationships for Parcel Object

Beside the Quick Find box you have, Object Manager click on it.

1. Search for and select your Parcel object.

Field 1: Parcel ID

- Go to Fields & Relationships → click New Enter:
- Data type== auto number→P-{000}
- Click Next → Next → Save & New.

1. Follow step 1 and 2 to create the remaining fields(Status, Weight, Estimated Delivery, Sender) of the Parcel object mentioned in the table below.)

The screenshot shows the 'New Custom Field' configuration page in Salesforce for the 'Parcel' object. The page is at 'Step 2 of 4: Enter the details'. The following fields are visible:

- Field Label:** Parcel ID
- Display Format:** P-0000 (Example: A-0000) [What is This?](#)
- Starting Number:** 1
- Generate Auto Number for existing records:** ☐
- Field Name:** Parcel_ID
- Description:** (Empty text area)
- Help Text:** (Empty text area)
- External ID:** ☐ Set this field as the unique record identifier from an external system
- Auto add to custom report type:** ☒ Add this field to existing custom report types that contain this entity

Field 1: Parcel ID

Create a field to uniquely identify every parcel. This is the value the customer provides to the agent when asking for tracking information.



Testing the Prompt

After the fields are created, add sample parcel records and preview the prompt template using these records to confirm that the correct status, weight and estimated delivery are returned.

Milestone 5 - Prompt Builder



Designing Prompts for Agent Building

1. In the Quick Find box, type Prompt Templates (or in Agent Console, go to Agent Builder → Prompt Templates).
2. Click New Prompt Template.-- Record summary template
3. Enter the details
 - Label: Retrieve Parcel Details
 - API Name: Retrieve_Parcel_Details
 - Description: Retrieves parcel details where Parcel_ID matches the user input.



Milestone 6 - Flows

Create a flow that accepts the parcel ID as input, looks up the Parcel record and calls the prompt template to generate the response. The flow is later added as an action for the agent.



Phase 3: UI/UX Development & Customization

Milestone 1 - Creating Permission Sets

Create a permission set that gives the agent user access to the custom objects.

Parcel__c

Grant Read and Edit access, and make the required fields visible.

Receiver__c

Grant Read and Edit access, and make the required fields visible.

SETUP
Permission Sets

Object Permissions

Permission Name	Enabled
Read	☒
Create	☒
Edit	☒
Delete	☐
View All Records	☐
Modify All Records	☐
View All Fields	☐

Field Permissions

Field Name	Field API Name	☐ Read Access	☐ Edit Access
Created By	CreatedById	☒	☐
Current Location	Current_Location__c	☒	☒
Delivery Name	Name	☒	☒
Estimated Delivery Date	Estimated_Delivery_Date__c	☒	☒
Last Modified By	LastModifiedById	☒	☐
Owner	OwnerId	☒	☒
Parcel	Parcel__c	☒	☒
Sender details	Sender_details__c	☒	☒

Milestone 2 - Assigning Permissions to your Agent User

1. In the Quick Find box on the left, type Users.
2. Click Users under the Users section.
3. Open the Agent User Record

From the list of users, find the Einstein Service Agent user to represent your Agent (e.g., “SwiftShip Agent”).

Click on the Full Name of that user to open the record.

SETUP
Permission Sets

Permission Set Assignments
EinsteinServiceAgent User

Available Permission Sets

- Sales Cloud User
- Sales Engagement Basic User
- Salesforce Apex Guru
- Salesforce CMS Integration Admin
- Salesforce Console User
- Salesforce Scheduler Greeter
- SeaS Indexing C2C User Perm
- Security Center Integration User
- Segment Intelligence User
- Seller-Focused Sales Mobile Experience

Add
Remove

Enabled Permission Sets

- Agentforce Service Agent Secure Base
- Swift Ship

Save Cancel

4. Scroll down to the section named **Permission Set Assignments**.
5. Click the **Edit Assignments** button.

1. On the left side (Available Permission Sets), find and select your permission set:

- SwiftShip

Click the **Add** → button to move it to the right-side list (**Enabled Permission Sets**).

Click **Save**.

Milestone 3 - Org Setup for AgentForce

1. Go to Setup → Quick Find → Einstein Setup.
2. Open Einstein Setup → click Get Started if prompted.

Toggle On these key services:


- Turn On Einstein
- Global Languages
- Deploy Prompt Template

3. Refresh your browser page.
4. Go to Setup → Quick Find → AgentForce Agents.
Toggle On these key services:

- Agentforce
- Enable Agentforce Default Agent

Milestone 4 - Building The Agent

1. In Setup, search for Agentforce Agents in Quick Find.
2. Click Agentforce Agents, then click on the +New Agent, Then click Create Agent



Adding Actions to Agentforce Assets

Add the flow created earlier as an action in Agentforce Assets so that it can be used by the agent.

Create an Agent Action

Connect an existing action

Actions are how an agent gets things done. To create an agent action, start with the functionality you already have in Salesforce, such as flows or prompt templates. Select an action you want the agent action to reference, and then configure it for use with an agent.

* Reference Action Type

Flow

Apex

API

✓ Flow

Prompt Template

Cancel Next

Connect an existing action

Actions are how an agent gets things done. To create an agent action, start with the functionality you already have in Salesforce, such as flows or prompt templates. Select an action you want the agent action to reference, and then configure it for use with an agent.

* Reference Action Type

Flow

* Reference Action

Select an action...

parcel details



Cancel Next

Assign Subagents Action

Create a Parcel Updates subagent and assign the parcel retrieval action to it.

While on the Agent Builder in Subagent, Click on the Parcel Updates Subagent

Open the Parcel Updates subagent, review its scope and instructions, and confirm that the flow action is attached. Save the changes.




Phase 4: Data Migration, Testing & Security

Verify Agent

Check that the agent is configured with the correct name, description and instructions.


Validate Assigned Topic

Confirm that the Parcel Updates subagent is assigned and that its instructions match the expected behaviour.



Check the Flow Association

Make sure the correct flow is linked to the subagent action and that the inputs and outputs are mapped properly.



Activate and Test the Agent

Activate the agent and test it in the preview panel with questions such as "Where is my parcel?" and "What is the estimated delivery date for parcel ID 1001?".

Batch test
Deactivate

✓ "sure my parcel ID is P-123" Plan ID: 42103d1fa5

User Prompt

sure my parcel ID is P-123

Reasoning: Topic Selection ⌚ 0.22 sec

> Prompt Used

Topic Selected: Parcel Details (*Parcel_Details*)

Handles user inquiries related to parcel details, including tracking, delivery status, and parcel specifications.

> Instructions 5

> Actions 1

Reasoning: Action Selection ⌚ 0.38 sec

> Prompt Used

Conversation Preview

hi

Hello! How can I assist you today?

can I get my parcel details.

Could you please provide your parcel ID so I can retrieve the details for you?

sure my parcel ID is P-123

Here are the details of your parcel. Let me know if you need further assistance!

Parcel Tracking Update

- Parcel Name: Sanjana
- Parcel ID: P-123
- Status: Booked
- Weight: 10

Validate Data in Salesforce

Compare the agent responses with the records stored in Salesforce.

Verify

- Parcel status matches the record.
- Weight matches the record.
- Estimated delivery date matches the record.
- Invalid parcel IDs are handled with a helpful message.

Q Search...

Parcel Tracker

Receiver's Sender's Parcel's Article's Purchase's Review's Purchase Invoice's Deliveries

Receiver

Sanjana

New Contact Edit New Opportunity

Related **Details**

Receiver Name	Sanjana	Owner	Sanjana Tunk
Receiver's Email	sanjana@gmail.com		
Receiver's Contact	(123) 456-7890		
Receiver's Address	17.45455992741661, 78.52133768118193		
Parcel	Sanjana		
Receiver	Kareena		
Created By	Sanjana Tunk, 9/18/2025, 11:10 PM	Last Modified By	Sanjana Tunk, 9/18/2025, 11:10 PM

Activity

Filters: All time • All activities • All types

Refresh Expand All View All

Upcoming & Overdue

No activities to show.

Get started by sending an email, scheduling a task, and more.

No past activity. Past meetings and tasks marked as done show up here.

Phase 5: Deployment, Documentation & Maintenance

After successful testing, the agent is deployed to the intended users and channels. Project documentation, including configuration steps and test results, is prepared so that the solution can be understood and maintained by others.

Maintenance, Monitoring & Troubleshooting

- Monitor agent conversations and accuracy regularly.
- Review and refine prompt templates and instructions as needed.
- Troubleshoot permission, flow or data issues promptly.
- Keep objects, fields and flows updated as business needs change.

7. FUNCTIONAL & PERFORMANCE TESTING

Test ID	Test Case	Expected Result	Status
TC-1	Ask for status with a valid parcel ID	Agent returns the correct status	Pass
TC-2	Ask for weight of a parcel	Agent returns the correct weight	Pass
TC-3	Ask for estimated delivery date	Agent returns the correct date	Pass
TC-4	Enter an invalid parcel ID	Agent gives a helpful message	Pass
TC-5	Agent user without permissions	Access is denied	Pass
TC-6	Response time for a tracking query	Reply within a few seconds	Pass

8. ADVANTAGES & DISADVANTAGES

Advantages

- Single interface for booking, tracking and managing parcels.
- Instant responses, available at any time.
- Reduced load on customer support.
- Accurate answers grounded in Salesforce data.
- Built on a secure and scalable platform.

Disadvantages

- Depends on the Salesforce platform and its licences.
- Quality of answers depends on the quality of parcel data.
- May need human support for complex or unusual issues.
- Initial setup requires Salesforce configuration knowledge.

9. CONCLUSION

This project shows how a conversational AI agent built with Salesforce Agentforce can simplify parcel booking, tracking and delivery management. By combining custom objects, Prompt Builder, Flows and Agentforce, customers get accurate and instant information in one place, and the support team is relieved from handling routine queries. The solution improves customer experience and provides a strong base for further enhancement.

10. FUTURE SCOPE

- Proactive notifications for delays and delivery updates.
- Integration with WhatsApp, SMS and voice channels.
- Multi-language support.
- Integration with courier and logistics partner systems for live tracking.
- Payment and invoice handling within the chat.
- Analytics dashboards for delivery performance and customer satisfaction.

11. APPENDIX

- Salesforce Developer Org: used for development and testing.
- Objects: Parcel__c and Receiver__c.
- Tools: Prompt Builder, Flows, Agentforce, Einstein Setup.
- Screenshots of configuration and agent testing may be added here.

Thank You