

## Source Code :

### style.css :

```
a:hover{
  text-decoration:none;
  color:rgb(9, 42, 161);
}
a{
  color:white;
}
.kitchen{
  height:100%;
  width:100%;
  padding-top:50px;
  padding-right:50px;
  padding-left:50px;
  padding-bottom:50px;
}
.container{
  height:100%;
  width:100%;
  /* border:2px solid rgb(236, 236, 236); */
  padding: 2.0rem 3.0rem !important;
  border-radius: 0.9rem !important;
  box-sizing: border-box;
}
body{
  font-family: Arial, Helvetica, sans-serif;
  font-weight: bold;
  font-style: normal;
  font-size: 100%;
  background-image: linear-gradient(to right, rgba(0, 0, 0, 0.8),
  rgba(0,0,0,
  0.5) ),
  url('https://images.pexels.com/photos/1640777/pexels-
photo 1640777.jpeg?auto=compress&cs=tinysrgb&w=1260&h=750&dpr=2');
  background-size: cover;
  background-attachment: fixed;
  color: rgb(255, 255, 255);
}
.navbar{
  padding: 0px 8px;
}
.card{
  background: linear-gradient(to right, #49669c, #dbd0c7);
```

```

    }
    .cardimage{
    height: 100px;
    width: 100px;
    }
    #continue{
    width:100px;
    }
    #pay{
    width:100px;
    margin:0 auto;
    }

```

**script.js :**

```

// login validation
var email=document.getElementById("email");
var password=document.getElementById("password");
var captcha=document.getElementById("captcha");
function login(){
if(email.value=="aadarsh@cisco.com" && password.value=="54321")
{
    if(captcha.value=="Q23f42"){

        alert("Welcome to Kitchen Story: "+email.value);
        location.href="homepage.html";
    }
    else{

        document.getElementById("captcha").innerText="Please type correct Captcha";
        location.href="login.html";
    }
}
else if(email.value=="admin@gmail.com" && password.value=="admin")
{
    alert("Welcome to Admin Page");
    location.href="adminlogin.html";
}
else{

    alert(" Login Not Successful \n Please try again " +email.value);
    location.href="login.html";
}
}
// Search functionality

```

```

var lsearch=document.getElementById("search");
function searchfunc(){
    if(search.value=="pizza"){
        location.href="pizza.html";
    }
    else if(search.value=="burger"){
        location.href="burger.html";
    }
    else if(search.value=="ice cream"){
        location.href="ice-cream.html";
    }
    else{
        alert("Please type a valid food");
        location.href="homepage.html";
    }
}
// Continue Button
function back(){
    location.href="homepage.html";
}
// logout function
function logout(){
    alert("You have been logged out");
    location.href="login.html";
}
var burger1_p=80, burger2_p=100;
var burger1_q=0, burger2_q=0;
var bill_b1="";
var bill_b2="";
i=0;
j=0;
k=0;
// for burger1
document.getElementById("burger1").addEventListener("click", function(){
    while(j<1){
        i=i+1;
        j=j+1;
    }
    if(this.value==" " || this.value==0){
        i=i-1;
        j=0;
        burger1_q=0;
        bill_b1="";
        printbill()
    }
    else{

```

```

burger1_q=document.getElementById("burger1").value;
bill_b1="<tr><td>Mc-Donald's
Burger</td><td>" +burger1_q+"</td><td>" +burger1_q*burger1_p+"</td></tr>"
printbill()
}
});
// for burger2
document.getElementById("burger2").addEventListener("click", function(){
while(k<1){
i=i+1;
k=k+1;
}
if(this.value==" " || this.value==0){
i=i-1;
k=0;
burger2_q=0;
bill_b2="";
printbill()
}
else{
burger2_q=document.getElementById("burger2").value;
bill_b2="<tr><td>KFC
Burger</td><td>" +burger2_q+"</td><td>" +burger2_q*burger2_p+"</td></tr>"
printbill()
}
});
function printbill(){

document.getElementById("cartvalue").innerHTML=bill_b1+bill_b2;
document.getElementById("amount").innerText=burger1_p*burger1_q +
burger2_p*burger2_q;
document.getElementById("count").innerText=i;
}
function checkout(){
alert("Your Order Value is" +(burger1_p*burger1_q + burger2_p*burger2_q));
location.href="order-confirmation.html";
}

```

**homepage.html :**

```

<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">

```

```

<meta name="viewport" content="width=device-width, initial-scale=1.0">
<link rel="preconnect" href="https://fonts.googleapis.com">
<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
<link
href="https://fonts.googleapis.com/css2?family=Roboto+Serif:wght@100&display=s
wap" rel="stylesheet">
<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font_awesome/4.7.0/css/font-
awesome.min.css">
<title>Kitchen Story-Homepage</title>
<link
rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min
.css"
integrity="sha384-
ggOyR0iXCbMQv3Xipma34MD+dH/1fQ784/j6cY/iJTQUOhcWr7x9JvoRxT2MZw1T"
crossorigin="anonymous"/>
<link rel="stylesheet" href="css/style.css">
</head>
<body>
<nav class="navbar navbar-expand-lg navbar-dark bg-primary">
<a href="homepage.html" class="navbar-brand">

Kitchen Story
</a>
<div class="collapse navbar-collapse" id="navbarSupportedContent">
<ul class="navbar-nav ml-auto">
<li class="nav-item">
<a href="#" class="nav-link" style="color:white;">Items</a>
</li>
<li class="nav-item">
<a href="#" class="nav-link" style="color:white;">Cart</a>
</li>
<li class="nav-item">
<button class="btn btn-outline-light my-2 my-sm-0"
type="submit" onclick="logout()">Logout</button>
</li>
</ul>
</div>
</nav>
<h1 class="text-center">About Our Services</h1>
<div class="row kitchen">
<form class="col-md-8 offset-2">
<input
type="search"
class="form-control mr-sm-2"
name="search"

```

```

id="search"
placeholder="Search"

/>
</form>
<button class="btn btn-outline-light my-2 my-sm-0"
type="submit" onclick="searchfunc()">
Search
</button>
</div>
<div class="row text-center kitchen">
<div class="col-md-4">
<div class="card">
<div class="card-body">

<a href="pizza.html"><h1>Pizza</h1></a>
<p>Onion,Tomatto and Capsicum loaded with 70% special
Discount</p>
</div>
</div>
</div>
<div class="col-md-4">
<div class="card">
<div class="card-body">

<a href="burger.html"><h1>Burger</h1></a>
<p>Order this Burger in a reasonable price. Highly
delicious !!!</p>
</div>
</div>
</div>
<div class="col-md-4">
<div class="card">
<div class="card-body">

<a href="ice-cream.html"><h1>Ice Cream</h1></a>
<p>Order this Ice Cream. Food of this season with 10%
Discount.</p>
</div>
</div>
</div>
</div>
<script src="java-script/javascript.js"></script>
<script
src="https://code.jquery.com/jquery-3.3.1.slim.min.js"

```

```

    integrity="sha384-
q8i/X+965Dz00rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo"
    crossorigin="anonymous"
  ></script>
<script
  src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.3/umd/popper.mi
n.js"
  integrity="sha384-
ZMP7rVo3mIykV+2+9J3UJ46jBk0WLaUAdn689aCwoqbBJiSnjAK/l8WvCWPIpM49"
  crossorigin="anonymous"
  ></script>
<script
  src="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/js/bootstrap.min.j
s"
  integrity="sha384-
JjSmVgyd0p3pXB1rRibZUAYoIIy60rQ6VrjIEaFf/nJGzIxFDsf4x0xIM+B07jRM"
  crossorigin="anonymous"
  ></script>
</body>
</html>

```

## registration.html :

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="preconnect" href="https://fonts.googleapis.com">
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
  <link
href="https://fonts.googleapis.com/css2?family=Roboto+Serif:wght@100&display=s
wap" rel="stylesheet">
  <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font awesome/4.7.0/css/font-
awesome.min.css">
  <title>Kitchen Story-Registration</title>
<link
rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min
.css"
  integrity="sha384-
ggOyR0iXCbMQv3Xipma34MD+dH/1fQ784/j6cY/iJTQUOhcWr7x9JvoRxT2MZw1T"

```

```

    crossorigin="anonymous"/>
<link rel="stylesheet" href="css/style.css">
</head>
<body>
  <nav class="navbar navbar-expand-lg navbar-dark bg-primary">
    <a href="registration.html" class="navbar-brand">
      
      Kitchen Story
    </a>
    <div class="collapse navbar-collapse" id="navbarSupportedContent">
      <a href="login.html" class="navbar-nav ml-auto">
        <button class="btn btn-outline-light my-2 my-sm 0">Login</button></a>
      </div>
    </nav>
    <div class="row kitchen">
      <div class="col-md-6">
        <h1 class="display-5 text-primary font-weight-bold">Kitchen
        Story</h1>
        <h3 class="font-weight-bold">Kitchen Story helps you to find your
        favorite food and order online. You can order online with few steps. So What
        are you waiting for!!</h3>
      </div>
      <div class="col-md-6 form-group">
        <div class="container">
          <div id="firstNameField" name="nameField">
            <label for="fname">First name:*</label><br />
            <input
            type="text"
            id="fname"
            name="fname"
            class="form-control"
            placeholder="Enter your name"
            autocomplete="off"
            autofocus
            required
            />
          </div>
          <div id="lastNameField" name="nameField">
            <label for="lname">Last name:*</label><br />
            <input
            type="text"
            id="lname"
            name="lname"
            class="form-control"
            placeholder="Enter your name"
            autocomplete="off"
            autofocus

```



```
required
/>
</div>
<div id="emailField" name="emailField">
<label for="email">Email:*</label>
<input
type="email"
id="email"
name="email"
class="form-control"
placeholder="Enter your email"
required
/>
</div>
<div id="passwordField" name="passwordField">
<label for="password">Password:*</label>
<input
type="password"
id="password"
name="password"
class="form-control"
placeholder="Enter your password"
required
/>
</div>
<div id="confirmpasswordField" name="confirmpasswordField">
<label for="confirmpassword">Confirm Password:*</label>
<input
type="password"
id="password"
name="password"
class="form-control"
placeholder="Enter your password"
required
/>
</div>
<div id="registrationButton">
<input
type="submit"
value="Register"
class="btn btn-block btn-primary my-4"
/>
</div>
<a href="login.html" id=#loginButton>
<div id="loginButton">
<input
type="submit"
value="Login to your Account"
```

```

class="btn btn-block btn-success my-4"
/>
</div>
</a>
</div>
</div>
</div>
</div>
<script
src="https://code.jquery.com/jquery-3.3.1.slim.min.js"
integrity="sha384-
q8i/X+965Dz00rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo"
crossorigin="anonymous"
></script>
<script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.3/umd/popper.min.js"
integrity="sha384-
ZMP7rVo3mIykV+2+9J3UJ46jBk0WLaUAdn689aCwoqbBJiSnjAK/l8WvCWPiPm49"
crossorigin="anonymous"
></script>
<script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/js/bootstrap.min.js"
integrity="sha384-
JjSmVgyd0p3pXB1rRibZUAYoIIy60rQ6VrjIEaEf/nJGzIxFDsf4x0xIM+B07jRM"
crossorigin="anonymous"
></script>
</body>
</html>

```

**login.html :**

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="preconnect" href="https://fonts.googleapis.com">
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
  <link
href="https://fonts.googleapis.com/css2?family=Roboto+Serif:wght@100&display=swap"
rel="stylesheet">

```

```

<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font_awesome/4.7.0/css/font-
awesome.min.css">
<title>Kitchen Story-Login</title>
<link
rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min
.css"
integrity="sha384-
ggOyR0iXCbMQv3Xipma34MD+dH/1fQ784/j6cY/iJTQUOhcWr7x9JvoRxT2MZw1T"
crossorigin="anonymous"/>
<link rel="stylesheet" href="css/style.css">
</head>
<body>
<nav class="navbar navbar-expand-lg navbar-dark bg-primary">
<a href="login.html" class="navbar-brand">

Kitchen Story
</a>
<!-- <button
class="navbar-toggler"
type="button"
data-toggle="collapse"
data-target="#navbarSupportedContent"
aria-controls="navbarSupportedContent"
aria-expanded="false"
>
<span class="navbar-toggler-icon"></span>
</button> -->
<div class="collapse navbar-collapse" id="navbarSupportedContent">
<!-- <li class="navbar-nav nav-item mr-auto">
<a href="#" class="nav-link" style="color:white;">Brand</a>
</li> -->
<!-- <ul class="navbar-nav ml-auto"> -->

<!-- <form class="form-inline my-2 my-lg-0">
<li class="nav-item"> -->
<a href="registration.html" class="navbar-nav ml-auto">
<button class="btn btn-outline-light my-2 my-sm 0">Registration</button></a>

<!-- <li class="nav-item">
<a href="#" class="nav-link" style="color:white;">About</a>
</li>
<li class="nav-item">
<a href="#" class="nav-link" style="color:white;">Support</a>
</li> -->
</ul>

```

```

</div>
</nav>
<div class="row kitchen">
<div class="col-md-6">
<h1 class="display-5 text-primary font-weight-bold">Kitchen
Story</h1>
<h3 class="font-weight-bold">Kitchen Story helps you to find your
favorite food and order online. You can order online with few steps. So What
are you waiting for!!</h3>
</div>
<div class="col-md-6 form-group">
<div class="container">
<div name="email">
<label for="email">Email:*</label><br />
<input
type="email"
id="email"
name="email"
class="form-control"
placeholder="Enter your email"
required
/>
<!-- <small id="emailFieldHelp" class="form-text text-light"
>Your email is safe with us :)</small
> -->
</div>
<div name="password">
<label for="password">Password:*</label><br />
<input
type="password"
id="password"
name="password"
class="form-control"
placeholder="Enter your password"
required
/>
</div>
<div name="captcha" class="row">
<div name="captcha" class="col-md-6">
<label for="captcha">Captcha Code</label><br />
<input
type="captcha"
id="captcha"
name="captcha"
class="form-control font-italic font-weight-bold"
value="Q23f42"
style="background: rgb(196, 154, 77);"
required

```

```

readonly
/>
</div>
<div id="captcha1" name="captcha" class="col-md-6">
<label for="captcha">Enter Captcha</label><br />
<input
type="captcha"
id="captcha"
name="captcha"
class="form-control"
placeholder="Enter Captcha"

/>
</div>
</div>
<div id="login">
<input
type="submit"
value="Log In"
class="btn btn-block btn-primary my-4"
onclick="login()"
/>
</div>
<div class="text-center">
<a href="#" class="text-danger font-weight-bold">Forgot
password?</a>
</div>
<a href="registration.html">
<div id="registrationButton">
<input
type="submit"
value="Create New Account"
class="btn btn-block btn-success my-4"

/>
</div></a>
</div>
</div>
</div>
</div>
<script src="java-script/javascript.js"></script>
<script
src="https://code.jquery.com/jquery-3.3.1.slim.min.js"
integrity="sha384-
q8i/X+965Dz00rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo"
crossorigin="anonymous"
></script>
<script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.3/umd/popper.mi

```

```

n.js"
  integrity="sha384-
ZMP7rVo3mIykV+2+9J3UJ46jBk0WLaUAdn689aCwoqbBJiSnjAK/l8WvCWPIpM49"
  crossorigin="anonymous"
></script>
<script
  src="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/js/bootstrap.min.js"
  integrity="sha384-
JjSmVgyd0p3pXB1rRibZUAYoIIy60rQ6VrjIEaFf/njGzIxFDs4x0xIM+B07jRM"
  crossorigin="anonymous"
></script>
</body>
</html>

```

## burger.html :

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="preconnect" href="https://fonts.googleapis.com">
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
  <link
href="https://fonts.googleapis.com/css2?family=Roboto+Serif:wght@100&display=swap"
rel="stylesheet">
  <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.min.css">
  <title>Kitchen Story- Burger</title>
<link
rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min.css"
integrity="sha384-
ggOyR0iXCbMQv3Xipma34MD+dH/1fQ784/j6cY/iJTQUOhcWr7x9JvoRxT2MZw1T"
crossorigin="anonymous"/>
<link rel="stylesheet" href="css/style.css">
</head>
<body>
  <nav class="navbar navbar-expand-lg navbar-dark bg-primary">

```

```

<a href="burger.html" class="navbar-brand">

Kitchen Story
</a>
<div class="collapse navbar-collapse" id="navbarSupportedContent">

<ul class="navbar-nav ml-auto">
<li class="nav-item">
<a href="#" class="nav-link" style="color:white;">Search</a>
</li>
<li class="nav-item">
<a href="#" class="nav-link" style="color:white;">Cart<span
class="text-danger" id="count"></span>
</a>
</li>
<li class="nav-item">
<button class="btn btn-outline-light my-2 my-sm-0"
type="submit" onclick="logout()">Logout</button>
</li>
</ul>
</div>
</nav>
<div class="container">
<h1 class="display-4 text-center">Select the Burgers to add in
Cart</h1>

<table class="table col-md-8 offset-2" class="table-secondary">
<thead>
<tr class="table-primary">
<th scope="col">Image</th>
<th scope="col">Company</th>
<th scope="col">Quantity</th>
<th scope="col">Price</th>
<th scope="col">Add to Cart</th>
</tr>
</thead>

<tbody>
<tr class="table-secondary">
<th scope="row"></th>
<td>Mc-Donald's Burger</td>
<td><input
type="number"
id="burger1"
name="number"

```

```

min="0"
max="20"
value="0"

/></td>
<td>Rs.80</td>
<td><div id="cart">
<input
type="submit"
value="Add"
class="btn btn-block btn-primary"
/>
</div></td>
</tr>
<tr class="table-success">
<th scope="row"></th>
<td>KFC-Burger</td>
<td><input
type="number"
id="burger2"
name="number"
min="0"
max="20"
value="0"
/></td>
<td>Rs.100</td>
<td><div id="cart">
<input
type="submit"
value="Add"
class="btn btn-block btn-primary"
/>
</div></td>
</tr>
</tbody>
</table>
</div>
<div class="container">
<table class="table col-md-8 offset-2">
<thead>
<tr class="table-primary">
<th scope="col">Name</th>
<th scope="col">Quantity</th>
<th scope="col">Price</td>

```



```

</tr>
</thead>
<tbody id="cartvalue" class="table-secondary">

</tbody>
<tr class="table-secondary">
<td></td>
<td>Total</td>
<td id="amount"></td>
</tr>
</table>
</div>
<div id="pay">
<input
type="submit"
value="Pay"
class="btn btn-block btn-primary my-4"
onclick="checkout()"
/>
</div>

<script src="java-script/javascript.js"></script>
<script
src="https://code.jquery.com/jquery-3.3.1.slim.min.js"
integrity="sha384-
q8i/X+965Dz00rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo"
crossorigin="anonymous"
></script>
<script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.3/umd/popper.mi
n.js"
integrity="sha384-
ZMP7rVo3mIykV+2+9J3UJ46jBk0WLaUAdn689aCwoqBbJiSnjAK/l8WvCWPIpM49"
crossorigin="anonymous"
></script>
<script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/js/bootstrap.min.j
s"
integrity="sha384-
JjSmVgyd0p3pXB1rRibZUAYoIIy60RQ6VrjIEaFf/nJGzIxFDs4x0xIM+B07jRM"
crossorigin="anonymous"
></script>
</body>
</html>

```

## icecream.html :

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="preconnect" href="https://fonts.googleapis.com">
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
  <link
href="https://fonts.googleapis.com/css2?family=Roboto+Serif:wght@100&display=s
wap" rel="stylesheet">
  <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font_awesome/4.7.0/css/font-
awesome.min.css">
  <title>Kitchen Story- Ice-Cream</title>
<link
rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min
.css"
integrity="sha384-
ggOyR0iXCbMQv3Xipma34MD+dH/1fQ784/j6cY/iJTQUOhcWr7x9JvoRxT2MZw1T"
crossorigin="anonymous"/>
<link rel="stylesheet" href="css/style.css">
</head>
<body>
  <nav class="navbar navbar-expand-lg navbar-dark bg-primary">
    <a href="ice-cream.html" class="navbar-brand">
      
      Kitchen Story
    </a>

    <div class="collapse navbar-collapse" id="navbarSupportedContent">

      <ul class="navbar-nav ml-auto">
        <li class="nav-item">
          <a href="#" class="nav-link" style="color:white;">Search</a>
        </li>
        <li class="nav-item">
          <a href="#" class="nav-link" style="color:white;">Cart</a>
        </li>
        <li class="nav-item">
          <button class="btn btn-outline-light my-2 my-sm-0 ml-auto">
```

```

onclick="logout()">Logout</button>
</li>
</ul>
</div>
</nav>
<div class="container">
<h1 class="display-4 text-center">Select the Ice Creams to add in
Cart</h1>

<table class="table col-md-8 offset-2">
<thead>
<tr class="table-primary">
<th scope="col">Image</th>
<th scope="col">Company</th>
<th scope="col">Price</th>
<th scope="col">Add to Cart</th>
</tr>
</thead>

<tbody>
<tr class="table-secondary">
<th scope="row"></th>
<td>Amul Ice-Cream</td>
<td>Rs.80</td>
<td><div id="cart">
<input
type="submit"
value="Add"
class="btn btn-block btn-primary"
/>
</div></td>
</tr>
<tr class="table-success">
<th scope="row"></th>
<td>Milkmaid Ice-Cream</td>
<td>Rs.65</td>
<td><div id="cart">
<input
type="submit"
value="Add"
class="btn btn-block btn-primary"
/>
</div></td>
</tr>

```

```

</tbody>
</table>
</div>
<script src="java-script/javascript.js"></script>
<script
  src="https://code.jquery.com/jquery-3.3.1.slim.min.js"
  integrity="sha384-
q8i/X+965Dz00rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo"
  crossorigin="anonymous"
></script>
<script
  src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.3/umd/popper.mi
n.js"
  integrity="sha384-
ZMP7rVo3mIykV+2+9J3UJ46jBk0WLaUAdn689aCwoqbBJiSnjAK/l8WvCWPIpM49"
  crossorigin="anonymous"
></script>
<script
  src="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/js/bootstrap.min.j
s"
  integrity="sha384-
JjSmVgyd0p3pXB1rRibZUAYoIIy60rQ6VrjIEaFf/njGzIxFDsf4x0xIM+B07jRM"
  crossorigin="anonymous"
></script>
</body>
</html>

```

**pizza.html :**

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="preconnect" href="https://fonts.googleapis.com">
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
  <link
href="https://fonts.googleapis.com/css2?family=Roboto+Serif:wght@100&display=s
wap" rel="stylesheet">
  <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font_awesome/4.7.0/css/font-
awesome.min.css">

```

```

<title>Kitchen Story- Pizza</title>
<link
  rel="stylesheet"
  href="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min
.css"
  integrity="sha384-
gg0yR0iXCbMQv3Xipma34MD+dH/1fQ784/j6cY/iJTQUOhcWr7x9JvoRxT2MZw1T"
  crossorigin="anonymous"/>
<link rel="stylesheet" href="css/style.css">
</head>
<body>
  <nav class="navbar navbar-expand-lg navbar-dark bg-primary">
    <a href="pizza.html" class="navbar-brand">
      
      Kitchen Story
    </a>

    <div class="collapse navbar-collapse" id="navbarSupportedContent">

      <ul class="navbar-nav ml-auto">
        <li class="nav-item">
          <a href="#" class="nav-link" style="color:white;">Search</a>
        </li>
        <li class="nav-item">
          <a href="#" class="nav-link" style="color:white;">Cart</a>
        </li>
        <li class="nav-item">
          <button class="btn btn-outline-light my-2 my-sm-0"
type="submit" onclick="logout()">Logout</button>
        </li>
      </ul>
    </div>
  </nav>
  <div class="container">
    <h1 class="display-4 text-center">Select the Pizzas to add in
    Cart</h1>

    <table class="table col-md-8 offset-2">
      <thead>
        <tr class="table-primary">
          <th scope="col">Image</th>
          <th scope="col">Company</th>
          <th scope="col">Price</th>
          <th scope="col">Add to Cart</th>
        </tr>
      </thead>

```

```

<tbody>
<tr class="table-secondary">
<th scope="row"></th>
<td>Dominos Pizza</td>
<td>Rs.110</td>
<td><div id="cart">
<input
type="submit"
value="Add"
class="btn btn-block btn-primary"
/>
</div></td>
</tr>
<tr class="table-success">
<th scope="row"></th>
<td>Pizza Hut</td>
<td>Rs.129</td>
<td><div id="cart">
<input
type="submit"
value="Add"
class="btn btn-block btn-primary"
/>
</div></td>
</tr>
</tbody>
</table>
</div>

<script src="java-script/javascript.js"></script>
<script
src="https://code.jquery.com/jquery-3.3.1.slim.min.js"
integrity="sha384-
q8i/X+965Dz00rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo"
crossorigin="anonymous"
></script>
<script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.3/umd/popper.mi
n.js"
integrity="sha384-
ZMP7rVo3mIykV+2+9J3UJ46jBk0WLaUAdn689aCwoqBJiSnjAK/18WvCWPIpm49"
crossorigin="anonymous"
></script>

```

```

<script
  src="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/js/bootstrap.min.js"
  integrity="sha384-
JjSmVgyd0p3pXB1rRibZUAYoIIy60rQ6VrjIEaFf/nJGzIxFDsf4x0xIM+B07jRM"
  crossorigin="anonymous"
></script>
</body>
</html>

```

## order-confirmation.html :

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="preconnect" href="https://fonts.googleapis.com">
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
  <link
href="https://fonts.googleapis.com/css2?family=Roboto+Serif:wght@100&display=swap" rel="stylesheet">
  <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.min.css">
  <title>Kitchen Story- Order Confirmation</title>
<link
rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min.css"
integrity="sha384-
ggOyR0iXCbMQv3Xipma34MD+dH/1fQ784/j6cY/iJTQUOhcWr7x9JvoRxT2MZw1T"
crossorigin="anonymous"/>
<link rel="stylesheet" href="css/style.css">
</head>
<body>
  <nav class="navbar navbar-expand-lg navbar-dark bg-primary">
    <a href="order-confirmation.html" class="navbar-brand">
      
      Kitchen Story
    </a>

```

```
<button class="btn btn-outline-light my-2 my-sm-0 ml-auto"
onclick="logout()">Logout</button>
</nav>
<h1 class="display-4 text-center my-5">Your Order has been confirmed
!</h1>

<div id="continue" class="mx-auto" onclick="back()">
<input
type="submit"
value="Continue"
class="btn btn-block btn-primary"
/>
</div>

<script src="java-script/javascript.js"></script>
<script
src="https://code.jquery.com/jquery-3.3.1.slim.min.js"
integrity="sha384-
q8i/X+965Dz00rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo"
crossorigin="anonymous"
></script>
<script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.3/umd/popper.mi
n.js"
integrity="sha384-
ZMP7rVo3mIykV+2+9J3UJ46jBk0WLaUAdn689aCwoqbBJiSnjAK/l8WvCWPIpM49"
crossorigin="anonymous"
></script>
<script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/js/bootstrap.min.j
s"
integrity="sha384-
JjSmVgyd0p3pXB1rRibZUAYoIIy60rQ6VrjIEaFf/nJGzIxFDsf4x0xIM+B07jRM"
crossorigin="anonymous"
></script>
</body>
</html>
```