SQL Query

--Q1. Retrieve all successful bookings:

```
select * from successful_booking
```

--Q2. Find the average ride distance for each vehicle type:

```
Create View ride_distance_for_each_vehicle_type as

select Vehicle_Type, avg(Ride_Distance) as

avg_distance from bookings group by Vehicle_Type;


select * from ride_distance_for_each_vehicle_type;


ALTER TABLE bookings

ALTER COLUMN Ride_Distance INT;


select * from ride_distance_for_each_vehicle_type;
```

--Q3. Get the total number of cancelled rides by customers:

```
CREATE VIEW Canceled_ride_by_coustomer as

select count (*) AS Total_Canceled_by_coustomer from bookings where Booking_Status = 'Canceled by
Customer'


select * from Canceled_ride_by_coustomer;


SELECT COUNT(*) FROM bookings WHERE Booking_Status = 'cancelled by Customer';
```

--4. List the top 5 customers who booked the highest number of rides:

```
SELECT TOP 5

Customer_ID,

COUNT(Booking_ID) AS total_rides

FROM bookings

GROUP BY Customer_ID
```

```
ORDER BY total_rides DESC;

CREATE VIEW top_5_customers_who_booked_the_highest_number_of_rides as
SELECT TOP 5
Customer_ID,
COUNT(Booking_ID) AS total_rides
FROM bookings
GROUP BY Customer_ID
ORDER BY total_rides DESC;

select * from top_5_customers_who_booked_the_highest_number_of_rides;
```

--5. Get the number of rides cancelled by drivers due to personal and car-related issues:

```
Create View Rides_cancelled_by_Drivers_P_C_Issues As
SELECT COUNT (*) as cancelled_by_drivers FROM bookings
WHERE Canceled_Rides_by_Driver = 'Personal & Car related issue';

select * from Rides_cancelled_by_Drivers_P_C_Issues;

select * from Rides_cancelled_by_Drivers_P_C_Issues
```

--Q6. Find the maximum and minimum driver ratings for Prime Sedan bookings:

```
Create View Max_Min_Driver_Rating As
SELECT
MAX(TRY_CAST(Driver_Ratings AS INT)) AS max_rating,
MIN(TRY_CAST(Driver_Ratings AS INT)) AS min_rating
FROM bookings
WHERE (Vehicle_Type) = 'Prime Sedan'
AND TRY_CAST(Driver_Ratings AS INT) IS NOT NULL;

select * from Max_Min_Driver_Rating;
```

--Q7. Retrieve all rides where payment was made using UPI:

```
CREATE VIEW UPI_PAYMENT AS
SELECT * from bookings where Payment_Method = 'UPI';

 SELECT * from UPI_PAYMENT
```

--Q8. Find the average customer rating per vehicle type:

```
CREATE VIEW AVG_CUST_RATING AS
SELECT
Vehicle_Type,AVG(TRY_CAST(Customer_Rating AS INT)) AS avg_customer_rating
FROM bookings
WHERE TRY_CAST(Customer_Rating AS INT) IS NOT NULL
GROUP BY Vehicle_Type;
CREATE VIEW AVG_CUST_RATING AS

SELECT * FROM AVG_CUST_RATING;
```

--Q9. Calculate the total booking value of rides completed successfully:

```
CREATE VIEW total_rides_completed_successfully AS
SELECT SUM(Booking_Value) as total_successful_value FROM bookings WHERE
Booking_Status = 'Success';

SELECT * FROM total_rides_completed_successfully;
```

--Q10. List all incomplete rides along with the reason:

```
CREATE VIEW incomplete_rides_along_with_the_reason AS
SELECT Booking_ID, Incomplete_Rides_Reason FROM bookings WHERE Incomplete_Rides =
'Yes';

SELECT * FROM incomplete_rides_along_with_the_reason;
```