


Practical No. 1

Aim : Create a basic PHP script that prints "Hello World".

Source-Code :

```
<?php  
echo "Hello World ...!!!!";  
?>
```

Output :



Hello World...!


Practical No. 2

Aim: Write PHP scripts demonstrating the use of variables, data types, and constants.

Source-Code :

```
<?php
$a=68;
echo "Integer a=", $a."<br>";
$b="Heyy There!!!";
echo "String b=", $b."<br>";
$c=true;
echo "Boolean c=", $c."<br>";
$d=1.99;
echo "Float d=", $d."<br>";
$array= array("a1","a2","a3"); var_dump($array);
define("Name", "Piyush"); echo "<br>".Name;
?>
```

Output:



Practical 3

Aim: Create custom PHP functions to calculate factorials, primes.

Source-Code:

```
<?php
function factorial($n)
{
    $fact = 1;
    for ($i = 1; $i <= $n; $i++) {
        $fact = $fact * $i;
    }
    return $fact;
}

function isPrime($n)
{
    if ($n < 2) {
        return false;
    }

    for ($i = 2; $i < $n; $i++) {
        if ($n % $i == 0) {
            return false;
        }
    }
    return true;
}

$num1 = 5;
echo "Factorial Calculation<br>";
echo "Factorial of $num1 is " . factorial($num1);
echo "<br><br>";

$num2 = 7;
echo "Prime Number Check<br>";
if (isPrime($num2)) {
    echo "$num2 is Prime";
} else {
    echo "$num2 is Not Prime";
}
?>
```

Output:

Factorial Calculation
Factorial of 5 is 120

Prime Number Check
7 is Prime

Practical 4

Aim: Perform string operations (concatenation, slicing).

Source-Code:

```
<?php
$str1 = "Hello";
$str2 = "World";

$result = $str1 . " " . $str2;
echo "Concatenated String: " . $result;
echo "<br><br>";

$part = substr($result, 0, 5);
echo "Sliced String: " . $part;
?>
```

Output:

Concatenated String: Hello World

Sliced String: Hello

Practical 5

Aim: Create a PHP form to collect user details, validate inputs, and handle form submission securely.

Source-Code:

```
<?php
$conn = new mysqli("localhost", "root", "", "rishabh");
if ($conn->connect_error) {
    die("Connection failed: " . $conn->connect_error);
}
$name = $email = $phone = "";
$nameErr = $emailErr = $phoneErr = "";
$success = "";
function clean_input($data)
{
    return htmlspecialchars(trim($data));
}
if ($_SERVER["REQUEST_METHOD"] == "POST") {
    $valid = true;
    if (empty($_POST["name"])) {
        $nameErr = "Name is required";
        $valid = false;
    } else {
        $name = clean_input($_POST["name"]);
        if (!preg_match("/^[a-zA-Z ]+$/", $name)) {
            $nameErr = "Only letters and spaces allowed";
            $valid = false;
        }
    }
    if (empty($_POST["email"])) {
        $emailErr = "Email is required";
        $valid = false;
    } else {
        $email = clean_input($_POST["email"]);
        if (!filter_var($email, FILTER_VALIDATE_EMAIL)) {
            $emailErr = "Invalid email format";
            $valid = false;
        }
    }
    if (empty($_POST["phone"])) {
        $phoneErr = "Phone number is required";
        $valid = false;
    } else {
        $phone = clean_input($_POST["phone"]);
        if (!preg_match("/^[0-9]{10}$/", $phone)) {
            $phoneErr = "Enter a valid 10-digit phone number";
            $valid = false;
        }
    }
}
if ($valid) {
    $stmt = $conn->prepare("INSERT INTO users(name, email, phone) VALUES (?, ?, ?)");
    $stmt->bind_param("sss", $name, $email, $phone);

    if ($stmt->execute()) {
        $success = "Data submitted successfully!";
        $name = $email = $phone = "";
    }
}
```

```

    } else {
        $success = "Error: " . $stmt->error;
    }
    $stmt->close();
}
}
?>
<!DOCTYPE html>
<html>
<head>
    <title>User Registration Form</title>
    <style>
        body{
            font-family: Arial, sans-serif;
            background:#f4f4f4;
        }
        .container{
            width:500px;
            margin:50px auto;
            background:white;
            padding:20px;
            border-radius:10px;
            box-shadow:0 0 10px gray;
        }
        h2{
            text-align:center;
        }
        input{
            width:90%;
            padding:10px;
            margin-top:5px;
            margin-bottom:10px;
        }
        .btn{
            background:#28a745;
            color:white;
            border:none;
            cursor:pointer;
        }
        .btn:hover{
            background:#218838;
        }
        .error{
            color:red;
            font-size:14px;
        }
        .success{
            color:green;
            text-align:center;
            font-weight:bold;
        }
    </style>
</head>
<body>
<div class="container">
    <h2>User Registration Form</h2>

```

```

<?php
if($success!=""){
    echo "<p class='success'>$success</p>";
}
?>
<form method="POST">
    <label>Name</label>
    <input type="text" name="name"
        value="<?php echo $name; ?>">
    <span class="error"><?php echo $nameErr; ?></span>
    <label>Email</label>
    <input type="text" name="email"
        value="<?php echo $email; ?>">
    <span class="error"><?php echo $emailErr; ?></span>
    <label>Phone Number</label>
    <input type="text" name="phone"
        value="<?php echo $phone; ?>">
    <span class="error"><?php echo $phoneErr; ?></span>
    <input type="submit" value="Submit" class="btn">
</form>
</div>
</body>
</html>
<?php
$conn->close();
?>

```

Output:

User Registration Form

Data submitted successfully!

Name

Email

Phone Number

Submit

User Registration Form

Data submitted successfully!

Name

Email

Phone Number

Submit

User Registration Form

Name

Rishabh

Email

abbbb

Invalid email format Phone Number

99887766557w88

Enter a valid 10-digit phone number

Submit

Practical 6

Aim: Implement Create, Read, Update, and Delete (CRUD) operations on a user management system.

Source-Code:

```
<?php
$conn = new mysqli("localhost", "root", "", "rishabh");
if ($conn->connect_error) {
    die("Connection Failed: " . $conn->connect_error);
}
if (isset($_GET['delete'])) {
    $id = $_GET['delete'];
    $conn->query("DELETE FROM pract6 WHERE id=$id");
    header("Location: practical6.php");
}
if (isset($_POST['update'])) {
    $id = $_POST['id'];
    $name = $_POST['name'];
    $email = $_POST['email'];
    $phone = $_POST['phone'];
    $sql = "UPDATE pract6
        SET name='$name',
            email='$email',
            phone='$phone'
        WHERE id=$id";
    $conn->query($sql);
    header("Location: practical6.php");
}
if (isset($_POST['save'])) {
    $name = $_POST['name'];
    $email = $_POST['email'];
    $phone = $_POST['phone'];

    $sql = "INSERT INTO pract6(name,email,phone)
        VALUES('$name','$email','$phone')";

    $conn->query($sql);
    header("Location: practical6.php");
}
$edit = false;
$name = "";
$email = "";
$phone = "";
$id = 0;
if (isset($_GET['edit'])) {
    $edit = true;
    $id = $_GET['edit'];
    $result = $conn->query("SELECT * FROM pract6 WHERE id=$id");
    $row = $result->fetch_assoc();
    $name = $row['name'];
    $email = $row['email'];
    $phone = $row['phone'];
}
?>

<!DOCTYPE html>
```

```

<html>
<head>
  <title>CRUD Operations</title>
  <style>
    body{
      font-family: Arial, sans-serif;
      margin: 30px;
    }
    form{
      width: 400px;
      padding: 15px;
      border: 1px solid #ccc;
    }
    input[type=text],
    input[type=email]{
      width:100%;
      padding:8px;
      margin:5px 0 10px;
    }
    input[type=submit]{
      padding:8px 15px;
    }
    table{
      width:100%;
      border-collapse:collapse;
      margin-top:20px;
    }
    th,td{
      border:1px solid black;
      padding:8px;
      text-align:center;
    }
    a{
      text-decoration:none;
    }
  </style>
</head>
<body>
<h2>User Management System (CRUD)</h2>
<form method="post">
  <input type="hidden" name="id"
    value="<?php echo $id; ?>">
  Name:
  <input type="text" name="name"
    value="<?php echo $name; ?>" required>
  Email:
  <input type="email" name="email"
    value="<?php echo $email; ?>" required>
  Phone:
  <input type="text" name="phone"
    value="<?php echo $phone; ?>" required>
  <?php if($edit==true){ ?>
    <input type="submit"
      name="update"
      value="Update User">
  <?php } else { ?>

```

```

        <input type="submit"
            name="save"
            value="Add User">
    <?php } ?>
</form>
<h2>User Records</h2>
<table>
<tr>
    <th>ID</th>
    <th>Name</th>
    <th>Email</th>
    <th>Phone</th>
    <th>Actions</th>
</tr>
<?php
$result = $conn->query("SELECT * FROM pract6");
while($row = $result->fetch_assoc())
{
    ?>
    <tr>
        <td><?php echo $row['id']; ?></td>
        <td><?php echo $row['name']; ?></td>
        <td><?php echo $row['email']; ?></td>
        <td><?php echo $row['phone']; ?></td>
        <td>
            <a href="practical6.php?edit=<?php echo $row['id']; ?>">Edit</a>
            |
            <a href="practical6.php?delete=<?php echo $row['id']; ?>"
                onclick="return confirm('Delete this record?')">Delete</a>
        </td>
    </tr>
<?php
}
?>
</table>
</body>
</html>

```

Output:

Create & Read

User Management System (CRUD)

Name:

Email:

Phone:

User Records

ID	Name	Email	Phone	Actions
7	rishabh	abc@gmail.com	8788710099	Edit Delete
8	ABC	abc1@gmail.com	9665929621	Edit Delete

Delete Record

User Management System (CRUD)

Name:

Email:

Phone:

Add User

localhost says

Delete this record?

OK

Cancel

User Records

ID	Name	Email	Phone	Actions
7	rishabh	abc@gmail.com	8788710099	Edit Delete
8	ABC	abc1@gmail.com	9665929621	Edit Delete

Updating Records

User Management System (CRUD)

Name:

ABC

Email:

abc1@gmail.com

Phone:

9665929621

Update User

User Records

ID	Name	Email	Phone	Actions
8	ABC	abc1@gmail.com	9665929621	Edit Delete

Practical 7

Aim: Create a file upload system in PHP where users can upload images and files.

Source-Code:

```
<?php
$conn = new mysqli("localhost", "root", "", "rishabh");
if ($conn->connect_error) {
    die("Connection Failed: " . $conn->connect_error);
}
$message = "";
if(isset($_GET['delete']))
{
    $id = $_GET['delete'];
    $result = $conn->query("SELECT filepath FROM uploads WHERE id=$id");
    $row = $result->fetch_assoc();
    if(file_exists($row['filepath']))
    {
        unlink($row['filepath']);
    }
    $conn->query("DELETE FROM uploads WHERE id=$id");
    $message = "File deleted successfully!";
}
if(isset($_POST['upload']))
{
    $targetDir = "uploads/";
    if(!file_exists($targetDir))
    {
        mkdir($targetDir, 0777, true);
    }
    $fileName = basename($_FILES["file"]["name"]);
    $targetFile = $targetDir . $fileName;
    if(move_uploaded_file($_FILES["file"]["tmp_name"], $targetFile))
    {
        $sql = "INSERT INTO uploads(filename, filepath)
                VALUES('$fileName', '$targetFile')";

        if($conn->query($sql))
        {
            $message = "File uploaded successfully!";
        }
        else
        {
            $message = "Database Error!";
        }
    }
    else
    {
        $message = "File upload failed!";
    }
}
```

```
?>
<!DOCTYPE html>
<html>
<head>
  <title>File Upload System</title>
  <style>
    body{
      font-family: Arial, sans-serif;
      margin: 50px;
    }
    .container{
      width: 400px;
      padding: 20px;
      border: 1px solid #ccc;
    }
    input[type=file]{
      margin: 10px 0;
    }
    input[type=submit]{
      padding: 8px 15px;
    }
    .msg{
      color: green;
      font-weight: bold;
    }
    table{
      width: 100%;
      border-collapse: collapse;
      margin-top: 30px;
    }
    th, td{
      border: 1px solid #ccc;
      padding: 10px;
      text-align: left;
    }
    th{
      background-color: #f2f2f2;
    }
    a{
      text-decoration: none;
      margin-right: 10px;
    }
    .download{
      color: blue;
    }
    .delete{
      color: red;
    }
  </style>
</head>
<body>
```

```

<div class="container">
<h2>File Upload System</h2>
<form method="post" enctype="multipart/form-data">
    Select File:
    <input type="file" name="file" required>
    <br><br>
    <input type="submit" name="upload" value="Upload">
</form>
<div class="msg">
    <?php echo $message; ?>
</div>
</div>
<h2>Uploaded Files</h2>
<table>
<tr>
    <th>File Name</th>
    <th>File Path</th>
    <th>Actions</th>
</tr>
<?php
$result = $conn->query("SELECT * FROM uploads");
if($result->num_rows > 0)
{
    while($row = $result->fetch_assoc())
    {
        ?>
<tr>
            <td><?php echo $row['filename']; ?></td>
            <td><?php echo $row['filepath']; ?></td>
            <td>
                <a href="<?php echo $row['filepath']; ?>" class="download" target="_blank">View</a>
                <a href="practical7.php?delete=<?php echo $row['id']; ?>" class="delete" onclick="return
confirm('Delete this file?')">Delete</a>
            </td>
        </tr>
        <?php
        }
    }
else
{
    ?>
<tr>
        <td colspan="3">No files uploaded</td>
    </tr>
    <?php
    }
    ?>
</table>
</div>
</body>
</html>

```

Output:

- Uploading File

File Upload System

Select File:

Choose File

 No file chosen

Upload

File uploaded successfully!

Uploaded Files

File Name	File Path	Actions
wp12784150-purple-landscape-4k-wallpapers (1).jpg	uploads/wp12784150-purple-landscape-4k-wallpapers (1).jpg	View Delete

- Viewing the uploaded file

