

Practical 8

Name: Rishabh Dwivedi

Roll No: MC250068CA


Aim: Writing SQL and PL/SQL queries to retrieve information from the databases.

Source-Code & Output:

create table Employee2;

use rishabh;

CREATE TABLE Employee2 (Emp_ID int, Emp_Name VARCHAR(20), Salary int, Dept VARCHAR(20));



INSERT INTO Employee2 VALUES (1, "Rishabh Dwivedi", 20000, "MCA");


INSERT INTO Employee2 VALUES (2, "Aman Singh", 22000, "BCA");

INSERT INTO Employee2 VALUES (3, "Pranit Bhairam", 2000, "BSC");

INSERT INTO Employee2 VALUES (4, "Vijay Thakur", 30000, "CS");

INSERT INTO Employee2 VALUES (5, "Anant Sahu", 40000, "HR");

select * from Employee2 where Salary>25000;



```

PL/SQL:      CREATE TABLE Employee2 (
              Emp_ID NUMBER,
              Emp_Name VARCHAR2(20),
              Salary NUMBER,
              Dept VARCHAR2(20)
            );
            INSERT INTO Employee2 VALUES (1, 'Rishabh Dwivedi', 20000, 'MCA');
            INSERT INTO Employee2 VALUES (2, 'Aman Singh', 22000, 'BCA');
            INSERT INTO Employee2 VALUES (3, 'Pranit Bhairam', 2000, 'BSC');
            INSERT INTO Employee2 VALUES (4, 'Vijay Thakur', 30000, 'CS');
            INSERT INTO Employee2 VALUES (5, 'Anant Sahu', 40000, 'HR');
            DECLARE
              CURSOR emp_cur IS
              SELECT Emp_Name, Salary FROM Employee2;
            BEGIN
              FOR emp_rec IN emp_cur LOOP
                DBMS_OUTPUT.PUT_LINE(
                  'EmployeeName: ' || emp_rec.Emp_Name || ' Salary: ' || emp_rec.Salary
                );
              END LOOP;
            END;
            /

```

queries.sql

+

44r43kxwd

AI

ORACLE

RUN

```

1  -- Create table
2  CREATE TABLE Employee2 (
3    Emp_ID  NUMBER,
4    Emp_Name VARCHAR2(20),
5    Salary  NUMBER,
6    Dept    VARCHAR2(20)
7  );
8  INSERT INTO Employee2 VALUES (1, 'Rishabh Dwivedi', 20000, 'MCA');
9  INSERT INTO Employee2 VALUES (2, 'Aman Singh', 22000, 'BCA');
10 INSERT INTO Employee2 VALUES (3, 'Pranit Bhairam', 2000, 'BSC');
11 INSERT INTO Employee2 VALUES (4, 'Vijay Thakur', 30000, 'CS');
12 INSERT INTO Employee2 VALUES (5, 'Anant Sahu', 40000, 'HR');
13 DECLARE
14 CURSOR emp_cur IS
15 SELECT Emp_Name, Salary FROM Employee2;
16 BEGIN
17 FOR emp_rec IN emp_cur LOOP
18 DBMS_OUTPUT.PUT_LINE(
19   'EmployeeName: ' || emp_rec.Emp_Name || ' Salary: ' || emp_rec.Salary
20 );
21 END LOOP;
22 END;
23 /
24

```

STDIN

Input for the program (Optional)

Output:

```

EmployeeName: Rishabh Dwivedi Salary: 20000
EmployeeName: Aman Singh Salary: 22000
EmployeeName: Pranit Bhairam Salary: 2000
EmployeeName: Vijay Thakur Salary: 30000
EmployeeName: Anant Sahu Salary: 40000

```