

Practical 9


Name: Rishabh Dwivedi

Roll No: MC250068CA

Aim: For a given set of relation schemes, create tables and perform the following Join Queries Inner Join, Outer Join Subqueries- With IN clause, With EXISTS clause.

Source-Code & Output:

```
use rishabh;  
create table Department1(deptID Int,dept_name varchar(20));  
create table Employee1(empID int,emp_name varchar(20),salary int,deptID int);
```



```
insert into Department1 values(101,"MCA"),  
(102,"BCA"),(103,"BSC"),  
(104,"MSC"),(105,"HR"),(106,"MCA");  
insert into Employee1 values(1,"Rishabh",10000,101),  
(2,"Aman",20000,102),(3,"Pranit",5000,103),  
(4,"Vijay",25000,104),(5,"Anant",15000,105),(6,"Sachin",35000,null);
```

	deptID	dept_name
▶	101	MCA
	102	BCA
	103	BSC
	104	MSC
	105	HR
	106	MCA

	empID	emp_name	salary	deptID
▶	1	Rishabh	10000	101
	2	Aman	20000	102
	3	Pranit	5000	103
	4	Vijay	25000	104
	5	Anant	15000	105
	6	Sachin	35000	NULL

```
select Employee1.emp_name,Department1.dept_name from Employee1  
inner join Department1  
on Employee1.deptID=Department1.deptID;
```

```

12 • select Employee1.emp_name,Department1.dept_name from Employee1
13 inner join Department1
14 on Employee1.deptID=Department1.deptID;

```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

emp_name	dept_name
Rishabh	MCA
Aman	BCA
Pranit	BSC
Vijay	MSC
Anant	HR

```

select Employee1.emp_name,Department1.dept_name from Employee1
left outer join Department1
on Employee1.deptID=Department1.deptID;

```

```

16 • select Employee1.emp_name,Department1.dept_name from Employee1
17 left outer join Department1
18 on Employee1.deptID=Department1.deptID;

```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

emp_name	dept_name
Rishabh	MCA
Aman	BCA
Pranit	BSC
Vijay	MSC
Anant	HR
Sachin	NULL

```

select Employee1.emp_name,Department1.dept_name from Employee1
right outer join Department1
on Employee1.deptID=Department1.deptID;

```

```

20 • select Employee1.emp_name,Department1.dept_name from Employee1
21 right outer join Department1
22 on Employee1.deptID=Department1.deptID;

```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

emp_name	dept_name
Rishabh	MCA
Aman	BCA
Pranit	BSC
Vijay	MSC
Anant	HR
NULL	MCA

```

SELECT emp_name, salary
FROM Employee1 WHERE deptID IN (
    SELECT deptID
    FROM Department1
    WHERE dept_name = 'MCA'
);

```

24 • SELECT emp_name, salary
 25 FROM Employee1 WHERE deptID IN (
 26 SELECT deptID
 27 FROM Department1
 28 WHERE dept_name = 'MCA'
 29);

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

emp_name	salary
Rishabh	10000

```

SELECT emp_name
FROM Employee1 E WHERE EXISTS (
    SELECT *
    FROM Department1 D
    WHERE E.deptID = D.deptID
);

```

31 • SELECT emp_name
 32 FROM Employee1 E WHERE EXISTS (
 33 SELECT *
 34 FROM Department1 D
 35 WHERE E.deptID = D.deptID
 36);

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

emp_name
Rishabh
Aman
Pranit
Vijay
Anant