Query :

Analyze my entire code base for selenium java (Feature file,Page class,Fature+ Page class)

GO STEP BY STEP .ONCE UP ON MY APPROVAL PROCEED WITH NEXT STEP

--Give me the files in which implementation is done --Proceed with Playwright Typescript implementation







Output

Code GeneratorSettings

Feature File Page Class

Reset Chat

```
Feature: Search rental cars on RentalCars.com

  As a traveller from South India
  I want to search for available rental cars with specific pick-up and
drop-off details
  So that I can book a vehicle that matches my itinerary.

  Scenario Outline: Search for cars with given location, dates and times
    Given I open the RentalCars home page
    When I enter "<pickupLocation>" into the Pick-up Location field
    And I select pick-up date "<pickupDate>"
    And I select pick-up time "<pickupTime>"
    And I select drop-off date "<dropoffDate>"
    And I select drop-off time "<dropoffTime>"
    And I set the "Drop off at different location" option to
"<differentLocation>"
    And I click the Search button
    Then I should see search results for "<pickupLocation>"

    Examples: South-India realistic data
      | pickupLocation                                | pickupDate |
pickupTime | dropoffDate | dropoffTime | differentLocation |
      | Coimbatore International Airport (CJB)        | 2024-04-21 | 10:00
| 2024-04-24  | 10:00       | false             |
      | Chennai International Airport (MAA)           | 2024-05-03 | 09:30
| 2024-05-07  | 09:30       | true              |
      | Kempegowda International Airport (BLR)        | 2024-06-15 | 12:00
| 2024-06-20  | 12:00       | false             |
```

```
package com.rentalcars.stepdefs;

import io.cucumber.java.After;
import io.cucumber.java.Before;
import io.cucumber.java.en.*;

import org.openqa.selenium.*;
import org.openqa.selenium.chrome.ChromeDriver;
import org.openqa.selenium.support.ui.*;

import java.time.Duration;
import java.time.LocalDate;
import java.time.format.DateTimeFormatter;
import java.util.List;

public class RentalCarsSearchSteps {

    private WebDriver driver;
    private WebDriverWait wait;
```

```
    private final String baseUrl =
"https://www.rentalcars.com/hi/?affiliateCode=google_brand&preflang=en";

    @Before
    public void setUp() {
        // Assuming chromedriver is on the system PATH
        driver = new ChromeDriver();
        wait = new WebDriverWait(driver, Duration.ofSeconds(15));
        driver.manage().window().maximize();
    }

    @After
    public void tearDown() {
        if (driver != null) {
            driver.quit();
        }
    }

    @Given("I open the RentalCars home page")
    public void openHomePage() {
        driver.get(baseUrl);
        // Wait for the main search form to be visible
        wait.until(ExpectedConditions.visibilityOfElementLocated(

By.cssSelector("form.LPM_e2d1d800.LPM_b7121f02.LPM_ecb5351b")));
    }

    @When("I enter {string} into the Pick-up Location field")
    public void enterPickupLocation(String location) {
        By locator = By.name("pickup-location");
        WebElement input =
wait.until(ExpectedConditions.elementToBeClickable(locator));
        input.clear();
        input.sendKeys(location);
        // Wait for the autocomplete list and pick the first suggestion
        By firstSuggestion = By.cssSelector("ul[role='listbox'] li");
        try {
            WebElement suggestion =
wait.until(ExpectedConditions.visibilityOfElementLocated(firstSuggestion));
            suggestion.click();
        } catch (TimeoutException e) {
            // If no autocomplete appears, continue with the typed value
        }
    }

    @When("I select pick-up date {string}")
    public void selectPickupDate(String date) {
        // Click the pick-up date button to open the calendar
        By button = By.xpath("//button[@aria-label='Select a pick-up
date']");
        wait.until(ExpectedConditions.elementToBeClickable(button)).click();
```

```
        // The calendar shows day numbers - we click the cell that matches
the day part
        LocalDate localDate = LocalDate.parse(date,
DateTimeFormatter.ISO_LOCAL_DATE);
        String day = String.valueOf(localDate.getDayOfMonth());

        By dayCell = By.xpath("//td[not(contains(@class,'disabled')) and
normalize-space()='" + day + "']");
        wait.until(ExpectedConditions.elementToBeClickable(dayCell)).click();

        // Confirm the date (some calendars need a confirm button - try to
click it if present)
        try {
            By confirm = By.xpath("//button[contains(text(),'Done') or
contains(text(),'OK')]");
            WebElement ok =
wait.until(ExpectedConditions.elementToBeClickable(confirm));
            ok.click();
        } catch (TimeoutException ignored) {
        }
    }

    @When("I select pick-up time {string}")
    public void selectPickupTime(String time) {
        By selectLocator = By.name("pick-up-time");
        WebElement selectElem =
wait.until(ExpectedConditions.elementToBeClickable(selectLocator));
        Select select = new Select(selectElem);
        select.selectByValue(time);
    }

    @When("I select drop-off date {string}")
    public void selectDropoffDate(String date) {
        // Click the drop-off date button
        By button = By.xpath("//button[@aria-label='Select a drop-off
date']");
        wait.until(ExpectedConditions.elementToBeClickable(button)).click();

        LocalDate localDate = LocalDate.parse(date,
DateTimeFormatter.ISO_LOCAL_DATE);
        String day = String.valueOf(localDate.getDayOfMonth());

        By dayCell = By.xpath("//td[not(contains(@class,'disabled')) and
normalize-space()='" + day + "']");
        wait.until(ExpectedConditions.elementToBeClickable(dayCell)).click();

        // Optional confirm
        try {
            By confirm = By.xpath("//button[contains(text(),'Done') or
contains(text(),'OK')]");
            WebElement ok =
wait.until(ExpectedConditions.elementToBeClickable(confirm));
            ok.click();
```

```
        } catch (TimeoutException ignored) {
        }
    }

    @When("I select drop-off time {string}")
    public void selectDropoffTime(String time) {
        By selectLocator = By.name("drop-off-time");
        WebElement selectElem =
wait.until(ExpectedConditions.elementToBeClickable(selectLocator));
        Select select = new Select(selectElem);
        select.selectByValue(time);
    }

    @When("I set the "Drop off at different location" option to {string}")
    public void setDifferentLocationOption(String flag) {
        boolean shouldCheck = Boolean.parseBoolean(flag);
        By checkboxLocator = By.name("drop-off-at-different-loc");
        WebElement checkbox =
wait.until(ExpectedConditions.presenceOfElementLocated(checkboxLocator));

        if (checkbox.isSelected() != shouldCheck) {
            // The visible element to click is the label associated with the
checkbox
            By label = By.cssSelector("label[for='" +
checkbox.getAttribute("id") + "']");
            WebElement labelElem = driver.findElement(label);
            labelElem.click();
        }
    }

    @When("I click the Search button")
    public void clickSearch() {
        By searchBtn = By.cssSelector("button[type='submit'].LPM_ba204088");

wait.until(ExpectedConditions.elementToBeClickable(searchBtn)).click();
    }

    @Then("I should see search results for {string}")
    public void verifySearchResults(String location) {
        // Wait for the results container - the site uses a div with class
containing "searchResults"
        By resultsContainer =
By.cssSelector("div[data-test='search-results'], div.searchResults,
div[data-test='results']");
        WebElement container =
wait.until(ExpectedConditions.visibilityOfElementLocated(resultsContainer));

        // Simple verification that the location appears somewhere in the
results header
        String pageSource = driver.getPageSource().toLowerCase();
        if (!pageSource.contains(location.toLowerCase())) {
            throw new AssertionError("Search results do not contain expected
location: " + location);
```

```
            }
        }
}
```