IWP - Lab - 10

Aadhitya Swarnesh I

- 1 March 2020

Question - 1

```
<html>
  <head>
    <title> Supermarket </title>
  </head>
  <body>
    <form action="" method="post">
       Notebook<input type="text" name="Notebook" id="nbk">
       <br>
       Book<input type="text" name="Book" id="bk">
       Desktop<input type="text" name="Desktop" id="dsk">
      Laptop<input type="text" name="Laptop" id="lpt">
       <br>
       <input type="submit" value="Submit">
    </form>
    <br>
    <br>
    <?php
       \frac{1}{2} $intsum = 0;
       flosum = 0.0;
       f = array();
       v = array();
       if ($ SERVER['REQUEST METHOD'] == 'POST')
         foreach($ POST as $f=>$v)
           if($v != NULL)
              if(floatval($v) != number format($v))
                $flosum += floatval($v);
              elseif(floatval($v) == number format($v))
                $intsum += number format($v);
              }
           }
         echo ("This sum of integer values are: ". $intsum." < br > ");
         echo ("This sum of float values are: ". $flosum." < br>");
```

```
}
echo("Hiii");
?>
</body>
```

Ultra Market

Notebool	k 100.22
Book 100)
Desktop	999999.99
Laptop 3	324.24
Submit	

This sum of integer values are: 100 This sum of float values are: 100100001.45

Ouestion - 2

```
<html>
  <head>
    <title> Telephone Exchange </title>
  </head>
  <body>
    <h1>Telephone Exchange</h1>
    <form action="" method="post">
      Customer Number <input type="text" name="customer" id="cust">
      <br><br><
      Useage
                <input type="text" name="used" id="use">
       <br>
       <br>
       <input type="submit" value="Submit">
    </form>
    <br>
    <br>
    <?php
       $bill = 0.0;
      if ($_SERVER['REQUEST_METHOD'] == 'POST')
         $cust = $_POST["customer"];
         $use = floatval($_POST["used"]);
         if(se <= 240)
         {
           $bill = 35;
         else if($use <= 1000)
           bill = 140 + (suse-300)*(0.3);
         else if($use <= 2000)
           \text{$bill = 240 + ($use-1600)*(0.5);}
         }
         else
           bill = 790 + (suse-2900)*(0.3);
         echo ("The total bill amount for " .$cust. " is : " . $bill." < br > ");
    ?>
                                        Telephone Exchange
  </body>
</html>
                                        Customer Number 23213
                                        Useage 111
                                         Submit
```

The total bill amount for 23213 is: 35

Question - 3

```
<html>
 <head>
    <title>Vit Government Voting (Official)</title>
 </head>
 <body>
    <h1>Voting Form</h1>
    <form action="" method="post">
     Sumit
         <input type="number" name="sumit" id="sumit">
        Arpit
            <input type="number" name="arpit" id="arpit">
         Harsha
            <input type="number" name="harsha" id="harsha">
         Can 4
         <input type="number" name="can4" id="can4">
         <input type="submit" name="vote" value="vote">
         <input type="submit" name="declare-result" value="declare-result">
        </form>
    <?php
     $names = array("Sumit", "Arpit", "Harsha", "Can4");
     $cookie name = "scores";
     if(!isset($_COOKIE[$cookie_name]))
       scores = array(0,0,0,0);
       setcookie($cookie name, serialize($scores));
     }
     else
     {
       $scores = unserialize($ COOKIE[$cookie name], ["allowed classes" => false]);
     if ($ SERVER['REQUEST METHOD'] == 'POST')
     {
       if(isset($_POST['vote']))
         $scores[0] += intval($ POST["sumit"]);
         $scores[1] += intval($_POST["arpit"]);
         $scores[2] += intval($_POST["harsha"]);
```

Voting Form

Sumit	1
Arpit	2
Harsha	4
Can 4	3
vote	declare-result

Vote has been casted

Voting Form

Sumit	
Arpit	
Harsha	
Can 4	
vote	declare-result

The candidate(s) with the maximum number of votes are: Can4 226690

Folder Organisation -

```
✓ 28Feb2020
♣ 10. PHP without Forms.pdf
를 lab10.pages
를 Php 1.pptx
를 Php 2.pptx
❤ q1.php
❤ q2.php
❤ q3.php
```