IWP - Lab - 12

Aadhitya Swarnesh I

- 5 June 2020

1) Home.html

```
<html>
  <head>
    <title>Shopping website using PHP</title>
    <link rel="stylesheet" href="home.css">
  </head>
  <body>
    <h1>Shopping</h1>

    <table>
      <tr>
        <td>
          <form action="table.php" method="GET">
            <input type="text" value="SHOE12A" name="itemcode" readonly> $<input type="text" value="1770" name="price" readonly>
            <input type="number" value="0" name="amt">
            <input type="submit" class="purch" value="Purchase">
          </form>
            <br>
          <form action="del.php" method="GET">
```

```html
                <input type="hidden"
value="SHOE12A" name="delcode">
                <input type="submit"
class="purch" value="Delete">
            </form>
        </td>
        <td>
            <br>
            <form action="table.php"
method="GET">
                <input type="text"
value="WATCH14B" name="itemcode" readonly> $<input
type="text" value="5000" name="price" readonly size=10>
<input type="number" value="0" name="amt">
                <input type="submit"
class="purch" value="Purchase">
            </form>
            <br>
            <form action="del.php" method="GET">
                <input type="hidden"
value="WATCH14B" name="delcode">
                <input type="submit"
class="purch" value="Delete">
            </form>
        </td>
    </tr>
</table>
<form action="calc.php" method="GET">
    <input type="submit" class="purch"
value="Show Total Cost" style="width:50%;">
</form>
</body>
</html>
```

2) Home.css

```css
.purch{
   width:100%;
   font-size:20px;
   font-family: 'Montserrat Alternates', sans-serif;
   border:none;
   border-radius:5px;
}
```

3) Table.php

```php
<?php
   $conn = mysqli_connect("localhost", "root", "",
"iwp");
   if (!$conn)
   {
      die("Connection failed: " .
mysqli_connect_error());
   }
   $item=$_GET['itemcode'];
   $price=(int)$_GET['price'];
   $amt=$_GET['amt'];
   $sql = "SELECT * FROM shop WHERE icode='$item' LIMIT
1"; $result=mysqli_query($conn,$sql);
   if (mysqli_fetch_array($result))
   {
      $outsql="UPDATE shop SET quant=quant+'$amt' WHERE
icode='$item'"; if(mysqli_query($conn,$outsql))
      echo "<script>alert('Item amount updated!');</
script>";
   }
   else
   {
```

```php
    $insql="INSERT INTO shop (icode,cost,quant)
VALUES('$item','$price','$amt')";
    if(mysqli_query($conn,$insql))
    echo "<script>alert('Item has been added to cart
successfully!!');</script>";
  }
  mysqli_close($conn);
?>
```

4) Calc.php

```php
<?php
  $$conn = mysqli_connect("localhost", "root", "",
"iwp");
  if (!$conn)
  {
    die("Connection failed: " .
mysqli_connect_error());
  }
  $sql="SELECT icode,cost,quant FROM shop";
$result=mysqli_query($conn,$sql);
  if(mysqli_num_rows($result)>0)
  {
    $total=0;
    while($row=mysqli_fetch_assoc($result))
    {
      echo "Item: " . $row["icode"]. "\tCost: " .
$row["cost"]. "\tQuantity:" . $row["quant"]. "<br>";
      $total=$total+($row["cost"]*$row["quant"]);
    }
    echo nl2br("\nYour total bill is = $".$total);
    $outsql="DELETE FROM shop";
    if(mysqli_query($conn,$outsql))
```

```php
        echo "<br> Your cart has been emptied!!";
    }
    else
    {
        echo "Your cart is empty";
    }
    mysqli_close($conn);
?>
```

5) Del.php

```php
<?php
    $$conn = mysqli_connect("localhost", "root", "",
"iwp");
    if (!$conn)
    {
        die("Connection failed: " .
mysqli_connect_error());
    }
    $delcode=$_GET['delcode'];
    $sql="SELECT * FROM shop WHERE icode='$delcode' LIMIT
1"; $result=mysqli_query($conn,$sql);
    if (mysqli_fetch_array($result))
    {
        $outsql="DELETE FROM shop WHERE
icode='$delcode'"; if(mysqli_query($conn,$outsql))
        echo "<script>alert('Item successfully deleted
from cart!');</script>";
    }
    else
    {
        echo "<script>alert('Item not present in
cart!!');</script>";
    }
```

```
    mysqli_close($conn);
?>
```

6) Output

Shopping

| SHOE12A | $ 1770 | 0 |

Purchase

Delete

| WATCH14B | $ 5000 | 0 |

Purchase

Delete

Show Total Cost

icode	cost	quant
Watch	12000	2
Shoe	1200	200

7) Folder Organisation

```
v  5Jun2020
       12. PHP Sessions and Cookies.pdf
       calc.php
       del.php
       home.css
       home.html
       Lab 12.pages
       table.php
```