# IWP - Lab - 11

# Aadhitya Swarnesh I

#### - 6 March 2020

#### 1) Home.html

### 2) p1.php

```
<?php
 session_start();
?>
<html>
 <head>
   <title>Journey Details</title>
 </head>
 <body>
   <h1>Journey Details</h1>
   <form action="<?php $_SERVER['PHP_SELF'] ?>" method="POST">
     From Station
        <input type="text" name="fromstn" id="fromstn">
       To Station
        <input type="text" name="tostn" id="tostn">
       Date
        <input type="date" name="datej" id="datej">
```

```
<input type="submit" value="Submit">
         </form>
  </body>
</html>
<?php
  if($ SERVER["REQUEST METHOD"] == "POST")
    $ SESSION["fromstn"] = $ POST["fromstn"]:
    $ SESSION["tostn"] = $ POST["tostn"];
    $\[ SESSION[\"datej\"] = \[ POST[\"datej\"];
    $\[ SESSION[\] weekday\] = date(\] N\, \$\[ SESSION[\] datei\]);
    //\overline{1} (for Monday) through 7 (for Sunday).
    header("location:p2.php");
?>
```

### 3) p2.php

```
<?php
  session start();
  $conn = new mysqli("localhost", "root", "", "iwp");
  if($conn->connect error)
    die("Database Connection failed" . $conn->connect error);
  }
  echo "<script>console.log('Database connection established successfully.);</script>";
  $fstn = $_SESSION['fromstn'];
  $tstn = $ SESSION['tostn'];
  $sql = "SELECT trainno, trainname FROM train WHERE (from_station='$fstn' AND
to station='$tstn');";
  $request = $conn->query($sql);
  $printval = "";
  if(!empty($request))
    while($row = mysqli fetch array($request))
     {
       $printval .= "
               <input type='radio' name='train' value='" . $row["trainno"] . "'> 
              " . $row['trainno'] . "
" . $row['trainname'] . "
            ";
    }
  }
?>
<html>
  <head>
     <title>Train Selection</title>
  </head>
  <body>
     <h1>Train Selection</h1>
     <form action="<?php $ SERVER['PHP SELF'] ?>" method="post">
```

```
Select
         Train Number
         Train Name
       <?php echo $printval; ?>
     <input type="submit" value="Next">
     </form>
  </body>
</html>
<?php
 if($ SERVER['REQUEST METHOD'] == 'POST')
   $tno = intval($_POST['train']);
   $ SESSION['trainno'] = $tno;
   $sql = "SELECT trainname FROM train WHERE (trainno = $tno);";
   $request = $conn->query($sql);
   $ SESSION['trainname'] = mysqli fetch array($request)['trainname'];
   header("location:p3.php");
?>
```

### 4) p3.php

```
<?php
  session start();
  $conn = new mysqli("localhost", "root", "", "iwp");
  if($conn->connect error)
    die("Database Connection failed" . $conn->connect error);
  }
  echo "<script>console.log('Database connection established successfully.);</script>";
  $tno = intval($_SESSION['trainno']);
  $sql = "SELECT classname, avalible, price FROM coach WHERE (trainno=$tno)";
  $request = $conn->query($sql);
  $printval = "";
  while($row = mysqli fetch array($request))
     $printval .= "
            <input type='radio' name='class' value='" . $row['classname'] . "'> 
            " . $row['classname'] . "
" . $row['avalible'] . "
" . $row['price'] . "
          ";
?>
<html>
  <head>
```

```
<title>Class Selection</title>
  </head>
  <body>
    <h1>Class Selection</h1>
    <h2><?php echo ($ SESSION['trainno'] . " - " . $ SESSION['trainname']); ?></h2>
    <form action="<?php $_SERVER['PHP_SELF'] ?>" method="post">
      Select
           Class Type
           Avalible Seats
           Ticket Price
        <?php echo $printval; ?>
      Enter the number of tickets needed : 
           <input type="number" name="numtickets" id="numtickets">
        <input type="submit" value="Next">
        </form>
  </body>
</html>
<?php
  if($ SERVER['REQUEST METHOD'] == 'POST')
    $numt = intval($ POST['numtickets']);
    $ctype = $ POST['class'];
    $tno = $ SESSION['trainno'];
    $sgl = "SELECT price, avalible FROM coach WHERE (classname='$ctype' AND
trainno=$tno);";
    $request = $conn->query($sql);
    if(!empty($request))
      $arr = mysqli fetch array($request);
      $avno = intval($arr['avalible']) - $numt;
      $ticost = intval($arr['price']);
      if(savno >= 0)
        $sql = "UPDATE coach SET avalible=$avno WHERE(classname='$ctype' AND
trainno=$tno);":
        $result = $conn->query($sql);
        $ SESSION['numtickets'] = $numt;
        $\_SESSION['classtype'] = \$ctype;
        $ SESSION['price'] = $ticost;
        header("location:p4.php");
      }
      else
        echo "Enough tickets are currently unavalible in the class selected.";
      }
    }
 }
?>
```

#### 5) p4.php

```
<?php
 session start();
 $pno = $_SESSION['numtickets'];
 $printval = "";
 for($i=0;$i<$pno;$i++)
   $printval .= "
             " . $i . "
              <input type='text' name='name" . $i . "'> 
              <input type='number' name='age" . $i . "'> 
             <select name='gender" . $i . "' id='gender" . $i . "'>
                 <option value='male'>Male</option>
                 <option value='female'>Female
               </select>
             <select name='nationality" . $i . "' id='nationality" . $i . "'>
                 <option value='indian'>Indian
                 <option value='others'>Others
               </select>
             <select name='idtype" . $i . "' id='idtype" . $i . "'>
                 <option value='aadhaar card'>Aadhaar Card
                 <option value='pan card'>Pan Card
                 <option value='drivers license'>Drivers License
                 <option value='ration card'>Ration Card
                 <option value='student id card'>Student Id Card
               </select>
              <input type='text' name='idno" . $i . "'> 
          ";
?>
<html>
   <title>Passenger Details</title>
 </head>
 <body>
   <h1>Enter Passenger Details</h1>
   <form action="<?php $ SERVER['PHP SELF'] ?>" method="post">
     Sno.
         Name
         Age
         Gender
         Nationality
         ID type
         ID Card Number
       <?php echo $printval; ?>
```

```
<input type="submit" value="Next">
        </form>
  </body>
</html>
<?php
  if($ SERVER['REQUEST METHOD'] == 'POST')
    $ SESSION['passengerdetails'] = $ POST;
    header("location:p5.php");
?>
6) p5.php
<?php
  session start();
  $cookie_name = "pnr";
  if(!isset($ COOKIE[$cookie name]))
    pnr = 0;
    setcookie($cookie_name, serialize($pnr));
  else
    $pnr = unserialize($ COOKIE[$cookie name], ["allowed classes" => false]);
    setcookie($cookie name, serialize($pnr));
  }
  $printval = "";
  $pno = $_SESSION['numtickets'];
  $details = $_SESSION['passengerdetails'];
  for($i=0;$i<$pno;$i++)
  {
    $printval .= " 
               " . ($i+1) . "
```

. \$details['lage'.\$i] . "
" . \$details['age'.\$i] . "
" . \$details['gender'.\$i] . "
" . \$details['nationality'.\$i] . "

" . \$details['idtype'.\$i] . "" . \$details['idno'.\$i] . "

CNF

";

<title>View Ticket</title>

<h1>Ticket</h1>

?>

<html>

</head> <body>

```
<h2>Ticket Details</h2>
Train No : 
   <?php echo $_SESSION['trainno']; ?>
 Train Name : 
   <?php echo $ SESSION['trainname']; ?>
 PNR No: 
   <?php echo $pnr; ?>
 Date of Booking: 
   <?php echo date("Y-m-d"); ?>
 Date of Journey: 
   <?php echo $ SESSION['datej']; ?>
 Day of Journey: 
   <?php
      $d = $ SESSION['weekday'];
      switch($d)
        case 1:
          echo "Monday";
          break;
        case 2:
          echo "Tuesday";
          break;
        case 3:
          echo "Wednesday";
          break;
        case 4:
          echo "Thursday";
          break;
        case 5:
          echo "Friday";
          break:
        case 6:
          echo "Saturday";
          break;
        case 7:
          echo "Sunday";
          break;
      }
     ?>
   From : 
   <?php echo $_SESSION['fromstn']; ?>
 To:
```

```
<?php echo $ SESSION['tostn']; ?>
     Number of Passengers : 
       <?php echo $_SESSION['numtickets'] ?>
     Class : 
       <?php echo $ SESSION['classtype'] ?>
     Total Fare : 
       <?php
          $fare = intval($_SESSION['price']);
          $numticket = intval($ SESSION['numtickets']);
          $totcost = $fare * $numticket;
          $ SESSION['totcost'] = $totcost;
          echo $totcost;
         ?>
       <h2>Passenger Details</h2>
   Slno.
       Name
       Age
       Gender
       Nationality
       ID type
       ID Card Number
       Ticket Status
     <?php echo $printval; ?>
   <form action="<?php $_SERVER['PHP_SELF'] ?>" method="post">
     <input type="submit" value="Exit">
   </form>
 </body>
</html>
<?php
 if($_SERVER['REQUEST_METHOD'] == 'POST')
   session unset();
   session destroy();
   header("location:home.html");
?>
```

# 7) Output

# Welcome to VRCTC Online Portal for Ticket Booking

Book Tickets

# **Journey Details**

From Station	Chennai
To Station	Madurai
Date	25/03/2020
	Submit

# **Train Selection**

Select	Train Number	Train Name
0	12635	Vaigai
Next	)	

# **Class Selection**

# 12635 - Vaigai

#### Select Class Type Avalible Seats Ticket Price

0	3a	98	700
0	gen	289	100
0	2s	1000	250

Enter the number of tickets needed: 2

Next

# **Enter Passenger Details**

Sno.	Name	Age	Gend	er	Nation	ality	ID type		ID Card Number
0	sumit	22	Male	0	Indian		Aadhaar Card	0	233344123312
1	harsha	33	Male	<b>\$</b>	Indian		Pan Card	0	SDFGP2345R
Next	1								

#### **Ticket**

#### **Ticket Details**

Train No: 12635
Train Name: Vaigai
PNR No: 14
Date of Booking: 2020-03-21

Date of Journey: 2020-03-25
Day of Journey: Thursday
From: Chennai
To: Madurai

Number of Passengers : 2 Class : 3a

Total Fare: 1400

#### Passenger Details

#### Slno. Name Age Gender Nationality ID type ID Card Number Ticket Status

1 sumit 22 male indian aadhaar card 233344123312 CNF 2 harsha 33 male indian pan card SDFGP2345R CNF

Exit

# 8) Database details

### A) Train:

<b>←</b> T	<b>→</b>		$\nabla$	trainno	trainname	from_station	to_station
	Edit	<b>≩</b> сору	Delete	12345	City Mail	Chennai	Bangalore
	@ Edit	<b>≩</b> сору	Delete	12635	Vaigai	Chennai	Madurai
	Edit	<b>≩-</b> Сору	Delete	12636	Pandian	Madurai	Chennai
		<b>≩</b> сору	Delete	16235	Tutricon	Madurai	Bangalore
	Edit	<b>≩</b> сору	Delete	16236	Mysore Express	Bangalore	Tutricon

### B) Coach:

trainno	classname	avalible	price
12635	3a	96	700
12635	gen	289	100
12635	2s	1000	250

# 9) Folder Organisation

