

ANDROID STATIC ANALYSIS REPORT



CenterWell Pharmacy (8.2.1)

File Name:	com.humana.pharmacy_2012111825.apk
Package Name:	com.humana.pharmacy
Scan Date:	Aug. 30, 2025, 10:05 p.m.
App Security Score:	59/100 (MEDIUM RISK)
Grade:	
Trackers Detection:	2/432

FINDINGS SEVERITY

ॠ HIGH	▲ MEDIUM	i INFO	✓ SECURE	◎ HOTSPOT
0	20	4	3	1

FILE INFORMATION

File Name: com.humana.pharmacy_2012111825.apk

Size: 50.74MB

MD5: abda432eced888693252da38a026a0a9

SHA1: 5eb387ccd2dea086618ac0e85cf7f8bc447cc5d4

SHA256: d088bdf16ff8a34a46a245ef6369341e3b89e738749170f7c427fb8ac1e94bde

i APP INFORMATION

App Name: CenterWell Pharmacy

Package Name: com.humana.pharmacy

Main Activity: com.humana.pharmacy.MainActivity

Target SDK: 34 Min SDK: 26 Max SDK:

Android Version Name: 8.2.1

Android Version Code: 2012111825

APP COMPONENTS

Activities: 9 Services: 15 Receivers: 17 Providers: 6

Exported Activities: 3
Exported Services: 2
Exported Receivers: 4
Exported Providers: 0

***** CERTIFICATE INFORMATION

Binary is signed v1 signature: False v2 signature: True v3 signature: True v4 signature: False

X.509 Subject: C=40202, ST=Kentucky, L=Louisville, O=Humana, OU=Mobile IT, CN=Trish Fulk

Signature Algorithm: rsassa_pkcs1v15 Valid From: 2016-04-25 19:25:32+00:00 Valid To: 2041-04-19 19:25:32+00:00

Issuer: C=40202, ST=Kentucky, L=Louisville, O=Humana, OU=Mobile IT, CN=Trish Fulk

Serial Number: 0x4660cf03 Hash Algorithm: sha256

md5: 256436f68300ae69d46bb19529afd34c

sha1: b8ea3590dd06268d47b55493bb9023147d9bd55e

sha256: 6c4df6821dfd64e2cd928853a54c6735f2537b9ed0f93b0b6ebc32e279205991

sha512: e3c2b5c0a4d0f4110d50a1a77d6dd5f1671ff75563b40c7ae0bc7a8ec657324de0bfdc9d8ef5b96920f732fdecc34c4adb29e53a6345bde3b657fb0d742b3513

PublicKey Algorithm: rsa

Bit Size: 2048

Fingerprint: 6f0803c15cd06d7bea0cdc049658ef74773739d788f74f16d11544e23c40bed4

Found 1 unique certificates

⋮ APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.INTERNET	normal	full Internet access	Allows an application to create network sockets.
android.permission.POST_NOTIFICATIONS	dangerous	allows an app to post notifications.	Allows an app to post notifications
android.permission.ACCESS_NETWORK_STATE	normal	view network status	Allows an application to view the status of all networks.
android.permission.ACCESS_WIFI_STATE	normal	view Wi-Fi status	Allows an application to view the information about the status of Wi-Fi.
android.permission.CAMERA	dangerous	take pictures and videos	Allows application to take pictures and videos with the camera. This allows the application to collect images that the camera is seeing at any time.
android.permission.USE_BIOMETRIC	normal	allows use of device- supported biometric modalities.	Allows an app to use device supported biometric modalities.
android.permission.RECEIVE_BOOT_COMPLETED	normal	automatically start at boot	Allows an application to start itself as soon as the system has finished booting. This can make it take longer to start the phone and allow the application to slow down the overall phone by always running.

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.USE_FINGERPRINT	normal	allow use of fingerprint	This constant was deprecated in API level 28. Applications should request USE_BIOMETRIC instead.
android.launcher.permission.INSTALL_SHORTCUT	normal	permits installation of shortcuts in Launcher.	Allows an application to install a shortcut in Launcher.
android.permission.SCHEDULE_EXACT_ALARM	normal	permits exact alarm scheduling for background work.	Allows an app to use exact alarm scheduling APIs to perform timing sensitive background work.
com.google.android.gms.permission.AD_ID	normal	application shows advertisements	This app uses a Google advertising ID and can possibly serve advertisements.
android.permission.VIBRATE	normal	control vibrator	Allows the application to control the vibrator.
android.permission.WAKE_LOCK	normal	prevent phone from sleeping	Allows an application to prevent the phone from going to sleep.
android.permission.RECORD_AUDIO	dangerous	record audio	Allows application to access the audio record path.
android.permission.WRITE_EXTERNAL_STORAGE	dangerous	read/modify/delete external storage contents	Allows an application to write to external storage.
android.permission.READ_EXTERNAL_STORAGE	dangerous	read external storage contents	Allows an application to read from external storage.

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.FOREGROUND_SERVICE	normal	enables regular apps to use Service.startForeground.	Allows a regular application to use Service.startForeground.
com.google.android.c2dm.permission.RECEIVE	normal	recieve push notifications	Allows an application to receive push notifications from cloud.
com.humana.pharmacy.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	unknown	Unknown permission	Unknown permission from android reference
com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE	normal	permission defined by google	A custom permission defined by Google.
com.sec.android.provider.badge.permission.READ	normal	show notification count on app	Show notification count or badge on application launch icon for samsung phones.
com.sec.android.provider.badge.permission.WRITE	normal	show notification count on app	Show notification count or badge on application launch icon for samsung phones.
com.htc.launcher.permission.READ_SETTINGS	normal	show notification count on app	Show notification count or badge on application launch icon for htc phones.
com.htc.launcher.permission.UPDATE_SHORTCUT	normal	show notification count on app	Show notification count or badge on application launch icon for htc phones.
com.sonyericsson.home.permission.BROADCAST_BADGE	normal	show notification count on app	Show notification count or badge on application launch icon for sony phones.

PERMISSION	STATUS	INFO	DESCRIPTION
com.sonymobile.home.permission.PROVIDER_INSERT_BADGE	normal	show notification count on app	Show notification count or badge on application launch icon for sony phones.
com.anddoes.launcher.permission.UPDATE_COUNT	normal	show notification count on app	Show notification count or badge on application launch icon for apex.
com.majeur.launcher.permission.UPDATE_BADGE	normal	show notification count on app	Show notification count or badge on application launch icon for solid.
com.huawei.android.launcher.permission.CHANGE_BADGE	normal	show notification count on app	Show notification count or badge on application launch icon for huawei phones.
com.huawei.android.launcher.permission.READ_SETTINGS	normal	show notification count on app	Show notification count or badge on application launch icon for huawei phones.
com.huawei.android.launcher.permission.WRITE_SETTINGS	normal	show notification count on app	Show notification count or badge on application launch icon for huawei phones.
android.permission.READ_APP_BADGE	normal	show app notification	Allows an application to show app icon badges.
com.oppo.launcher.permission.READ_SETTINGS	normal	show notification count on app	Show notification count or badge on application launch icon for oppo phones.
com.oppo.launcher.permission.WRITE_SETTINGS	normal	show notification count on app	Show notification count or badge on application launch icon for oppo phones.

PERMISSION	STATUS	INFO	DESCRIPTION
me.everything.badger.permission.BADGE_COUNT_READ	unknown	Unknown permission	Unknown permission from android reference
me.everything.badger.permission.BADGE_COUNT_WRITE	unknown	Unknown permission	Unknown permission from android reference

命 APKID ANALYSIS

FILE	DETAILS		
abda432eced888693252da38a026a0a9.apk	FINDINGS		DETAILS
	Anti-VM Code		possible VM check
	FINDINGS	DETA	ILS
classes.dex	Anti-VM Code	Build.M Build.M Build.Pl Build.H Build.T <i>i</i> networl	NGERPRINT check IODEL check IANUFACTURER check RODUCT check ARDWARE check AGS check k operator name check e VM check
	Compiler	r8 with	out marker (suspicious)

FILE	DETAILS			
	FINDINGS	DETAILS		
classes2.dex	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.HARDWARE check Build.BOARD check possible Build.SERIAL check Build.TAGS check network operator name check possible ro.secure check		
	Compiler	r8 without marker (suspicious)		
	FINDINGS	DETAILS		
classes3.dex	Anti-VM Code	Build.FINGERPRINT check Build.MANUFACTURER check Build.HARDWARE check possible Build.SERIAL check Build.TAGS check		
	Anti Debug Code	Debug.isDebuggerConnected() check		
	Compiler	r8 without marker (suspicious)		

FILE	DETAILS			
	FINDINGS	DETAILS		
	Anti-VM Code	Build.MANUFACTURER check		
classes4.dex	Compiler	r8 without marker (suspicious)		

BROWSABLE ACTIVITIES

ACTIVITY	INTENT
com.humana.pharmacy.MainActivity	Schemes: myhumana://, http://, https://, cwp://, com.humana.pharmacy://, Hosts: www., viewOrders, viewMedication, viewTransferRx, cwpappredirect, cwpappredirectqa,

△ NETWORK SECURITY

NO	SCOPE	SEVERITY	DESCRIPTION	
----	-------	----------	-------------	--

CERTIFICATE ANALYSIS

HIGH: 0 | WARNING: 0 | INFO: 1

TITLE	SEVERITY	DESCRIPTION
Signed Application	info	Application is signed with a code signing certificate

Q MANIFEST ANALYSIS

HIGH: 0 | WARNING: 10 | INFO: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	DESCRIPTION
1	App can be installed on a vulnerable Android version Android 8.0, minSdk=26]	warning	This application can be installed on an older version of android that has multiple vulnerabilities. Support an Android version => 10, API 29 to receive reasonable security updates.

NO	ISSUE	SEVERITY	DESCRIPTION
2	Broadcast Receiver (io.invertase.firebase.messaging.ReactNativeFirebaseMessagingReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.c2dm.permission.SEND [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

NO	ISSUE	SEVERITY	DESCRIPTION
3	Service (androidx.work.impl.background.systemjob.SystemJobService) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.BIND_JOB_SERVICE [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

NO	ISSUE	SEVERITY	DESCRIPTION
4	Broadcast Receiver (androidx.work.impl.diagnostics.DiagnosticsReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

NO	ISSUE	SEVERITY	DESCRIPTION
5	Broadcast Receiver (com.google.firebase.iid.FirebaseInstanceIdReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.c2dm.permission.SEND [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
6	Activity (com.verint.xm.sdk.predictive.tracker.app.invite.lnviteActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
7	Activity (com.verint.xm.sdk.predictive.tracker.app.survey.SurveyActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
8	Activity (com.verint.xm.sdk.predictive.com.verint.xm.sdk.surveymanagement.survey.SurveyManagementActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
9	Service (com.google.android.gms.auth.api.signin.RevocationBoundService) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.gms.auth.api.signin.permission.REVOCATION_NOTIFICATION [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

NO	ISSUE	SEVERITY	DESCRIPTION
10	Broadcast Receiver (androidx.profileinstaller.ProfileInstallReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

</> CODE ANALYSIS

HIGH: 0 | WARNING: 8 | INFO: 3 | SECURE: 2 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	STANDARDS	FILES
				com/airbnb/android/react/lottie/LottieAnimatio nViewPropertyManager.java com/airbnb/lottie/LottieAnimationView.java com/airbnb/lottie/PerformanceTracker.java com/airbnb/lottie/utils/LogcatLogger.java com/bumptech/glide/GeneratedAppGlideModul

NO	ISSUE	SEVERITY	STANDARDS	elmpl.java Fdh 5 Sumptech/glide/Glide.java com/bumptech/glide/disklrucache/DiskLruCach
				e.java com/bumptech/glide/gifdecoder/GifHeaderPars er.java com/bumptech/glide/gifdecoder/StandardGifDecoder.java com/bumptech/glide/integration/avif/AvifByteB ufferBitmapDecoder.java com/bumptech/glide/load/data/AssetPathFetch er.java com/bumptech/glide/load/data/HttpUrlFetcher.java com/bumptech/glide/load/data/LocalUriFetcher.java com/bumptech/glide/load/data/mediastore/Th umbFetcher.java com/bumptech/glide/load/data/mediastore/Th
				umbnailStreamOpener.java com/bumptech/glide/load/engine/DecodeJob.ja va com/bumptech/glide/load/engine/DecodePath. ava com/bumptech/glide/load/engine/Engine.java com/bumptech/glide/load/engine/GlideExcepti on.java com/bumptech/glide/load/engine/SourceGener
				ator.java com/bumptech/glide/load/engine/bitmap_recy le/LruArrayPool.java com/bumptech/glide/load/engine/bitmap_recy le/LruBitmapPool.java com/bumptech/glide/load/engine/cache/DiskLuuCacheWrapper.java com/bumptech/glide/load/engine/cache/MemorySizeCalculator.java com/bumptech/glide/load/engine/executor/Glide/vecutor.java
				com/bumptech/glide/load/engine/edeExecutor.java com/bumptech/glide/load/engine/edetineCompat.java

NO	ISSUE	SEVERITY	STANDARDS	com/bumptech/glide/load/engine/prefill/Bitma
				com/bumptech/glide/load/model/ByteBufferEn coder.java com/bumptech/glide/load/model/ByteBufferFil eLoader.java com/bumptech/glide/load/model/FileLoader.ja va com/bumptech/glide/load/model/ResourceLoa der.java com/bumptech/glide/load/model/StreamEncod er.java com/bumptech/glide/load/resource/DefaultOn HeaderDecodedListener.java com/bumptech/glide/load/resource/bitmap/Bit mapEncoder.java com/bumptech/glide/load/resource/bitmap/Bit mapImageDecoderResourceDecoder.java com/bumptech/glide/load/resource/bitmap/De faultImageHeaderParser.java com/bumptech/glide/load/resource/bitmap/Do wnsampler.java com/bumptech/glide/load/resource/bitmap/Dr awableToBitmapConverter.java com/bumptech/glide/load/resource/bitmap/Tra nsformationUtils.java com/bumptech/glide/load/resource/bitmap/Tra nsformationUtils.java com/bumptech/glide/load/resource/gif/ByteBuf ferGifDecoder.java com/bumptech/glide/load/resource/gif/GifDra wableEncoder.java com/bumptech/glide/load/resource/gif/Stream GifDecoder.java com/bumptech/glide/load/resource/gif/Stream GifDecoder.java com/bumptech/glide/load/resource/gif/Stream GifDecoder.java com/bumptech/glide/manager/DefaultConnecti vityMonitorFactory.java com/bumptech/glide/manager/RequestManage rFragment.java com/bumptech/glide/manager/RequestManage

rRetriever.java FILES com/bumptech/glide/manager/RequestTracker.
com/bumptech/glide/manager/SingletonConne ctivityReceiver.java com/bumptech/glide/manager/SupportRequest ManagerFragment.java com/bumptech/glide/module/ManifestParser.ja va com/bumptech/glide/request/SingleRequest.jav a com/bumptech/glide/request/target/CustomVie wTarget.java com/bumptech/glide/request/target/ViewTarget .java com/bumptech/glide/request/target/ViewTarget .java com/bumptech/glide/signature/ApplicationVers ionSignature.java com/bumptech/glide/util/ContentLengthInputSt ream.java com/bumptech/glide/util/Pool/FactoryPools.jav a com/caverock/androidsvg/CSSParser.java com/caverock/androidsvg/SVG.java com/caverock/androidsvg/SVGAndroidRendere r.java com/caverock/androidsvg/SVGAndroidRendere r.java com/caverock/androidsvg/SVGParser.java com/caverock/androidsvg/SVGParser.java com/caverock/androidsvg/SimpleAssetResolver .java com/dieam/reactnativepushnotification/helpers /ApplicationBadgeHelper.java com/dieam/reactnativepushnotification/modul es/RNPushNotification.java com/dieam/reactnativepushnotification/modul es/RNPushNotificationActions.java com/dieam/reactnativepushnotification/modul es/RNPushNotificationAttributes.java

NO	ISSUE	SEVERITY	STANDARDS	com/dieam/reactnativepushnotification/modul FILES es/RNPushNotificationHelper.java
				com/dieam/reactnativepushnotification/modul
				es/RNPushNotificationListenerService.java
				com/dieam/reactnativepushnotification/modul
				es/RNPushNotificationPicturesAggregator.java
				com/dieam/reactnativepushnotification/modul
				es/RNPushNotificationPublisher.java
				com/dieam/reactnativepushnotification/modul
				es/RNReceivedMessageHandler.java
				com/dynatrace/android/agent/util/Utility.java
				com/dynatrace/android/callback/HttpClientCall
				back.java
				com/emeraldsanto/encryptedstorage/RNEncryp
				tedStorageModule.java
				com/gantix/JailMonkey/AdbEnabled/AdbEnable
				d.java
				com/gantix/JailMonkey/MockLocation/MockLoc
				ationCheck.java
				com/github/penfeizhou/animation/FrameAnim
				ationDrawable.java
				com/github/penfeizhou/animation/apng/decod
				e/APNGDecoder.java
				com/github/penfeizhou/animation/decode/Fra
				meSeqDecoder.java
				com/henninghall/date_picker/DerivedData.java
				com/henninghall/date_picker/pickers/AndroidN
				ative.java
				com/horcrux/svg/Brush.java
				com/horcrux/svg/ClipPathView.java
				com/horcrux/svg/ImageView.java
				com/horcrux/svg/LinearGradientView.java
				com/horcrux/svg/PatternView.java
				com/horcrux/svg/RadialGradientView.java
				com/horcrux/svg/UseView.java
				com/horcrux/svg/VirtualView.java
				com/learnium/RNDeviceInfo/RNDeviceModule.j
				ava
				com/learnium/RNDeviceInfo/RNInstallReferrerC
				lient.java
				com/loarnium/PNDovicalnfo/rocolyar/Dovicald

NO	ISSUE	SEVERITY	STANDARDS	Fonfig ViewManager.java com/tealium/adobe/api/AdobeVisitorAPI.java
				com/tealium/core/Logger.java
l				com/tealium/react/TealiumReact.java
l				com/tealium/react/Utils.java
l				com/th3rdwave/safeareacontext/SafeAreaView.
l				java
l				com/verint/xm/react/CustomDigitalListener.jav
l				
ļ				a
l				com/verint/xm/react/CustomInviteListener.java
l				com/verint/xm/react/CustomVerintSDKListener.
l				java
l				com/verint/xm/sdk/common/Logging.java
l				com/verint/xm/sdk/common/configuration/Co
l				nfigurationLoader.java
l				com/verint/xm/sdk/internal/PredictiveFacade.ja
ļ				va
l				expo/modules/ExpoModulesPackage.java
l				expo/modules/adapters/react/services/UIMana
				gerModuleWrapper.java
				expo/modules/apploader/AppLoaderProvider.j
ļ				ava
				expo/modules/camera/next/CameraViewNextM
ļ				odule.java
l				expo/modules/camera/next/ExpoCameraView.j
ļ				ava
ļ				expo/modules/camera/next/analyzers/Barcode
ļ				Analyzer.java
l				expo/modules/constants/ConstantsService.java
l				expo/modules/constants/constantssetvice.java
l				·
ļ				d.java
				expo/modules/core/logging/OSLogHandler.java
ļ				expo/modules/filesystem/FileSystemModule\$d
				efinition\$1\$17\$1\$1.java
				expo/modules/filesystem/FileSystemModule\$d
				efinition\$1\$18\$1.java
				expo/modules/filesystem/FileSystemModule\$d
				efinition\$1\$19\$4.java
				expo/modules/filesystem/FileSystemModule\$d
ļ				ownloadResumableTask\$2.java

				expo/modules/filesystem/Filesystemiviodule.ja
NO	ISSUE	SEVERITY	STANDARDS	FALES expo/modules/image/ExpoImageView.java
				expo/modules/image/lmageViewWrapperTarg
				t.java
				expo/modules/image/ThumbnailRequestCoor
				natorExtensionKt.java
				expo/modules/image/events/GlideRequestLis ner.java
				expo/modules/notifications/badge/BadgeHel
				r.java
				expo/modules/notifications/notifications/Arg
				mentsNotificationContentBuilder.java
				expo/modules/notifications/notifications/JSO
				NotificationContentBuilder.java
				expo/modules/notifications/notifications/bac
				round/BackgroundRemoteNotificationTaskCo umer.java
				expo/modules/notifications/notifications/pre
				ntation/ExpoNotificationPresentationEffectsN
				nager.java
				expo/modules/notifications/notifications/pre
				ntation/builders/CategoryAwareNotificationB
				der.java
				expo/modules/notifications/notifications/pre
				ntation/builders/ChannelAwareNotificationBuder.java
				expo/modules/notifications/notifications/pre
				ntation/builders/ExpoNotificationBuilder.java
				expo/modules/notifications/serverregistratio
				nstallationId.java
				expo/modules/notifications/service/Notificat
				sService.java
				expo/modules/notifications/service/delegate
				xpoHandlingDelegate.java
				expo/modules/notifications/service/delegate
				xpoNotificationLifecycleListener.java
				expo/modules/notifications/service/delegate
				xpoPresentationDelegate.java
				expo/modules/notifications/service/delegates
				xpoSchedulingDelegate.java

	ICCLIE	CEVEDITY	CTANDARDS	io/invertase/firebase/app/ReactNativeFirebaseA
NO	ISSUE	SEVERITY	STANDARDS	io/invertase/firebase/app/ReactNativeFirebaseA
				ppModule.java
				io/invertase/firebase/common/RCTConvertFire
				base.java
				io/invertase/firebase/common/ReactNativeFire
				baseEventEmitter.java
				io/invertase/firebase/common/SharedUtils.java
				io/invertase/firebase/messaging/ReactNativeFir
				ebaseMessagingModule.java
				io/invertase/firebase/messaging/ReactNativeFir
				ebaseMessagingReceiver.java
				io/invertase/firebase/utils/ReactNativeFirebase
				UtilsModule.java
				me/leolin/shortcutbadger/ShortcutBadger.java
				net/time4j/android/ApplicationStarter.java
				net/time4j/base/ResourceLoader.java
				net/time4j/format/expert/ChronoFormatter.jav
				a
				net/time4j/format/expert/CustomizedProcessor
				.java
				net/time4j/format/expert/DecimalProcessor.jav
				a net/time4j/format/expert/FormatStep.java
				net/time4j/format/expert/FractionProcessor.jav
				a
				net/time4j/format/expert/lgnorableWhitespace
				Processor.java
				net/time4j/format/expert/lso8601Format.java
				net/time4j/format/expert/LiteralProcessor.java
				net/time4j/format/expert/LocalizedGMTProcess
				or.java
				net/time4j/format/expert/LookupProcessor.jav
				a
				net/time4j/format/expert/MultiFormatParser.ja
				va
				net/time4j/format/expert/NumberProcessor.jav
				a
				net/time4j/format/expert/OrdinalProcessor.jav
				a

NO	ISSUE	SEVERITY	STANDARDS	net/time4j/format/expert/SkipProcessor.java F性/ 拒 5 ne4j/format/expert/StyleProcessor.java net/time4j/format/expert/TextProcessor.java
				net/time4j/format/expert/TimezoneGenericPro cessor.java net/time4j/format/expert/TimezoneIDProcessor .java net/time4j/format/expert/TimezoneNameProce ssor.java net/time4j/format/expert/TimezoneOffsetProce ssor.java net/time4j/format/expert/TwoDigitYearProcess or.java net/time4j/format/expert/TwoDigitYearProcess or.java net/time4j/i18n/WeekdataProviderSPI.java net/time4j/tz/spi/ZoneNameProviderSPI.java
				com/bumptech/glide/load/Option.java com/bumptech/glide/load/engine/DataCacheKe y.java com/bumptech/glide/load/engine/EngineResou rce.java com/bumptech/glide/load/engine/ResourceCac heKey.java com/bumptech/glide/manager/RequestManage rRetriever.java com/dieam/reactnativepushnotification/modul es/RNPushNotificationHelper.java com/dynatrace/android/agent/events/eventsapi /EnrichmentAttribute.java com/dynatrace/android/agent/events/eventsapi /EnrichmentAttributesGenerator.java com/humana/pharmacy/BuildConfig.java com/onetrust/otpublishers/headless/Internal/H elper/k.java com/onetrust/otpublishers/headless/Internal/a. java com/onetrust/otpublishers/headless/Public/Key s/OTUXParamsKeys.java com/onetrust/otpublishers/headless/UI/DataM odels/d.java

NO	ISSUE	SEVERITY	STANDARDS	com/onetrust/otpublishers/headless/UI/UIProp EHyES java com/sslpublickeypinning/SslPublicKeyPinningM
2	Files may contain hardcoded sensitive information like usernames, passwords, keys etc.	warning	CWE: CWE-312: Cleartext Storage of Sensitive Information OWASP Top 10: M9: Reverse Engineering OWASP MASVS: MSTG-STORAGE-14	odule.java com/tealium/core/consent/TealiumConfigConse ntManagerKt.java com/tealium/core/persistence/e0.java com/tealium/core/persistence/i0.java com/tealium/core/settings/c.java com/tealium/react/Constants.java com/tealium/react/Constants.java com/verint/xm/sdk/common/environment/Envi ronment.java defpackage/CoreConstant.java expo/modules/adapters/react/NativeModulesPr oxy.java expo/modules/camera/next/tasks/ResolveTake nPictureKt.java expo/modules/camera/tasks/ResolveTakenPict ureAsyncTaskKt.java expo/modules/constants/ExponentInstallationI d.java expo/modules/interfaces/permissions/Permissi onsResponse.java expo/modules/interfaces/permissions/Permissi onsResponse.java expo/modules/notifications/notifications/JSON NotificationContentBuilder.java expo/modules/notifications/notificationTaskCons umer.java expo/modules/notifications/notificationTaskCons umer.java expo/modules/notifications/channels/serializers/Notifications/Channels/serializers/Notifications/Channels/serializers/Notifications/Channels/serializers/Notifications/ChannelSerializer.java expo/modules/notifications/notifications/prese ntation/builders/ExpoNotifications/permissions/Notifi

NO	ISSUE	SEVERITY	STANDARDS	cationPermissionsModuleKt.java Exhamonodules/notifications/serverregistration/l nstallationId.java
				expo/modules/notifications/service/Notification sService.java expo/modules/notifications/service/delegates/E xpoPresentationDelegate.java expo/modules/notifications/tokens/PushToken ModuleKt.java expo/modules/webbrowser/OpenBrowserOpti ons.java expo/modules/webbrowser/WebBrowserModu leKt.java io/invertase/firebase/common/TaskExecutorSer vice.java io/invertase/firebase/messaging/ReactNativeFir ebaseMessagingHeadlessService.java io/invertase/firebase/messaging/ReactNativeFir ebaseMessagingSerializer.java
3	This App may have root detection capabilities.	secure	OWASP MASVS: MSTG-RESILIENCE-1	net/time4j/tz/spi/WinZoneProviderSPI.java com/dynatrace/android/agent/RootDetector.jav a com/dynatrace/android/agent/events/eventsapi /EnrichmentAttributesGenerator.java com/dynatrace/android/agent/events/eventsapi /EventMetrics.java com/dynatrace/android/agent/metrics/Android Metrics.java com/gantix/JailMonkey/Rooted/GreaterThan23. java com/gantix/JailMonkey/Rooted/LessThan23.jav a com/scottyab/rootbeer/RootBeer.java expo/modules/device/DeviceModule.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
4	This App uses SSL certificate pinning to detect or prevent MITM attacks in secure communication channel.	secure	OWASP MASVS: MSTG-NETWORK-4	c/l.java com/dynatrace/android/agent/comm/ssl/Simpl eX509TrustManager.java com/onetrust/otpublishers/headless/Internal/H elper/j.java com/onetrust/otpublishers/headless/Internal/H elper/k.java com/onetrust/otpublishers/headless/Internal/H elper/n.java com/onetrust/otpublishers/headless/Internal/N etwork/ConsentUploadWorker.java com/onetrust/otpublishers/headless/Internal/N etwork/g.java com/onetrust/otpublishers/headless/Ul/fragme nt/v.java com/sslpublickeypinning/SslPublicKeyPinningM odule.java
5	App can read/write to External Storage. Any App can read data written to External Storage.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	com/learnium/RNDeviceInfo/RNDeviceModule.j ava com/reactnativecommunity/webview/RNCWeb ViewModuleImpl.java com/tealium/core/collection/DeviceCollector.ja va com/verint/xm/sdk/common/LaunchArgument sHelper.java io/invertase/firebase/utils/ReactNativeFirebase UtilsModule.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
6	The App uses an insecure Random Number Generator.	warning	CWE: CWE-330: Use of Insufficiently Random Values OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-6	com/apiguard3/internal/AGState.java com/apiguard3/internal/setLayerPaint.java com/apiguard3/internal/setVerticalScrollbarThu mbDrawable.java com/dynatrace/android/agent/data/RandomFac tory.java com/dynatrace/android/agent/data/Session.jav a com/verint/xm/sdk/common/b.java com/verint/xm/sdk/common/configuration/a.ja va com/verint/xm/sdk/common/utils/UserSamplin gSelection.java com/verint/xm/sdk/predictive/tracker/Notificati onWorker.java com/verint/xm/sdk/predictive/tracker/services/ a.java
7	This App may request root (Super User) privileges.	warning	CWE: CWE-250: Execution with Unnecessary Privileges OWASP MASVS: MSTG-RESILIENCE-1	com/gantix/JailMonkey/HookDetection/HookDe tectionCheck.java com/scottyab/rootbeer/Const.java
8	MD5 is a weak hash known to have hash collisions.	warning	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	com/airbnb/lottie/network/NetworkCache.java com/verint/xm/sdk/common/utils/Util.java expo/modules/filesystem/FileSystemModule.ja va
9	Insecure WebView Implementation. Execution of user controlled code in WebView is a critical Security Hole.	warning	CWE: CWE-749: Exposed Dangerous Method or Function OWASP Top 10: M1: Improper Platform Usage OWASP MASVS: MSTG-PLATFORM-7	com/dynatrace/android/agent/Dynatrace.java com/verint/xm/sdk/digital/view/DigitalActivity.j ava com/verint/xm/sdk/predictive/tracker/app/surv ey/SurveyActivity.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
10	App uses SQLite Database and execute raw SQL query. Untrusted user input in raw SQL queries can cause SQL Injection. Also sensitive information should be encrypted and written to the database.	warning	CWE: CWE-89: Improper Neutralization of Special Elements used in an SQL Command ('SQL Injection') OWASP Top 10: M7: Client Code Quality	com/dynatrace/android/agent/db/EventsDbHel per.java com/dynatrace/android/agent/db/ParmDbHelp er.java com/tealium/core/persistence/g0.java com/tealium/core/persistence/h.java com/verint/xm/sdk/common/eventLogging/per sistence/SQLPersister.java
11	This App copies data to clipboard. Sensitive data should not be copied to clipboard as other applications can access it.	info	OWASP MASVS: MSTG-STORAGE-10	com/onetrust/otpublishers/headless/UI/fragme nt/g.java
12	App can write to App Directory. Sensitive Information should be encrypted.	info	CWE: CWE-276: Incorrect Default Permissions OWASP MASVS: MSTG-STORAGE-14	com/verint/xm/sdk/PredictiveLaunchArgument sHelper.java expo/modules/adapters/react/permissions/Per missionsService.java expo/modules/constants/ExponentInstallationI d.java expo/modules/notifications/service/delegates/S haredPreferencesNotificationsStore.java
13	App creates temp file. Sensitive information should never be written into a temp file.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	com/reactnativecommunity/webview/RNCWeb ViewModuleImpl.java

■ NIAP ANALYSIS v1.3

NO IDENTIFIER REQUIREMENT FEATURE DESCRIPTION

BEHAVIOUR ANALYSIS

RULE ID	BEHAVIOUR	LABEL	FILES
00096	Connect to a URL and set request method	command network	com/airbnb/lottie/network/DefaultLottieNetworkFetcher.java com/tealium/adobe/api/network/HttpClient.java com/tealium/core/JsonLoader.java com/tealium/core/network/HttpClient.java com/tealium/remotecommanddispatcher/remotecommands/a.java com/verint/xm/sdk/common/network/d.java com/verint/xm/sdk/common/storyEngine/tasks/HttpAsyncTask.java com/verint/xm/sdk/predictive/tracker/tasks/HttpAsyncTask.java
00089	Connect to a URL and receive input stream from the server	command network	com/bumptech/glide/load/data/HttpUrlFetcher.java com/dynatrace/android/agent/comm/CommHandler.java com/tealium/adobe/api/network/HttpClient.java com/tealium/core/JsonLoader.java com/tealium/core/network/HttpClient.java com/tealium/remotecommanddispatcher/remotecommands/a.java com/verint/xm/sdk/common/network/MultipartUtility.java com/verint/xm/sdk/common/network/b.java com/verint/xm/sdk/common/network/d.java com/verint/xm/sdk/common/storyEngine/tasks/HttpAsyncTask.java com/verint/xm/sdk/predictive/tracker/tasks/HttpAsyncTask.java com/verint/xm/sdk/predictive/tracker/tasks/a.java

RULE ID	BEHAVIOUR	LABEL	FILES
00109	Connect to a URL and get the response code	network command	com/bumptech/glide/load/data/HttpUrlFetcher.java com/dynatrace/android/agent/comm/CommHandler.java com/tealium/core/JsonLoader.java com/tealium/core/network/HttpClient.java com/tealium/remotecommanddispatcher/remotecommands/a.java com/verint/xm/sdk/common/network/MultipartUtility.java com/verint/xm/sdk/common/network/b.java com/verint/xm/sdk/common/network/d.java com/verint/xm/sdk/common/storyEngine/tasks/HttpAsyncTask.java com/verint/xm/sdk/predictive/tracker/tasks/HttpAsyncTask.java com/verint/xm/sdk/predictive/tracker/tasks/a.java
00030	Connect to the remote server through the given URL	network	com/airbnb/lottie/network/DefaultLottieNetworkFetcher.java com/bumptech/glide/load/data/HttpUrlFetcher.java com/verint/xm/sdk/common/storyEngine/tasks/HttpAsyncTask.java com/verint/xm/sdk/predictive/tracker/tasks/HttpAsyncTask.java
00063	Implicit intent(view a web page, make a phone call, etc.)	control	com/dieam/reactnativepushnotification/modules/RNPushNotificationHelper.j ava com/humana/pharmacy/MainActivity.java com/verint/xm/sdk/common/utils/Util.java expo/modules/adapters/react/permissions/PermissionsService.java expo/modules/filesystem/FileSystemModule.java expo/modules/notifications/service/NotificationsService.java expo/modules/webbrowser/CustomTabsActivitiesHelperKt.java expo/modules/webbrowser/WebBrowserModule.java me/leolin/shortcutbadger/impl/OPPOHomeBader.java me/leolin/shortcutbadger/impl/SonyHomeBadger.java
00051	Implicit intent(view a web page, make a phone call, etc.) via setData	control	expo/modules/adapters/react/permissions/PermissionsService.java expo/modules/webbrowser/CustomTabsActivitiesHelperKt.java expo/modules/webbrowser/WebBrowserModule.java

RULE ID	BEHAVIOUR	LABEL	FILES
00078	Get the network operator name	collection telephony	com/dynatrace/android/agent/metrics/AndroidMetrics.java com/learnium/RNDeviceInfo/RNDeviceModule.java com/tealium/core/collection/ConnectivityCollector.java
00001	Initialize bitmap object and compress data (e.g. JPEG) into bitmap object	camera	expo/modules/camera/next/tasks/ResolveTakenPicture.java expo/modules/camera/tasks/ResolveTakenPictureAsyncTask.java
00159	Use accessibility service to perform action getting node info by text	accessibility service	com/henninghall/date_picker/generated/NumberPicker.java
00013	Read file and put it into a stream	file	com/airbnb/android/react/lottie/LottieAnimationViewPropertyManager.java com/airbnb/lottie/network/NetworkCache.java com/airbnb/lottie/network/NetworkFetcher.java com/apiguard3/internal/setContextClickable.java com/bumptech/glide/disklrucache/DiskLruCache.java com/bumptech/glide/load/ImageHeaderParserUtils.java com/bumptech/glide/load/model/FileLoader.java com/bumptech/glide/load/resource/bitmap/ImageReader.java com/github/penfeizhou/animation/apng/decode/APNGParser.java com/github/penfeizhou/animation/gif/decode/GifParser.java com/github/penfeizhou/animation/io/FileReader.java com/github/penfeizhou/animation/webp/decode/WebPParser.java com/github/penfeizhou/animation/webp/decode/WebPParser.java com/verint/xm/sdk/common/network/MultipartUtility.java expo/modules/core/logging/PersistentFileLog.java expo/modules/filesystem/FileSystemModule.java okio/Okio_JvmOkioKt.java
00062	Query WiFi information and WiFi Mac Address	wifi collection	com/learnium/RNDeviceInfo/RNDeviceModule.java
00038	Query the phone number	collection	com/learnium/RNDeviceInfo/RNDeviceModule.java

RULE ID	BEHAVIOUR	LABEL	FILES
00130	Get the current WIFI information	wifi collection	com/learnium/RNDeviceInfo/RNDeviceModule.java
00134	Get the current WiFi IP address	wifi collection	com/learnium/RNDeviceInfo/RNDeviceModule.java
00082	Get the current WiFi MAC address	collection wifi	com/learnium/RNDeviceInfo/RNDeviceModule.java
00094	Connect to a URL and read data from it	command network	com/apiguard3/internal/setContextClickable.java com/verint/xm/sdk/common/network/MultipartUtility.java net/time4j/tz/spi/TimezoneRepositoryProviderSPI.java
00108	Read the input stream from given URL	network command	com/verint/xm/sdk/common/network/MultipartUtility.java
00022	Open a file from given absolute path of the file	file	com/airbnb/lottie/LottieCompositionFactory.java com/airbnb/lottie/network/NetworkCache.java com/airbnb/lottie/network/NetworkFetcher.java com/apiguard3/internal/setFilterTouchesWhenObscured.java com/oblador/vectoricons/VectorlconsModuleImpl.java expo/modules/filesystem/FileSystemModule.java expo/modules/image/ExpoImageModule.java io/invertase/firebase/utils/ReactNativeFirebaseUtilsModule.java
00028	Read file from assets directory	file	com/caverock/androidsvg/SimpleAssetResolver.java
00132	Query The ISO country code	telephony collection	com/tealium/core/collection/ConnectivityCollector.java
00121	Create a directory	file command	expo/modules/filesystem/FileSystemModule.java
00024	Write file after Base64 decoding	reflection file	com/airbnb/lottie/LottieCompositionFactory.java expo/modules/filesystem/FileSystemModule.java

RULE ID	BEHAVIOUR	LABEL	FILES
00125	Check if the given file path exist	file	com/verint/xm/sdk/common/LaunchArgumentsHelper.java expo/modules/filesystem/FileSystemModule.java
00104	Check if the given path is directory	file	expo/modules/filesystem/FileSystemModule.java
00036	Get resource file from res/raw directory	reflection	com/dieam/reactnativepushnotification/modules/RNPushNotificationHelper.j ava com/onetrust/otpublishers/headless/Internal/c.java com/verint/xm/sdk/common/utils/Util.java expo/modules/adapters/react/permissions/PermissionsService.java expo/modules/filesystem/FileSystemModule.java expo/modules/image/records/SourceMap.java expo/modules/notifications/service/NotificationsService.java io/invertase/firebase/common/SharedUtils.java me/leolin/shortcutbadger/impl/EverythingMeHomeBadger.java me/leolin/shortcutbadger/impl/HuaweiHomeBadger.java me/leolin/shortcutbadger/impl/NovaHomeBadger.java me/leolin/shortcutbadger/impl/OPPOHomeBader.java me/leolin/shortcutbadger/impl/SamsungHomeBadger.java me/leolin/shortcutbadger/impl/SamsungHomeBadger.java
00091	Retrieve data from broadcast	collection	com/dieam/reactnativepushnotification/modules/RNPushNotification.java com/dieam/reactnativepushnotification/modules/RNPushNotificationPublishe r.java com/verint/xm/sdk/common/LaunchArgumentsHelper.java expo/modules/notifications/service/NotificationsService.java
00175	Get notification manager and cancel notifications	notification	com/dieam/reactnativepushnotification/modules/RNPushNotificationHelper.j ava expo/modules/notifications/badge/BadgeHelper.java expo/modules/notifications/service/delegates/ExpoPresentationDelegate.java
00153	Send binary data over HTTP	http	com/tealium/core/network/HttpClient.java

RULE ID	BEHAVIOUR	LABEL	FILES
00012	Read data and put it into a buffer stream	file	com/apiguard3/internal/setContextClickable.java
00189	Get the content of a SMS message	sms	me/leolin/shortcutbadger/impl/SamsungHomeBadger.java
00188	Get the address of a SMS message	sms	me/leolin/shortcutbadger/impl/SamsungHomeBadger.java
00011	Query data from URI (SMS, CALLLOGS)	sms calllog collection	me/leolin/shortcutbadger/impl/SamsungHomeBadger.java
00191	Get messages in the SMS inbox	sms	me/leolin/shortcutbadger/impl/SamsungHomeBadger.java
00200	Query data from the contact list	collection contact	me/leolin/shortcutbadger/impl/SamsungHomeBadger.java
00187	Query a URI and check the result	collection sms calllog calendar	me/leolin/shortcutbadger/impl/SamsungHomeBadger.java
00201	Query data from the call log	collection calllog	me/leolin/shortcutbadger/impl/SamsungHomeBadger.java
00077	Read sensitive data(SMS, CALLLOG, etc)	collection sms calllog calendar	com/bumptech/glide/load/data/mediastore/ThumbFetcher.java me/leolin/shortcutbadger/impl/SamsungHomeBadger.java
00163	Create new Socket and connecting to it	socket	com/verint/xm/sdk/common/storyEngine/tasks/HttpAsyncTask.java com/verint/xm/sdk/predictive/tracker/tasks/HttpAsyncTask.java
00005	Get absolute path of file and put it to JSON object	file	com/airbnb/lottie/LottieCompositionFactory.java
00004	Get filename and put it to JSON object	file collection	com/airbnb/lottie/LottieCompositionFactory.java

FIREBASE DATABASES ANALYSIS

TITLE	SEVERITY	DESCRIPTION
App talks to a Firebase database	info	The app talks to Firebase database at https://humanapharmacy-1316.firebaseio.com
Firebase Remote Config disabled	secure	Firebase Remote Config is disabled for https://firebaseremoteconfig.googleapis.com/v1/projects/984206957692/namespaces/firebase:fetch?key=AlzaSyClTYe-V8J5iVpT5MPyTHnFv2qglDpw4Y4. This is indicated by the response: {'state': 'NO_TEMPLATE'}

***: ::** ABUSED PERMISSIONS

TYPE	MATCHES	PERMISSIONS
Malware Permissions	10/25	android.permission.INTERNET, android.permission.ACCESS_NETWORK_STATE, android.permission.ACCESS_WIFI_STATE, android.permission.CAMERA, android.permission.RECEIVE_BOOT_COMPLETED, android.permission.VIBRATE, android.permission.WAKE_LOCK, android.permission.RECORD_AUDIO, android.permission.WRITE_EXTERNAL_STORAGE, android.permission.READ_EXTERNAL_STORAGE
Other Common Permissions	4/44	com.google.android.gms.permission.AD_ID, android.permission.FOREGROUND_SERVICE, com.google.android.c2dm.permission.RECEIVE, com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE

Malware Permissions:

Top permissions that are widely abused by known malware.

Other Common Permissions:

Permissions that are commonly abused by known malware.

• OFAC SANCTIONED COUNTRIES

This app may communicate with the following OFAC sanctioned list of countries.

DOMAIN	COUNTRY/REGION

Q DOMAIN MALWARE CHECK

DOMAIN	STATUS	GEOLOCATION
expo.dev	ok	IP: 104.18.5.104 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
gateway.foresee.com	ok	IP: 18.238.109.98 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
survey-stg.foresee.com	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
stg-analytics.foresee.com	ok	IP: 3.230.28.211 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map
analytics.foresee.com	ok	IP: 98.85.98.71 Country: United States of America Region: Washington City: Seattle Latitude: 47.606209 Longitude: -122.332069 View: Google Map
xml.org	ok	IP: 104.239.142.8 Country: United States of America Region: Texas City: Windcrest Latitude: 29.499678 Longitude: -98.399246 View: Google Map
www.w3.org	ok	IP: 104.18.22.19 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map

DOMAIN	STATUS	GEOLOCATION
github.com	ok	IP: 140.82.114.4 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
www.foresee.com	ok	IP: 23.185.0.3 Country: United States of America Region: California City: San Francisco Latitude: 37.792030 Longitude: -122.406853 View: Google Map
www.verint.com	ok	IP: 23.185.0.3 Country: United States of America Region: California City: San Francisco Latitude: 37.792030 Longitude: -122.406853 View: Google Map
tags.tiqcdn.com	ok	IP: 18.238.96.110 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map

DOMAIN	STATUS	GEOLOCATION
docs.swmansion.com	ok	IP: 172.67.142.188 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
stg-gateway.foresee.com	ok	IP: 18.238.96.51 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
hoover-eu.verint-api.com	ok	IP: 35.156.49.248 Country: Germany Region: Hessen City: Frankfurt am Main Latitude: 50.115520 Longitude: 8.684170 View: Google Map
collect.tealiumiq.com	ok	IP: 35.83.48.23 Country: United States of America Region: Oregon City: Portland Latitude: 45.523449 Longitude: -122.676208 View: Google Map

DOMAIN	STATUS	GEOLOCATION
developer.foresee.com	ok	IP: 52.70.206.228 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map
st.foresee.com	ok	No Geolocation information available.
geolocation.1trust.app	ok	IP: 104.18.36.7 Country: United States of America Region: Texas City: Dallas Latitude: 32.783058 Longitude: -96.806671 View: Google Map
stg-cx.foresee.com	ok	No Geolocation information available.
survey.foresee.com	ok	No Geolocation information available.
hoover-eu-stg.verint-api.com	ok	IP: 34.252.104.243 Country: Ireland Region: Dublin City: Dublin Latitude: 53.343990 Longitude: -6.267190 View: Google Map

DOMAIN	STATUS	GEOLOCATION
hoover.foresee.com	ok	IP: 52.202.249.233 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map
stg-cxsurvey.foresee.com	ok	No Geolocation information available.
cxsurvey.foresee.com	ok	No Geolocation information available.
services-edge.foresee.com	ok	IP: 54.156.68.125 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map
cx.foresee.com	ok	IP: 18.238.96.24 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map

DOMAIN	STATUS	GEOLOCATION
cagf-dt.humana.com	ok	IP: 205.145.80.187 Country: United States of America Region: Kentucky City: Louisville Latitude: 38.252769 Longitude: -85.751556 View: Google Map
visitor-service.tealiumiq.com	ok	IP: 52.32.4.156 Country: United States of America Region: Oregon City: Portland Latitude: 45.523449 Longitude: -122.676208 View: Google Map
s.foresee.com	ok	IP: 18.238.96.31 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
humanapharmacy-1316.firebaseio.com	ok	IP: 34.120.160.131 Country: United States of America Region: Missouri City: Kansas City Latitude: 39.099731 Longitude: -94.578568 View: Google Map

DOMAIN	STATUS	GEOLOCATION
mobile-data.onetrust.io	ok	IP: 104.18.32.25 Country: United States of America Region: Texas City: Dallas Latitude: 32.783058 Longitude: -96.806671 View: Google Map
xmlpull.org	ok	IP: 185.199.109.153 Country: United States of America Region: Pennsylvania City: California Latitude: 40.065632 Longitude: -79.891708 View: Google Map
shopify.github.io	ok	IP: 185.199.110.153 Country: United States of America Region: Pennsylvania City: California Latitude: 40.065632 Longitude: -79.891708 View: Google Map
cookies2-ds.dev.otdev.org	ok	No Geolocation information available.
stg-hoover.foresee.com	ok	IP: 3.212.86.107 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map

DOMAIN	STATUS	GEOLOCATION
services-edge-stg.foresee.com	ok	IP: 54.243.236.204 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map

EMAILS

EMAIL	FILE
name@domain.com	Android String Resource

** TRACKERS

TRACKER	CATEGORIES	URL
Dynatrace	Analytics	https://reports.exodus-privacy.eu.org/trackers/137
Tealium	Analytics	https://reports.exodus-privacy.eu.org/trackers/32



POSSIBLE SECRETS
"firebase_database_url" : "https://humanapharmacy-1316.firebaseio.com"
"google_api_key" : "AlzaSyClTYe-V8J5iVpT5MPyTHnFv2qglDpw4Y4"
"google_crash_reporting_api_key" : "AlzaSyClTYe-V8J5iVpT5MPyTHnFv2qglDpw4Y4"
11839296a789a3bc0045c8a5fb42c7d1bd998f54449579b446817afbd17273e662c97ee72995ef42640c550b9013fad0761353c7086a272c24088be94769fd16650
16a09e667f3bcc908b2fb1366ea957d3e3adec17512775099da2f590b0667322a
68647976601306097149819007990813932172694353001433054093944634591855431833976560521225596406614545549772963113914808580371219879997166 43812574028291115057151
258EAFA5-E914-47DA-95CA-C5AB0DC85B11
4fe342e2fe1a7f9b8ee7eb4a7c0f9e162bce33576b315ececbb6406837bf51f5
ChNjb20uYW5kcm9pZC52ZW5kaW5nCiBjb20uZ29vZ2xlLmFuZHJvaWQuYXBwcy5tZWV0aW5ncwohY29tLmdvb2dsZS5hbmRyb2lkLmFwcHMubWVzc2FnaW5n
39402006196394479212279040100143613805079739270465446667946905279627659399113263569398956308152294913554433653942643
5ac635d8aa3a93e7b3ebbd55769886bc651d06b0cc53b0f63bce3c3e27d2604b
c6858e06b70404e9cd9e3ecb662395b4429c648139053fb521f828af606b4d3dbaa14b5e77efe75928fe1dc127a2ffa8de3348b3c1856a429bf97e7e31c2e5bd66
3617de4a96262c6f5d9e98bf9292dc29f8f41dbd289a147ce9da3113b5f0b8c00a60b1ce1d7e819d7a431d7c90ea0e5f
b3312fa7e23ee7e4988e056be3f82d19181d9c6efe8141120314088f5013875ac656398d8a2ed19d2a85c8edd3ec2aef
39402006196394479212279040100143613805079739270465446667948293404245721771496870329047266088258938001861606973112319

POSSIBLE SECRETS

aa87ca22be8b05378eb1c71ef320ad746e1d3b628ba79b9859f741e082542a385502f25dbf55296c3a545e3872760ab7

051953eb9618e1c9a1f929a21a0b68540eea2da725b99b315f3b8b489918ef109e156193951ec7e937b1652c0bd3bb1bf073573df883d2c34f1ef451fd46b503f00

01360240043788015936020505

115792089210356248762697446949407573530086143415290314195533631308867097853951

d3610855-748f-4365-9bb1-f036451fac27

3071c8717539de5d5353f4c8cd59a032

7d73d21f1bd82c9e5268b6dcf9fde2cb

68647976601306097149819007990813932172694353001433054093944634591855431833976553942450577463332171975329639963713633211138647686124403 80340372808892707005449

b5972162-1c03-4a5c-825a-5ddd587208c7

6b17d1f2e12c4247f8bce6e563a440f277037d812deb33a0f4a13945d898c296

115792089210356248762697446949407573529996955224135760342422259061068512044369

> PLAYSTORE INFORMATION

Title: CenterWell Pharmacy

Score: 3.920297 Installs: 500,000+ Price: 0 Android Version Support: Category: Health & Fitness Play Store URL: com.humana.pharmacy

Developer Details: Humana Inc., 8169543994509222984, None, http://www.centerwellpharmacy.com, MobileDevelopers@centerwell.com,

Release Date: Apr 28, 2016 Privacy Policy: Privacy link

Description:

The new CenterWell Pharmacy™ mobile app makes it easier to keep track of your prescriptions. The new app has the same easy-to-use features, plus upcoming features focused on you. 1. Simplified refill ordering 2. Easy prescription transfers 3. Check your order's status at a glance ✓ COMPLETE MEDICATION LIST Stay organized with a full list of all your prescriptions filled at CenterWell Pharmacy, including those you no longer need and medication for your dependents. ✓ QUICK REFILLS Easily refill your prescriptions as soon as you sign in, straight from your home screen. ✓ PRESCRIPTION DETAILS View important details about your prescriptions, such as available refill dates, doctor information, images of your meds, and related educational videos. ✓ ORDER STATUS Know where your order is once it's processed with color-coded order status messages. ✓ SHIPMENT TRACKING Track shipments once they're shipped to estimate when your medication will arrive. ✓ SNAP-TO-FILL Submit a photo of your current prescription label to easily fill your prescription at CenterWell Pharmacy. ✓ TRANSFERS Quickly transfer your current prescriptions to CenterWell Pharmacy by viewing your prescription drug claims information from Humana. ✓ SPECIALTY MEDICATIONS Request a refill of an existing CenterWell Specialty Pharmacy™ prescription and order it at the same time as all your other medication. ✓ AUTO-REFILLS Automatically receive your next set of refills so you're sure to have your medication on time. NOTE: auto-refills are not available for Medicare customers. ✓ PAYMENT OPTIONS Change or update your credit card information and make payments securely from the app. ✓ PREFERENCES Set or update your preferences, such as how you want to be communicated (by phone, email or text) or if you'd like to receive an alert when your total charge is over your price limit. ✓ SHOP PRODUCTS Shop over-the-counter (OTC) products with the Health and Wellness credit that may be part of your Humana member benefit. NOTE: available to Medicare customers only. Download t

∷ SCAN LOGS

Timestamp	Event	Error
2025-08-30 22:05:02	Generating Hashes	ОК
2025-08-30 22:05:02	Extracting APK	ОК
2025-08-30 22:05:02	Unzipping	ОК
2025-08-30 22:05:04	Parsing APK with androguard	ОК

2025-08-30 22:05:04	Extracting APK features using aapt/aapt2	ОК
2025-08-30 22:05:04	Getting Hardcoded Certificates/Keystores	ОК
2025-08-30 22:05:06	Parsing AndroidManifest.xml	ОК
2025-08-30 22:05:06	Extracting Manifest Data	ОК
2025-08-30 22:05:06	Manifest Analysis Started	ОК
2025-08-30 22:05:06	Performing Static Analysis on: CenterWell Pharmacy (com.humana.pharmacy)	ОК
2025-08-30 22:05:07	Fetching Details from Play Store: com.humana.pharmacy	ОК
2025-08-30 22:05:07	Checking for Malware Permissions	ОК
2025-08-30 22:05:07	Fetching icon path	ОК
2025-08-30 22:05:07	Library Binary Analysis Started	ОК
2025-08-30 22:05:07	Reading Code Signing Certificate	ОК

2025-08-30 22:05:08	Running APKiD 2.1.5	ОК
2025-08-30 22:05:14	Detecting Trackers	ОК
2025-08-30 22:05:19	Decompiling APK to Java with JADX	
2025-08-30 22:05:43	Converting DEX to Smali	ОК
2025-08-30 22:05:43	Code Analysis Started on - java_source	ОК
2025-08-30 22:05:49	Android SBOM Analysis Completed	ОК
2025-08-30 22:06:02	Android SAST Completed	ОК
2025-08-30 22:06:02	Android API Analysis Started	OK
2025-08-30 22:06:14	Android API Analysis Completed	OK
2025-08-30 22:06:14	Android Permission Mapping Started	
2025-08-30 22:06:26	Android Permission Mapping Completed	

2025-08-30 22:06:27	Android Behaviour Analysis Started	
2025-08-30 22:06:41	Android Behaviour Analysis Completed	ОК
2025-08-30 22:06:41	Extracting Emails and URLs from Source Code	
2025-08-30 22:06:44	Email and URL Extraction Completed	OK
2025-08-30 22:06:44	Extracting String data from APK	OK
2025-08-30 22:06:44	Extracting String data from Code	ОК
2025-08-30 22:06:44	Extracting String values and entropies from Code	ОК
2025-08-30 22:06:49	Performing Malware check on extracted domains	ОК
2025-08-30 22:06:52	Saving to Database	ОК

Report Generated by - MobSF v4.4.0 $\,$

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

© 2025 Mobile Security Framework - MobSF | Ajin Abraham | OpenSecurity.