



ANDROID STATIC ANALYSIS REPORT

 MyBenefits2GO (1.1.0)


File Name: com.usi.ebmobile_47414.apk

Package Name: com.usi.ebmobile

Scan Date: Sept. 1, 2025, 11:07 a.m.






App Security Score: 50/100 (MEDIUM RISK)

Grade:



Trackers Detection: 3/432

FINDINGS SEVERITY

|  HIGH |  MEDIUM |  INFO |  SECURE |  HOTSPOT |
|--|--|--|--|---|
| 1 | 25 | 2 | 1 | 1 |

FILE INFORMATION

File Name: com.usi.ebmobile_47414.apk

Size: 22.18MB

MD5: b05e0a10bc1d69eac37131690536cef3

SHA1: 54a0dc4c1c3c99d8b49f155e0468679bb0cc1498

SHA256: 23372e1246a2d3f368c7e7628460485bd8949af5262fcd4bdaa9404401d7e6e6

APP INFORMATION

App Name: MyBenefits2GO

Package Name: com.usi.ebmobile

Main Activity: com.usi.ebmobile.ui.SplashActivity

Target SDK: 34

Min SDK: 28

Max SDK:

Android Version Name: 1.1.0

Android Version Code: 47414

APP COMPONENTS

Activities: 18

Services: 11

Receivers: 14

Providers: 3

Exported Activities: 7

Exported Services: 1

Exported Receivers: 7

Exported Providers: 0

CERTIFICATE INFORMATION

Binary is signed

v1 signature: False

v2 signature: False

v3 signature: True

v4 signature: False

X.509 Subject: C=US, ST=California, L=Mountain View, O=Google Inc., OU=Android, CN=Android

Signature Algorithm: rsassa_pkcs1v15

Valid From: 2021-05-13 22:45:03+00:00

Valid To: 2051-05-13 22:45:03+00:00

Issuer: C=US, ST=California, L=Mountain View, O=Google Inc., OU=Android, CN=Android

Serial Number: 0xc6028306cc6cec2e9ab6e9e0188e0333c021e2ed

Hash Algorithm: sha256

md5: 7300fbf8816d7c7fe8536a2ab2077126

sha1: f835b9953e677ba2f24f2356d436a5c2011577e9

sha256: ad4e6f4f9e619f770be38413c38b8241765d167487609a921d2b370a427d9c11

sha512: 2bf04b2027f8e7a5c679b14f407bb2a8598c3b2b866c2d8c098e1522cf6ca5f90ddc152de286e7061f029e925dde484dae36c917c75d4121ec9f36108518e9d1

PublicKey Algorithm: rsa

Bit Size: 4096

Fingerprint: 96153a0c0bb77b4d1c247f10bc1aa8a14f8e9706f5bc6744766bd288ee06879b

Found 1 unique certificates

≡ APPLICATION PERMISSIONS

| PERMISSION | STATUS | INFO | DESCRIPTION |
|--|-----------|--|--|
| android.permission.INTERNET | normal | full Internet access | Allows an application to create network sockets. |
| android.permission.ACCESS_WIFI_STATE | normal | view Wi-Fi status | Allows an application to view the information about the status of Wi-Fi. |
| android.permission.READ_EXTERNAL_STORAGE | dangerous | read external storage contents | Allows an application to read from external storage. |
| android.permission.CALL_PHONE | dangerous | directly call phone numbers | Allows the application to call phone numbers without your intervention. Malicious applications may cause unexpected calls on your phone bill. Note that this does not allow the application to call emergency numbers. |
| android.permission.WRITE_EXTERNAL_STORAGE | dangerous | read/modify/delete external storage contents | Allows an application to write to external storage. |
| android.permission.ACCESS_NETWORK_STATE | normal | view network status | Allows an application to view the status of all networks. |
| com.usi.ebmobile.permission.C2D_MESSAGE | unknown | Unknown permission | Unknown permission from android reference |
| android.permission.POST_NOTIFICATIONS | dangerous | allows an app to post notifications. | Allows an app to post notifications |
| com.google.android.c2dm.permission.RECEIVE | normal | recieve push notifications | Allows an application to receive push notifications from cloud. |

| PERMISSION | STATUS | INFO | DESCRIPTION |
|--|--------|--------------------------------|---|
| android.permission.WAKE_LOCK | normal | prevent phone from sleeping | Allows an application to prevent the phone from going to sleep. |
| android.permission.VIBRATE | normal | control vibrator | Allows the application to control the vibrator. |
| android.permission.RECEIVE_BOOT_COMPLETED | normal | automatically start at boot | Allows an application to start itself as soon as the system has finished booting. This can make it take longer to start the phone and allow the application to slow down the overall phone by always running. |
| com.sec.android.provider.badge.permission.READ | normal | show notification count on app | Show notification count or badge on application launch icon for samsung phones. |
| com.sec.android.provider.badge.permission.WRITE | normal | show notification count on app | Show notification count or badge on application launch icon for samsung phones. |
| com.htc.launcher.permission.READ_SETTINGS | normal | show notification count on app | Show notification count or badge on application launch icon for htc phones. |
| com.htc.launcher.permission.UPDATE_SHORTCUT | normal | show notification count on app | Show notification count or badge on application launch icon for htc phones. |
| com.sonyericsson.home.permission.BROADCAST_BADGE | normal | show notification count on app | Show notification count or badge on application launch icon for sony phones. |
| com.sonymobile.home.permission.PROVIDER_INSERT_BADGE | normal | show notification count on app | Show notification count or badge on application launch icon for sony phones. |
| com.anddoes.launcher.permission.UPDATE_COUNT | normal | show notification count on app | Show notification count or badge on application launch icon for apex. |

| PERMISSION | STATUS | INFO | DESCRIPTION |
|---|---------|--|--|
| com.majeur.launcher.permission.UPDATE_BADGE | normal | show notification count on app | Show notification count or badge on application launch icon for solid. |
| com.huawei.android.launcher.permission.CHANGE_BADGE | normal | show notification count on app | Show notification count or badge on application launch icon for huawei phones. |
| com.huawei.android.launcher.permission.READ_SETTINGS | normal | show notification count on app | Show notification count or badge on application launch icon for huawei phones. |
| com.huawei.android.launcher.permission.WRITE_SETTINGS | normal | show notification count on app | Show notification count or badge on application launch icon for huawei phones. |
| android.permission.READ_APP_BADGE | normal | show app notification | Allows an application to show app icon badges. |
| com.oppo.launcher.permission.READ_SETTINGS | normal | show notification count on app | Show notification count or badge on application launch icon for oppo phones. |
| com.oppo.launcher.permission.WRITE_SETTINGS | normal | show notification count on app | Show notification count or badge on application launch icon for oppo phones. |
| me.everything.badger.permission.BADGE_COUNT_READ | unknown | Unknown permission | Unknown permission from android reference |
| me.everything.badger.permission.BADGE_COUNT_WRITE | unknown | Unknown permission | Unknown permission from android reference |
| android.permission.FOREGROUND_SERVICE | normal | enables regular apps to use Service.startForeground. | Allows a regular application to use Service.startForeground. |
| com.usi.ebmobile.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION | unknown | Unknown permission | Unknown permission from android reference |

APKID ANALYSIS

| FILE | DETAILS | |
|--------------|--------------|---|
| classes.dex | FINDINGS | DETAILS |
| | yara_issue | yara issue - dex file recognized by apkid but not yara module |
| | Anti-VM Code | Build.FINGERPRINT check Build.MANUFACTURER check |
| | Compiler | unknown (please file detection issue!) |
| classes2.dex | FINDINGS | DETAILS |
| | yara_issue | yara issue - dex file recognized by apkid but not yara module |
| | Anti-VM Code | Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check network operator name check |
| | Compiler | unknown (please file detection issue!) |

NETWORK SECURITY

| NO | SCOPE | SEVERITY | DESCRIPTION |
|----|-------|----------|-------------|
|----|-------|----------|-------------|

CERTIFICATE ANALYSIS

HIGH: 0 | WARNING: 0 | INFO: 1

| TITLE | SEVERITY | DESCRIPTION |
|--------------------|----------|---|
| Signed Application | info | Application is signed with a code signing certificate |

MANIFEST ANALYSIS

HIGH: 0 | WARNING: 17 | INFO: 0 | SUPPRESSED: 0

| NO | ISSUE | SEVERITY | DESCRIPTION |
|----|---|----------|--|
| 1 | App can be installed on a vulnerable Android version Android 9, minSdk=28] | warning | This application can be installed on an older version of android that has multiple vulnerabilities. Support an Android version => 10, API 29 to receive reasonable security updates. |
| 2 | Activity (com.usi.ebmobile.ui.OutageActivity) is not Protected. [android:exported=true] | warning | An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. |
| 3 | Activity (com.usi.ebmobile.ui.ErrorActivity) is not Protected. [android:exported=true] | warning | An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. |
| 4 | Activity (com.usi.ebmobile.ui.InvalidAccessCodeLaunchActivity) is not Protected. [android:exported=true] | warning | An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. |

| NO | ISSUE | SEVERITY | DESCRIPTION |
|----|---|----------|--|
| 5 | Activity (com.usi.ebmobile.ui.FatalErrorActivity) is not Protected. [android:exported=true] | warning | An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. |
| 6 | Broadcast Receiver (com.onesignal.FCMBroadcastReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.c2dm.permission.SEND [android:exported=true] | warning | A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission. |
| 7 | Activity (com.onesignal.NotificationOpenedActivityHMS) is not Protected. [android:exported=true] | warning | An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. |
| 8 | Broadcast Receiver (com.onesignal.NotificationDismissReceiver) is not Protected. [android:exported=true] | warning | A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. |
| 9 | Broadcast Receiver (com.onesignal.BootUpReceiver) is not Protected. [android:exported=true] | warning | A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. |
| 10 | Broadcast Receiver (com.onesignal.UpgradeReceiver) is not Protected. [android:exported=true] | warning | A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. |
| 11 | Activity (com.onesignal.NotificationOpenedReceiver) is not Protected. [android:exported=true] | warning | An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. |

| NO | ISSUE | SEVERITY | DESCRIPTION |
|----|--|----------|--|
| 12 | Activity (com.onesignal.NotificationOpenedReceiverAndroid22AndOlder) is not Protected. [android:exported=true] | warning | An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. |
| 13 | Broadcast Receiver (com.google.firebase.iid.FirebaseInstanceIdReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.c2dm.permission.SEND [android:exported=true] | warning | A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission. |
| 14 | Service (androidx.work.impl.background.systemjob.SystemJobService) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.BIND_JOB_SERVICE [android:exported=true] | warning | A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission. |
| 15 | Broadcast Receiver (androidx.work.impl.diagnostics.DiagnosticsReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true] | warning | A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission. |

| NO | ISSUE | SEVERITY | DESCRIPTION |
|----|--|----------|--|
| 16 | Broadcast Receiver (androidx.profileinstaller.ProfileInstallReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true] | warning | A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission. |
| 17 | High Intent Priority (999) - {1} Hit(s) [android:priority] | warning | By setting an intent priority higher than another intent, the app effectively overrides other requests. |

</> CODE ANALYSIS

HIGH: 1 | WARNING: 6 | INFO: 2 | SECURE: 1 | SUPPRESSED: 0

| NO | ISSUE | SEVERITY | STANDARDS | FILES |
|----|-------|----------|-----------|---|
| | | | | com/bumptech/glide/Glide.java com/bumptech/glide/disklruCache/DiskLruCache.java com/bumptech/glide/gifdecoder/GifHeaderParser.java com/bumptech/glide/gifdecoder/StandardGifDecoder.java com/bumptech/glide/load/data/AssetPathFetcher.java com/bumptech/glide/load/data/HttpUrlFetcher.java com/bumptech/glide/load/data/LocalUriFetcher.java com/bumptech/glide/load/data/mediastore/ThumbFetcher.java |

| NO | ISSUE | SEVERITY | STANDARDS | FILES |
|----|-------|----------|-----------|---|
| | | | | <div>ThumbnailFetcher.java</div> <div>com/bumptechnology/load/data/mediastore/ThumbnailStreamOpener.java</div> <div>com/bumptechnology/load/engine/DecodeJob.java</div> <div>com/bumptechnology/load/engine/DecodePath.java</div> <div>com/bumptechnology/load/engine/Engine.java</div> <div>com/bumptechnology/load/engine/GlideException.java</div> <div>com/bumptechnology/load/engine/SourceGenerator.java</div> <div>com/bumptechnology/load/engine/bitmap_recycle/LruArrayPool.java</div> <div>com/bumptechnology/load/engine/bitmap_recycle/LruBitmapPool.java</div> <div>com/bumptechnology/load/engine/cache/DiskLruCacheWrapper.java</div> <div>com/bumptechnology/load/engine/cache/MemorySizeCalculator.java</div> <div>com/bumptechnology/load/engine/executor/GlideExecutor.java</div> <div>com/bumptechnology/load/engine/executor/RuntimeCompat.java</div> <div>com/bumptechnology/load/engine/prefill/BitmapPreFillRunner.java</div> <div>com/bumptechnology/load/model/ByteBufferEncoder.java</div> <div>com/bumptechnology/load/model/ByteBufferFileLoader.java</div> <div>com/bumptechnology/load/model/FileLoader.java</div> <div>com/bumptechnology/load/model/ResourceLoader.java</div> <div>com/bumptechnology/load/model/StreamEncoder.java</div> <div>com/bumptechnology/load/resource/ImageDecoderResourceDecoder.java</div> <div>com/bumptechnology/load/resource/bitmap/BitmapEncoder.java</div> |

| NO | ISSUE | SEVERITY | STANDARDS | FILES |
|----|-------|----------|-----------|---|
| | | | | com/bumptech/glide/load/resource/bitmap/BitmapImageDecoderResourceDecoder.java com/bumptech/glide/load/resource/bitmap/DefaultImageHeaderParser.java com/bumptech/glide/load/resource/bitmap/Downsampler.java com/bumptech/glide/load/resource/bitmap/DrawableToBitmapConverter.java com/bumptech/glide/load/resource/bitmap/HardwareConfigState.java com/bumptech/glide/load/resource/bitmap/TransformationUtils.java com/bumptech/glide/load/resource/bitmap/VideoDecoder.java com/bumptech/glide/load/resource/gif/ByteBufferGifDecoder.java com/bumptech/glide/load/resource/gif/GifDrawableEncoder.java com/bumptech/glide/load/resource/gif/StreamGifDecoder.java com/bumptech/glide/manager/DefaultConnectivityMonitor.java com/bumptech/glide/manager/DefaultConnectivityMonitorFactory.java com/bumptech/glide/manager/RequestManagerFragment.java com/bumptech/glide/manager/RequestManagerRetriever.java com/bumptech/glide/manager/RequestTracker.java com/bumptech/glide/manager/SupportRequestManagerFragment.java com/bumptech/glide/module/ManifestParser.java com/bumptech/glide/request/SingleRequest.java com/bumptech/glide/request/target/CustomViewTarget.java com/bumptech/glide/request/target/ViewTarget.java |

| NO | ISSUE | SEVERITY | STANDARDS | FILES |
|----|---|----------|---|--|
| 1 | The App logs information. Sensitive information should never be logged. | info | CWE: CWE-532: Insertion of Sensitive Information into Log File OWASP MASVS: MSTG-STORAGE-3 | com/bumptech/glide/signature/ApplicationVersionSignature.java com/bumptech/glide/util/ContentLengthInputStream.java com/bumptech/glide/util/pool/FactoryPool.java com/microsoft/appcenter/AbstractAppCenterService.java com/microsoft/appcenter/AppCenter.java com/microsoft/appcenter/Constants.java com/microsoft/appcenter/CustomProperties.java com/microsoft/appcenter/Flags.java com/microsoft/appcenter/ServiceInstrumentationUtils.java com/microsoft/appcenter/UncaughtExceptionHandler.java com/microsoft/appcenter/analytics/Analytics.java com/microsoft/appcenter/analytics/AnalyticsTransmissionTarget.java com/microsoft/appcenter/analytics/AuthenticationProvider.java com/microsoft/appcenter/analytics/EventProperties.java com/microsoft/appcenter/analytics/channel/AnalyticsValidator.java com/microsoft/appcenter/analytics/channel/SessionTracker.java com/microsoft/appcenter/analytics/ingestion/models/EventLog.java com/microsoft/appcenter/analytics/ingestion/models/json/EventLogFactory.java com/microsoft/appcenter/channel/DefaultChannel.java com/microsoft/appcenter/channel/OneCollectorChannelListener.java com/microsoft/appcenter/crashes/Crashes.java com/microsoft/appcenter/crashes/WrapperSdkExceptionHandler |

| NO | ISSUE | SEVERITY | STANDARDS | FILES |
|----|-------|----------|-----------|--|
| | | | | <div>com/microsoft/appcenter/crashes/ingestio</div> <div>n/models/AbstractErrorLog.java</div> <div>com/microsoft/appcenter/crashes/ingestio</div> <div>n/models/ErrorAttachmentLog.java</div> <div>com/microsoft/appcenter/crashes/ingestio</div> <div>n/models/HandledErrorLog.java</div> <div>com/microsoft/appcenter/crashes/ingestio</div> <div>n/models/ManagedErrorLog.java</div> <div>com/microsoft/appcenter/crashes/utils/Err</div> <div>orLogHelper.java</div> <div>com/microsoft/appcenter/http/AbstractApp</div> <div>CallTemplate.java</div> <div>com/microsoft/appcenter/http/DefaultHttp</div> <div>Client.java</div> <div>com/microsoft/appcenter/http/DefaultHttp</div> <div>ClientCallTask.java</div> <div>com/microsoft/appcenter/http/HttpClientN</div> <div>etworkStateHandler.java</div> <div>com/microsoft/appcenter/http/HttpClientR</div> <div>etryer.java</div> <div>com/microsoft/appcenter/ingestion/OneCo</div> <div>llectorIngestion.java</div> <div>com/microsoft/appcenter/ingestion/model</div> <div>s/AbstractLog.java</div> <div>com/microsoft/appcenter/ingestion/model</div> <div>s/one/CommonSchemaDataUtils.java</div> <div>com/microsoft/appcenter/ingestion/model</div> <div>s/one/CommonSchemaLog.java</div> <div>com/microsoft/appcenter/ingestion/model</div> <div>s/one/PartAUtils.java</div> <div>com/microsoft/appcenter/persistence/Data</div> <div>basePersistence.java</div> <div>com/microsoft/appcenter/utils/AppCenterL</div> <div>og.java</div> <div>com/microsoft/appcenter/utils/AsyncTaskU</div> <div>tils.java</div> <div>com/microsoft/appcenter/utils/DeviceInfoH</div> <div>elper.java</div> <div>com/microsoft/appcenter/utils/IdHelper.jav</div> <div>a</div> <div>com/microsoft/appcenter/utils/NetworkSta</div> |

| NO | ISSUE | SEVERITY | STANDARDS | FILES |
|----|-------|----------|-----------|---|
| | | | | teHelper.java com/microsoft/appcenter/utils/context/SessionContext.java com/microsoft/appcenter/utils/context/Use rIdContext.java com/microsoft/appcenter/utils/crypto/Cryp toUtils.java com/microsoft/appcenter/utils/storage/Dat abaseManager.java com/microsoft/appcenter/utils/storage/File Manager.java com/onesignal/AndroidSupportV4Compat.j ava com/onesignal/JobIntentService.java com/onesignal/OneSignal.java com/onesignal/shortcutbadger/ShortcutBa dger.java com/rajat/pdfviewer/PdfDownloader\$dow nload\$2.java com/rajat/pdfviewer/PdfRendererCore\$writ eBitmapToCache\$1.java com/rajat/pdfviewer/PdfRendererCore.java com/rajat/pdfviewer/PdfViewerActivity.java com/usi/ebmobile/adapter/DeletePlanDetai lsAdapter.java com/usi/ebmobile/adapter/MessageAdapte r.java com/usi/ebmobile/api/ApiApp.java com/usi/ebmobile/bl/AccessCodeManager.j ava com/usi/ebmobile/bl/UserDeviceManager.j ava com/usi/ebmobile/db/AccessCodeReposito ry.java com/usi/ebmobile/db/DatabaseHelper.java com/usi/ebmobile/db/FavoriteRepository.j ava com/usi/ebmobile/db/IDCardRepository.jav a com/usi/ebmobile/db/MessageRepository.j ava |

| NO | ISSUE | SEVERITY | STANDARDS | FILES |
|----|---|----------|--|---|
| | | | | com/usi/ebmobile/db/UserRepository.java com/usi/ebmobile/ui/RegistrationActivity\$oRegister\$1.java com/usi/ebmobile/ui/RegistrationActivity.java com/usi/ebmobile/util/EBMobileLifecycleObserver.java com/usi/ebmobile/util/ExceptionHandler.java com/usi/ebmobile/util/ScaleImage.java |
| 2 | Files may contain hardcoded sensitive information like usernames. | warning | CWE: CWE-312: Cleartext Storage of Sensitive Information OWASP Top 10: M09: Reverse Engineering | com/bumptech/glide/load/Option.java com/bumptech/glide/load/engine/DataCacheKey.java com/bumptech/glide/load/engine/EngineResource.java com/bumptech/glide/load/engine/ResourceCacheKey.java com/bumptech/glide/manager/RequestManagerRetriever.java com/microsoft/appcenter/AppCenter.java com/microsoft/appcenter/Constants.java com/microsoft/appcenter/channel/DefaultChannel.java com/microsoft/appcenter/http/DefaultHttpClient.java com/microsoft/appcenter/ingestion/OneCollectorIngestion.java com/microsoft/appcenter/ingestion/models/WrapperSdk.java com/microsoft/appcenter/ingestion/models/one/CommonSchemaLog.java com/microsoft/appcenter/persistence/DatabasePersistence.java com/microsoft/appcenter/utils/context/SessionContext.java com/microsoft/appcenter/utils/storage/DatabaseManager.java com/onesignal/FCMBroadcastReceiver.java com/onesignal/NotificationBundleProcesso |

| NO | passwords, keys etc. ISSUE | SEVERITY | OWASP Top 10: MD: Reverse Engineering OWASP MASVS: MSTG-STORAGE-14 STANDARDS | r.java FILES com/onesignal/OSEmailSubscriptionState.java |
|----|---|----------|--|--|
| | | | | com/onesignal/OSInAppMessageController.java com/onesignal/OSInAppMessageLocationPrompt.java com/onesignal/OSInAppMessagePrompt.java com/onesignal/OSInAppMessagePushPrompt.java com/onesignal/OSInAppMessageRepository.java com/onesignal/OSNotification.java com/onesignal/OSNotificationController.java com/onesignal/OSPermissionState.java com/onesignal/OSSMSSubscriptionState.java com/onesignal/OSSubscriptionState.java com/onesignal/OneSignalHmsEventBridge.java com/onesignal/OneSignalNotificationManager.java com/onesignal/OneSignalRemoteParams.java com/onesignal/UserState.java com/onesignal/UserStateSynchronizer.java com/onesignal/WebViewManager.java |

| NO | ISSUE | SEVERITY | STANDARDS | FILES |
|----|--|----------|--|---|
| 3 | App uses SQLite Database and execute raw SQL query. Untrusted user input in raw SQL queries can cause SQL Injection. Also sensitive information should be encrypted and written to the database. | warning | CWE: CWE-89: Improper Neutralization of Special Elements used in an SQL Command ('SQL Injection') OWASP Top 10: M7: Client Code Quality | com/microsoft/appcenter/persistence/Data basePersistence.java com/microsoft/appcenter/utils/storage/Dat abaseManager.java com/onesignal/OneSignalDbHelper.java com/onesignal/outcomes/data/OSOutcome TableProvider.java com/usi/ebmobile/db/AccessCodeReposito ry.java com/usi/ebmobile/db/DatabaseHelper.java com/usi/ebmobile/db/FavoriteRepository.j ava com/usi/ebmobile/db/IDCardRepository.jav a com/usi/ebmobile/db/MessageRepository.j ava com/usi/ebmobile/db/UserRepository.java |
| 4 | App can read/write to External Storage. Any App can read data written to External Storage. | warning | CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2 | com/rajat/pdfviewer/PdfViewerActivity.java com/rajat/pdfviewer/util/FileUtils.java com/usi/ebmobile/util/FileHelper.java |
| 5 | This App uses SQL Cipher. Ensure that secrets are not hardcoded in code. | info | OWASP MASVS: MSTG-CRYPTO-1 | com/microsoft/appcenter/utils/storage/Dat abaseManager.java |
| 6 | This App uses SSL certificate pinning to detect or prevent MITM attacks in secure communication channel. | secure | OWASP MASVS: MSTG-NETWORK-4 | com/usi/ebmobile/api/ApiApp.java com/usi/ebmobile/api/ApiBase.java |
| 7 | Insecure WebView Implementation. Execution of user controlled code in WebView is a critical Security Hole. | warning | CWE: CWE-749: Exposed Dangerous Method or Function OWASP Top 10: M1: Improper Platform Usage OWASP MASVS: MSTG-PLATFORM-7 | com/onesignal/WebViewManager.java |

| NO | ISSUE | SEVERITY | STANDARDS | FILES |
|----|--|----------|--|--|
| 8 | Remote WebView debugging is enabled. | high | CWE: CWE-919: Weaknesses in Mobile Applications OWASP Top 10: M1: Improper Platform Usage OWASP MASVS: MSTG-RESILIENCE-2 | com/onesignal/WebViewManager.java |
| 9 | The App uses an insecure Random Number Generator. | warning | CWE: CWE-330: Use of Insufficiently Random Values OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-6 | com/microsoft/appcenter/http/HttpClientRetriever.java com/onesignal/OSUtils.java |
| 10 | App creates temp file. Sensitive information should never be written into a temp file. | warning | CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2 | com/rajat/pdfviewer/PdfDownloader\$download\$2.java com/rajat/pdfviewer/util/FileUtils.java |

NIAP ANALYSIS v1.3

| NO | IDENTIFIER | REQUIREMENT | FEATURE | DESCRIPTION |
|----|------------|-------------|---------|-------------|
|----|------------|-------------|---------|-------------|

BEHAVIOUR ANALYSIS

| RULE ID | BEHAVIOUR | LABEL | FILES |
|---------|-----------|-------|-------|
|---------|-----------|-------|-------|

| RULE ID | BEHAVIOUR | LABEL | FILES |
|---------|---|---------|---|
| 00063 | Implicit intent(view a web page, make a phone call, etc.) | control | com/onesignal/NavigateToAndroidSettingsForLocation.java com/onesignal/OSUtils.java com/onesignal/shortcutbadger/impl/OPPOHomeBader.java com/onesignal/shortcutbadger/impl/SonyHomeBadger.java com/rajat/pdfviewer/PdfViewerActivity.java com/usi/ebmobile/adapter/DeleteHomeAdapter.java com/usi/ebmobile/adapter/DeletePlanDetailDocAdapter.java com/usi/ebmobile/adapter/DeletePlanDetailsAdapter.java com/usi/ebmobile/adapter/FavoriteAdapter.java com/usi/ebmobile/adapter/ResourceDocAdapter.java com/usi/ebmobile/adapter/ResourceItemAdapter.java |
| 00022 | Open a file from given absolute path of the file | file | com/microsoft/appcenter/crashes/Crashes.java com/microsoft/appcenter/crashes/Utils/ErrorHandler.java com/microsoft/appcenter/Utils/storage/FileManager.java com/rajat/pdfviewer/PdfDownloader\$download\$2.java com/rajat/pdfviewer/PdfDownloader.java com/rajat/pdfviewer/Util/CacheManager.java com/usi/ebmobile/Util/ImageHelper.java |
| 00013 | Read file and put it into a stream | file | com/bumptech/glide/disklruCache/DiskLruCache.java com/bumptech/glide/load/ImageHeaderParserUtils.java com/bumptech/glide/load/Model/FileLoader.java com/microsoft/appcenter/Utils/storage/FileManager.java com/rajat/pdfviewer/PdfViewerActivity.java com/usi/ebmobile/Util/ImageHelper.java okio/Okio.java |
| 00051 | Implicit intent(view a web page, make a phone call, etc.) via setData | control | com/onesignal/NavigateToAndroidSettingsForLocation.java com/onesignal/OSUtils.java com/usi/ebmobile/adapter/DeletePlanDetailsAdapter.java com/usi/ebmobile/adapter/FavoriteAdapter.java com/usi/ebmobile/adapter/ResourceItemAdapter.java |

| RULE ID | BEHAVIOUR | LABEL | FILES |
|---------|--|------------|---|
| 00036 | Get resource file from res/raw directory | reflection | com/onesignal/NavigateToAndroidSettingsForLocation.java com/onesignal/OSUtils.java com/onesignal/shortcutbadger/impl/EverythingMeHomeBadger.java com/onesignal/shortcutbadger/impl/HuaweiHomeBadger.java com/onesignal/shortcutbadger/impl/NovaHomeBadger.java com/onesignal/shortcutbadger/impl/OPPOHomeBader.java com/onesignal/shortcutbadger/impl/SamsungHomeBadger.java com/onesignal/shortcutbadger/impl/SonyHomeBadger.java |
| 00091 | Retrieve data from broadcast | collection | com/onesignal/BundleCompatBundle.java com/onesignal/FCMBroadcastReceiver.java com/onesignal/OSNotificationFormatHelper.java com/onesignal/PermissionsActivity.java com/rajat/pdfviewer/PdfViewerActivity.java |
| 00009 | Put data in cursor to JSON object | file | com/onesignal/GenerateNotification.java com/onesignal/NotificationBundleProcessor.java com/onesignal/NotificationOpenedProcessor.java com/onesignal/NotificationSummaryManager.java com/onesignal/OSInAppMessageRepository.java |
| 00202 | Make a phone call | control | com/usi/ebmobile/adapter/DeletePlanDetailsAdapter.java com/usi/ebmobile/adapter/FavoriteAdapter.java com/usi/ebmobile/adapter/ResourceItemAdapter.java |
| 00203 | Put a phone number into an intent | control | com/usi/ebmobile/adapter/DeletePlanDetailsAdapter.java com/usi/ebmobile/adapter/FavoriteAdapter.java com/usi/ebmobile/adapter/ResourceItemAdapter.java |
| 00189 | Get the content of a SMS message | sms | com/onesignal/shortcutbadger/impl/SamsungHomeBadger.java |
| 00188 | Get the address of a SMS message | sms | com/onesignal/shortcutbadger/impl/SamsungHomeBadger.java |

| RULE ID | BEHAVIOUR | LABEL | FILES |
|---------|---|--------------------------------|---|
| 00011 | Query data from URI (SMS, CALLLOGS) | sms callog collection | com/onesignal/shortcutbadger/impl/SamsungHomeBadger.java |
| 00191 | Get messages in the SMS inbox | sms | com/onesignal/shortcutbadger/impl/SamsungHomeBadger.java |
| 00200 | Query data from the contact list | collection contact | com/onesignal/shortcutbadger/impl/SamsungHomeBadger.java |
| 00187 | Query a URI and check the result | collection sms callog calendar | com/onesignal/shortcutbadger/impl/SamsungHomeBadger.java |
| 00201 | Query data from the call log | collection callog | com/onesignal/shortcutbadger/impl/SamsungHomeBadger.java |
| 00077 | Read sensitive data(SMS, CALLLOG, etc) | collection sms callog calendar | com/bumptech/glide/load/data/mediastore/ThumbFetcher.java com/onesignal/shortcutbadger/impl/SamsungHomeBadger.java |
| 00112 | Get the date of the calendar event | collection calendar | com/usi/ebmobile/util/CommonMethods.java |
| 00096 | Connect to a URL and set request method | command network | com/onesignal/OneSignalRestClient.java |
| 00089 | Connect to a URL and receive input stream from the server | command network | com/bumptech/glide/load/data/HttpUrlFetcher.java com/onesignal/OneSignalRestClient.java |
| 00109 | Connect to a URL and get the response code | network command | com/bumptech/glide/load/data/HttpUrlFetcher.java com/onesignal/OneSignalRestClient.java |
| 00177 | Check if permission is granted and request it | permission | com/onesignal/AndroidSupportV4Compat.java |
| 00092 | Send broadcast | command | com/onesignal/NotificationOpenedProcessor.java |

| RULE ID | BEHAVIOUR | LABEL | FILES |
|---------|---|----------------------|---|
| 00078 | Get the network operator name | collection telephony | com/microsoft/appcenter/utils/DeviceInfoHelper.java com/onesignal/OSUtils.java |
| 00030 | Connect to the remote server through the given URL | network | com/bumptech/glide/load/data/HttpUrlFetcher.java |
| 00005 | Get absolute path of file and put it to JSON object | file | com/microsoft/appcenter/crashes/utils/ErrorLogHelper.java |
| 00004 | Get filename and put it to JSON object | file collection | com/microsoft/appcenter/crashes/utils/ErrorLogHelper.java |
| 00132 | Query The ISO country code | telephony collection | com/microsoft/appcenter/utils/DeviceInfoHelper.java |

ABUSED PERMISSIONS

| TYPE | MATCHES | PERMISSIONS |
|--------------------------|---------|--|
| Malware Permissions | 8/25 | android.permission.INTERNET, android.permission.ACCESS_WIFI_STATE, android.permission.READ_EXTERNAL_STORAGE, android.permission.WRITE_EXTERNAL_STORAGE, android.permission.ACCESS_NETWORK_STATE, android.permission.WAKE_LOCK, android.permission.VIBRATE, android.permission.RECEIVE_BOOT_COMPLETED |
| Other Common Permissions | 3/44 | android.permission.CALL_PHONE, com.google.android.c2dm.permission.RECEIVE, android.permission.FOREGROUND_SERVICE |

Malware Permissions:

Top permissions that are widely abused by known malware.

Other Common Permissions:

Permissions that are commonly abused by known malware.

! OFAC SANCTIONED COUNTRIES

This app may communicate with the following OFAC sanctioned list of countries.

| DOMAIN | COUNTRY/REGION |
|--------|----------------|
|--------|----------------|

DOMAIN MALWARE CHECK

| DOMAIN | STATUS | GEOLOCATION |
|-----------------|--------|--|
| in.appcenter.ms | ok | IP: 4.152.45.235 Country: United States of America Region: Washington City: Redmond Latitude: 47.682899 Longitude: -122.120903 View: Google Map |
| www.usi.com | ok | IP: 104.18.38.147 Country: United States of America Region: Texas City: Dallas Latitude: 32.783058 Longitude: -96.806671 View: Google Map |

| DOMAIN | STATUS | GEOLOCATION |
|----------------------------------|--------|--|
| api-ebmobile.usi.com | ok | IP: 139.60.216.205 Country: United States of America Region: Pennsylvania City: Philadelphia Latitude: 39.869377 Longitude: -75.286438 View: Google Map |
| mobile.events.data.microsoft.com | ok | IP: 20.42.65.93 Country: United States of America Region: Virginia City: Washington Latitude: 38.713451 Longitude: -78.159439 View: Google Map |
| api.onesignal.com | ok | IP: 104.17.111.223 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map |

TRACKERS

| TRACKER | CATEGORIES | URL |
|--|------------|---|
| Microsoft Visual Studio App Center Analytics | Analytics | https://reports.exodus-privacy.eu.org/trackers/243 |

| TRACKER | CATEGORIES | URL |
|--|-----------------|---|
| Microsoft Visual Studio App Center Crashes | Crash reporting | https://reports.exodus-privacy.eu.org/trackers/238 |
| OneSignal | | https://reports.exodus-privacy.eu.org/trackers/193 |

HARDCODED SECRETS

| POSSIBLE SECRETS |
|--------------------------------------|
| c682b8144a8dd52bc1ad63 |
| c103703e120ae8cc73c9248622f3cd1e |
| f5d0fb83-af6d-4c64-a01e-81b2100ac5a3 |
| 258EAF5-E914-47DA-95CA-C5AB0DC85B11 |
| 2869d05c-596e-4766-ad5b-f0edf1c10dcc |
| 5eb5a37e-b458-11e3-ac11-000c2940e62c |
| 49f946663a8deb7054212b8adda248c6 |
| b2f7f966-d8cc-11e4-bed1-df8f05be55ba |

PLAYSTORE INFORMATION

Title: MyBenefits2GO

Score: 4.1666665 **Installs:** 10,000+ **Price:** 0 **Android Version Support:** **Category:** Medical **Play Store URL:** [com.usi.ebmobile](https://play.google.com/store/apps/details?id=com.usi.ebmobile)

Developer Details: USI, USI, None, <https://www.usi.com/contact-us/>, EBolutions@usi.com,

Release Date: Nov 8, 2021 **Privacy Policy:** [Privacy link](#)

Description:

USI MyBenefits2GO gives you access to your employer benefit information from the convenience of your mobile device. Download the app and register with the access code provided by your employer. Once signed in, your important benefit details are at your fingertips. • Access key details about your benefits • View, save and send digital copies of your insurance cards • Easily find group ID number, plan summaries and other helpful information • Contact your insurance providers with a push of a button • Get reminders for open enrollment and wellness dates

☰ SCAN LOGS

| Timestamp | Event | Error |
|---------------------|--|-------|
| 2025-09-01 11:07:09 | Generating Hashes | OK |
| 2025-09-01 11:07:09 | Extracting APK | OK |
| 2025-09-01 11:07:09 | Unzipping | OK |
| 2025-09-01 11:07:09 | Parsing APK with androguard | OK |
| 2025-09-01 11:07:09 | Extracting APK features using aapt/aapt2 | OK |

| | | |
|---------------------|---|----|
| 2025-09-01 11:07:09 | Getting Hardcoded Certificates/Keystores | OK |
| 2025-09-01 11:07:12 | Parsing AndroidManifest.xml | OK |
| 2025-09-01 11:07:12 | Extracting Manifest Data | OK |
| 2025-09-01 11:07:12 | Manifest Analysis Started | OK |
| 2025-09-01 11:07:12 | Performing Static Analysis on: MyBenefits2GO (com.usi.ebmobile) | OK |
| 2025-09-01 11:07:13 | Fetching Details from Play Store: com.usi.ebmobile | OK |
| 2025-09-01 11:07:15 | Checking for Malware Permissions | OK |
| 2025-09-01 11:07:15 | Fetching icon path | OK |
| 2025-09-01 11:07:16 | Library Binary Analysis Started | OK |
| 2025-09-01 11:07:16 | Reading Code Signing Certificate | OK |
| 2025-09-01 11:07:16 | Running APKiD 2.1.5 | OK |

| | | |
|---------------------|--|----|
| 2025-09-01 11:07:18 | Detecting Trackers | OK |
| 2025-09-01 11:07:20 | Decompiling APK to Java with JADX | OK |
| 2025-09-01 11:07:36 | Converting DEX to Smali | OK |
| 2025-09-01 11:07:36 | Code Analysis Started on - java_source | OK |
| 2025-09-01 11:07:37 | Android SBOM Analysis Completed | OK |
| 2025-09-01 11:07:42 | Android SAST Completed | OK |
| 2025-09-01 11:07:42 | Android API Analysis Started | OK |
| 2025-09-01 11:07:45 | Android API Analysis Completed | OK |
| 2025-09-01 11:07:46 | Android Permission Mapping Started | OK |
| 2025-09-01 11:07:49 | Android Permission Mapping Completed | OK |
| 2025-09-01 11:07:49 | Android Behaviour Analysis Started | OK |

| | | |
|---------------------|--|----|
| 2025-09-01 11:07:53 | Android Behaviour Analysis Completed | OK |
| 2025-09-01 11:07:53 | Extracting Emails and URLs from Source Code | OK |
| 2025-09-01 11:07:54 | Email and URL Extraction Completed | OK |
| 2025-09-01 11:07:54 | Extracting String data from APK | OK |
| 2025-09-01 11:07:55 | Extracting String data from Code | OK |
| 2025-09-01 11:07:55 | Extracting String values and entropies from Code | OK |
| 2025-09-01 11:07:57 | Performing Malware check on extracted domains | OK |
| 2025-09-01 11:07:58 | Saving to Database | OK |

Report Generated by - MobSF v4.4.0

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

© 2025 Mobile Security Framework - MobSF | [Ajin Abraham](#) | [OpenSecurity](#).