

ANDROID STATIC ANALYSIS REPORT



Strong Vibes (1.1.6)

File Name:	io.timberapps.strongvibes_22.apk
Package Name:	io.timberapps.strongvibes
Scan Date:	Sept. 1, 2025, 2 p.m.
App Security Score:	52/100 (MEDIUM RISK)
Grade:	
Trackers Detection:	4/432

FINDINGS SEVERITY

飛 HIGH	▲ MEDIUM	i INFO	✓ SECURE	Q HOTSPOT
3	22	3	3	1

FILE INFORMATION

File Name: io.timberapps.strongvibes_22.apk

Size: 17.04MB

MD5: 76b8179503e4f9c23f53f33a2cf384a2

SHA1: d8580a6274f8a99b73f35688060095c058d1ae86

SHA256: 5dea42fcd92e68d6222baa698116a5c3fbee79e07089f6b1e64edf1b4264fc3b

i APP INFORMATION

App Name: Strong Vibes

Package Name: io.timberapps.strongvibes

Main Activity: io.timberapps.strongvibes.MainActivity

Target SDK: 34 Min SDK: 24 Max SDK:

Android Version Name: 1.1.6

EE APP COMPONENTS

Activities: 25 Services: 16 Receivers: 20 Providers: 7

Exported Activities: 0 Exported Services: 1 Exported Receivers: 8 Exported Providers: 0

***** CERTIFICATE INFORMATION

Binary is signed v1 signature: False v2 signature: True v3 signature: True v4 signature: False

X.509 Subject: C=US, ST=California, L=Mountain View, O=Google Inc., OU=Android, CN=Android

Signature Algorithm: rsassa_pkcs1v15 Valid From: 2023-06-27 09:13:50+00:00 Valid To: 2053-06-27 09:13:50+00:00

Issuer: C=US, ST=California, L=Mountain View, O=Google Inc., OU=Android, CN=Android

Serial Number: 0xf30f586e1e312d150c0a76388a9ef51830dcbdd

Hash Algorithm: sha256

md5: 788f3f7b45aac5dc32c6b5a95af237d8

sha1: 83fcfd5a89daeaf93609623ce71b7bb65b898d89

sha256: 1d539f57a5444eb2763bba423a94c484b76505a32fbbf4109019f962b88546c2

sha512: 8a194233e7312971c145fdac45c6182963f82b640038384a64860af3aacd26be8b9e7206c47465d263ca00e14054876ea59f32bfe9bede1527076127d432f687

PublicKey Algorithm: rsa

Bit Size: 4096

Fingerprint: a4c1a5fa0d6f7dfec3ac740e2b86ce1926b5f40c2a6232b643fd5016606975ef

Found 1 unique certificates

⋮ APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.ACCESS_COARSE_LOCATION	dangerous	coarse (network-based) location	Access coarse location sources, such as the mobile network database, to determine an approximate phone location, where available. Malicious applications can use this to determine approximately where you are.
android.permission.ACCESS_FINE_LOCATION	dangerous	fine (GPS) location	Access fine location sources, such as the Global Positioning System on the phone, where available. Malicious applications can use this to determine where you are and may consume additional battery power.
android.permission.BLUETOOTH	normal	create Bluetooth connections	Allows applications to connect to paired bluetooth devices.
android.permission.BLUETOOTH_ADMIN	normal	bluetooth administration	Allows applications to discover and pair bluetooth devices.
android.permission.BLUETOOTH_ADVERTISE	dangerous	required to advertise to nearby Bluetooth devices.	Required to be able to advertise to nearby Bluetooth devices.
android.permission.BLUETOOTH_CONNECT	dangerous	necessary for connecting to paired Bluetooth devices.	Required to be able to connect to paired Bluetooth devices.

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.BLUETOOTH_SCAN	dangerous	required for discovering and pairing Bluetooth devices.	Required to be able to discover and pair nearby Bluetooth devices.
android.permission.VIBRATE	normal	control vibrator	Allows the application to control the vibrator.
android.permission.INTERNET	normal	full Internet access	Allows an application to create network sockets.
android.permission.ACCESS_NETWORK_STATE	normal	view network status	Allows an application to view the status of all networks.
com.google.android.gms.permission.AD_ID	normal	application shows advertisements	This app uses a Google advertising ID and can possibly serve advertisements.
android.permission.WAKE_LOCK	normal	prevent phone from sleeping	Allows an application to prevent the phone from going to sleep.
android.permission.ACCESS_WIFI_STATE	normal	view Wi-Fi status	Allows an application to view the information about the status of Wi-Fi.
android.permission.RECEIVE_BOOT_COMPLETED	normal	automatically start at boot	Allows an application to start itself as soon as the system has finished booting. This can make it take longer to start the phone and allow the application to slow down the overall phone by always running.

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.ACCESS_ADSERVICES_ATTRIBUTION	normal	allow applications to access advertising service attribution	This enables the app to retrieve information related to advertising attribution, which can be used for targeted advertising purposes. App can gather data about how users interact with ads, such as clicks or impressions, to measure the effectiveness of advertising campaigns.
com.samsung.android.mapsagent.permission.READ_APP_INFO	unknown	Unknown permission	Unknown permission from android reference
com.huawei.appmarket.service.commondata.permission.GET_COMMON_DATA	unknown	Unknown permission	Unknown permission from android reference
android.permission.ACCESS_ADSERVICES_AD_ID	normal	allow app to access the device's advertising ID.	This ID is a unique, user-resettable identifier provided by Google's advertising services, allowing apps to track user behavior for advertising purposes while maintaining user privacy.
android.permission.ACCESS_ADSERVICES_TOPICS	normal	allow applications to access advertising service topics	This enables the app to retrieve information related to advertising topics or interests, which can be used for targeted advertising purposes.
com.android.vending.BILLING	normal	application has in-app purchases	Allows an application to make in-app purchases from Google Play.

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.FOREGROUND_SERVICE	normal	enables regular apps to use Service.startForeground.	Allows a regular application to use Service.startForeground.
com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE	normal	permission defined by google	A custom permission defined by Google.
io.timberapps.strongvibes.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	unknown	Unknown permission	Unknown permission from android reference
com.android.vending.CHECK_LICENSE	unknown	Unknown permission	Unknown permission from android reference

M APKID ANALYSIS

FILE	DETAILS
------	---------

FILE	DETAILS		
	FINDINGS	DETAILS	
classes.dex	Anti-VM Code	Build.FINGERPRINT che Build.MODEL check Build.MANUFACTURER Build.PRODUCT check Build.BOARD check Build.TAGS check SIM operator check network operator nam ro.kernel.qemu check possible ro.secure check	check e check
	Compiler	dx	
classes2.dex	FINDINGS		DETAILS
CIUSSESZ,UCA	Compiler		dexlib 2.x

FILE	DETAILS	
	FINDINGS	DETAILS
classes3.dex	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.HARDWARE check Build.TAGS check
	Compiler	dx
	FINDINGS	DETAILS
	Anti Debug Code	Debug.isDebuggerConnected() check
classes4.dex	Anti-VM Code	Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.HARDWARE check Build.TAGS check subscriber ID check possible VM check
	Compiler	dx

FILE	DETAILS		
	FINDINGS	DETAILS	
classes5.dex	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.BOARD check SIM operator check network operator name check subscriber ID check	
	Compiler	dx	

△ NETWORK SECURITY

NO SCOPE SEVERITY DESCRIPTION

CERTIFICATE ANALYSIS

HIGH: 0 | WARNING: 0 | INFO: 1

TITLE	SEVERITY	DESCRIPTION
Signed Application	info	Application is signed with a code signing certificate

Q MANIFEST ANALYSIS

HIGH: 1 | WARNING: 10 | INFO: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	DESCRIPTION
1	App can be installed on a vulnerable unpatched Android version Android 7.0, [minSdk=24]	high	This application can be installed on an older version of android that has multiple unfixed vulnerabilities. These devices won't receive reasonable security updates from Google. Support an Android version => 10, API 29 to receive reasonable security updates.
2	Application Data can be Backed up [android:allowBackup=true]	warning	This flag allows anyone to backup your application data via adb. It allows users who have enabled USB debugging to copy application data off of the device.
3	Broadcast Receiver (com.umlaut.crowd.receiver.lnsightReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
4	Broadcast Receiver (com.amazon.device.iap.ResponseReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.amazon.inapp.purchasing.Permission.NOTIFY [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
5	Broadcast Receiver (com.cellrebel.sdk.utils.PhoneStateReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
6	Broadcast Receiver (com.m2catalyst.m2sdk.core.setup.ZombieInitializationSDKReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
7	Broadcast Receiver (com.m2catalyst.m2sdk.core.setup.M2SDKOpsReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
8	Broadcast Receiver (com.m2catalyst.m2sdk.data_collection.wifi.WifiSDKReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
9	Service (androidx.work.impl.background.systemjob.SystemJobService) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.BIND_JOB_SERVICE [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
10	Broadcast Receiver (androidx.work.impl.diagnostics.DiagnosticsReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

NO	ISSUE	SEVERITY	DESCRIPTION
11	Broadcast Receiver (androidx.profileinstaller.ProfileInstallReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

</> CODE ANALYSIS

HIGH: 2 | WARNING: 10 | INFO: 3 | SECURE: 2 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	STANDARDS	FILES
				com/amazon/a/a/g/d.java com/amazon/c/a/a/d.java com/amazon/c/a/a/d.java com/amazon/device/drm/LicensingService.j ava com/amazon/device/drm/a/d/c.java com/amazon/device/iap/PurchasingService. java com/amazon/device/iap/internal/c/e.java com/amazon/device/simplesignin/Broadcas tHandler.java com/amazon/device/simplesignin/SimpleSi gnlnService.java com/amazon/device/simplesignin/a/a/c/b.ja va com/amazon/device/simplesignin/a/c.java com/amazon/device/simplesignin/a/c.java com/amazon/device/simplesignin/a/c.java

NO	ISSUE	SEVERITY	STANDARDS	com/appsflyer/appsflyersdk/AppsflyerSdkP
				com/appsflyer/internal/AFh1ySDK.java
				com/baseflow/permissionhandler/a.java
				com/baseflow/permissionhandler/n.java
				com/baseflow/permissionhandler/o.java
				com/baseflow/permissionhandler/p.java
				com/bumptech/glide/b.java
				com/bumptech/glide/disklrucache/a.java
				com/bumptech/glide/gifdecoder/d.java
				com/bumptech/glide/gifdecoder/e.java
				com/bumptech/glide/load/data/b.java
				com/bumptech/glide/load/data/j.java
				com/bumptech/glide/load/data/l.java
				com/bumptech/glide/load/data/mediastor
				/c.java
				com/bumptech/glide/load/data/mediastor
				/e.java
				com/bumptech/glide/load/engine/bitmap_
				ecycle/i.java
				com/bumptech/glide/load/engine/bitmap_
				ecycle/j.java
				com/bumptech/glide/load/engine/cache/e
				ava
				com/bumptech/glide/load/engine/cache/i.
				va
				com/bumptech/glide/load/engine/executo
				a.java
				com/bumptech/glide/load/engine/h.java
				com/bumptech/glide/load/engine/i.java
				com/bumptech/glide/load/engine/k.java
				com/bumptech/glide/load/engine/q.java
				com/bumptech/glide/load/engine/z.java
				com/bumptech/glide/load/model/c.java
				com/bumptech/glide/load/model/d.java
				com/bumptech/glide/load/model/f.java
				com/bumptech/glide/load/model/s.java
				com/bumptech/glide/load/model/t.java
				com/bumptech/glide/load/resource/a.java
				com/bumptech/glide/load/resource/bitma
				/b0.java

NO	ISSUE	SEVERITY	STANDARDS	com/bumptech/glide/load/resource/bitmap
				com/bumptech/glide/load/resource/bitmap/d.java com/bumptech/glide/load/resource/bitmap/k.java com/bumptech/glide/load/resource/bitmap/m.java com/bumptech/glide/load/resource/bitmap/n.java com/bumptech/glide/load/resource/bitmap/r.java com/bumptech/glide/load/resource/bitmap/z.java com/bumptech/glide/load/resource/gif/a.java com/bumptech/glide/load/resource/gif/d.java com/bumptech/glide/load/resource/gif/j.java com/bumptech/glide/load/resource/gif/j.java com/bumptech/glide/manager/e.java com/bumptech/glide/manager/f.java com/bumptech/glide/manager/f.java com/bumptech/glide/manager/l.java com/bumptech/glide/manager/l.java com/bumptech/glide/manager/l.java com/bumptech/glide/module/d.java com/bumptech/glide/request/target/d.java com/bumptech/glide/request/target/j.java com/bumptech/glide/request/target/j.java com/bumptech/glide/request/target/j.java com/bumptech/glide/request/target/j.java com/cellrebel/sdk/ping/AndroidPing.java com/cellrebel/sdk/ping/AndroidPing.java com/cellrebel/sdk/utils/CpuDataProvider.ja va com/cellrebel/sdk/utils/CpuDataProvider.ja va com/cellrebel/sdk/utils/CpuUtilisationReade r.java com/cellrebel/sdk/utils/ForegroundObserve r.java com/cellrebel/sdk/utils/ForegroundObserve r.java com/cellrebel/sdk/utils/SettingsManager.iav

NO	ISSUE	SEVERITY	STANDARDS	EILES Confreellrebel/sdk/workers/CollectTraceRou
				teWorker.java com/cellrebel/sdk/workers/ForegroundWorker.java com/cellrebel/sdk/workers/MetaHelp.java com/cellrebel/sdk/workers/MetaWorker.jav a com/cellrebel/sdk/workers/TrackingManage r.java com/cellrebel/sdk/youtube/player/a.java com/fdossena/speedtest/core/worker/a.jav a com/lib/flutter_blue_plus/h.java com/m2catalyst/m2sdk/speed_test/legacy/ NetworkDiagnosticTools.java com/pairip/licensecheck/LicenseActivity.jav a com/pairip/licensecheck/LicenseClient.java com/revenuecat/purchases/common/Defau ltLogHandler.java com/revenuecat/purchases/hybridcommon /CommonKt.java com/revenuecat/purchases/hybridcommon /mappers/PurchasesPeriod.java com/revenuecat/purchases/ui/revenuecatui /helpers/Logger.java com/revenuecat/purchases_flutter/Purchase sFlutterPlugin.java com/revenuecat/purchases_ui_flutter/Purch asesUiFlutterPlugin.java com/revenuecat/purchases_ui_flutter/Purch asesUiFlutterPlugin.java com/revenuecat/purchases_ui_flutter/Purch asesUiFlutterPlugin.java com/reagence/client/TgSdkMeasurementM anager\$processMeasurement\$1.java com/teragence/client/TgSdkMeasurementM anager\$processMeasurement\$2.java com/teragence/client/datacollectors/Locatio nCollector\$getCurrentLocation\$1.java
1	The App logs information. Sensitive information should never be logged	info	CWE: CWE-532: Insertion of Sensitive Information into Log File	com/teragence/client/datacollectors/Location/teragence/client/datacollectors/Location/teragence/client/datacollectors/Location/teragence/client/datacollectors/Location/Collector.iava

	mormanon oncara never be reggear		OWASP MASVS: MSTG-STORAGE-3	
NO	ISSUE	SEVERITY	STANDARDS	com/teragence/client/datacollectors/NetworkRegistrationInfoCollectorKt.java
				com/teragence/client/utils/OwnerKeyFrom MetaData.java
				com/teragence/client/utils/UtilitiesKt.java
				com/umlaut/crowd/IC.java
				com/umlaut/crowd/InsightCore.java
				com/umlaut/crowd/InsightStarter.java
				com/umlaut/crowd/database/StatsDatabase .java
				com/umlaut/crowd/internal/BT.java
				com/umlaut/crowd/internal/CDC.java
				com/umlaut/crowd/internal/CLC.java
				com/umlaut/crowd/internal/CT.java
				com/umlaut/crowd/internal/b.java
				com/umlaut/crowd/internal/b4.java
				com/umlaut/crowd/internal/c.java
				com/umlaut/crowd/internal/d2.java
				com/umlaut/crowd/internal/e.java
				com/umlaut/crowd/internal/e4.java
				com/umlaut/crowd/internal/ee.java
				com/umlaut/crowd/internal/f.java
				com/umlaut/crowd/internal/f5.java
				com/umlaut/crowd/internal/f6.java
				com/umlaut/crowd/internal/fd.java
				com/umlaut/crowd/internal/fe.java
				com/umlaut/crowd/internal/g1.java
				com/umlaut/crowd/internal/g6.java
				com/umlaut/crowd/internal/g8.java
				com/umlaut/crowd/internal/ga.java
				com/umlaut/crowd/internal/h8.java
				com/umlaut/crowd/internal/hc.java
				com/umlaut/crowd/internal/i0.java
				com/umlaut/crowd/internal/i1.java
				com/umlaut/crowd/internal/id.java
				com/umlaut/crowd/internal/k2.java
				com/umlaut/crowd/internal/m2.java
				com/umlaut/crowd/internal/m9.java
				com/umlaut/crowd/internal/n.java
				com/umlaut/crowd/internal/o9.java
1	I	I I	I	com/umlaut/crowd/internal/od iava

com/umlaut/crowd/internal/q_java com/umlaut/crowd/internal/q_java com/umlaut/crowd/internal/q_java com/umlaut/crowd/internal/u_java com/umlaut/crowd/internal/u_java com/umlaut/crowd/internal/u_java com/umlaut/crowd/internal/u_java com/umlaut/crowd/internal/u_java com/umlaut/crowd/internal/u_java com/umlaut/crowd/internal/u_java com/umlaut/crowd/internal/u_java com/umlaut/crowd/internal/w_java com/umlaut/crowd/internal/w_java com/umlaut/crowd/internal/w_java com/umlaut/crowd/internal/x_java com/umlaut/crowd/service/BackgroundTest JobService_java com/umlaut/crowd/service/BackgroundTest JobService_java com/umlaut/crowd/service/ConnectivitySer vice_java	NO	ISSUE	SEVERITY	STANDARDS	com/umlaut/crowd/internal/p9.java FILES com/umlaut/crowd/internal/pc.java
e.java					com/umlaut/crowd/internal/q3.java com/umlaut/crowd/internal/q1.java com/umlaut/crowd/internal/q1.java com/umlaut/crowd/internal/u1.java com/umlaut/crowd/internal/u1.java com/umlaut/crowd/internal/u2.java com/umlaut/crowd/internal/u2.java com/umlaut/crowd/internal/u3.java com/umlaut/crowd/internal/v3.java com/umlaut/crowd/internal/v4.java com/umlaut/crowd/internal/v0.java com/umlaut/crowd/internal/x3.java com/umlaut/crowd/internal/x7.java com/umlaut/crowd/internal/x2.java com/umlaut/crowd/internal/z2.java com/umlaut/crowd/internal/z2.java com/umlaut/crowd/internal/z2.java com/umlaut/crowd/internal/z2.java com/umlaut/crowd/manager/SpeedtestMan ager.java com/umlaut/crowd/manager/VoWifiTestMa nager.java com/umlaut/crowd/net/WebApiClient.java com/umlaut/crowd/service/BackgroundTest JobService.java com/umlaut/crowd/service/BackgroundTest Worker.java com/umlaut/crowd/service/ConnectivityJob Service.java com/umlaut/crowd/service/ConnectivitySer vice.java com/umlaut/crowd/service/ConnectivitySer vice.java com/umlaut/crowd/service/ConnectivityWo rker.java com/umlaut/crowd/service/ConnectivityWo rker.java com/umlaut/crowd/service/InsightJobServic

NO	ISSUE	SEVERITY	STANDARDS	FILES ava com/umlaut/crowd/timeserver/a.java com/umlaut/crowd/utils/JsonUtils.java
				io/flutter/b.java io/flutter/plugins/firebase/crashlytics/n.java io/flutter/plugins/firebase/firestore/c.java io/flutter/plugins/firebase/firestore/utils/a.j ava io/flutter/plugins/firebase/firestore/utils/b.j ava io/flutter/plugins/googlemobileads/b.java io/flutter/plugins/googlemobileads/e.java io/flutter/plugins/googlemobileads/f0.java io/flutter/plugins/googlemobileads/g0.java io/flutter/plugins/googlemobileads/j0.java io/flutter/plugins/googlemobileads/j0.java io/flutter/plugins/googlemobileads/l.java io/flutter/plugins/googlemobileads/nativete mplates/a.java io/flutter/plugins/googlemobileads/nativete mplates/d.java io/flutter/plugins/googlemobileads/v.java io/flutter/plugins/googlemobileads/v.java io/flutter/plugins/googlemobileads/v.java io/flutter/plugins/googlemobileads/v.java io/flutter/plugins/googlemobileads/y.java io/flutter/plugins/googlemobileads/v.java io/flutter/plugins/sharedpreferences/a.java io/flutter/plugins/sharedpreferences/d0.jav a io/flutter/plugins/sharedpreferences/d0.jav a io/flutter/plugins/webviewflutter/f.java io/flutter/plugins/webviewflutter/o3.java io/flutter/plugins/webviewflutter/o3.java io/flutter/plugins/logging/SimpleLogger. java io/ktor/client/plugins/logging/SimpleLogger. java io/ktor/http/parsing/DebugKt.java io/ktor/http/parsing/DebugKt.java io/monedata/Monedata.java io/monedata/Monedata.java io/monedata/MonedataLog.java io/monedata/AlonedataLog.java io/monedata/AlonedataLog.java io/monedata/AlonedataLog.java

NO	ISSUE	SEVERITY	STANDARDS	no/monedata/adapters/teragence/Teragence
INO	1330E	SEVERIT	STANDARDS	io/monedata/consent/ConsentManager.java
				io/monedata/consent/ConsentSubmitWorke r.java
				io/monedata/i.java
				io/monedata/identifier/ldentifierManager.ja
				va
				io/monedata/m1.java
				io/monedata/n.java
				io/monedata/partners/PartnerAdapter.java
				io/monedata/ping/PingWorker.java
				io/monedata/ping/a.java
				io/monedata/v.java
				io/sfbx/appconsent/logger/tree/ACTree.java
				org/greenrobot/eventbus/g.java org/slf4j/helpers/n.java
				org/sir4j/rierpers/ri.java
2	This App uses SSL certificate pinning to detect or prevent MITM attacks in secure communication channel.	secure	OWASP MASVS: MSTG-NETWORK-4	com/amazon/a/a/o/b/a.java com/cellrebel/sdk/networking/ApiClient.jav a com/cellrebel/sdk/networking/FullX509Trus tManager.java com/m2catalyst/m2sdk/network/d.java com/umlaut/crowd/internal/g4.java io/monedata/g.java
3	SHA-1 is a weak hash known to have hash collisions.	warning	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	com/amazon/a/a/o/b/a.java com/revenuecat/purchases/common/UtilsK t.java dev/fluttercommunity/plus/packageinfo/a.ja va io/ktor/util/CryptoKtCryptoJvmKt.java io/ktor/util/NonceKt\$nonceGeneratorJob\$1. java org/java_websocket/drafts/b.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
4	The App uses an insecure Random Number Generator.	warning	CWE: CWE-330: Use of Insufficiently Random Values OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-6	com/amazon/a/a/b/b.java com/amazon/a/a/i/b.java com/amazon/a/a/i/c.java com/appsflyer/internal/AFa1vSDK.java com/appsflyer/internal/AFb1gSDK.java com/cellrebel/sdk/trafficprofile/TrafficProfil eMeasurer.java com/cellrebel/sdk/trafficprofile/TrafficProfil eRandomizer.java com/cellrebel/sdk/trafficprofile/udp/messag es/UdpPackageMessage.java com/cellrebel/sdk/tti/UploadMeasurer.java com/mfdossena/speedtest/core/upload/b.java com/mm2catalyst/m2sdk/speed_test/legacy/ NetworkDiagnosticTools.java com/my2catalyst/m2sdk/utils/i.java com/umlaut/crowd/internal/CT.java com/umlaut/crowd/internal/d3.java com/umlaut/crowd/
				coil/memory/c.java coil/request/n.java com/appsflyer/appsflyersdk/AppsFlyerCons

NO	ISSUE	SEVERITY	STANDARDS	tants.java Fdh
5	Files may contain hardcoded sensitive information like usernames, passwords, keys etc.	warning	CWE: CWE-312: Cleartext Storage of Sensitive Information OWASP Top 10: M9: Reverse Engineering OWASP MASVS: MSTG-STORAGE-14	com/bumptech/glide/load/engine/x.java com/bumptech/glide/load/h.java com/cellrebel/sdk/database/Preferences.jav a com/cellrebel/sdk/networking/beans/reque st/AuthRequestModel.java com/m2catalyst/m2sdk/business/models/V erifyAPIKeyVO.java com/m2catalyst/m2sdk/configuration/M2C onfiguration.java com/m2catalyst/m2sdk/external/FirebaseA nalytics.java com/m2catalyst/m2sdk/external/M2SDKCo nfiguration.java com/revenuecat/purchases/amazon/Amazo nBillingKt.java com/revenuecat/purchases/amazon/Amazo nCacheKt.java com/revenuecat/purchases/common/Backe ndKt.java com/revenuecat/purchases/common/Backg roundAwareCallbackCacheKey.java com/revenuecat/purchases/common/cachin g/DeviceCache.java com/revenuecat/purchases/common/diagn ostics/DiagnosticsEntry.java com/revenuecat/purchases/common/diagn ostics/DiagnosticsTracker.java com/revenuecat/purchases/common/offline entitlements/ProductEntitlementMapping.ja va com/revenuecat/purchases/common/verific ation/DefaultSignatureVerifier.java com/revenuecat/purchases/common/verific ation/Signature.java

NO	ISSUE	SEVERITY	STANDARDS	com/revenuecat/purchases/common/verific HibESigningManager.java com/revenuecat/purchases/strings/Configur
				eStrings.java com/revenuecat/purchases/subscriberattrib utes/SubscriberAttribute.java com/revenuecat/purchases/subscriberattrib utes/SubscriberAttributeKt.java com/revenuecat/purchases/ui/revenuecatui /activity/PaywallActivity.java com/teragence/client/utils/InstallationIdMa nager.java com/umlaut/crowd/internal/ta.java io/flutter/plugins/sharedpreferences/c0.java io/grpc/internal/r2.java io/ktor/client/request/forms/FormPart.java io/ktor/http/HttpHeaders.java io/ktor/http/auth/HttpAuthHeader.java io/ktor/util/PlatformUtilsJvmKt.java io/monedata/Monedata.java io/monedata/consent/ConsentManager.java
6	App can write to App Directory. Sensitive Information should be encrypted.	info	CWE: CWE-276: Incorrect Default Permissions OWASP MASVS: MSTG-STORAGE-14	io/monedata/Settings.java io/monedata/consent/ConsentManager.java io/monedata/e1.java io/monedata/extensions/ContextKt.java io/monedata/o1.java io/monedata/u.java
7	Insecure WebView Implementation. Execution of user controlled code in WebView is a critical Security Hole.	warning	CWE: CWE-749: Exposed Dangerous Method or Function OWASP Top 10: M1: Improper Platform Usage OWASP MASVS: MSTG-PLATFORM-7	com/cellrebel/sdk/youtube/player/a.java com/umlaut/crowd/internal/bf.java com/umlaut/crowd/internal/zd.java
8	Insecure WebView Implementation. WebView ignores SSL Certificate errors and accept any SSL Certificate. This application is vulnerable to MITM attacks	high	CWE: CWE-295: Improper Certificate Validation OWASP Top 10: M3: Insecure Communication OWASP MASVS: MSTG-NETWORK-3	com/umlaut/crowd/internal/bf.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
9	This App copies data to clipboard. Sensitive data should not be copied to clipboard as other applications can access it.	info	OWASP MASVS: MSTG-STORAGE-10	com/sfbx/appconsentv3/ui/ui/notice/Notice UserFragment.java io/flutter/plugin/editing/b.java io/flutter/plugin/platform/d.java
10	This App may request root (Super User) privileges.	warning	CWE: CWE-250: Execution with Unnecessary Privileges OWASP MASVS: MSTG-RESILIENCE-1	com/cellrebel/sdk/utils/RootUtil.java
11	This App may have root detection capabilities.	secure	OWASP MASVS: MSTG-RESILIENCE-1	com/cellrebel/sdk/utils/RootUtil.java com/umlaut/crowd/internal/CDC.java
12	App uses SQLite Database and execute raw SQL query. Untrusted user input in raw SQL queries can cause SQL Injection. Also sensitive information should be encrypted and written to the database.	warning	CWE: CWE-89: Improper Neutralization of Special Elements used in an SQL Command ('SQL Injection') OWASP Top 10: M7: Client Code Quality	com/umlaut/crowd/database/StatsDatabase .java com/umlaut/crowd/internal/z1.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
13	IP Address disclosure	warning	CWE: CWE-200: Information Exposure OWASP MASVS: MSTG-CODE-2	com/amazon/device/drm/LicensingService.j ava com/amazon/device/iap/PurchasingService. java com/cellrebel/sdk/utils/Utils.java com/cellrebel/sdk/workers/BaseMetricsWor ker.java com/m2catalyst/m2sdk/configuration/M2C onfiguration.java com/m2catalyst/m2sdk/configuration/g.jav a com/m2catalyst/m2sdk/core/setup/M2SDK OpsReceiver.java com/umlaut/crowd/IC.java com/umlaut/crowd/internal/CT.java com/umlaut/crowd/internal/g8.java io/monedata/adapters/m2catalyst/BuildCon fig.java
14	App creates temp file. Sensitive information should never be written into a temp file.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	com/cellrebel/sdk/tti/DownloadMeasurer.ja va com/cellrebel/sdk/tti/UploadMeasurer.java com/m2catalyst/m2sdk/logger/ZipUtils.java
15	App can read/write to External Storage. Any App can read data written to External Storage.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	com/m2catalyst/m2sdk/core/setup/M2SDK OpsReceiver.java com/umlaut/crowd/internal/CDC.java io/flutter/plugins/pathprovider/a.java io/flutter/plugins/pathprovider/i.java
16	MD5 is a weak hash known to have hash collisions.	warning	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	com/cellrebel/sdk/utils/Utils.java io/ktor/client/plugins/cache/storage/FileCac heStorage.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
17	Insecure Implementation of SSL. Trusting all the certificates or accepting self signed certificates is a critical Security Hole. This application is vulnerable to MITM attacks	high	CWE: CWE-295: Improper Certificate Validation OWASP Top 10: M3: Insecure Communication OWASP MASVS: MSTG-NETWORK-3	com/sfbx/appconsent/core/api/TLSSocketFa ctory.java com/umlaut/crowd/internal/p3.java

■ NIAP ANALYSIS v1.3

NO IDENTIFIER REQUIREMENT FEATURE DESCRIPTION		NO	IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION
---	--	----	------------	-------------	---------	-------------

BEHAVIOUR ANALYSIS

RULE ID	BEHAVIOUR	LABEL	FILES
------------	-----------	-------	-------

RULE ID	BEHAVIOUR	LABEL	FILES
00063	Implicit intent(view a web page, make a phone call, etc.)	control	com/amazon/a/a/i/a.java com/amazon/device/iap/internal/a/a.java com/appsflyer/internal/AFb1rSDK.java com/appsflyer/internal/AFc1bSDK.java com/appsflyer/internal/AFc1kSDK.java com/appsflyer/internal/AFc1kSDK.java com/appsflyer/internal/AFf1uSDK.java com/appsflyer/internal/AFf1uSDK.java com/baseflow/permissionhandler/a.java com/baseflow/permissionhandler/n.java com/baseflow/permissionhandler/p.java com/cellrebel/sdk/youtube/ui/DefaultPlayerUIController.java com/cellrebel/sdk/youtube/ui/DefaultPlayerUIController.java com/revenuecat/purchases/ui/revenuecatui/extensions/UrisKt.java com/sfbx/appconsentv3/ui/ui/introduction/IntroductionActivity.java com/sfbx/appconsentv3/ui/ui/privacy/PrivacyPolicyActivity.java com/umlaut/crowd/InsightCore.java com/umlaut/crowd/internal/b6.java io/flutter/plugins/urllauncher/h.java
00036	Get resource file from res/raw directory	reflection	coil/map/e.java com/amazon/a/a/i/g.java com/appsflyer/internal/AFb1rSDK.java com/appsflyer/internal/AFf1hSDK.java com/appsflyer/internal/AFj1rSDK.java com/appsflyer/internal/AFj1tSDK.java com/appsflyer/internal/AFj1zSDK.java com/appsflyer/internal/AFj1zSDK.java com/baseflow/permissionhandler/a.java com/baseflow/permissionhandler/n.java com/umlaut/crowd/internal/CDC.java

RULE ID	BEHAVIOUR	LABEL	FILES
00013	Read file and put it into a stream	file	com/amazon/c/a/a/c.java com/appsflyer/internal/AFa1ySDK.java com/appsflyer/internal/AFb1lSDK.java com/appsflyer/internal/AFg1iSDK.java com/bumptech/glide/disklrucache/a.java com/bumptech/glide/load/fi.java com/bumptech/glide/load/model/f.java com/bumptech/glide/load/model/f.java com/cellrebel/sdk/utils/CpuUtilisationReader.java com/cellrebel/sdk/utils/Utils.java com/cellrebel/sdk/utils/Utils.java com/m2catalyst/m2sdk/core/setup/M2SDKOpsReceiver.java com/m2catalyst/m2sdk/logger/ZipUtils.java com/m2catalyst/m2sdk/logger/monitor_stats/MonitorStatsLoggerApiClient.jav a com/m2catalyst/m2sdk/utils/i.java com/m2catalyst/m2sdk/utils/i.java com/revenuecat/purchases/common/FileHelper.java com/umlaut/crowd/internal/f5.java com/umlaut/crowd/internal/f6.java com/umlaut/crowd/internal/g4.java com/umlaut/crowd/internal/p9.java com/umlaut/crowd/internal/p9.java com/umlaut/crowd/internal/p9.java com/umlaut/crowd/internal/xc.java io/ktor/client/plugins/cache/storage/FileCacheStorage.java okio/Okio_JvmOkioKt.java
00089	Connect to a URL and receive input stream from the server	command network	com/appsflyer/internal/AFd1gSDK.java com/appsflyer/internal/AFe1lSDK.java com/bumptech/glide/load/data/j.java com/cellrebel/sdk/trafficprofile/tcp/HttpClient.java com/revenuecat/purchases/common/HTTPClient.java com/umlaut/crowd/internal/ue.java
00030	Connect to the remote server through the given URL	network	com/bumptech/glide/load/data/j.java com/umlaut/crowd/internal/s6.java

RULE ID	BEHAVIOUR	LABEL	FILES
00109	Connect to a URL and get the response code	network command	com/appsflyer/internal/AFd1gSDK.java com/appsflyer/internal/AFe1lSDK.java com/appsflyer/internal/AFf1kSDK.java com/bumptech/glide/load/data/j.java com/cellrebel/sdk/trafficprofile/tcp/HttpClient.java com/revenuecat/purchases/common/HTTPClient.java com/umlaut/crowd/internal/s6.java
00051	Implicit intent(view a web page, make a phone call, etc.) via setData	control	com/baseflow/permissionhandler/a.java com/baseflow/permissionhandler/n.java com/baseflow/permissionhandler/p.java com/sfbx/appconsentv3/ui/ui/privacy/PrivacyPolicyActivity.java io/flutter/plugins/urllauncher/h.java
00022	Open a file from given absolute path of the file	file	coil/disk/a.java com/amazon/a/a/b/b.java com/appsflyer/internal/AFg1iSDK.java com/cellrebel/sdk/trafficprofile/utils/FileManager.java com/m2catalyst/m2sdk/logger/M2SDKLogger.java com/m2catalyst/m2sdk/utils/d.java io/flutter/embedding/engine/loader/d.java io/flutter/plugins/pathprovider/i.java
00162	Create InetSocketAddress object and connecting to it	socket	com/cellrebel/sdk/utils/Utils.java com/fdossena/speedtest/core/base/a.java com/umlaut/crowd/internal/b3.java com/umlaut/crowd/internal/l1.java com/umlaut/crowd/internal/na.java com/umlaut/crowd/internal/oa.java com/umlaut/crowd/internal/s2.java com/umlaut/crowd/internal/s2.java com/umlaut/crowd/manager/VoWifiTestManager.java org/java_websocket/client/b.java

RULE ID	BEHAVIOUR	LABEL	FILES
00163	Create new Socket and connecting to it	socket	com/cellrebel/sdk/utils/Utils.java com/fdossena/speedtest/core/base/a.java com/m2catalyst/m2sdk/speed_test/legacy/NetworkDiagnosticTools.java com/umlaut/crowd/internal/b3.java com/umlaut/crowd/internal/l1.java com/umlaut/crowd/internal/l1.java com/umlaut/crowd/internal/na.java com/umlaut/crowd/internal/oa.java com/umlaut/crowd/internal/s2.java com/umlaut/crowd/internal/y9.java com/umlaut/crowd/internal/y9.java com/umlaut/crowd/manager/VoWifiTestManager.java org/java_websocket/client/b.java
00148	Create a socket connection to the given host address	network command	com/umlaut/crowd/internal/b3.java com/umlaut/crowd/internal/d3.java
00062	Query WiFi information and WiFi Mac Address	wifi collection	com/umlaut/crowd/internal/fe.java
00042	Query WiFi BSSID and scan results	collection wifi	com/cellrebel/sdk/workers/CollectWifiMetricsWorker.java com/umlaut/crowd/internal/fe.java
00043	Calculate WiFi signal strength	collection wifi	com/umlaut/crowd/internal/fe.java
00106	Get the currently formatted WiFi IP address	collection wifi	com/umlaut/crowd/internal/fe.java

RULE ID	BEHAVIOUR	LABEL	FILES
00130	Get the current WIFI information	wifi collection	com/cellrebel/sdk/utils/TrackingHelper.java com/cellrebel/sdk/workers/CollectWifiMetricsWorker.java com/m2catalyst/m2sdk/data_collection/location/n.java com/m2catalyst/m2sdk/data_collection/wifi/g.java com/sfbx/appconsent/core/provider/XChangeProvider.java com/umlaut/crowd/internal/fe.java
00134	Get the current WiFi IP address	wifi collection	com/m2catalyst/m2sdk/data_collection/wifi/g.java com/umlaut/crowd/internal/fe.java
00082	Get the current WiFi MAC address	collection wifi	com/umlaut/crowd/internal/fe.java
00091	Retrieve data from broadcast	collection	com/amazon/device/drm/a/d/c.java com/amazon/device/iap/internal/c/e.java com/amazon/device/simplesignin/a/c/b.java com/appsflyer/internal/AFb1rSDK.java com/appsflyer/internal/AFc1kSDK.java com/sfbx/appconsentv3/ui/ui/privacy/PrivacyPolicyActivity.java com/umlaut/crowd/internal/b6.java com/umlaut/crowd/internal/q7.java
00192	Get messages in the SMS inbox	sms	com/appsflyer/internal/AFb1mSDK.java com/umlaut/crowd/internal/CDC.java com/umlaut/crowd/internal/b6.java com/umlaut/crowd/internal/o0.java
00078	Get the network operator name	collection telephony	com/appsflyer/internal/AFi1rSDK.java com/cellrebel/sdk/utils/TrackingHelper.java com/m2catalyst/m2sdk/business/repositories/DeviceRepository.java com/sfbx/appconsent/core/provider/XChangeProvider.java com/umlaut/crowd/internal/q7.java

RULE ID	BEHAVIOUR	LABEL	FILES
00034	Query the current data network type	collection network	com/cellrebel/sdk/utils/TrackingHelper.java com/m2catalyst/m2sdk/data_collection/mnsi_builder_strategies/d.java com/sfbx/appconsent/core/provider/XChangeProvider.java com/umlaut/crowd/internal/q7.java
00045	Query the name of currently running application	collection reflection	com/umlaut/crowd/database/StatsDatabase.java
00067	Query the IMSI number	collection	com/umlaut/crowd/database/StatsDatabase.java com/umlaut/crowd/internal/n.java com/umlaut/crowd/internal/v.java
00033	Query the IMEI number	collection	com/m2catalyst/m2sdk/business/repositories/DeviceRepository.java com/umlaut/crowd/internal/CDC.java com/umlaut/crowd/internal/v.java
00096	Connect to a URL and set request method	command network	com/appsflyer/internal/AFd1gSDK.java com/appsflyer/internal/AFe1lSDK.java com/cellrebel/sdk/trafficprofile/tcp/HttpClient.java com/revenuecat/purchases/common/HTTPClient.java io/ktor/client/engine/android/AndroidClientEngine.java
00072	Write HTTP input stream into a file	command network file	com/cellrebel/sdk/trafficprofile/tcp/HttpClient.java com/umlaut/crowd/internal/xc.java
00112	Get the date of the calendar event	collection calendar	com/m2catalyst/m2sdk/logger/monitor_stats/MonitorStatsManager.java
00064	Monitor incoming call status	control	com/umlaut/crowd/internal/g6.java com/umlaut/crowd/internal/xd.java
00161	Perform accessibility service action on accessibility node info		io/flutter/view/AccessibilityViewEmbedder.java io/flutter/view/c.java

RULE ID	BEHAVIOUR	LABEL	FILES
00173	Get bounds in screen of an AccessibilityNodeInfo and perform action	accessibility service	io/flutter/view/AccessibilityViewEmbedder.java
00110	Query the ICCID number	collection telephony	com/umlaut/crowd/internal/CDC.java
00083	Query the IMEI number	collection telephony	com/umlaut/crowd/internal/CDC.java
00014	Read file into a stream and put it into a JSON object	file	com/appsflyer/internal/AFg1iSDK.java
00005	Get absolute path of file and put it to JSON object	file	com/appsflyer/internal/AFg1iSDK.java
00012	Read data and put it into a buffer stream	file	com/amazon/c/a/a/c.java com/m2catalyst/m2sdk/logger/monitor_stats/MonitorStatsLoggerApiClient.jav a com/m2catalyst/m2sdk/utils/i.java com/umlaut/crowd/internal/p9.java io/ktor/client/plugins/cache/storage/FileCacheStorage.java
00202	Make a phone call	control	com/baseflow/permissionhandler/p.java
00203	Put a phone number into an intent	control	com/baseflow/permissionhandler/p.java
00108	Read the input stream from given URL network command		com/umlaut/crowd/internal/u.java com/umlaut/crowd/internal/w0.java com/umlaut/crowd/internal/xc.java

RULE ID	BEHAVIOUR	LABEL	FILES
00191	Get messages in the SMS inbox	sms	com/appsflyer/internal/AFj1pSDK.java com/appsflyer/internal/AFj1rSDK.java com/appsflyer/internal/AFj1tSDK.java com/appsflyer/internal/AFj1vSDK.java
00115	Get last known location of the device	collection location	com/umlaut/crowd/internal/CLC.java
00131	Get location of the current GSM and put it into JSON	collection location	com/umlaut/crowd/internal/q7.java
00099	Get location of the current GSM and put it into JSON	collection location	com/umlaut/crowd/internal/q7.java
00102	Set the phone speaker on	command	com/ryanheise/audio_session/b.java
00056	Modify voice volume	control	com/ryanheise/audio_session/b.java
00209	Get pixels from the latest rendered image	collection	io/flutter/embedding/android/i.java
00210	Copy pixels from the latest rendered image into a Bitmap	collection	io/flutter/embedding/android/i.java
00189	Get the content of a SMS message	sms	com/appsflyer/internal/AFj1pSDK.java
00188	Get the address of a SMS message	sms	com/appsflyer/internal/AFj1pSDK.java
00011	Query data from URI (SMS, CALLLOGS)	sms calllog collection	com/appsflyer/internal/AFb1mSDK.java com/appsflyer/internal/AFj1pSDK.java

RULE ID	BEHAVIOUR	LABEL	FILES
00200	Query data from the contact list	collection contact	com/appsflyer/internal/AFj1pSDK.java
00201	Query data from the call log	collection calllog	com/appsflyer/internal/AFj1pSDK.java
00077	Read sensitive data(SMS, CALLLOG, etc)	collection sms calllog calendar	com/appsflyer/internal/AFb1mSDK.java com/appsflyer/internal/AFj1pSDK.java com/bumptech/glide/load/data/mediastore/c.java
00147	Get the time of current location	collection location	com/m2catalyst/m2sdk/data_collection/network/cell_info/technology_strategi es/e.java

FIREBASE DATABASES ANALYSIS

TITLE	SEVERITY	DESCRIPTION
Firebase Remote Config disabled	secure	Firebase Remote Config is disabled for https://firebaseremoteconfig.googleapis.com/v1/projects/137657009286/namespaces/firebase:fetch? key=AlzaSyDvtLr21BrMf7nnijDhFrdjj3atjV43ViU. This is indicated by the response: {'state': 'NO_TEMPLATE'}

SECOND SECOND PERMISSIONS

TYPE M

TYPE	MATCHES	PERMISSIONS
Malware Permissions	8/25	android.permission.ACCESS_COARSE_LOCATION, android.permission.ACCESS_FINE_LOCATION, android.permission.VIBRATE, android.permission.INTERNET, android.permission.ACCESS_NETWORK_STATE, android.permission.WAKE_LOCK, android.permission.ACCESS_WIFI_STATE, android.permission.RECEIVE_BOOT_COMPLETED
Other Common Permissions	5/44	android.permission.BLUETOOTH, android.permission.BLUETOOTH_ADMIN, com.google.android.gms.permission.AD_ID, android.permission.FOREGROUND_SERVICE, com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE

Malware Permissions:

Top permissions that are widely abused by known malware.

Other Common Permissions:

Permissions that are commonly abused by known malware.

• OFAC SANCTIONED COUNTRIES

This app may communicate with the following OFAC sanctioned list of countries.

DOMAIN COUNTRY/REGION

Q DOMAIN MALWARE CHECK

DOMAIN	STATUS	GEOLOCATION
--------	--------	-------------

DOMAIN	STATUS	GEOLOCATION
app.appconsent.io	ok	IP: 35.189.197.117 Country: Belgium Region: Brussels Hoofdstedelijk Gewest City: Brussels Latitude: 50.850449 Longitude: 4.348780 View: Google Map
tacs.c0nnectthed0ts.com	ok	IP: 18.238.96.19 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
cdn.appconsent.io	ok	IP: 35.227.209.167 Country: United States of America Region: Missouri City: Kansas City Latitude: 39.099731 Longitude: -94.578568 View: Google Map
icanhazip.com	ok	IP: 104.16.184.241 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map

DOMAIN	STATUS	GEOLOCATION
crbug.com	ok	IP: 216.239.32.29 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
sconversions.s	ok	No Geolocation information available.
www11.transfersize	ok	No Geolocation information available.
smonitorsdk.s	ok	No Geolocation information available.
www7.requestduration	ok	No Geolocation information available.
www.a	ok	No Geolocation information available.
www.youtube.com	ok	IP: 142.250.74.46 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
www5.webviewwidth	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
api-diagnostics.revenuecat.com	ok	IP: 3.226.164.55 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map
data.teragence.net	ok	IP: 51.195.224.117 Country: France Region: Hauts-de-France City: Roubaix Latitude: 50.694210 Longitude: 3.174560 View: Google Map
docs.flutter.dev	ok	IP: 199.36.158.100 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
www6.secureconnectionduration	ok	No Geolocation information available.
www5.sequenceid	ok	No Geolocation information available.
www.errorreason	ok	No Geolocation information available.
sinapps.s	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
www5.connectionduration	ok	No Geolocation information available.
metricreceiver.cellrebel.com	ok	IP: 34.117.214.124 Country: United States of America Region: Missouri City: Kansas City Latitude: 39.099731 Longitude: -94.578568 View: Google Map
www11.decodedbodysize	ok	No Geolocation information available.
www.testsinprogress	ok	No Geolocation information available.
ul.api.c0nnectthed0ts.com	ok	IP: 54.194.173.70 Country: Ireland Region: Dublin City: Dublin Latitude: 53.343990 Longitude: -6.267190 View: Google Map
checkip.amazonaws.com	ok	IP: 54.85.180.164 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map
sgcdsdk.s	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
www3.radioinfo	ok	No Geolocation information available.
sars.s	ok	No Geolocation information available.
www4.dnslookupduration	ok	No Geolocation information available.
www10.loadingduration	ok	No Geolocation information available.
dus.sdk.crowd-umlaut.com	ok	IP: 34.252.80.53 Country: Ireland Region: Dublin City: Dublin Latitude: 53.343990 Longitude: -6.267190 View: Google Map
sregister.s	ok	No Geolocation information available.
remoteconfig.sdk.crowd-umlaut.com	ok	IP: 52.19.118.97 Country: Ireland Region: Dublin City: Dublin Latitude: 53.343990 Longitude: -6.267190 View: Google Map

DOMAIN	STATUS	GEOLOCATION
ingest.m2catalyst.com	ok	IP: 199.168.28.6 Country: United States of America Region: Colorado City: Conifer Latitude: 39.513145 Longitude: -105.312408 View: Google Map
configs.sdk.crowd-umlaut.com	ok	IP: 18.155.173.73 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
www2.ispinfo	ok	No Geolocation information available.
www3.fetchcacheduration	ok	No Geolocation information available.
www.cellinfo	ok	No Geolocation information available.
spia.s	ok	No Geolocation information available.
m2appinsight.com	ok	IP: 143.244.215.197 Country: United States of America Region: New York City: New York City Latitude: 40.719936 Longitude: -74.005013 View: Google Map

DOMAIN	STATUS	GEOLOCATION
dev.ingest.m2appmonitor.com	ok	IP: 216.168.48.202 Country: United States of America Region: Washington City: Seattle Latitude: 47.620621 Longitude: -122.310959 View: Google Map
api-paywalls.revenuecat.com	ok	IP: 54.88.247.37 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map
slaunches.s	ok	No Geolocation information available.
ul.sdk.crowd-umlaut.com	ok	IP: 54.194.173.70 Country: Ireland Region: Dublin City: Dublin Latitude: 53.343990 Longitude: -6.267190 View: Google Map
svalidate-and-log.s	ok	No Geolocation information available.
www.starttime	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
errors.rev.cat	ok	IP: 67.199.248.13 Country: United States of America Region: New York City: New York City Latitude: 40.739288 Longitude: -73.984955 View: Google Map
ktor.io	ok	IP: 13.224.53.110 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
iceportal.de	ok	IP: 81.200.196.75 Country: Germany Region: Hessen City: Frankfurt am Main Latitude: 50.115520 Longitude: 8.684170 View: Google Map
www5.meta	ok	No Geolocation information available.
www5.requesttotaltxbytes	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
api.revenuecat.com	ok	IP: 54.243.244.245 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map
revenuecat.com	ok	IP: 18.238.109.120 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
www4.radioinfo	ok	No Geolocation information available.
www.fullpagesuccess	ok	No Geolocation information available.
collector.appconsent.io	ok	IP: 34.98.113.213 Country: United States of America Region: Missouri City: Kansas City Latitude: 39.099731 Longitude: -94.578568 View: Google Map

DOMAIN	STATUS	GEOLOCATION
connectivitycheck.gstatic.com	ok	IP: 142.250.74.35 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
github.com	ok	IP: 140.82.112.3 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
simpression.s	ok	No Geolocation information available.
developer.android.com	ok	IP: 142.250.74.174 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
www.success	ok	No Geolocation information available.
www.trigger	ok	No Geolocation information available.
sattr.s	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
portal.imice.de	ok	No Geolocation information available.
ssdk-services.s	ok	No Geolocation information available.
sadrevenue.s	ok	No Geolocation information available.
www8.responseduration	ok	No Geolocation information available.
www5.webviewheight	ok	No Geolocation information available.
www5.customerid	ok	No Geolocation information available.
scdn-stestsettings.s	ok	No Geolocation information available.
www5.numberofresources	ok	No Geolocation information available.
sonelink.s	ok	No Geolocation information available.
www4.iscachingenabled	ok	No Geolocation information available.
sapp.s	ok	No Geolocation information available.
www9.domloadingduration	ok	No Geolocation information available.
sviap.s	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
www.amazon.com	ok	IP: 184.28.254.90 Country: United States of America Region: California City: San Jose Latitude: 37.339390 Longitude: -121.894958 View: Google Map
www11.numberofredirects	ok	No Geolocation information available.
privacy-sandbox.appsflyersdk.com	ok	IP: 18.155.173.50 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
www2.wifiinfoonend	ok	No Geolocation information available.
www3.ispinfo.successfulisplookup	ok	No Geolocation information available.
play.google.com	ok	IP: 142.250.74.142 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
www5.campaignid	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
sdlsdk.s	ok	No Geolocation information available.
www.slf4j.org	ok	IP: 159.100.250.151 Country: Switzerland Region: Vaud City: Lausanne Latitude: 46.515999 Longitude: 6.632820 View: Google Map
rev.cat	ok	IP: 52.72.49.79 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map
www11.encodedbodysize	ok	No Geolocation information available.
www.mainpagesuccess	ok	No Geolocation information available.
assets.pawwalls.com	ok	IP: 18.238.96.81 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
scdn-ssettings.s	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
www.couldloadtimings	ok	No Geolocation information available.
www4.wifiinfo	ok	No Geolocation information available.
www4.originalurl	ok	No Geolocation information available.
api.monedata.io	ok	IP: 142.250.74.147 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
www3.ispinfo	ok	No Geolocation information available.
webapi.sdk.crowd-umlaut.com	ok	IP: 34.250.63.94 Country: Ireland Region: Dublin City: Dublin Latitude: 53.343990 Longitude: -6.267190 View: Google Map
www2.redirectduration	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
docs.revenuecat.com	ok	IP: 18.238.109.116 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
www3.wifiinfo	ok	No Geolocation information available.
dev.m2appinsight.com	ok	IP: 192.241.193.78 Country: United States of America Region: California City: San Francisco Latitude: 37.774929 Longitude: -122.419418 View: Google Map
awsul3.api.c0nnectthed0ts.com	ok	IP: 52.209.145.126 Country: Ireland Region: Dublin City: Dublin Latitude: 53.343990 Longitude: -6.267190 View: Google Map
xmlpull.org	ok	IP: 185.199.109.153 Country: United States of America Region: Pennsylvania City: California Latitude: 40.065632 Longitude: -79.891708 View: Google Map

DOMAIN	STATUS	GEOLOCATION
www5.requesttotalrxbytes	ok	No Geolocation information available.
www2.webviewloadingtime	ok	No Geolocation information available.
svalidate.s	ok	No Geolocation information available.

EMAILS

EMAIL	FILE
this@copy.slice	io/ktor/util/NIOKt.java
example@example.com	com/umlaut/crowd/internal/ta.java
test@revenuecat.com	com/revenuecat/purchases/ui/revenuecatui/customercenter/InternalCustomerCenterKt.java

A TRACKERS

TRACKER	CATEGORIES	URL
AppsFlyer	Analytics	https://reports.exodus-privacy.eu.org/trackers/12
Google AdMob	Advertisement	https://reports.exodus-privacy.eu.org/trackers/312
Google CrashLytics	Crash reporting	https://reports.exodus-privacy.eu.org/trackers/27

TRACKER	CATEGORIES	URL
Google Firebase Analytics	Analytics	https://reports.exodus-privacy.eu.org/trackers/49

HARDCODED SECRETS

POSSIBLE SECRETS
"db_key" : "9FUiOzJklkTKmJS"
"google_api_key" : "AlzaSyDvtLr21BrMf7nnijDhFrdjj3atjV43ViU"
"google_crash_reporting_api_key" : "AlzaSyDvtLr21BrMf7nnijDhFrdjj3atjV43ViU"
11839296a789a3bc0045c8a5fb42c7d1bd998f54449579b446817afbd17273e662c97ee72995ef42640c550b9013fad0761353c7086a272c24088be94769fd16650
283f2a28092b18bb9f1ce4a6326f1988
vDxCHtRyDtZtywG/lqG2i2wEAK0QRlsYMxcEu2Y9QxY=
FlygBXZrpziR+Pp2xmzyZ9k6GUcrj9kWbY5XuUd40ERy2hxHTKqhUwfuGSusXUTd
TdQDsqdcAU8jyTN6NihYJULAUxAJpTfNWWUTPnMXLns=
UC1upXWg5QVmyOSwozp755xLqquBKjjU+di6U8QhMIM=
9a04f079-9840-4286-ab92-e65be0885f95
36864200e0eaf5284d884a0e77d31646

POSSIBLE SECRETS
e2719d58-a985-b3c9-781a-b030af78d30e
OfZFeGMpPN4nP2QoVlOsW4kmNx194lMXDh8YPc+yAeg=
39402006196394479212279040100143613805079739270465446667948293404245721771496870329047266088258938001861606973112319
115792089210356248762697446949407573530086143415290314195533631308867097853951
5181942b9ebc31ce68dacb56c16fd79f
b4xBpY1Zr7toyC1sOTTNBO4lmhCct0sLu70B1nFUAHo=
s/laC73MjD9vpfzZvsslGR7eelXzGompBCRU9Px19GF39ZofYoD29ElcUTZqSvpM
68647976601306097149819007990813932172694353001433054093944634591855431833976553942450577463332171975329639963713633211138647686124403 80340372808892707005449
a0784d7a4716f3feb4f64e7f4b39bf04
115792089210356248762697446949407573529996955224135760342422259061068512044369
258EAFA5-E914-47DA-95CA-C5AB0DC85B11
4fe342e2fe1a7f9b8ee7eb4a7c0f9e162bce33576b315ececbb6406837bf51f5
8HOKLqLOucCjn3kWyyKimNsF6Dcutdd9y3ap015kDlWZNsgYbLJqzHSzKo+jDSQ4
Gt05wIkB9VICQDpYnwS+bvW/Sf4rdLdhAuNRhSCvQ2I=
af60eb711bd85bc1e4d3e0a462e074eea428a8

POSSIBLE SECRETS
sgSNHgqJ9EwYu8w2dMx3zRGSIiO9D1spUgPO3F51srA=
ae2044fb577e65ee8bb576ca48a2f06e
3ikNbWzMTIqU222KtrzzFiiUcpXtNPU8upxs9wXDAJYxbW4sx23+rx4eBiJjRteZ
39402006196394479212279040100143613805079739270465446667946905279627659399113263569398956308152294913554433653942643
pwlWlXowmv5MgDBY81mya6zXLrSMULDo97qGgXQvfFl=
FFE391E0EA186D0734ED601E4E70E3224B7309D48E2075BAC46D8C667EAE7212
skGQhdInPY4sBMicxMIDA8FpM67X6t386GsGM5hjG6o=
qmKK3b5gFczPFV6EXQK4o/dThX0H+NXEfphwaNTcj5pJFkabLh1X9vORrSfnOkeV
051953eb9618e1c9a1f929a21a0b68540eea2da725b99b315f3b8b489918ef109e156193951ec7e937b1652c0bd3bb1bf073573df883d2c34f1ef451fd46b503f00
7Ejn4kVFfklwTENQCsQUmu0CsZi/nLRRU7QLVgsNDkU=
t30h8UZEoZP8GE77k4AdlDjTvNQpvs7DHs10k6C9ZzU=
8feb90c412393d71e832c0b39fa041b4
Q54q2JslusSv8X8AsH7nKgnoWyF6GsnL4uj/9o5E5cc=
3BAF59A2E5331C30675FAB35FF5FFF0D116142D3D4664F1C3CB804068B40614F
gWtAtoadyS/0GQFYvFINsjkt4bRjT5fE+w3tC36yAJU=

POSSIBLE SECRETS
bVq06mwryvswJ9TEv8eKHMxwi9DjT7SQH2xL+admUqskqroPQT0vVkasNMzV5jv7
8mLoio5zXFzLNZDTURhMAugjCGrSPBhh3GCaf2t8mPk=
19nlSd1PMyXKl1niHXaxZmvGyLnyitkJHQnkLHtPHLj6n1sor4NdBFlTmnlba7BL
flTy8eyNabiNCHuPyNX0x482LGXuzWluGD/71SlN2nKRl9kSJNQ0LUuMwsl06lrx
6b17d1f2e12c4247f8bce6e563a440f277037d812deb33a0f4a13945d898c296
bae8e37fc83441b16034566b
54899473088bb2e6bf0952582e654bc5
AjndXp1s5xIDXysf7TNVubDac7r00lcAtHKozpGmJzQ=
16a09e667f3bcc908b2fb1366ea957d3e3adec17512775099da2f590b0667322a
yTyv47DW9aV6rpyU1wL04puCd80cKdCTVtCqLwFmVTX0TBccJdZ4Z0bBqZNN3F0R
uqJEUYtMC6igyTZFAAEE75NBgASQTYxYWvVnS4oylqiXJPhpeFyV9nSFbcfelJKd
470fa2b4ae81cd56ecbcda9735803434cec591fa
1eASkBAriCqBxPWd4okyyc+CHCTvdkAuw8U5qBN0KobaC6TQVXZIuItjy1xo8n06
JFMtS6Z9bzmnMwoeWTxjTTnvJVVZDuewSTBrvx9CdBc=
E3F9E1E0CF99D0E56A055BA65E241B3399F7CEA524326B0CDD6EC1327ED0FDC1

POSSIBLE SECRETS
FBA3AF4E7757D9016E953FB3EE4671CA2BD9AF725F9A53D52ED4A38EAAA08901
edef8ba9-79d6-4ace-a3c8-27dcd51d21ed
5UR6HKB81c0cBAmhqUCkwnSn0PivsbvOC36lSRnvbJazdJtsmM3DNCGH8hJ11MS9
c6858e06b70404e9cd9e3ecb662395b4429c648139053fb521f828af606b4d3dbaa14b5e77efe75928fe1dc127a2ffa8de3348b3c1856a429bf97e7e31c2e5bd66
ec56cd76d8b167cf21adeebfc75028a9
3617de4a96262c6f5d9e98bf9292dc29f8f41dbd289a147ce9da3113b5f0b8c00a60b1ce1d7e819d7a431d7c90ea0e5f
VGhpcyBpcyB0aGUgcHJlZml4lGZvciBCaWdJbnRlZ2Vy
3Dv+WIEpWKEbBzcuP3SgLUV0aXQTnDSdpPKu/RzIzoY=
b3312fa7e23ee7e4988e056be3f82d19181d9c6efe8141120314088f5013875ac656398d8a2ed19d2a85c8edd3ec2aef
aa87ca22be8b05378eb1c71ef320ad746e1d3b628ba79b9859f741e082542a385502f25dbf55296c3a545e3872760ab7
EByWffqzraQVS82Db2+ro2d9ZqC8EsuKj9igHJ6rpI4=
RRAtLSPp4UfCvUq8TqKgqVcK2MQ98P/X8fWWJOdf6yU=
nv6PiabX0G4RLHtriKodA9C0rOBToujvB9ySFMp3wxE=
fY7ocyET9PuMHUXxIIKP/PpFa5xsSzhwfB8mpep5FSQ=
68647976601306097149819007990813932172694353001433054093944634591855431833976560521225596406614545549772963113914808580371219879997166 43812574028291115057151

POSSIBLE SECRETS

NnIoFyYmTm9Yd/i5F1TZFAo2tPeZkpFEZBtgPBr60Ow=

UrsneQ7OIRNo8EjOO9YdieQqewqlcsXgRCgjv7EyHmQ=

0kr13TlqRr0Mkim2K4wTtB+PeWlqdIn0V95/3g6ojAuM6jvjN6OT9QeeEcwm9v6h

pkxrOWj7zD1ScyeXlo8fp1m52MhBIE9QvURtfE4hxB81XVp6EbBK8CYQjvvhYlf1

5gR2Yi2k1qmqwB908rtZUebo4TzAbjEGSkWYIuNbRdnGPocO4kIxU9dsn2qP+c0J

 $\label{lem:condition} JZBFNEdYFhTFBTCRgtU3dDnkdlKXmKLHUW9VyRRgLZX35JOvzKEIQuHunyCpcG/wardenedelichen bei Schlieberger bei S$

308204433082032ba003020102020900c2e08746644a308d300d06092a864886f70d01010405003074310b3009060355040613025553311330110603550408130a4361 6c69666f726e6961311630140603550407130d4d6f756e7461696e205669657731143012060355040a130b476f6f676c6520496e632e3110300e060355040b1307416e64 726f69643110300e06035504031307416e64726f6964301e170d303830383231323331333345a170d333630313037323331333345a3074310b3009060355040613025 553311330110603550408130a43616c69666f726e6961311630140603550407130d4d6f756e7461696e205669657731143012060355040a130b476f6f676c6520496e632 e3110300e060355040b1307416e64726f69643110300e06035504031307416e64726f696430820120300d06092a864886f70d01010105000382010d0030820108028201 0100ab562e00d83ba208ae0a966f124e29da11f2ab56d08f58e2cca91303e9b754d372f640a71b1dcb130967624e4656a7776a92193db2e5bfb724a91e77188b0e6a47a4 3b33d9609b77183145ccdf7b2e586674c9e1565b1f4c6a5955bff251a63dabf9c55c27222252e875e4f8154a645f897168c0b1bfc612eabf785769bb34aa7984dc7e2ea2764 cae8307d8c17154d7ee5f64a51a44a602c249054157dc02cd5f5c0e55fbef8519fbe327f0b1511692c5a06f19d18385f5c4dbc2d6b93f68cc2979c70e18ab93866b3bd5db89 99552a0e3b4c99df58fb918bedc182ba35e003c1b4b10dd244a8ee24fffd333872ab5221985edab0fc0d0b145b6aa192858e79020103a381d93081d6301d0603551d0e04 160414c77d8cc2211756259a7fd382df6be398e4d786a53081a60603551d2304819e30819b8014c77d8cc2211756259a7fd382df6be398e4d786a5a178a4763074310b30 09060355040613025553311330110603550408130a43616c69666f726e6961311630140603550407130d4d6f756e7461696e205669657731143012060355040a130b476 f6f676c6520496e632e3110300e060355040b1307416e64726f69643110300e06035504031307416e64726f6964820900c2e08746644a308d300c0603551d13040530030 101ff300d06092a864886f70d010104050003820101006dd252ceef85302c360aaace939bcff2cca904bb5d7a1661f8ae46b2994204d0ff4a68c7ed1a531ec4595a623ce607 63b167297a7ae35712c407f208f0cb109429124d7b106219c084ca3eb3f9ad5fb871ef92269a8be28bf16d44c8d9a08e6cb2f005bb3fe2cb96447e868e731076ad45b33f60 09ea19c161e62641aa99271dfd5228c5c587875ddb7f452758d661f6cc0cccb7352e424cc4365c523532f7325137593c4ae341f4db41edda0d0b1071a7c440f0fe9ea01cb62 7ca674369d084bd2fd911ff06cdbf2cfa10dc0f893ae35762919048c7efc64c7144178342f70581c9de573af55b390dd7fdb9418631895d5f759f30112687ff621410c069308 а

GajzmnIGCWKypTldGXdzGSwHW6ZZV69Bh6cWfmyAJmA=

IVUtMgOC8oCk0OL1R8+dclzJX9C75UT4Pn6J82++vFrHU4GwQD+682Yf0fGqttpS

POSSIBLE SECRETS

5ac635d8aa3a93e7b3ebbd55769886bc651d06b0cc53b0f63bce3c3e27d2604b

808182838485868788898a8b8c8d8e8f909192939495969798999a9b9c9d9e9f

B3EEABB8EE11C2BE770B684D95219ECB

t4LignzpQnyAJJAZeU8P3GGD0dgmuTMT4n9grwU+EMc=

ikPkuPQbpnIYaQGo6Ao4zzPX0Qaf9HhmEZeT4ZfFQOg=

308204a830820390a003020102020900d585b86c7dd34ef5300d06092a864886f70d0101040500308194310b3009060355040613025553311330110603550408130a436 16c69666f726e6961311630140603550407130d4d6f756e7461696e20566965773110300e060355040a1307416e64726f69643110300e060355040b1307416e64726f696 43110300e06035504031307416e64726f69643122302006092a864886f70d0109011613616e64726f696440616e64726f69642e636f6d301e170d3038303431353233333 635365a170d3335303930313233333635365a308194310b3009060355040613025553311330110603550408130a43616c69666f726e6961311630140603550407130d4 d6f756e7461696e20566965773110300e060355040a1307416e64726f69643110300e060355040b1307416e64726f69643110300e06035504031307416e64726f6964311 2302006092a864886f70d0109011613616e64726f696440616e64726f69642e636f6d30820120300d06092a864886f70d01010105000382010d00308201080282010100d 6ce2e080abfe2314dd18db3cfd3185cb43d33fa0c74e1bdb6d1db8913f62c5c39df56f846813d65bec0f3ca426b07c5a8ed5a3990c167e76bc999b927894b8f0b22001994a 92915e572c56d2a301ba36fc5fc113ad6cb9e7435a16d23ab7dfaeee165e4df1f0a8dbda70a869d516c4e9d051196ca7c0c557f175bc375f948c56aae86089ba44f8aa6a4d d9a7dbf2c0a352282ad06b8cc185eb15579eef86d080b1d6189c0f9af98b1c2ebd107ea45abdb68a3c7838a5e5488c76c53d40b121de7bbd30e620c188ae1aa61dbbc87d d3c645f2f55f3d4c375ec4070a93f7151d83670c16a971abe5ef2d11890e1b8aef3298cf066bf9e6ce144ac9ae86d1c1b0f020103a381fc3081f9301d0603551d0e041604148 d1cc5be954c433c61863a15b04cbc03f24fe0b23081c90603551d230481c13081be80148d1cc5be954c433c61863a15b04cbc03f24fe0b2a1819aa48197308194310b3009 060355040613025553311330110603550408130a43616c69666f726e6961311630140603550407130d4d6f756e7461696e20566965773110300e060355040a1307416e64726f69643110300e060355040b1307416e64726f69643110300e06035504031307416e64726f69643122302006092a864886f70d0109011613616e64726f696440616e6 4726f69642e636f6d820900d585b86c7dd34ef5300c0603551d13040530030101ff300d06092a864886f70d0101040500038201010019d30cf105fb78923f4c0d7dd223233 d40967acfce00081d5bd7c6e9d6ed206b0e11209506416ca244939913d26b4aa0e0f524cad2bb5c6e4ca1016a15916ea1ec5dc95a5e3a010036f49248d5109bbf2e1e6181 86673a3be56daf0b77b1c229e3c255e3e84c905d2387efba09cbf13b202b4e5a22c93263484a23d2fc29fa9f1939759733afd8aa160f4296c2d0163e8182859c6643e9c196 2fa0c18333335bc090ff9a6b22ded1ad444229a539a94eefadabd065ced24b3e51e5dd7b66787bef12fe97fba484c423fb4ff8cc494c02f0f5051612ff6529393e8e46eac5bb 21f277c151aa5f2aa627d1e89da70ab6033569de3b9897bfff7ca9da3e1243f60b

nCcHhBJ+r5jDr0ERNbOfBIJ/pDQFZIqvHaO2vAiQNRE=

MyezUX/G4B4lwyhTDkP3w1lDN+jx4NQ6UyU5K5beVZyubOhn8Q7qD9UAXT+3eaCC

> PLAYSTORE INFORMATION

Title: Strong Vibes - Vibrator App

Score: 2.83 Installs: 500,000+ Price: 0 Android Version Support: Category: Health & Fitness Play Store URL: io.timberapps.strongvibes

Developer Details: Timber Apps US, 5756808351120284469, None, https://timberapps.com, help@timberapps.com,

Release Date: Jul 11, 2023 Privacy Policy: Privacy link

Description:

Discover a world of strong vibrations, easy-to-use features, and seamless connectivity. Strong Vibes is perfect for relaxation, fun, and staying connected with others. Why choose Strong Vibes? ★ Strong vibrations: Use your device's full vibration power for deep, satisfying sensations anytime. ★ Control external devices: Works with "Love Spouse" and "Lovense" devices. Control vibration, intensity, and patterns with ease. ★ Remote control from anywhere: Connect and control devices from any distance. Perfect for sharing fun and relaxing moments. ★ Customizable patterns: Pick from pre-set patterns or create your own unique vibration style for a personal experience. ★ Color themes and dark mode: Choose between light, dark, and colorful themes to match your mood or style. ★ Continuous relaxation: Enjoy nonstop vibrations for a deep sense of comfort and relaxation whenever you need it. ★ Relaxing sounds: Add calming sounds to your vibrations for a more peaceful and enjoyable experience. ★ Adjustable intensity: Set the vibration level to what feels best for you and take full control. With a simple and clear design, Strong Vibes is easy for everyone to use. Whether relaxing at home, on the move, or connecting with someone far away, this app makes every moment more enjoyable. Important: This app uses your device's vibration feature and is meant for fun and relaxation. Always use responsibly. Try Strong Vibes now and bring comfort, fun, and connection to your fingertips!

⋮ SCAN LOGS

Timestamp	Event	Error
2025-09-01 14:00:14	Generating Hashes	ОК
2025-09-01 14:00:14	Extracting APK	ОК
2025-09-01 14:00:14	Unzipping	ОК

2025-09-01 14:00:15	Parsing APK with androguard	ОК
2025-09-01 14:00:15	Extracting APK features using aapt/aapt2	ОК
2025-09-01 14:00:15	Getting Hardcoded Certificates/Keystores	ОК
2025-09-01 14:00:17	Parsing AndroidManifest.xml	ОК
2025-09-01 14:00:17	Extracting Manifest Data	ОК
2025-09-01 14:00:17	Manifest Analysis Started	ОК
2025-09-01 14:00:17	Performing Static Analysis on: Strong Vibes (io.timberapps.strongvibes)	ОК
2025-09-01 14:00:18	Fetching Details from Play Store: io.timberapps.strongvibes	ОК
2025-09-01 14:00:20	Checking for Malware Permissions	ОК
2025-09-01 14:00:20	Fetching icon path	ОК
2025-09-01 14:00:20	Library Binary Analysis Started	ОК

2025-09-01 14:00:20	Reading Code Signing Certificate	ОК
2025-09-01 14:00:20	Running APKiD 2.1.5	OK
2025-09-01 14:00:26	Detecting Trackers	ОК
2025-09-01 14:00:31	Decompiling APK to Java with JADX	ОК
2025-09-01 14:00:56	Decompiling with JADX failed, attempting on all DEX files	ОК
2025-09-01 14:00:56	Decompiling classes2.dex with JADX	ОК
2025-09-01 14:00:58	Decompiling classes4.dex with JADX	ОК
2025-09-01 14:01:06	Decompiling classes.dex with JADX	ОК
2025-09-01 14:01:16	Decompiling classes3.dex with JADX	ОК
2025-09-01 14:01:25	Decompiling classes5.dex with JADX	ОК
2025-09-01 14:01:34	Decompiling classes2.dex with JADX	ОК

2025-09-01 14:01:35	Decompiling classes4.dex with JADX	ОК
2025-09-01 14:01:43	Decompiling classes.dex with JADX	OK
2025-09-01 14:01:54	Decompiling classes3.dex with JADX	ОК
2025-09-01 14:02:02	Decompiling classes5.dex with JADX	ОК
2025-09-01 14:02:11	Converting DEX to Smali	ОК
2025-09-01 14:02:11	Code Analysis Started on - java_source	ОК
2025-09-01 14:02:17	Android SBOM Analysis Completed	ОК
2025-09-01 14:02:23	Android SAST Completed	ОК
2025-09-01 14:02:23	Android API Analysis Started	ОК
2025-09-01 14:02:29	Android API Analysis Completed	ок
2025-09-01 14:02:29	Android Permission Mapping Started	ОК

2025-09-01 14:02:35	Android Permission Mapping Completed	ОК
2025-09-01 14:02:36	Android Behaviour Analysis Started	OK
2025-09-01 14:02:46	Android Behaviour Analysis Completed	ОК
2025-09-01 14:02:46	Extracting Emails and URLs from Source Code	ОК
2025-09-01 14:02:51	Email and URL Extraction Completed	ОК
2025-09-01 14:02:51	Extracting String data from APK	ОК
2025-09-01 14:02:51	Extracting String data from Code	ОК
2025-09-01 14:02:51	Extracting String values and entropies from Code	ОК
2025-09-01 14:02:56	Performing Malware check on extracted domains	ОК
2025-09-01 14:03:03	Saving to Database	ОК

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

© 2025 Mobile Security Framework - MobSF | Ajin Abraham | OpenSecurity.