

ANDROID STATIC ANALYSIS REPORT



A Calm (6.60.1)

File Name:	com.calm.android_4120370.apk
Package Name:	com.calm.android
Scan Date:	Aug. 29, 2025, 8:42 p.m.
App Security Score:	49/100 (MEDIUM RISK)
Grade:	
Trackers Detection:	8/432

FINDINGS SEVERITY

≟ HIGH	▲ MEDIUM	i INFO	✓ SECURE	◎ HOTSPOT
3	28	3	2	1

FILE INFORMATION

File Name: com.calm.android_4120370.apk

Size: 102.44MB

MD5: 041c8d9796134c5e309c6bf01138d907

SHA1: d42ce0d91e66c99fb1e4c4eb88a5e77bd7118981

SHA256: e85cc5c4473352e8c209019431987bca14cc3801efb9bb543a6dc0c01b63dd9d

i APP INFORMATION

App Name: Calm

Package Name: com.calm.android

Main Activity: com.calm.android.ui.splash.SplashActivity

Target SDK: 34 Min SDK: 24 Max SDK:

Android Version Name: 6.60.1

Android Version Code: 4120370

EE APP COMPONENTS

Activities: 30 Services: 21 Receivers: 24 Providers: 5

Exported Activities: 4
Exported Services: 6
Exported Receivers: 8
Exported Providers: 0

***** CERTIFICATE INFORMATION

Binary is signed v1 signature: False v2 signature: True v3 signature: True v4 signature: False

X.509 Subject: C=US, ST=California, L=San Francisco, O=Calm.com, Inc., OU=dev, CN=Alex Tew

Signature Algorithm: rsassa_pkcs1v15 Valid From: 2014-06-30 20:06:00+00:00 Valid To: 2041-11-15 20:06:00+00:00

Issuer: C=US, ST=California, L=San Francisco, O=Calm.com, Inc., OU=dev, CN=Alex Tew

Serial Number: 0x53b1c328 Hash Algorithm: sha1

md5: 89a0625faf2f9f93b69f932eb6ec2d32

sha1: a52c3bd312d25fa65e9a726f5d1beca19bb9c177

sha256: 36ba422fd6a030b37631845d8f02f15e550a489ec8e34c2e18bf6758f4aa533d

sha512: c1b81cbfb10a3b34d78651379292386cb581fecf1a609c04d298f28c072f602da8db4f520f9a26a7ddbb619b111a80d1f4f792f0eef75cc224b10be93141c603

PublicKey Algorithm: rsa

Bit Size: 2048

Fingerprint: f8f5f98dd3ba89dbfdbd0e965a13b4e185b88781b89a9a599d0425a18539b7ab

Found 1 unique certificates

⋮ APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.BLUETOOTH	normal	create Bluetooth connections	Allows applications to connect to paired bluetooth devices.
android.permission.INTERNET	normal	full Internet access	Allows an application to create network sockets.
android.permission.WAKE_LOCK	normal	prevent phone from sleeping	Allows an application to prevent the phone from going to sleep.
android.permission.ACCESS_NETWORK_STATE	normal	view network status	Allows an application to view the status of all networks.
android.permission.READ_CONTACTS	dangerous	read contact data	Allows an application to read all of the contact (address) data stored on your phone. Malicious applications can use this to send your data to other people.
android.permission.VIBRATE	normal	control vibrator	Allows the application to control the vibrator.
android.permission.FOREGROUND_SERVICE	normal	enables regular apps to use Service.startForeground.	Allows a regular application to use Service.startForeground.
com.android.vending.BILLING	normal	application has in-app purchases	Allows an application to make in-app purchases from Google Play.
com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE	normal	permission defined by google	A custom permission defined by Google.

PERMISSION	STATUS	INFO	DESCRIPTION
com.google.android.gms.permission.AD_ID	normal	application shows advertisements	This app uses a Google advertising ID and can possibly serve advertisements.
android.permission.ACCESS_ADSERVICES_ATTRIBUTION	normal	allow applications to access advertising service attribution	This enables the app to retrieve information related to advertising attribution, which can be used for targeted advertising purposes. App can gather data about how users interact with ads, such as clicks or impressions, to measure the effectiveness of advertising campaigns.
android.permission.ACCESS_ADSERVICES_AD_ID	normal	allow app to access the device's advertising ID.	This ID is a unique, user-resettable identifier provided by Google's advertising services, allowing apps to track user behavior for advertising purposes while maintaining user privacy.
android.permission.POST_NOTIFICATIONS	dangerous	allows an app to post notifications.	Allows an app to post notifications
com.google.android.c2dm.permission.RECEIVE	normal	recieve push notifications	Allows an application to receive push notifications from cloud.
android.permission.RECEIVE_BOOT_COMPLETED	normal	automatically start at boot	Allows an application to start itself as soon as the system has finished booting. This can make it take longer to start the phone and allow the application to slow down the overall phone by always running.

PERMISSION	STATUS	INFO	DESCRIPTION
com.calm.android.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	unknown	Unknown permission	Unknown permission from android reference
android.permission.ACCESS_WIFI_STATE	normal	view Wi-Fi status	Allows an application to view the information about the status of Wi-Fi.
android.permission.FOREGROUND_SERVICE_MEDIA_PLAYBACK	normal	enables foreground services for media playback.	Allows a regular application to use Service.startForeground with the type "mediaPlayback".
com.android.vending.CHECK_LICENSE	unknown	Unknown permission	Unknown permission from android reference
android.permission.SCHEDULE_EXACT_ALARM	normal	permits exact alarm scheduling for background work.	Allows an app to use exact alarm scheduling APIs to perform timing sensitive background work.
android.permission.WRITE_EXTERNAL_STORAGE	dangerous	read/modify/delete external storage contents	Allows an application to write to external storage.
android.permission.READ_EXTERNAL_STORAGE	dangerous	read external storage contents	Allows an application to read from external storage.
android.permission.ACCESS_NOTIFICATION_POLICY	normal	marker permission for accessing notification policy.	Marker permission for applications that wish to access notification policy.



FILE	DETAILS		
041c8d9796134c5e309c6bf01138d907.apk	FINDINGS		DETAILS
	Anti-VM Code		possible VM check
classes.dex	FINDINGS	DETAI	ILS
	Compiler r8 without marker (suspicious)		out marker (suspicious)
classes10.dex	FINDINGS	DETAI	ILS
	Compiler r8 without marker (suspicious)		out marker (suspicious)
	FINDINGS	DETA	ILS
classes2.dex	Anti-VM Code	Build.T.	//ANUFACTURER check FAGS check Fk operator name check
	Compiler	r8 with	out marker (suspicious)

FILE	DETAILS		
	FINDINGS	DETAILS	
classes3.dex	Anti-VM Code	Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check network operator name check device ID check ro.kernel.qemu check	
	Compiler	r8 without marker (suspicious)	
classes4.dex	FINDINGS	DETAILS	
	Compiler	r8 without marker (suspicious)	

FILE	DETAILS		
	FINDINGS	DETAILS	
	Anti Debug Code	Debug.isDebuggerConnected() check	
classes5.dex	Anti-VM Code	Build.MODEL check Build.PRODUCT check Build.HARDWARE check Build.TAGS check possible VM check	
	Compiler	r8 without marker (suspicious)	

FILE	DETAILS	
	FINDINGS	DETAILS
classes6.dex	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check possible Build.SERIAL check Build.TAGS check SIM operator check network operator name check possible VM check
	Compiler	r8 without marker (suspicious)
classes7.dex	FINDINGS	DETAILS
	Compiler	r8 without marker (suspicious)

FILE	DETAILS		
classes8.dex	FINDINGS	DETAILS	
Classeso.dex	Compiler	r8 without marker (suspicious)	
classes9.dex	FINDINGS	DETAILS	
	Anti-VM Code	Build.FINGERPRINT check Build.MANUFACTURER check Build.TAGS check	
	Compiler	r8 without marker (suspicious)	

BROWSABLE ACTIVITIES

ACTIVITY	INTENT
com.facebook.CustomTabActivity	Schemes: @string/facebook_protocol_scheme://, fbconnect://, Hosts: cct.com.calm.android,
com.auth0.android.provider.RedirectActivity	Schemes: calm-auth://, Hosts: oneid.calm.com, oneid-dev.calm.com, oneid-dev-1.calm.com, oneid-dev-2.calm.com, oneid-dev-3.calm.com, oneid-dev-4.calm.com, oneid-dev-5.calm.com, oneid-dev-6.calm.com, oneid-dev-7.calm.com, Path Prefixes: /android/com.calm.android/callback, /android/com.calm.android.staging/callback,

ACTIVITY	INTENT
com.calm.android.ui.splash.SplashActivity	Schemes: @2115043595://, http://, https://, @string/deeplink_scheme://, Hosts: @2115043594, @2115043596, @string/deeplink_www_dev_1_host, @2115043597, @2115043591, @2115043592, @2115043593, calm.onelink.me, @string/deeplink_links_calm_com, @string/deeplink_www_dev_host, @string/deeplink_www_host, @string/deeplink_app_www_host, @string/deeplink_branch_host, @string/deeplink_host, Paths: /breathe, /checkin, /homepage, /scenes, /upsell, /freetrial, /signup, /login, /sleep, /music, /settings, /daily-reminder, /session-history, /subscribe, /language, /guest-pass, /mood-check-in, /gratitude-check-in, /work, /goal-setup, /movement, /jay-shetty, /daily-jay, /story-player-demo, /search, /story, Path Prefixes: /a/, /session, /player, /meditate, /masterclass, /program, /profile, /packs/feeds, /packs/class,
com.calm.android.mini.ui.home.MainMiniActivity	Schemes: https://, http://, Hosts: www.calm.com, Path Prefixes: /apps,

△ NETWORK SECURITY

HIGH: 0 | WARNING: 0 | INFO: 0 | SECURE: 0

NO	SCOPE	SEVERITY	DESCRIPTION	

CERTIFICATE ANALYSIS

HIGH: 1 | WARNING: 0 | INFO: 1

TITLE	SEVERITY	DESCRIPTION
Signed Application	info	Application is signed with a code signing certificate
Certificate algorithm vulnerable to hash collision	high	Application is signed with SHA1withRSA. SHA1 hash algorithm is known to have collision issues.

Q MANIFEST ANALYSIS

HIGH: 1 | WARNING: 19 | INFO: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	DESCRIPTION
1	App can be installed on a vulnerable unpatched Android version Android 7.0, [minSdk=24]	high	This application can be installed on an older version of android that has multiple unfixed vulnerabilities. These devices won't receive reasonable security updates from Google. Support an Android version => 10, API 29 to receive reasonable security updates.
2	App has a Network Security Configuration [android:networkSecurityConfig=@xml/network_security_config]	info	The Network Security Configuration feature lets apps customize their network security settings in a safe, declarative configuration file without modifying app code. These settings can be configured for specific domains and for a specific app.
3	Application Data can be Backed up [android:allowBackup=true]	warning	This flag allows anyone to backup your application data via adb. It allows users who have enabled USB debugging to copy application data off of the device.
4	Activity (androidx.compose.ui.tooling.PreviewActivity) is not Protected. [android:exported=true]		An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
5	Activity (com.facebook.CustomTabActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
6	Activity (com.auth0.android.provider.RedirectActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
7	Broadcast Receiver (com.google.firebase.iid.FirebaseInstanceIdReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.c2dm.permission.SEND [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
8	Service (androidx.work.impl.background.systemjob.SystemJobService) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.BIND_JOB_SERVICE [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
9	Broadcast Receiver (androidx.work.impl.diagnostics.DiagnosticsReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

NO	ISSUE	SEVERITY	DESCRIPTION
10	Broadcast Receiver (androidx.profileinstaller.ProfileInstallReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]		A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
11	Service (com.calm.android.services.AudioService) is not Protected. [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
12	Service (com.calm.android.services.WearListenerService) is not Protected. [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
13	Broadcast Receiver (com.calm.android.util.BootCompletedReceiver) is not Protected. [android:exported=true]		A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
14	Broadcast Receiver (com.calm.android.util.UpgradeReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
15	Broadcast Receiver (com.appsflyer.SingleInstallBroadcastReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
16	Service (com.calm.android.widgets.DailyCalmWidgetUpdateJob) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.BIND_JOB_SERVICE [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
17	Service (com.calm.android.widgets.SleepStoryWidgetUpdateJob) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.BIND_JOB_SERVICE [android:exported=true]		A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
18	Broadcast Receiver (com.calm.android.widgets.DailyCalmWidget) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
19	Broadcast Receiver (com.calm.android.widgets.RecommendedSleepStoryWidget) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
20	Service (com.google.android.gms.auth.api.signin.RevocationBoundService) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.gms.auth.api.signin.permission.REVOCATION_NOTIFICATION [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
21	Activity (com.calm.android.mini.ui.home.MainMiniActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

</> CODE ANALYSIS

HIGH: 0 | WARNING: 8 | INFO: 3 | SECURE: 2 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	STANDARDS	FILES
1	App can read/write to External Storage. Any App can read data written to External Storage.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	com/calm/android/base/downloads/DownloadManager.java com/calm/android/base/downloads/DownloadWorker.java com/calm/android/core/data/downloads/GenericDownloadWorker.java
				bolts/MeasurementEvent.java com/airbnb/lottie/LottieAnimationView.jav a com/airbnb/lottie/PerformanceTracker.java

NO	ISSUE	SEVERITY	STANDARDS	com/airbnb/lottie/utils/LogcatLogger.java
				com/amplitude/experiment/util/AndroidLo
				gger.java
				com/appsflyer/AFLogger.java
				com/appsflyer/internal/AFa1eSDK.java
				com/appsflyer/internal/AFb1nSDK.java
				com/appsflyer/internal/AFb1sSDK.java
				com/appsflyer/internal/AFc1bSDK.java
				com/appsflyer/internal/AFd1fSDK.java
				com/appsflyer/internal/AFd1gSDK.java
				com/appsflyer/internal/AFd1hSDK.java
				com/appsflyer/internal/AFd1jSDK.java
				com/appsflyer/internal/AFd1lSDK.java
				com/appsflyer/internal/AFd1nSDK.java
				com/appsflyer/internal/AFd1oSDK.java
				com/appsflyer/internal/AFd1pSDK.java
				com/appsflyer/internal/AFd1rSDK.java
				com/appsflyer/internal/AFd1zSDK.java
				com/appsflyer/internal/AFe1pSDK.java
				com/appsflyer/internal/AFe1rSDK.java
				com/appsflyer/internal/AFf1hSDK.java
				com/appsflyer/share/LinkGenerator.java
				com/auth0/android/authentication/Authent
				icationException.java
				com/auth0/android/authentication/storage
				/CryptoUtil.java
				com/auth0/android/authentication/storage
				/SecureCredentialsManager.java
				com/auth0/android/provider/AlgorithmHel
				per.java
				com/auth0/android/provider/AuthProvider.
				java
				com/auth0/android/provider/AuthorizeRes
				ult.java
				com/auth0/android/provider/CallbackHelp
				er.java
				com/auth0/android/provider/CustomTabsC
				ontroller.java
				com/auth0/android/provider/LogoutManag

NO	ISSUE	SEVERITY	STANDARDS	er.java
				er.java com/auth0/android/provider/PermissionH
				andler.java
				com/auth0/android/provider/WebAuthProv
				ider.java
				com/auth0/android/request/internal/BaseA
				uthenticationRequest.java
				com/auth0/android/request/internal/JwksD
				eserializer.java
				com/bumptech/glide/Glide.java
				com/bumptech/glide/disklrucache/DiskLru
				Cache.java
				com/bumptech/glide/gifdecoder/GifHeader
				Parser.java
				com/bumptech/glide/gifdecoder/Standard
				GifDecoder.java
				com/bumptech/glide/load/data/AssetPathF
				etcher.java
				com/bumptech/glide/load/data/HttpUrlFetc
				her.java
				com/bumptech/glide/load/data/LocalUriFet
				cher.java
				com/bumptech/glide/load/data/mediastore
				/ThumbFetcher.java
				com/bumptech/glide/load/data/mediastore
				/ThumbnailStreamOpener.java
				com/bumptech/glide/load/engine/DecodeJ
				ob.java
				com/bumptech/glide/load/engine/DecodeP
				ath.java
				com/bumptech/glide/load/engine/Engine.ja
				va
				com/bumptech/glide/load/engine/GlideExc
				eption.java
				com/bumptech/glide/load/engine/SourceG
				enerator.java
				com/bumptech/glide/load/engine/bitmap_r
				ecycle/LruArrayPool.java

NO	ISSUE	SEVERITY	STANDARDS	com/bumptech/glide/load/engine/bitmap_r
				com/bumptech/glide/load/engine/cache/Di
				skLruCacheWrapper.java
				com/bumptech/glide/load/engine/cache/M
				emorySizeCalculator.java
				com/bumptech/glide/load/engine/executor
				/GlideExecutor.java
			l l	com/bumptech/glide/load/engine/executor
			l l	/RuntimeCompat.java
				com/bumptech/glide/load/engine/prefill/Bi tmapPreFillRunner.java
			l l	com/bumptech/glide/load/model/ByteBuff
			l l	erEncoder.java
			l l	com/bumptech/glide/load/model/ByteBuff
			l l	erFileLoader.java
			l l	com/bumptech/glide/load/model/FileLoad
			l l	er.java
			l l	com/bumptech/glide/load/model/Resource
			l l	Loader.java
			l l	com/bumptech/glide/load/model/Resource
			l l	UriLoader.java
			l l	com/bumptech/glide/load/model/StreamE
			l l	ncoder.java
			l l	com/bumptech/glide/load/resource/Defaul
			l l	tOnHeaderDecodedListener.java
				com/bumptech/glide/load/resource/bitmap /BitmapEncoder.java
			l l	com/bumptech/glide/load/resource/bitmap
				/BitmapImageDecoderResourceDecoder.jav
			l l	a
				com/bumptech/glide/load/resource/bitmap
				/DefaultImageHeaderParser.java
			1	com/bumptech/glide/load/resource/bitmap
				/Downsampler.java
			l l	com/bumptech/glide/load/resource/bitmap
				/DrawableToBitmapConverter.java
				com/bumptech/glide/load/resource/bitmap
				/HardwareConfigState.java
				com/bumptech/glide/load/resource/bitmap

NO	ISSUE	SEVERITY	STANDARDS	/TransformationUtils.java FibrE Sumptech/glide/load/resource/bitmap /VideoDecoder.java
2	The App logs information. Sensitive information should never be logged.	info	CWE: CWE-532: Insertion of Sensitive Information into Log File OWASP MASVS: MSTG-STORAGE-3	com/bumptech/glide/load/resource/gif/Byt eBufferGifDecoder.java com/bumptech/glide/load/resource/gif/Gif DrawableEncoder.java com/bumptech/glide/load/resource/gif/Str eamGifDecoder.java com/bumptech/glide/manager/DefaultCon nectivityMonitorFactory.java com/bumptech/glide/manager/RequestTrac ker.java com/bumptech/glide/manager/SingletonCo nnectivityReceiver.java com/bumptech/glide/module/ManifestPars er.java com/bumptech/glide/request/SingleReques t.java com/bumptech/glide/request/target/Custo mViewTarget.java com/bumptech/glide/request/target/ViewT arget.java com/bumptech/glide/signature/Application VersionSignature.java com/bumptech/glide/util/ContentLengthInp utStream.java com/bumptech/glide/util/Pool/FactoryPool s.java com/calm/android/audio/PackageValidator. java com/calm/android/base/analytics/Analytics .java com/calm/android/base/di/NetworkModul e.java com/calm/android/base/dii/NetworkModul e.java com/calm/android/base/util/Calm.java com/calm/android/base/util/FirebaseLogge r.java com/calm/android/base/util/FirebaseLogge r.java

NO	ISSUE	SEVERITY	STANDARDS	com/calm/android/core/data/hawk/KeySto 日心 导 S tography.java
				com/calm/android/core/ui/video/PlayerEve
				ntListener.java
				com/calm/android/core/utils/viewmodels/
				BaseComposeViewModel.java
				com/calm/android/core/utils/viewmodels/
				BaseReducer.java
				com/calm/android/packs/utils/PackCellVie
				wModel.java
				com/calm/android/services/WearListenerS ervice.java
				com/calm/android/ui/endofsession/scrolla
				ble/ScrollableSessionEndFragment.java
				com/calm/android/ui/intro/OnboardingVie
				wModel.java
				com/calm/android/ui/view/VideoPlayerVie
				w.java
				com/calm/android/ui/view/breathe/Breath
				eTechniqueItem.java
				com/calm/android/ui/webview/WebviewAc
				tivity.java
				com/calm/android/util/binding/TextViewBi
				ndingsKt.java
				com/calm/android/wearable/data/WearSyn
				cManager.java
				com/iterable/iterableapi/IterableActionRun
				ner.java
				com/iterable/iterableapi/lterableLogger.jav
				a
				com/j256/ormlite/android/AndroidLog.java
				com/j256/ormlite/android/apptools/OrmLit
				eConfigUtil.java
				com/j256/ormlite/logger/LocalLog.java
				com/makeramen/roundedimageview/Roun
				dedDrawable.java
				com/makeramen/roundedimageview/Roun
				dedImageView.java
				com/perimeterx/msdk/a/o/b.java
				com/segment/analytics/WebhookIntegratio
				com/segment/analytics/webhookintegratio
	I	1		l

NO	ISSUE	SEVERITY	STANDARDS	n.java Fold Segment/analytics/integrations/Logger .iava
				com/wang/avi/AVLoadingIndicatorView.jav
				a
				dagger/android/AndroidInjection.java
				io/github/aakira/napier/DebugAntilog.java
				io/github/douglasjunior/androidSimpleTool tip/SimpleTooltip.java
				jp/wasabeef/picasso/transformations/Crop
				Transformation.java
				org/greenrobot/eventbus/BackgroundPoste
				r.java
				org/greenrobot/eventbus/EventBus.java
				org/greenrobot/eventbus/util/AsyncExecut or.java
				org/greenrobot/eventbus/util/ErrorDialogC
				onfig.java
				org/greenrobot/eventbus/util/ErrorDialogM
				anager.java
				org/greenrobot/eventbus/util/ExceptionToR
				esourceMapping.java
				org/jcodec/audio/Audio.java
				org/jcodec/codecs/aac/blocks/BlockICS.java
				org/jcodec/codecs/mpeg12/FixHLSTimesta
				mps.java
				org/jcodec/codecs/mpeg12/HLSFixPMT.jav a
				org/jcodec/codecs/mpeg12/MTSMediaInfo.
				java
				org/jcodec/codecs/prores/ProresDecoder.ja va
				org/jcodec/codecs/prores/ProresToThumb.j
				ava org/jcodec/codecs/vp8/Macroblock.java
				org/jcodec/common/tools/Debug.java
				org/jcodec/common/tools/MainUtils.java
				org/jcodec/common/tools/WavMerge.java
				org/jcodec/common/tools/WavSplit.java
				org/jcodec/containers/mkv/CuesFactory.jav
				or By Jeouety contrainer Sympton Cuestractory. Jav

NO	ISSUE	SEVERITY	STANDARDS	a Fig/FcS dec/containers/mkv/MKVParser.java org/jcodec/containers/mkv/MKVType.java
		JEVERNI		org/jcodec/containers/mkv/MKVType.java org/jcodec/containers/mkv/SeekHeadFacto ry.java org/jcodec/containers/mkv/boxes/EbmlMa ster.java org/jcodec/containers/mkv/boxes/MkvBloc k.java org/jcodec/containers/mkv/boxes/MkvSeg ment.java org/jcodec/containers/mps/MPSDump.java org/jcodec/containers/mps/MTSDump.java org/jcodec/containers/mps/index/MPSInde xer.java org/jcodec/containers/mps/index/MTSInde
				xer.java org/jcodec/containers/mxf/model/WaveAu dioDescriptor.java org/jcodec/movtool/ChangeTimescale.java org/jcodec/movtool/Cut.java org/jcodec/movtool/Flattern.java org/jcodec/movtool/MovDump.java org/jcodec/movtool/Paste.java org/jcodec/movtool/QTEdit.java org/jcodec/movtool/QTRefEdit.java org/jcodec/movtool/ReExport.java org/jcodec/movtool/Remux.java org/jcodec/movtool/SetPAR.java
				org/jcodec/movtool/Strip.java org/jcodec/movtool/Undo.java org/jcodec/movtool/WebOptimize.java org/jcodec/movtool/streaming/MovieRang e.java org/jcodec/movtool/streaming/VirtualMovi e.java org/jcodec/movtool/streaming/tracks/Tran scodeTrack.java org/jcodec/testing/TestTool.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
3	This App may have root detection capabilities.	secure	OWASP MASVS: MSTG-RESILIENCE-1	com/calm/android/core/utils/DeviceUtils.ja va com/perimeterx/msdk/a/l/d.java
4	App uses SQLite Database and execute raw SQL query. Untrusted user input in raw SQL queries can cause SQL Injection. Also sensitive information should be encrypted and written to the database.	warning	CWE: CWE-89: Improper Neutralization of Special Elements used in an SQL Command ('SQL Injection') OWASP Top 10: M7: Client Code Quality	com/amplitude/api/DatabaseHelper.java com/calm/android/core/data/db/Database Helper.java com/iterable/iterableapi/IterableDatabase Manager.java com/iterable/iterableapi/IterableTaskStorage.java com/j256/ormlite/android/AndroidCompile dStatement.java com/j256/ormlite/android/AndroidDatabaseConnection.java com/j256/ormlite/android/compat/ApiCompatibility.java com/j256/ormlite/android/compat/BasicApiCompatibility.java com/j256/ormlite/android/compat/JellyBeanApiCompatibility.java
5	The App uses an insecure Random Number Generator.	warning	CWE: CWE-330: Use of Insufficiently Random Values OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-6	com/appsflyer/internal/AFa1vSDK.java com/appsflyer/internal/AFb1oSDK.java com/calm/android/audio/utils/PlaylistShuff leOrder.java com/calm/android/ui/mood/MoodNoteFor mViewModel.java com/calm/android/util/binding/ViewBindin gsKt.java com/flaviofaria/kenburnsview/RandomTra nsitionGenerator.java com/perimeterx/msdk/a/o/h/b.java
				bolts/MeasurementEvent.java coil/memory/MemoryCache.java

NO	ISSUE	SEVERITY	STANDARDS	coil/memory/MemoryCacheService.java Foll/ESquest/Parameters.java com/airbnb/lottie/compose/RememberLott
6	Files may contain hardcoded sensitive information like usernames, passwords, keys etc.	warning	CWE: CWE-312: Cleartext Storage of Sensitive Information OWASP Top 10: M9: Reverse Engineering OWASP MASVS: MSTG-STORAGE-14	ieCompositionKt.java com/amplitude/api/AmplitudeClient.java com/amplitude/experiment/Exposure.java com/auth0/android/authentication/Authent icationAPlClient.java com/auth0/android/authentication/Authent icationException.java com/auth0/android/authentication/Parame terBuilder.java com/auth0/android/management/Manage mentException.java com/auth0/android/management/UsersAPl Client.java com/auth0/android/util/Auth0UserAgent.ja va com/bumptech/glide/load/Option.java com/bumptech/glide/load/engine/DataCac heKey.java com/bumptech/glide/load/engine/EngineRe source.java com/bumptech/glide/load/engine/Resource CacheKey.java com/calm/android/core/data/network/Erro rResponse.java com/calm/android/core/utils/notifications/ NotificationsManager.java com/calm/android/mini/data/AppConfig.ja va com/calm/android/wii/tooltips/Tooltips.java com/calm/android/ui/tooltips/Tooltips.java com/iterable/iterableapi/IterableConstants.j ava com/iterable/iterableapi/IterableKeychain.j ava com/segment/analytics/Analytics.java com/segment/analytics/AnalyticsContext.ja va com/segment/analytics/AnalyticsContext.ja va com/segment/analytics/GetDeviceldTask.ja

NO	ISSUE	SEVERITY	STANDARDS	va Full Esegment/analytics/Options.java com/segment/analytics/ProjectSettings.java
				com/segment/analytics/Properties.java com/segment/analytics/SegmentIntegration .java com/segment/analytics/Traits.java com/segment/analytics/integrations/AliasP ayload.java com/segment/analytics/integrations/BaseP ayload.java com/segment/analytics/integrations/Group Payload.java com/segment/analytics/integrations/Identif yPayload.java com/segment/analytics/integrations/Screen Payload.java com/segment/analytics/integrations/Screen Payload.java com/segment/analytics/integrations/TrackP ayload.java io/reactivex/internal/schedulers/Scheduler PoolFactory.java org/icodec/containers/mxf/model/KLV.java
7	This App uses SSL certificate pinning to detect or prevent MITM attacks in secure communication channel.	secure	OWASP MASVS: MSTG-NETWORK-4	com/amplitude/api/PinnedAmplitudeClient. java com/calm/android/base/util/Calm.java com/calm/android/core/data/network/Net workManager.java com/perimeterx/msdk/a/c.java com/perimeterx/msdk/a/o/g.java
8	App creates temp file. Sensitive information should never be written into a temp file.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	coil/decode/SourcelmageSource.java org/jcodec/testing/TestTool.java
9	This App copies data to clipboard. Sensitive data should not be copied to clipboard as other applications can access it.	info	OWASP MASVS: MSTG-STORAGE-10	com/amplitude/eventexplorer/EventExplor erInfoActivity.java com/calm/android/debug/DebugActivity.ja va

NO	ISSUE	SEVERITY	STANDARDS	FILES
10	App can write to App Directory. Sensitive Information should be encrypted.	info	CWE: CWE-276: Incorrect Default Permissions OWASP MASVS: MSTG-STORAGE-14	com/amplitude/experiment/storage/Shared PrefsStorage.java com/auth0/android/authentication/storage /SharedPreferencesStorage.java com/iterable/iterableapi/IterableKeychain.j ava
11	SHA-1 is a weak hash known to have hash collisions.	warning	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	com/perimeterx/msdk/a/o/a.java
12	Insecure WebView Implementation. Execution of user controlled code in WebView is a critical Security Hole.	warning	CWE: CWE-749: Exposed Dangerous Method or Function OWASP Top 10: M1: Improper Platform Usage OWASP MASVS: MSTG-PLATFORM-7	bolts/WebViewAppLinkResolver.java com/calm/android/auth/apple/SignInWebVi ewDialogFragment.java
13	MD5 is a weak hash known to have hash collisions.	warning	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	com/calm/android/base/extensions/StringK t.java org/jcodec/common/tools/MD5.java

■ NIAP ANALYSIS v1.3

NO	IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION
				5250 1.0.t



RULE ID	BEHAVIOUR	LABEL	FILES
00077	Read sensitive data(SMS, CALLLOG, etc)	collection sms calllog calendar	com/appsflyer/internal/AFa1dSDK.java com/appsflyer/internal/AFf1mSDK.java com/appsflyer/internal/AFf1nSDK.java com/bumptech/glide/load/data/mediastore/ThumbFetcher.java
00013	Read file and put it into a stream	file	coil/fetch/ContentUriFetcher.java com/airbnb/lottie/compose/RememberLottieCompositionKt.java com/airbnb/lottie/network/NetworkCache.java com/airbnb/lottie/network/NetworkFetcher.java com/appsflyer/internal/AFa1hSDK.java com/appsflyer/internal/AFb1nSDK.java com/bumptech/glide/disklrucache/DiskLruCache.java com/bumptech/glide/load/ImageHeaderParserUtils.java com/bumptech/glide/load/model/FileLoader.java com/bumptech/glide/load/resource/bitmap/ImageReader.java com/bumptech/glide/load/resource/bitmap/ImageReader.java com/calm/android/core/utils/extensions/UriKt\$readBytes\$2\$1.java com/getkeepsafe/relinker/elf/ElfParser.java com/jetkeepsafe/relinker/elf/ElfParser.java com/jeterable/iterableapi/IterableUtilImpl.java com/j256/ormlite/android/apptools/OrmLiteSqliteOpenHelper.java com/jayway/jsonpath/JsonPath.java com/jayway/jsonpath/Internal/ParseContextImpl.java okio/OkioJvmOkioKt.java org/jcodec/common/AutoFileChannelWrapper.java org/jcodec/common/NIOUtils.java org/jcodec/containers/mp4/MP4Util.java org/jcodec/containers/mp4/MP4Util.java org/jcodec/testing/TestTool.java org/joda/time/tz/ZonelnfoCompiler.java

RULE ID	BEHAVIOUR	LABEL	FILES
00089	Connect to a URL and receive input stream from the server	command network	bolts/WebViewAppLinkResolver.java com/amplitude/api/ConfigManager.java com/appsflyer/internal/AFc1ISDK.java com/appsflyer/internal/AFc1tSDK.java com/bumptech/glide/load/data/HttpUrlFetcher.java com/iterable/iterableapi/IterableRequestTask.java com/segment/analytics/WebhookIntegration.java
00109	Connect to a URL and get the response code	network command	bolts/WebViewAppLinkResolver.java com/amplitude/api/ConfigManager.java com/appsflyer/internal/AFa1uSDK.java com/appsflyer/internal/AFc1lSDK.java com/appsflyer/internal/AFc1tSDK.java com/appsflyer/internal/AFd1kSDK.java com/appsflyer/internal/AFd1kSDK.java com/bumptech/glide/load/data/HttpUrlFetcher.java com/iterable/iterableapi/IterableDeeplinkManager.java com/iterable/iterableapi/IterableRequestTask.java com/segment/analytics/WebhookIntegration.java
00036	Get resource file from res/raw directory	reflection	bolts/AppLinkNavigation.java bolts/MeasurementEvent.java coil/map/ResourceIntMapper.java com/appsflyer/internal/AFa1eSDK.java com/appsflyer/internal/AFf1ISDK.java com/appsflyer/internal/AFf1nsDK.java com/appsflyer/internal/AFf1nsDK.java com/auth0/android/provider/WebAuthProvider.java com/calm/android/audio/ExoAudioPlayer.java com/calm/android/core/utils/extensions/ContextKt.java com/calm/android/ui/guestpass/contacts/AppPermissionSettingsDialog.java com/iterable/iterableapi/IterableActionRunner.java com/iterable/iterableapi/IterableNotificationHelper.java com/segment/analytics/internal/Utils.java
00009	Put data in cursor to JSON object	file	com/amplitude/api/DatabaseHelper.java

RULE ID	BEHAVIOUR	LABEL	FILES
00022	Open a file from given absolute path of the file	file	coil/disk/DiskCache.java com/airbnb/lottie/network/NetworkCache.java com/airbnb/lottie/network/NetworkFetcher.java com/appsflyer/internal/AFb1nSDK.java com/calm/android/base/downloads/DownloadWorker.java com/calm/android/base/downloads/GuideProcessor.java com/calm/android/core/data/downloads/GenericDownloadWorker\$downloadF ile\$2.java com/getkeepsafe/relinker/ReLinkerInstance.java com/j256/ormlite/android/apptools/OrmLiteConfigUtil.java org/jcodec/api/android/SequenceMuxer.java org/jcodec/codecs/mpeg12/FixHLSTimestamps.java org/jcodec/movtool/QTEdit.java org/jcodec/movtool/QTRefEdit.java org/jcodec/movtool/Strip.java org/jcodec/testing/TestTool.java org/jcodec/testing/VerifyTool.java
00078	Get the network operator name	collection telephony	com/amplitude/api/DeviceInfo.java com/amplitude/experiment/DefaultUserProviderKt.java com/appsflyer/internal/AFa1kSDK.java com/calm/android/core/data/repositories/ConfigRepository.java com/perimeterx/msdk/a/o/d.java com/segment/analytics/AnalyticsContext.java
00091	Retrieve data from broadcast	collection	com/appsflyer/internal/AFa1eSDK.java com/appsflyer/internal/AFb1sSDK.java com/calm/android/ui/player/overlays/SessionPlayerOverlayActivity.java com/calm/android/ui/scenes/ScenesActivity.java com/iterable/iterableapi/IterableApi.java com/iterable/iterableapi/IterablePushNotificationUtil.java

RULE ID	BEHAVIOUR	LABEL	FILES
00096	Connect to a URL and set request method	command network	com/airbnb/lottie/network/DefaultLottieNetworkFetcher.java com/appsflyer/internal/AFa1uSDK.java com/appsflyer/internal/AFc1lSDK.java com/appsflyer/internal/AFc1tSDK.java com/iterable/iterableapi/lterableRequestTask.java
00063	Implicit intent(view a web page, make a phone call, etc.)	control	bolts/AppLinkNavigation.java bolts/AppLinks.java bolts/MeasurementEvent.java com/appsflyer/internal/AFa1eSDK.java com/appsflyer/internal/AFb1sSDK.java com/appsflyer/internal/AFd1sSDK.java com/appsflyer/internal/AFd1sSDK.java com/auth0/android/provider/BrowserPicker.java com/auth0/android/provider/WebAuthProvider.java com/calm/android/core/utils/extensions/ContextKt.java com/calm/android/debug/DebugActivity.java com/calm/android/services/AudioService.java com/calm/android/ui/guestpass/contacts/AppPermissionSettingsDialog.java com/calm/android/ui/guestpass/contacts/GuestPassShareFragment.java com/calm/android/ui/guestpass/rewards/GuestPassRewardsFragment.java com/calm/android/ui/home/MainActivity.java com/calm/android/ui/profile/WebSubscriptionActivity.java com/calm/android/ui/settings/cancellationflow/CancellationFlowFragment.java com/calm/android/ui/view/RatingDialog.java com/calm/android/uii/SharingUtils.java com/calm/android/uii/SharingUtils.java com/iterable/iterableapi/IterableActionRunner.java com/iterable/iterableapi/IterableNotificationHelper.java com/segment/analytics/internal/Utils.java
00033	Query the IMEI number	collection	com/calm/android/debug/DebugActivity.java

RULE ID	BEHAVIOUR	LABEL	FILES
00051	Implicit intent(view a web page, make a phone call, etc.) via setData	control	bolts/AppLinkNavigation.java com/calm/android/debug/DebugActivity.java com/calm/android/services/AudioService.java com/calm/android/ui/guestpass/contacts/GuestPassShareFragment.java com/calm/android/ui/guestpass/rewards/GuestPassRewardsFragment.java com/calm/android/ui/settings/cancellationflow/CancellationFlowFragment.java com/calm/android/ui/view/RatingDialog.java com/calm/android/util/SharingUtils.java com/iterable/iterableapi/IterableActionRunner.java
00132	Query The ISO country code	telephony collection	com/amplitude/api/DeviceInfo.java com/calm/android/debug/DebugActivity.java
00014	Read file into a stream and put it into a JSON object	file	com/appsflyer/internal/AFb1nSDK.java
00005	Get absolute path of file and put it to JSON object	file	com/appsflyer/internal/AFb1nSDK.java
00016	Get location info of the device and put it to JSON object	location collection	com/amplitude/api/AmplitudeClient.java
00065	Get the country code of the SIM card provider	collection	com/calm/android/core/data/repositories/ConfigRepository.java com/calm/android/core/utils/DeviceUtils.java
00191	Get messages in the SMS inbox	sms	com/appsflyer/internal/AFf1lSDK.java com/appsflyer/internal/AFf1mSDK.java
00189	Get the content of a SMS message sms		com/appsflyer/internal/AFf1mSDK.java
00188	Get the address of a SMS message sms		com/appsflyer/internal/AFf1mSDK.java

RULE ID	BEHAVIOUR	LABEL	FILES
00011	Query data from URI (SMS, CALLLOGS)	sms calllog collection	com/appsflyer/internal/AFa1dSDK.java com/appsflyer/internal/AFf1mSDK.java com/appsflyer/internal/AFf1nSDK.java
00200	Query data from the contact list	collection contact	com/appsflyer/internal/AFf1mSDK.java
00201	Query data from the call log	collection calllog	com/appsflyer/internal/AFf1mSDK.java
00123	Save the response to JSON after connecting to the remote server	network command	bolts/WebViewAppLinkResolver.java
00030	Connect to the remote server through the given URL	network	bolts/WebViewAppLinkResolver.java com/airbnb/lottie/network/DefaultLottieNetworkFetcher.java com/appsflyer/internal/AFa1uSDK.java com/bumptech/glide/load/data/HttpUrlFetcher.java
00094	Connect to a URL and read data from it	command network	bolts/WebViewAppLinkResolver.java
00108	Read the input stream from given URL	network command	bolts/WebViewAppLinkResolver.java
00137	Get last known location of the device	location collection	com/amplitude/api/DeviceInfo.java
00115	Get last known location of the device	collection location	com/amplitude/api/DeviceInfo.java
00192	Get messages in the SMS inbox sms		com/appsflyer/internal/AFa1dSDK.java
00112	Get the date of the calendar event collection calendar		com/calm/android/core/utils/DateTimeUtils.java

RULE ID	BEHAVIOUR	LABEL	FILES
00034	Query the current data network type	collection network	com/perimeterx/msdk/a/o/d.java

***: ::** ABUSED PERMISSIONS

TYPE	MATCHES	PERMISSIONS
Malware Permissions	9/25	android.permission.INTERNET, android.permission.WAKE_LOCK, android.permission.ACCESS_NETWORK_STATE, android.permission.READ_CONTACTS, android.permission.VIBRATE, android.permission.RECEIVE_BOOT_COMPLETED, android.permission.ACCESS_WIFI_STATE, android.permission.WRITE_EXTERNAL_STORAGE, android.permission.READ_EXTERNAL_STORAGE
Other Common Permissions	6/44	android.permission.BLUETOOTH, android.permission.FOREGROUND_SERVICE, com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE, com.google.android.gms.permission.AD_ID, com.google.android.c2dm.permission.RECEIVE, android.permission.ACCESS_NOTIFICATION_POLICY

Malware Permissions:

Top permissions that are widely abused by known malware.

Other Common Permissions:

Permissions that are commonly abused by known malware.

• OFAC SANCTIONED COUNTRIES

This app may communicate with the following OFAC sanctioned list of countries.

DOMAIN	COUNTRY/REGION
--------	----------------

Q DOMAIN MALWARE CHECK

DOMAIN	STATUS	GEOLOCATION
api.dev.calm.com	ok	No Geolocation information available.
appleid.apple.com	ok	IP: 17.111.105.242 Country: United States of America Region: California City: Cupertino Latitude: 37.316605 Longitude: -122.046486 View: Google Map
api.eu.iterable.com	ok	IP: 52.48.135.162 Country: Ireland Region: Dublin City: Dublin Latitude: 53.343990 Longitude: -6.267190 View: Google Map
accounts-dev.atlasapp.site	ok	IP: 34.111.7.245 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
sconversions.s	ok	No Geolocation information available.
smonitorsdk.s	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
www.perimeterx.com	ok	IP: 52.52.192.191 Country: United States of America Region: California City: San Francisco Latitude: 37.774929 Longitude: -122.419418 View: Google Map
calm.com	ok	IP: 18.155.173.82 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
api.app.aws-dev-2.useast1.calm.com	ok	IP: 3.217.176.19 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map
www-cdn-dev-3.aws-dev-3.useast1.calm.com	ok	IP: 18.238.96.80 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map

DOMAIN	STATUS	GEOLOCATION
content.aws-dev.useast1.calm.com	ok	IP: 18.238.96.128 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
manage.auth0.com	ok	IP: 104.18.39.72 Country: United States of America Region: Texas City: Dallas Latitude: 32.783058 Longitude: -96.806671 View: Google Map
api2.amplitude.com	ok	IP: 35.155.47.37 Country: United States of America Region: Oregon City: Portland Latitude: 45.523449 Longitude: -122.676208 View: Google Map
appleid.a	ok	No Geolocation information available.
example.com	ok	IP: 23.215.0.136 Country: United States of America Region: Massachusetts City: Cambridge Latitude: 42.363598 Longitude: -71.085205 View: Google Map

DOMAIN	STATUS	GEOLOCATION
links.iterable.com	ok	IP: 52.71.110.1 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map
accounts-dev-4.atlasapp.site	ok	IP: 34.95.122.215 Country: United States of America Region: Missouri City: Kansas City Latitude: 39.099731 Longitude: -94.578568 View: Google Map
sinapps.s	ok	No Geolocation information available.
api.app.aws-dev-5.useast1.calm.com	ok	IP: 52.73.147.184 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map
api.eu.amplitude.com	ok	IP: 52.58.123.64 Country: Germany Region: Hessen City: Frankfurt am Main Latitude: 50.115520 Longitude: 8.684170 View: Google Map

DOMAIN	STATUS	GEOLOCATION
accounts-dev-1.atlasapp.site	ok	IP: 34.95.122.215 Country: United States of America Region: Missouri City: Kansas City Latitude: 39.099731 Longitude: -94.578568 View: Google Map
www-cdn-dev-usw.aws-dev-usw.useast1.calm.com	ok	IP: 18.155.173.5 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
accounts-dev-6.atlasapp.site	ok	IP: 34.95.122.215 Country: United States of America Region: Missouri City: Kansas City Latitude: 39.099731 Longitude: -94.578568 View: Google Map
upload.wikimedia.org	ok	IP: 198.35.26.112 Country: United States of America Region: California City: San Francisco Latitude: 37.791256 Longitude: -122.400810 View: Google Map
sgcdsdk.s	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
www-cdn-dev-7.aws-dev-7.useast1.calm.com	ok	IP: 18.238.96.86 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
accounts-dev-3.atlasapp.site	ok	IP: 34.95.122.215 Country: United States of America Region: Missouri City: Kansas City Latitude: 39.099731 Longitude: -94.578568 View: Google Map
api.app.aws-dev-6.useast1.calm.com	ok	IP: 3.229.244.250 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map
sars.s	ok	No Geolocation information available.
sregister.s	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
www.calm.com	ok	IP: 18.155.173.82 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
api.app.aws-dev-3.useast1.calm.com	ok	IP: 3.217.176.19 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map
cdn-settings.segment.com	ok	IP: 18.238.93.145 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
slaunches.s	ok	No Geolocation information available.
s3.amazonaws.com	ok	IP: 52.217.235.208 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map

DOMAIN	STATUS	GEOLOCATION
api.calm.com	ok	IP: 3.226.181.76 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map
regionconfig.amplitude.com	ok	IP: 18.155.173.77 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
api.app.aws-dev-4.useast1.calm.com	ok	IP: 3.217.176.19 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map
www-cdn-dev-5.aws-dev-5.useast1.calm.com	ok	IP: 18.155.173.34 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map

DOMAIN	STATUS	GEOLOCATION
accounts.calm.com	ok	IP: 35.227.234.133 Country: United States of America Region: Missouri City: Kansas City Latitude: 39.099731 Longitude: -94.578568 View: Google Map
github.com	ok	IP: 140.82.113.3 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
px-conf.perimeterx.net	ok	IP: 34.149.45.163 Country: United States of America Region: Texas City: Houston Latitude: 29.941401 Longitude: -95.344498 View: Google Map
simpression.s	ok	No Geolocation information available.
10.0.2.2	ok	IP: 10.0.2.2 Country: - Region: - City: - Latitude: 0.000000 Longitude: 0.000000 View: Google Map

DOMAIN	STATUS	GEOLOCATION
sattr.s	ok	No Geolocation information available.
ssdk-services.s	ok	No Geolocation information available.
sadrevenue.s	ok	No Geolocation information available.
www.example.com	ok	IP: 23.220.73.58 Country: Colombia Region: Antioquia City: Medellin Latitude: 6.251840 Longitude: -75.563591 View: Google Map
accounts-dev-5.atlasapp.site	ok	IP: 34.95.122.215 Country: United States of America Region: Missouri City: Kansas City Latitude: 39.099731 Longitude: -94.578568 View: Google Map
scdn-stestsettings.s	ok	No Geolocation information available.
collector-s.sperimeterx.net	ok	No Geolocation information available.
sonelink.s	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
picsum.photos	ok	IP: 172.67.74.163 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
www-cdn-dev-1.aws-dev-1.useast1.calm.com	ok	IP: 18.155.173.66 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
api.app.aws-dev-7.useast1.calm.com	ok	IP: 3.229.244.250 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map
sapp.s	ok	No Geolocation information available.
sviap.s	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
regionconfig.eu.amplitude.com	ok	IP: 18.238.96.4 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
images.squarespace-cdn.com	ok	IP: 151.101.64.238 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
api.lab.amplitude.com	ok	IP: 151.101.66.132 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
www-cdn-dev-6.aws-dev-6.useast1.calm.com	ok	IP: 18.238.96.110 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map

DOMAIN	STATUS	GEOLOCATION
play.google.com	ok	IP: 172.253.124.100 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
sdlsdk.s	ok	No Geolocation information available.
auth0.com	ok	IP: 104.18.37.18 Country: United States of America Region: Texas City: Dallas Latitude: 32.783058 Longitude: -96.806671 View: Google Map
accounts-dev-7.atlasapp.site	ok	IP: 34.95.122.215 Country: United States of America Region: Missouri City: Kansas City Latitude: 39.099731 Longitude: -94.578568 View: Google Map
www.slf4j.org	ok	IP: 159.100.250.151 Country: Switzerland Region: Vaud City: Lausanne Latitude: 46.515999 Longitude: 6.632820 View: Google Map

DOMAIN	STATUS	GEOLOCATION
assets.calm.com	ok	IP: 18.238.96.31 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
www.app.aws-prod-usw.uswest2.calm.com	ok	IP: 54.203.209.239 Country: United States of America Region: Oregon City: Portland Latitude: 45.523449 Longitude: -122.676208 View: Google Map
support.calm.com	ok	IP: 216.198.53.6 Country: United States of America Region: California City: San Francisco Latitude: 37.773968 Longitude: -122.410446 View: Google Map
www-cdn-dev-4.aws-dev-4.useast1.calm.com	ok	IP: 18.155.173.73 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map

DOMAIN	STATUS	GEOLOCATION
api.app.aws-dev-1.useast1.calm.com	ok	IP: 52.73.147.184 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map
scdn-ssettings.s	ok	No Geolocation information available.
api.app.aws-dev.useast1.calm.com	ok	IP: 3.217.176.19 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map
api.app.aws-dev-usw.uswest2.calm.com	ok	No Geolocation information available.
sstats.s	ok	No Geolocation information available.
assets-videos.calm.com	ok	IP: 18.155.173.28 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map

DOMAIN	STATUS	GEOLOCATION
api.iterable.com	ok	IP: 44.219.225.80 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map
api.app.aws-prod-usw.uswest2.calm.com	ok	IP: 44.224.62.151 Country: United States of America Region: Oregon City: Portland Latitude: 45.523449 Longitude: -122.676208 View: Google Map
www-cdn-dev-2.aws-dev-2.useast1.calm.com	ok	IP: 18.155.173.75 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
www-cdn-dev.aws-dev.useast1.calm.com	ok	IP: 18.155.173.16 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
svalidate.s	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
accounts-dev-2.atlasapp.site	ok	IP: 34.95.122.215 Country: United States of America Region: Missouri City: Kansas City Latitude: 39.099731 Longitude: -94.578568 View: Google Map

EMAILS

EMAIL	FILE
feedback+arp@calm.com	com/calm/android/ui/view/RatingDialog.java

A TRACKERS

TRACKER	CATEGORIES	URL
Amplitude	Profiling, Analytics	https://reports.exodus-privacy.eu.org/trackers/125
AppsFlyer	Analytics	https://reports.exodus-privacy.eu.org/trackers/12
Facebook Analytics	Analytics	https://reports.exodus-privacy.eu.org/trackers/66
Facebook Login	Identification	https://reports.exodus-privacy.eu.org/trackers/67

TRACKER	CATEGORIES	URL
Facebook Share		https://reports.exodus-privacy.eu.org/trackers/70
Google CrashLytics	Crash reporting	https://reports.exodus-privacy.eu.org/trackers/27
Google Firebase Analytics	Analytics	https://reports.exodus-privacy.eu.org/trackers/49
Segment	Profiling, Analytics	https://reports.exodus-privacy.eu.org/trackers/62

HARDCODED SECRETS

POSSIBLE SECRETS
"player_author" : "Author"
"player_author" : "□□"
"player_author" : "Autor:in"
"player_author" : "□□"
"player_author" : "Autor"
"player_author" : "□□"
"player_author" : "Auteur(e)"
"player_author" : "Autor(a)"

POSSIBLE SECRETS
"player_author" : "Autore"
"player_author" : "Autor(a)"
11839296a789a3bc0045c8a5fb42c7d1bd998f54449579b446817afbd17273e662c97ee72995ef42640c550b9013fad0761353c7086a272c24088be94769fd16650
nVOujw5H5SNz/0egwLX0tdHA114gk957EWW67c4cX8jJGKLhD+rcdqsq08p8kDi1L
nU5PMCCjjmCXPI6T53iHTflUJrU6adTrCC2qJeHZERxhlbl1Bjjt/msv0tadQ1wUs
3a902d53-689c-4ee9-9985-3161954f1ce2
60d204e1-4ab0-4820-a156-5f454eb7303c
a389398e-e35c-4079-9a36-15a645b194ad
87a8623680d180dfc6a45ef80cf6630a
MIIDQTCCAimgAwlBAglTBmyfz5m/jAo54vB4ikPmljZbyjANBgkqhkiG9w0BAQsF
2dcb298d-5361-409c-9f25-19e602a10646
e521700f-0eec-4428-89b8-5781c258a397
5b027ee1-7ec7-4b5c-9d00-557122efa2ac
75f80450e280c6a9a0f9593b91db339b
c56fb7d591ba6704df047fd98f535372fea00211

POSSIBLE SECRETS
abd04af6-e6c0-498c-9cd0-5c310030496d
b6b30478b8ff7bee469475f63e5f5247
4ccbd776-76e0-4484-8d5b-d8c58e2e3004
8a3c4b262d721acd49a4bf97d5213199c86fa2b9
1dc92446-d2c7-4a3b-9955-12123f526157
9a04f079-9840-4286-ab92-e65be0885f95
2b3bade9-a069-489c-bd06-c5900f326812
3d1e9e8e-7932-4389-831a-ed5e965472d7
9b8f518b086098de3d77736f9458a3d2f6f95a37
26d249ce-c300-4950-a387-87f6bd7b8800
nca9HgFB0fW7Y14h29Jlo91ghYPl0hAEvrAlthtOgQ3pOsqTQNroBvo3bSMgHFzZM
e2719d58-a985-b3c9-781a-b030af78d30e
86a2f5877c5ac3f7be71e34c62f5f32b
cbdc6e7f9a78ef498781cfdaefd0bb9a
no/ufQJVtMVT8QtPHRh8jrdkPSHCa2XV4cdFyQzR1bldZwgJcJmApzyMZFo6lQ6XU

POSSIBLE SECRETS
e8405db43cde4dbdc8b7d050f00fda0e
6e0ed52af8992b0330913fb76d89314e
b525853b-d651-415a-9b0a-78eeeac2fe64
sha256/V5L96iSCz0XLFgvKi7YVo6M4SIkOP9zSkDjZ0EoU6b8=
f1afd867-88e0-4515-bf10-1235ce45f209
ce4a68f97081f223faaeb88d608822a5
ebd8235c-4262-4118-ac08-4eeb40941efc
44b9fe33-8606-430d-af56-85bf69444b21
2438bce1ddb7bd026d5ff89f598b3b5e5bb824b3
eb7780e3-358d-4c48-be3a-69a6a1b0464f
39402006196394479212279040100143613805079739270465446667948293404245721771496870329047266088258938001861606973112319
115792089210356248762697446949407573530086143415290314195533631308867097853951
6e13dcb94c16f3fd1fd100d0535f1392
25d42994-e1d4-4d8e-946f-bb272ae3ca11
01e7acb9-b5f3-4392-bde8-ef230f77e23e

POSSIBLE SECRETS
fdbe8b5bbebdde13be7144b263c6f187
7938da8d-2c3a-40d3-a7de-69c25fe2f771
df4a529a-ed86-45e3-be31-4d973a66cb58
5ee12a14-9c11-404d-ba72-b58cb2dd76ee
d26f2f35-972c-4e5a-b169-22c9993493a9
68647976601306097149819007990813932172694353001433054093944634591855431833976553942450577463332171975329639963713633211138647686124403 80340372808892707005449
5181942b9ebc31ce68dacb56c16fd79f
526ba0ba-e803-49b9-befc-a50e8191ee64
cc2634766b545dfbcdb0c591601ae79e
43675c9e-d934-4f34-8e0f-2c1811476552
7b2ec234-7dc1-415c-9e3a-a066a9e15cb4
nAYYwHQYDVR0OBBYEFIQYzIU07LwMlJQuCFmcx7IQTgoIMA0GCSqGSIb3DQEBCwUA
ac53e4a6-914b-4f96-b888-510e62934090
ec430076eb0ac1b7d31d0770246eb1d1
5ec8694404c547e289609eb2fdb347bf

POSSIBLE SECRETS
75db4430f2cddad6d8dbf53aeca1ecff
cbecea602857c402a8eb7e4d9b9bf32f
1560bfd6934461afbee29821c784b3f1
55a67d0940e32ee948f8a7e0951d8339
45f23b3056672cb79484e985060a8ca0
115792089210356248762697446949407573529996955224135760342422259061068512044369
nADA5MQswCQYDVQQGEwJVUzEPMA0GA1UEChMGQW1hem9uMRkwFwYDVQQDExBBbWF6
4a58f87cafd7a82bcab454712dfd1480
cadf9501-2266-43f0-a388-b3905acf0f32
58a29ce44814e6c58f4c88b88b2cc0b4
nb24gUm9vdCBDQSAxMB4XDTE1MDUyNjAwMDAwMFoXDTM4MDExNzAwMDAwMFowOTEL
nb3QgQ0EgMTCCASIwDQYJKoZIhvcNAQEBBQADggEPADCCAQoCggEBALJ4gHHKeNXj
8c72a423-4312-4b21-b52f-74c65a1251a0
258EAFA5-E914-47DA-95CA-C5AB0DC85B11
6b9a55569ceb6f2789c7d1a2d7cd8bc6

POSSIBLE SECRETS
0c70f671-033b-4dff-a2ec-2c1d801f4426
d6b3aef8-0b17-4d9c-a19f-31a7239518ab
4fe342e2fe1a7f9b8ee7eb4a7c0f9e162bce33576b315ececbb6406837bf51f5
3d970d528dfb37d3a3be052cb7001290
635480ea-022f-46ad-98d5-4881475a43fd
52843d0516242591cd9ef3a7ce05ab74
af112362b693428b4152251e2ea9d624
e00abbcb-e937-4d73-9ec5-98e81e6bab94
d4449a40-f0e1-4435-a666-f086a33b7932
cc196b21-c877-480b-8fe8-210d58abc641
ae2044fb577e65ee8bb576ca48a2f06e
357e96fda0f537703f328e8958da3557
21f6fe7f11b0b3cbe27f0c9951fd90a5
39402006196394479212279040100143613805079739270465446667946905279627659399113263569398956308152294913554433653942643
1e24884d-be95-4c5d-8d5d-cda025f8325f

POSSIBLE SECRETS
66d48ec4b6c341bb45ec6ece7ce8dedb
96456c9e34de7c1094aff63a936a6cff
17e54f92-136c-4ccb-873d-326c32d0ed82
0504f7efc3e5589f124656848c86eaf1
1f8adca8ac412d6c6a4ce1b894e0bff7
b8fb0a23f9984a192e89d272c4bd5c0d
3699e66eae42bb966f9a89f71b687b4a
e1da5ca063ef45cdf7e5a674799ad01d
FFE391E0EA186D0734ED601E4E70E3224B7309D48E2075BAC46D8C667EAE7212
0ded6174-c107-4d72-987e-b673ce9f4eb7
742add7aa79fd2096e0b046018693765
694653c4473a13631006ba46e8a53ee3
20d5d1f3-abaa-45ac-9c77-eea358e24e71
5a3af76d2fa9114980acd1d9c4e83bdd
7908a56d-f742-4e2a-a2a1-3ec1027338de

POSSIBLE SECRETS
c6326170-4c81-4e8d-a6b5-2b95325920b0
3afda542-b719-4f10-94ca-b5b68beb4f49
051953eb9618e1c9a1f929a21a0b68540eea2da725b99b315f3b8b489918ef109e156193951ec7e937b1652c0bd3bb1bf073573df883d2c34f1ef451fd46b503f00
0393fed17873bfc6b07c6d70a556e08d
nMAkGA1UEBhMCVVMxDzANBgNVBAoTBkFtYXpvbjEZMBcGA1UEAxMQQW1hem9uIFJv
8e1a1800c097d6b1bb7de05ed3bd9052
cc2751449a350f668590264ed76692694a80308a
f2c7a75d-2aae-49b4-babe-54dc25634e05
3BAF59A2E5331C30675FAB35FF5FFF0D116142D3D4664F1C3CB804068B40614F
2eea9373-52e2-4560-b049-da22e11464ac
fc953e0da669bf35ec732bb43fe618a7
aeae6097-1f0f-4ad0-b1f0-394ad69e89b7
18c30246e7ff09396f408817d6ec491d
2b9b4a99-d916-4398-a573-1058ce5c5a51
8595e159-7186-4ab5-9142-b3c4b0ccd5f3

POSSIBLE SECRETS
7ffab41b-6e3f-4d1b-a8f3-39cc9085b651
3d120268-7c8a-4df8-b27f-25b14cd88163
6b17d1f2e12c4247f8bce6e563a440f277037d812deb33a0f4a13945d898c296
5261d3bb-01e7-4f62-a822-eab639d19d00
24ffee44-d44a-4b9c-a123-c087a7fa5543
abceccf2-14c3-4242-9f6b-9d93b43af635
sha256/grX4Ta9HpZx6tSHkmCrvpApTQGo67CYDnvprLg5yRME=
16a09e667f3bcc908b2fb1366ea957d3e3adec17512775099da2f590b0667322a
7a1c73f4-b9fa-49d2-ad08-8f47375bcca3
b9b453300bd34854445a9c2f6df2dec8
40ec0f89-4474-4f3a-8a67-e86bfea9ffa5
f2bc3363-f52a-454d-bb1a-79217a00e17c
0036bcbb4156df26677b6333810687e9
n5Msl+yMRQ+hDKXJioaldXgjUkK642M4UwtBV8ob2xJNDd2ZhwLnoQdeXeGADbkpy
4c84a401-9393-45a3-a20e-1576d4ec614e

POSSIBLE SECRETS
470fa2b4ae81cd56ecbcda9735803434cec591fa
e5c811c3-a925-48d7-8d8c-5d9011fdca20
523b67a94e70d28d825cd376acdaeefd
056054bf-56a9-4a44-96c4-444ff32bcd32
60060333299a87f58755304f21f832bc
d815ec0e-c5ca-4a63-b386-12b827b9690e
cd38df2f-95d2-40c9-a529-264500281f70
36342097-3e15-42a1-b55c-2b3cfa7ae671
216ba054-a3e1-4a72-ba44-8142ab94c8ae
99e3f855-476f-4a0a-a993-ffb532ab17f5
a4b7452e2ed8f5f191058ca7bbfd26b0d3214bfc
E3F9E1E0CF99D0E56A055BA65E241B3399F7CEA524326B0CDD6EC1327ED0FDC1
cf24a9cb49774a947282f3feda36f212
d04ffa859ab107086789a8ac94bc26a4
31173de1428039cd83055403bff26fca

POSSIBLE SECRETS
1213ddc908efc065a9b7aad2cd153d95
9a8a5f18-ec0a-461b-8fcc-7dadffec9f33
055e237d-3472-4ecf-84a1-35c020f2acb6
c813d28440138ffd0d59a04e6797ccbd
7cd622eb-f0d5-4049-a4ed-f77edb400c33
f76e8a98-5565-460f-9b9d-63ca2e231d4c
FBA3AF4E7757D9016E953FB3EE4671CA2BD9AF725F9A53D52ED4A38EAAA08901
063a5cdeb6d69d8ebdac6943c8b2058e
edef8ba9-79d6-4ace-a3c8-27dcd51d21ed
e3e669df499b5ece32c06bbc5354de7d
bf2ff780-e9d1-4f82-b279-86ef858aef87
557cb7a0a6a54eeca4066e300f5cd365
e49b5a985c1f659a1504235b4d7784b3
19060cbb-7808-469d-9356-d5720dbd0025
nIFAGbHrQgLKm+a/sRxmPUDgH3KKHOVj4utWp+UhnMJbulHheb4mjUcAwhmahRWa6

POSSIBLE SECRETS
62efd4d9caf43a75db8127401c78df23
cfbc5efcdfff3bfa5372ed9fb5e5022e
8440cc74-0945-4251-aae7-160970e1209b
c6858e06b70404e9cd9e3ecb662395b4429c648139053fb521f828af606b4d3dbaa14b5e77efe75928fe1dc127a2ffa8de3348b3c1856a429bf97e7e31c2e5bd66
ef109ea5-76f6-47e8-833d-f47a18a7ad1f
3617de4a96262c6f5d9e98bf9292dc29f8f41dbd289a147ce9da3113b5f0b8c00a60b1ce1d7e819d7a431d7c90ea0e5f
5c68da3b-3273-4ee5-bcb0-b81ae1fee675
588e69be-73ed-4c4b-9d2e-ee02f152a9d3
52f143a8-a81a-4757-9a65-03cb7c715585
b3312fa7e23ee7e4988e056be3f82d19181d9c6efe8141120314088f5013875ac656398d8a2ed19d2a85c8edd3ec2aef
eb4f0540-dc49-4136-953a-dd7d28b7e591
fcb2571b-ee88-4ab5-a3b5-9e2dc50e104c
aa87ca22be8b05378eb1c71ef320ad746e1d3b628ba79b9859f741e082542a385502f25dbf55296c3a545e3872760ab7
68b996a85ac09d383ad6ed85d3491dfb
e0c79896-fa85-40e6-9645-c9548332d282

POSSIBLE SECRETS
cb5cb1f3baf88a34f9f7138fd41eec0e
4cdfb3aeb06ca3ab91a2e6ed4c78ad9a
34b1d5cf-67fa-4b0b-b799-758aedcd7442
b5be02e104a0848d61995dff1dbbc0e7
f3aaedf3-530b-4072-9883-ac3baca07b1a
nN+gDS63pYaACbvXy8MWy7Vu33PqUXHeeE6V/Uq2V8viTO96LXFvKWlJbYK8U90vv
df6b721c8b4d3b6eb44c861d4415007e5a35fc95
a883d7a3-6884-4c0e-8820-592b6de54507
1a73a5be-cba0-4751-8fd1-a05a40556754
0e9f67dc-fc2f-402f-a62c-152653c2b601
e110529e667c6952f7dfec9d94907edc
2515a9ff2a3d3a0a78e9f35dfc365564
ffb19aebe29344965f86edebd9e4b85a
39ff920a-2592-452e-9ea0-767fa978358a
ebad1e9609c921b827936a680b1e9e33

POSSIBLE SECRETS
ebc4dd74-8692-42d8-872b-8fe54739ddd7
a08c1973-9205-44b5-8688-24278b0b3aae
ea55d6f9-32e1-461e-a3f0-4491ebef51e9
57b5ef68c534a5cc06edc769
23456789abcdefghjkmnpqrstvwxyz
68647976601306097149819007990813932172694353001433054093944634591855431833976560521225596406614545549772963113914808580371219879997166 43812574028291115057151
9f2bbf8b99c99923a3eb4da8d6b3ab9f
935bb279-3cc4-486d-b01c-42bf07aa8643
cccd293d-70a5-4d69-b0da-85a883d0fb8e
5d2b29e0d91a85921279300c194d8e0c
5d4487c9-9f00-4f8a-8cf2-b24b203fd692
e478f63b37bbdcecff3346375912ce82
4c2edf0e706ad7d411429d34e718d7d5
37c06cd3-dd94-4081-98c7-29fb5cd546af
7294fea4-ce56-42af-8ec1-1f83e9eb7c6a

POSSIBLE SECRETS
b04951c9e9f6cb6eacd7d556cdd437b8
ChNjb20uYW5kcm9pZC52ZW5kaW5nCiBjb20uZ29vZ2xlLmFuZHJvaWQuYXBwcy5tZWV0aW5ncwohY29tLmdvb2dsZS5hbmRyb2lkLmFwcHMubWVzc2FnaW5n
47ceccd9d873e4799d8174003fd3d135
c0da0d04ca7297bb8e89a5ac08ba59b9
7ecc2529-0ee0-4e72-bc91-69c3f67361ab
09a0cbe3-ccae-4535-8703-b19f28328ade
5fdcca3d74f79f3565c5bbac1e3ca616
c0ed0c85-7c64-45d3-a717-6a3ad84ecf9f
5ac635d8aa3a93e7b3ebbd55769886bc651d06b0cc53b0f63bce3c3e27d2604b
dcffc2a8b6997c3cd4c9cf015069dc31
4e46229138fb205d1df433118eb90383
b025715c-a74b-435a-becf-bb7ae3cab52b
feb0e518-74fa-44eb-b015-e427f4e7bce0
0785bed1-424c-4262-8900-dce446d49544
c0683536-1d6a-45a8-bb45-2e0a6d1ee22d

POSSIBLE SECRETS
43fa88de-04ad-46d3-8a63-899202894ab2
3abb3137-aacf-456c-983e-3ffbda91c67d
2b58313b7da5ae09335a8719ca3f7261
ea83ddd3-98a0-43e4-813b-acaf5c5fe779
40478a30-7827-4b5f-93d6-d1cba74f3af5
e1b5cb4d-a451-4135-8bb1-12395f20d709
593af6c7-8aa4-4118-8dc6-516a2ce7459a
1411e424-4d56-45f7-ad68-6f7c409bc801
b4284da1cb69f413478b86b3f7ec17da
493d382c-8e6f-4edb-940b-99e49fd9bded
aaf764eade43946661391ae8204118bc
cb8ef125-a77a-49d1-a8f7-1d9a1b63aac1
18b80d60-78b0-4169-8454-30777ddb186d
4aeeb7a4-92ed-4074-a6aa-e41d926be919
40597278e658c3f3e287fe716bd95a61

POSSIBLE SECRETS
d1028ebd-c0d9-47d2-845c-1568ed8e7395
7755e8bff4ccb8b88e8c6610dd16d1fb
8a8aea6d-36be-4c69-aafe-b16f1f345893
0777f84e-076a-4b7c-92b9-a5dd35cd282f
7afa8099-bd64-4bf2-8e60-5a281c68dc7e
49bfa1f3ff84e6d1c19d87726cd8f349
e9ef67ecf947b86ab727a64fd32e8a4a
b0f658f8-4fd1-461d-9870-79f15a381338
7658ced9-d729-42bb-908e-ab2168a22728



Title: Calm - Sleep, Meditate, Relax

Score: 4.4526706 Installs: 50,000,000+ Price: 0 Android Version Support: Category: Health & Fitness Play Store URL: com.calm.android

Developer Details: Calm.com, Inc., Calm.com,+Inc., None, http://www.calm.com, android@calm.com,

Release Date: Jul 30, 2014 Privacy Policy: Privacy link

Description:

Calm is the #1 app for sleep, meditation and relaxation. Manage stress, balance moods, sleep better and refocus your attention. Guided meditation, Sleep Stories, soundscapes, breathwork and stretching exercises fill our extensive library. Practice self-healing and discover a happier you through Calm. Feel better by reducing

anxiety, prioritizing your self-care and choosing a guided meditation session that fits within your busy schedule. Introduce mindfulness and breathing exercises into your daily routine and experience their life-changing benefits. Meditation novice or seasoned expert, Calm is for anyone who is looking to improve their sleep and address everyday stress. Sleep better with Sleep Stories, bedtime stories that lull you into a restful slumber. Relaxing sounds and calming music also help you meditate, focus and sleep soundly. Balance your mood and improve your sleep cycle by picking from 100+ exclusive Sleep Stories, narrated by well-known talent like Cillian Murphy, Rosé, and Jerome Flynn. Meditate daily to relieve anxiety and learn to put your personal health first. Take a deep breath and find your Calm. CALM FEATURES MEDITATION & MINDFULNESS * Meditate with seasoned experts, regardless of your experience level * Be mindful in your daily routine and learn to calm your thoughts * Mindfulness topics include Deep Sleep, Calming Anxiety, Focus and Concentration, Breaking Habits and so much more SLEEP STORIES, RELAXING MUSIC & SOUNDSCAPES * Sleep soundly listening to Sleep Stories, bedtime stories for adults and children alike * Tackle insomnia with calming music, sleep sounds and full soundscapes * Self-care: Sleep content to help you relax and get into a state of flow * Relax and experience deep sleep with new music added every week, from top artists ANXIETY RELIEF & RELAXATION * Stress management and relaxation with daily meditation and breathing exercises * Self-healing through Dailies - Reduce anxiety with daily 10-minute original programs like the Daily Calm with Tamara Levitt or the Daily Trip with Jeff Warren * Mental health is Health - Tackle social anxiety and personal growth through inspiring stories * Self-care through mindful movement: Relax your body during the day with Daily Move ALSO FEATURING * Emotion and mental health tracker through Daily Streaks & Mindful Minutes * Feel better with 7- and 21-day mindfulness programs for beginner & advanced users * Soundscapes: Nature sounds and scenes to calm your nerves * Breathing exercises: Find peace and concentration with a mental health coach Calm is free to download and use. There are never any ads and some of the programs and features are free forever. Some content is only available through an optional paid subscription. If you choose to subscribe, payment will be charged to your Google Account at confirmation of purchase. Be sure to check out our Wear OS app with tiles to quick-start breathing exercises and complications that help you track meditations. What is Calm? Our mission is to make the world a happier and healthier place. Through our website, blog, and app—filled with meditations, sleep stories, music, movement, and more—we're redefining what mental health care looks like in 2021 and beyond. With over 100 million users worldwide, 100,000 new users daily, and our growing partnerships with major companies, we're having a positive effect on more and more people each day. Calm is recommended by top psychologists, therapists, mental health experts, and the press: * "I'm generally wary of meditation apps because they sometimes weave in too much mystic talk for my taste. But Calm instead contains guidance like 'Concentrate on your body'' - New York Times * "In the frenetic, crazy, digital world we live in, sometimes it's necessary to take a step back and smell the roses" - Mashable * "Eliminating distraction...ended up helping me relax and realize that all the stuff I was stressing about wasn't that big a deal" - Tech Republic

∷ SCAN LOGS

Timestamp	Event	Error
2025-08-29 20:42:39	Generating Hashes	ОК
2025-08-29 20:42:39	Extracting APK	ОК

2025-08-29 20:42:39	Unzipping	ОК
2025-08-29 20:42:40	Parsing APK with androguard	OK
2025-08-29 20:42:40	Extracting APK features using aapt/aapt2	OK
2025-08-29 20:42:41	Getting Hardcoded Certificates/Keystores	OK
2025-08-29 20:42:43	Parsing AndroidManifest.xml	OK
2025-08-29 20:42:43	Extracting Manifest Data	ОК
2025-08-29 20:42:43	Manifest Analysis Started	ОК
2025-08-29 20:42:44	Reading Network Security config from network_security_config.xml	ОК
2025-08-29 20:42:44	Parsing Network Security config	ОК
2025-08-29 20:42:44	Performing Static Analysis on: Calm (com.calm.android)	ОК
2025-08-29 20:42:45	Fetching Details from Play Store: com.calm.android	ОК

2025-08-29 20:42:45	Checking for Malware Permissions	ОК
2025-08-29 20:42:45	Fetching icon path	ОК
2025-08-29 20:42:45	Library Binary Analysis Started	ОК
2025-08-29 20:42:45	Reading Code Signing Certificate	OK
2025-08-29 20:42:46	Running APKiD 2.1.5	OK
2025-08-29 20:42:56	Detecting Trackers	OK
2025-08-29 20:43:06	Decompiling APK to Java with JADX	OK
2025-08-29 20:43:50	Converting DEX to Smali	OK
2025-08-29 20:43:50	Code Analysis Started on - java_source	OK
2025-08-29 20:44:00	Android SBOM Analysis Completed	ОК
2025-08-29 20:44:14	Android SAST Completed	ОК

2025-08-29 20:44:14	Android API Analysis Started	ОК
2025-08-29 20:44:30	Android API Analysis Completed	ОК
2025-08-29 20:44:30	Android Permission Mapping Started	ОК
2025-08-29 20:44:45	Android Permission Mapping Completed	OK
2025-08-29 20:44:46	Android Behaviour Analysis Started	ОК
2025-08-29 20:45:02	Android Behaviour Analysis Completed	OK
2025-08-29 20:45:02	Extracting Emails and URLs from Source Code	OK
2025-08-29 20:45:11	Email and URL Extraction Completed	OK
2025-08-29 20:45:11	Extracting String data from APK	OK
2025-08-29 20:45:11	Extracting String data from Code	ОК

2025-08-29 20:45:11	Extracting String values and entropies from Code	ОК
2025-08-29 20:45:21	Performing Malware check on extracted domains	OK
2025-08-29 20:45:26	Saving to Database	ОК

Report Generated by - MobSF v4.4.0 $\,$

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

© 2025 Mobile Security Framework - MobSF | Ajin Abraham | OpenSecurity.