

### ANDROID STATIC ANALYSIS REPORT



NYSOH Upload (2.4)

com.maximus.missinginformation.nysoh_34.apk
com.maximus.missinginformation.nysoh
Aug. 31, 2025, 2:35 a.m.
56/100 (MEDIUM RISK)

### FINDINGS SEVERITY

<b>ॠ</b> HIGH	▲ MEDIUM	i INFO	✓ SECURE	<b>®</b> HOTSPOT
2	12	1	3	2

### FILE INFORMATION

File Name: com.maximus.missinginformation.nysoh\_34.apk

**Size:** 14.64MB

MD5: dfbea3b522637051f752d6f9fe123238

**SHA1**: e992ef934d1b00ae3c31502316805c1336857ccd

SHA256: c6df94064d79cfd06294a3b12e4ac740b6ef5ddd75ac75a7c7dbc646f41545a9

### **i** APP INFORMATION

App Name: NYSOH Upload

Package Name: com.maximus.missinginformation.nysoh

Main Activity: com.maximus.missinginformation.ui.activities.SplashActivity

Target SDK: 34 Min SDK: 26 Max SDK:

**Android Version Name: 2.4** 

### **EE** APP COMPONENTS

Activities: 10 Services: 7 Receivers: 3 Providers: 3

Exported Activities: 0 Exported Services: 1 Exported Receivers: 1 Exported Providers: 0

### **\*** CERTIFICATE INFORMATION

Binary is signed v1 signature: False v2 signature: True v3 signature: True v4 signature: False

X.509 Subject: C=US, ST=California, L=Mountain View, O=Google Inc., OU=Android, CN=Android

Signature Algorithm: rsassa\_pkcs1v15 Valid From: 2019-10-10 16:10:21+00:00 Valid To: 2049-10-10 16:10:21+00:00

Issuer: C=US, ST=California, L=Mountain View, O=Google Inc., OU=Android, CN=Android

Serial Number: 0xc4cfda34ee6412e3bc559afcf5180dbde896a589

Hash Algorithm: sha256

md5: 291579f74bce36b10bda095445e9e991

sha1: ce4f13caa35eca0827e95590f0facb0fc2c198f6

sha256: 526e9ac644871911438802b3ac9e1aadefc771283964c22958f03cae9a7f6de7

sha512: db30babea39990451c3a755ea9d21468cdba5d9438295e2e79f0ce467855a50571378e7cf96e2829e5dd44ba5bf6ac7b7abcb0f8edd16592c0693710bca377ad

PublicKey Algorithm: rsa

Bit Size: 4096

Fingerprint: 5a66b688a6f4e4783221fe453c5b3ff26221d7637afd89c20eb7d10ccd9d4795

Found 1 unique certificates

## **⋮** APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.INTERNET	normal	full Internet access	Allows an application to create network sockets.
android.permission.ACCESS_NETWORK_STATE	normal	view network status	Allows an application to view the status of all networks.
android.permission.CAMERA	dangerous	take pictures and videos	Allows application to take pictures and videos with the camera. This allows the application to collect images that the camera is seeing at any time.
android.permission.WRITE_EXTERNAL_STORAGE	dangerous	read/modify/delete external storage contents	Allows an application to write to external storage.
android.permission.READ_MEDIA_IMAGES	dangerous	allows reading image files from external storage.	Allows an application to read image files from external storage.
android.permission.POST_NOTIFICATIONS	dangerous	allows an app to post notifications.	Allows an app to post notifications
android.permission.WAKE_LOCK	normal	prevent phone from sleeping	Allows an application to prevent the phone from going to sleep.

PERMISSION	STATUS	INFO	DESCRIPTION
com.google.android.c2dm.permission.RECEIVE	normal	recieve push notifications	Allows an application to receive push notifications from cloud.
com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE	normal	permission defined by google	A custom permission defined by Google.
com.maximus.missinginformation.nysoh.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	unknown	Unknown permission	Unknown permission from android reference
android.permission.READ_EXTERNAL_STORAGE	dangerous	read external storage contents	Allows an application to read from external storage.

# **M** APKID ANALYSIS

FILE	DETAILS			
	FINDINGS	DETAILS		
classes.dex	Anti-VM Code	Build.FINGERPRINT check Build.MANUFACTURER check Build.TAGS check SIM operator check network operator name check		
	Compiler	r8 without marker (suspicious)		

FILE	DETAILS			
	FINDINGS	DETAILS		
classes2.dex	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.HARDWARE check Build.TAGS check possible VM check		
	Anti Debug Code	Debug.isDebuggerConnected() check		
	Compiler	r8 without marker (suspicious)		
classes3.dex	FINDINGS	DETAILS		
Cassessiack	Compiler	r8 without marker (suspicious)		

## **△** NETWORK SECURITY

NO	SCOPE	SEVERITY	DESCRIPTION

# **CERTIFICATE ANALYSIS**

#### HIGH: 0 | WARNING: 0 | INFO: 1

TITLE	SEVERITY	DESCRIPTION
Signed Application	info	Application is signed with a code signing certificate

# **Q** MANIFEST ANALYSIS

HIGH: 0 | WARNING: 3 | INFO: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	DESCRIPTION
1	App can be installed on a vulnerable Android version Android 8.0, minSdk=26]	warning	This application can be installed on an older version of android that has multiple vulnerabilities. Support an Android version => 10, API 29 to receive reasonable security updates.
2	Service (com.maximus.missinginformation.api.NYSOHFirebaseMessagingService) is not Protected. [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
3	Broadcast Receiver (com.google.firebase.iid.FirebaseInstanceIdReceiver) is Protected by a permission, but the protection level of the permission should be checked.  Permission: com.google.android.c2dm.permission.SEND  [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.



HIGH: 2 | WARNING: 7 | INFO: 1 | SECURE: 2 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	STANDARDS	FILES
				com/adobe/marketing/mobile/AbstractHi
				sDatabase.java
				com/adobe/marketing/mobile/Analytics.j
				ava
				com/adobe/marketing/mobile/AnalyticsCore.java
				com/adobe/marketing/mobile/AnalyticsE
				xtension.java com/adobe/marketing/mobile/AnalyticsF
				tSchema.java
				com/adobe/marketing/mobile/Analytics
				tsDatabase.java
				com/adobe/marketing/mobile/Analyticsl
				stenerAnalyticsRequestContent.java
				com/adobe/marketing/mobile/Analytics
				stenerGenericTrackRequestContent.java
				com/adobe/marketing/mobile/Analyticsl
				stenerHubSharedState.java
				com/adobe/marketing/mobile/Analyticsl
				stenerRulesEngineResponseContent.java
				com/adobe/marketing/mobile/Analytics
				ate.java
				com/adobe/marketing/mobile/AndroidC
				mpressedFileService.java
				com/adobe/marketing/mobile/AndroidD
				taStore.java
				com/adobe/marketing/mobile/AndroidD
				tabase.java
				com/adobe/marketing/mobile/AndroidD tabaseService.java
				com/adobe/marketing/mobile/AndroidD
				epLinkService.java
				com/adobe/marketing/mobile/AndroidE
				codingService.java
				com/adobe/marketing/mobile/AndroidE
				entHistory.java

	100115	6 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	C=1115.155.	com/adobe/marketing/mobile/AndroidEV
NO	ISSUE	SEVERITY	STANDARDS	<b>៩</b> គ្គា្រដូច្នេះoryDatabase.java com/adobe/marketing/mobile/AndroidFul
				lscreenMessage.java
				com/adobe/marketing/mobile/AndroidJso
				nUtility.java
				com/adobe/marketing/mobile/AndroidLo
				ggingService.java
				com/adobe/marketing/mobile/AndroidNe
				tworkService.java
				com/adobe/marketing/mobile/AndroidNe
				tworkServiceOverrider.java
				com/adobe/marketing/mobile/AndroidSy
				stemInfoService.java
				com/adobe/marketing/mobile/CacheMan
				ager.java
				com/adobe/marketing/mobile/Configurati
				onData.java
				com/adobe/marketing/mobile/Configurati
				onDownloader.java
				com/adobe/marketing/mobile/Configurati
				onExtension.java
				com/adobe/marketing/mobile/Configurati
				onSharedStateIdentity.java
				com/adobe/marketing/mobile/ContextDa
				taUtil.java
				com/adobe/marketing/mobile/Core.java
				com/adobe/marketing/mobile/Dispatcher
				AnalyticsRequestContentIdentity.java
				com/adobe/marketing/mobile/Event.java
				com/adobe/marketing/mobile/EventBus.j
				ava
				com/adobe/marketing/mobile/EventData.
				java
				com/adobe/marketing/mobile/EventData
				Flattener.java
				com/adobe/marketing/mobile/EventHub.j
				ava
				com/adobe/marketing/mobile/Extension.j
				ava
				com/adobe/marketing/mobile/ExtensionA
				com, adobe, marketing, mobile, ExtensionA

NO	ISSUE	SEVERITY	STANDARDS	pi.java <b>நார்</b> globe/marketing/mobile/ExtensionL istener.java
NO	ISSUE	SEVERITY	STANDARDS	com/adobe/marketing/mobile/FileUtil.jav a com/adobe/marketing/mobile/FileUtil.jav a com/adobe/marketing/mobile/FloatingBu ttonView.java com/adobe/marketing/mobile/Fullscreen MessageActivity.java com/adobe/marketing/mobile/HexString Util.java com/adobe/marketing/mobile/HitQueue.j ava com/adobe/marketing/mobile/Identity.jav a com/adobe/marketing/mobile/IdentityCor e.java com/adobe/marketing/mobile/IdentityExt ension.java com/adobe/marketing/mobile/IdentityHit Schema.java com/adobe/marketing/mobile/IdentityHit sDatabase.java com/adobe/marketing/mobile/LifecycleC ore.java com/adobe/marketing/mobile/LifecycleEx tension.java com/adobe/marketing/mobile/LifecycleEx tension.java com/adobe/marketing/mobile/LifecycleM etricsBuilder.java com/adobe/marketing/mobile/LifecycleV 2DataStoreCache.java com/adobe/marketing/mobile/LifecycleV 2MetricsBuilder.java
				com/adobe/marketing/mobile/ListenerRu lesEngineResponseContentSignal.java com/adobe/marketing/mobile/ListenerRu lesResponseContentProfile.java com/adobe/marketing/mobile/ListenerUs erProfileRequestProfile.java

O	ISSUE	SEVERITY	STANDARDS	com/adobe/marketing/mobile/ListenerUs  PIPIGSIeRequestReset.java
10	13301	SEVERITI	STANDARDS	com/adobe/marketing/mobile/LocalNotifi
				cationHandler.java
				com/adobe/marketing/mobile/Matcher.ja
				va
				com/adobe/marketing/mobile/MobileCor
				e.java
				com/adobe/marketing/mobile/Module.ja
				va
				com/adobe/marketing/mobile/Permissive
				VariantSerializer.java
				com/adobe/marketing/mobile/Persistent
				ProfileData.java
				com/adobe/marketing/mobile/RangedRes
				olver.java
				com/adobe/marketing/mobile/RemoteDo
				wnloader.java
				com/adobe/marketing/mobile/RuleCondit
				ionHistorical.java
				com/adobe/marketing/mobile/RuleConse
				quence.java
				com/adobe/marketing/mobile/RulesEngin
				e.java
				com/adobe/marketing/mobile/SignalCore
				.java
				com/adobe/marketing/mobile/SignalExte
				nsion.java
				com/adobe/marketing/mobile/SignalHitSc
				hema.java
				com/adobe/marketing/mobile/SignalHits
				Database.java
				com/adobe/marketing/mobile/SignalTem
				plate.java
				com/adobe/marketing/mobile/StringEnco
				der.java
				com/adobe/marketing/mobile/StringUtils.
				java
				com/adobe/marketing/mobile/TLSSocket
				Factory.java
				com/adobe/marketing/mobile/TimerState

10	ISSUE	SEVERITY	STANDARDS	.java <b>Form S</b> dobe/marketing/mobile/URLBuilde
				r.java
				com/adobe/marketing/mobile/UrlUtilities
				.java
				com/adobe/marketing/mobile/UserProfil
				e.java
				com/adobe/marketing/mobile/UserProfil
				eCore.java
				com/adobe/marketing/mobile/UserProfil
				eExtension.java
				com/adobe/marketing/mobile/V4ToV5Mi
				gration.java
				com/adobe/marketing/mobile/VisitorID.ja
				va
				com/adobe/marketing/mobile/ZipBundle
				Handler.java
				com/bumptech/glide/Glide.java
				com/bumptech/glide/disklrucache/DiskLr
				uCache.java
				com/bumptech/glide/gifdecoder/GifHead
				erParser.java
				com/bumptech/glide/gifdecoder/Standar
				dGifDecoder.java
				com/bumptech/glide/load/data/AssetPath
				Fetcher.java
				com/bumptech/glide/load/data/HttpUrlFe
				tcher.java
				com/bumptech/glide/load/data/LocalUriF
				etcher.java
				com/bumptech/glide/load/data/mediasto
				re/ThumbFetcher.java
				com/bumptech/glide/load/data/mediasto
				re/ThumbnailStreamOpener.java
				com/bumptech/glide/load/engine/Decode
				Job.java
				com/bumptech/glide/load/engine/Decode
				Path.java
				com/bumptech/glide/load/engine/Engine.
				java
				com/bumptech/glide/load/engine/GlideEx

NO	ISSUE	SEVERITY	STANDARDS	ception.java  Fdh FSumptech/glide/load/engine/Source Generator.java
1	The App logs information. Sensitive information should never be logged.	info	CWE: CWE-532: Insertion of Sensitive Information into Log File OWASP MASVS: MSTG-STORAGE-3	com/bumptech/glide/load/engine/bitmap _recycle/LruArrayPool.java com/bumptech/glide/load/engine/bitmap _recycle/LruBitmapPool.java com/bumptech/glide/load/engine/cache/ DiskLruCacheWrapper.java com/bumptech/glide/load/engine/cache/ MemorySizeCalculator.java com/bumptech/glide/load/engine/execut or/GlideExecutor.java
				com/bumptech/glide/load/engine/execut or/RuntimeCompat.java com/bumptech/glide/load/engine/prefill/ BitmapPreFillRunner.java com/bumptech/glide/load/model/ByteBu fferEncoder.java com/bumptech/glide/load/model/ByteBu
				fferFileLoader.java com/bumptech/glide/load/model/FileLoa der.java com/bumptech/glide/load/model/Resour ceLoader.java com/bumptech/glide/load/model/Stream
				Encoder.java com/bumptech/glide/load/resource/lmag eDecoderResourceDecoder.java com/bumptech/glide/load/resource/bitm ap/BitmapEncoder.java com/bumptech/glide/load/resource/bitm
				ap/BitmapImageDecoderResourceDecod r.java com/bumptech/glide/load/resource/bitm ap/DefaultImageHeaderParser.java com/bumptech/glide/load/resource/bitm
				ap/Downsampler.java com/bumptech/glide/load/resource/bitm ap/DrawableToBitmapConverter.java com/bumptech/glide/load/resource/bitm

NO	ISSUE	SEVERITY	STANDARDS	ap/HardwareConfigState.java Fold Foumptech/glide/load/resource/bitm ap/TransformationUtils.java
				com/bumptech/glide/load/resource/bitm ap/VideoDecoder.java com/bumptech/glide/load/resource/gif/B yteBufferGifDecoder.java com/bumptech/glide/load/resource/gif/Gi fDrawableEncoder.java com/bumptech/glide/load/resource/gif/St reamGifDecoder.java com/bumptech/glide/manager/DefaultCo nnectivityMonitor.java com/bumptech/glide/manager/DefaultCo nnectivityMonitorFactory.java com/bumptech/glide/manager/RequestM anagerFragment.java com/bumptech/glide/manager/RequestM anagerRetriever.java com/bumptech/glide/manager/RequestTr acker.java com/bumptech/glide/manager/SupportRe questManagerFragment.java com/bumptech/glide/module/ManifestPa rser.java com/bumptech/glide/request/SingleRequ est.java com/bumptech/glide/request/target/Cust omViewTarget.java com/bumptech/glide/request/target/View Target.java com/bumptech/glide/signature/Applicatio nVersionSignature.java com/bumptech/glide/util/ContentLengthI nputStream.java com/bumptech/glide/util/ContentLengthI nputStream.java com/bumptech/glide/util/pool/FactoryPo ols.java com/maximus/missinginformation/api/N YSOHFirebaseMessagingService.java com/maximus/missinginformation/ui/fra gments/SubmissionSelectionFragment.jav

NO	ISSUE	SEVERITY	STANDARDS	a FULTS aximus/missinginformation/ui/fra
				gments/SubmitDocumentsFragment.java com/maximus/missinginformation/ui/fra gments/TermsOfUseFragment.java com/maximus/missinginformation/util/A ppLifecycleObserver.java com/maximus/missinginformation/util/M aximusPrefs.java com/maximus/missinginformation/util/P hotoEncryptor.java com/mellissa/addressautocomplete/Melis saAutocompleteTextView.java com/stfalcon/imageviewer/StfalconImage Viewer.java com/theartofdev/edmodo/cropper/Bitma pUtils.java com/theartofdev/edmodo/cropper/CropI mageActivity.java com/theartofdev/edmodo/cropper/CropO verlayView.java com/webtrends/mobile/analytics/WTCore ClientInfo.java com/webtrends/mobile/analytics/WTCore ClientBatch.java com/webtrends/mobile/analytics/WTCore EventBatch.java com/webtrends/mobile/analytics/WTCore EventSendTask.java com/webtrends/mobile/analytics/WTCore EventStore.java com/webtrends/mobile/analytics/WTCore HttpClient.java com/webtrends/mobile/analytics/WTCore HttpClient.java com/webtrends/mobile/analytics/WTCore HttpClient.java com/webtrends/mobile/analytics/WTCore KeyValuePairs.java com/webtrends/mobile/analytics/WTCore
				Log.java com/webtrends/mobile/analytics/WTCore

com/webtrends/mobile/analytics/WTOre ResPollTask.java com/webtrends/mobile/analytics/WTCore SendtheathStatus.java com/webtrends/mobile/analytics/WTCore TaskInitalize.java com/webtrends/mobile/analytics/WTCore TaskLoadConfig.java com/webtrends/mobile/analytics/WTCore TaskMigration.java com/webtrends/mobile/analytics/WTCore TaskMigration.java com/webtrends/mobile/analytics/WTOre TaskRoressEvent.java com/webtrends/mobile/analytics/WTOpta Collector.java com/webtrends/mobile/analytics/WTOpt Button.java com/webtrends/mobile/analytics/WTOpt Database.java com/webtrends/mobile/analytics/WTOptE ditText.java com/webtrends/mobile/analytics/WTOptE ditText.java com/webtrends/mobile/analytics/WTOptI mageCache.java com/webtrends/mobile/analytics/WTOptI askDowniadImage.java com/webtrends/mobile/analytics/WTOptT	NO	ISSUE	SEVERITY	STANDARDS	com/webtrends/mobile/analytics/WTCore
est.java					com/webtrends/mobile/analytics/WTCore RcsPollTask.java com/webtrends/mobile/analytics/WTCore SendHealthStatus.java com/webtrends/mobile/analytics/WTCore TaskInitialize.java com/webtrends/mobile/analytics/WTCore TaskLoadConfig.java com/webtrends/mobile/analytics/WTCore TaskMigration.java com/webtrends/mobile/analytics/WTCore TaskProcessEvent.java com/webtrends/mobile/analytics/WTData Collector.java com/webtrends/mobile/analytics/WTOpt Button.java com/webtrends/mobile/analytics/WTOpt Database.java com/webtrends/mobile/analytics/WTOptE ditText.java com/webtrends/mobile/analytics/WTOptF actor.java com/webtrends/mobile/analytics/WTOptI mageCache.java com/webtrends/mobile/analytics/WTOptI mageFactor.java com/webtrends/mobile/analytics/WTOpt MultivariateFactor.java com/webtrends/mobile/analytics/WTOpt Project.java com/webtrends/mobile/analytics/WTOptS tore.java com/webtrends/mobile/analytics/WTOptS tore.java com/webtrends/mobile/analytics/WTOptT askDownloadImage.java com/webtrends/mobile/analytics/WTOptT askPollServer.java com/webtrends/mobile/analytics/WTOptT askPollServer.java com/webtrends/mobile/analytics/WTOptT

NO	ISSUE	SEVERITY	STANDARDS	extView.java FILES com/webtrends/mobile/analytics/WTOpt
				webview.java com/webtrends/mobile/analytics/WTOpti mizeManager.java com/webtrends/mobile/analytics/WTPersi stentCookieStore.java com/webtrends/mobile/analytics/WTRefe rrerReceiver.java com/webtrends/mobile/analytics/WTTask .java com/webtrends/mobile/analytics/WTTask .java com/webtrends/mobile/analytics/WTTask ReferrerCheck.java com/webtrends/mobile/analytics/WTWeb ViewClient.java io/github/inflationx/calligraphy3/Reflectio nUtils.java io/github/inflationx/calligraphy3/Typeface Utils.java io/github/inflationx/viewpump/internal/R eflectionUtils.java io/realm/BaseRealm.java io/realm/BaseRealm.java io/realm/RealmCache.java io/realm/RealmCache.java io/realm/RealmCache.java io/realm/RealmCache.java io/realm/internal/FinalizerRunnable.java io/realm/internal/PealmCore.java io/realm/internal/CosRealmConfig.java io/realm/internal/Util.java org/joda/time/tz/DateTimeZoneBuilder.ja va org/joda/time/tz/ZoneInfoCompiler.java org/opencv/android/Camera2Renderer.ja va org/opencv/android/Camera2Renderer.ja va org/opencv/android/CameraBridgeViewB ase.java

NO	ISSUE	SEVERITY	STANDARDS	ase java FILES org/opencv/android/CameraGLSurfaceVie
				w.java org/opencv/android/CameraRenderer.jav a org/opencv/android/FpsMeter.java org/opencv/android/StaticHelper.java rx/internal/util/IndexedRingBuffer.java rx/internal/util/RxJavaPluginUtils.java rx/internal/util/RxRingBuffer.java timber/log/Timber.java
				com/adobe/marketing/mobile/AnalyticsC onstants.java com/adobe/marketing/mobile/AndroidUl Service.java com/adobe/marketing/mobile/App.java com/adobe/marketing/mobile/Configurati onConstants.java com/adobe/marketing/mobile/Configurati onExtension.java com/adobe/marketing/mobile/CoreConst ants.java com/adobe/marketing/mobile/DataMarsh aller.java com/adobe/marketing/mobile/EventData Keys.java com/adobe/marketing/mobile/IdentityCo nstants.java com/adobe/marketing/mobile/LifecycleC onstants.java com/adobe/marketing/mobile/Matcher.ja va com/adobe/marketing/mobile/RuleCondit ionGroup.java com/adobe/marketing/mobile/UserProfil eConstants.java com/adobe/marketing/mobile/UserProfil eConstants.java com/adobe/marketing/mobile/V4ToV5Mi gration.java com/adobe/marketing/mobile/Services/ui

NO	ISSUE	SEVERITY	STANDARDS  CWE: CWE-312: Cleartext Storage of Sensitive	/AndroidUIService.java <b>FdhtfS</b> umptech/glide/load/Option.java com/bumptech/glide/load/engine/DataCa
2	Files may contain hardcoded sensitive information like usernames, passwords, keys etc.	warning	Information OWASP Top 10: M9: Reverse Engineering OWASP MASVS: MSTG-STORAGE-14	cheKey.java com/bumptech/glide/load/engine/Engine Resource.java com/bumptech/glide/load/engine/Resour ceCacheKey.java com/bumptech/glide/manager/RequestM anagerRetriever.java com/maximus/missinginformation/Build Config.java com/maximus/missinginformation/api/Di splayTextResponse.java com/maximus/missinginformation/api/Fa qsResponse.java com/maximus/missinginformation/ui/fra gments/DatePickerDialogFragment.java com/maximus/missinginformation/util/D atabaseManager.java com/maximus/missinginformation/util/M aximusPrefs.java com/maximus/missinginformation/util/M aximusPrefs.java com/mellissa/addressautocomplete/Cons tants.java com/mellissa/addressautocomplete/Util/K eyUtility.java com/webtrends/mobile/analytics/WTCore Constants.java com/webtrends/mobile/analytics/WTCore Session.java io/reactivex/internal/schedulers/Schedule rPoolFactory.java rx/internal/schedulers/NewThreadWorker .java

NO	ISSUE	SEVERITY	STANDARDS	FILES
3	App can read/write to External Storage. Any App can read data written to External Storage.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	com/maximus/missinginformation/docu mentScanner/model/DocumentManager.j ava com/maximus/missinginformation/docu mentScanner/model/Image.java com/maximus/missinginformation/docu mentScanner/util/ImageFilePath.java com/maximus/missinginformation/util/C ompressImage.java
4	This App uses SSL certificate pinning to detect or prevent MITM attacks in secure communication channel.	secure	OWASP MASVS: MSTG-NETWORK-4	com/maximus/missinginformation/api/A piClient.java
5	App creates temp file. Sensitive information should never be written into a temp file.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	com/theartofdev/edmodo/cropper/Bitma pUtils.java com/theartofdev/edmodo/cropper/Cropl mageActivity.java
6	App uses SQLite Database and execute raw SQL query. Untrusted user input in raw SQL queries can cause SQL Injection. Also sensitive information should be encrypted and written to the database.	warning	CWE: CWE-89: Improper Neutralization of Special Elements used in an SQL Command ('SQL Injection') OWASP Top 10: M7: Client Code Quality	com/adobe/marketing/mobile/AndroidDa tabase.java com/adobe/marketing/mobile/AndroidEv entHistoryDatabase.java com/adobe/marketing/mobile/services/S QLiteDatabaseHelper.java com/webtrends/mobile/analytics/WTCore EventDb.java com/webtrends/mobile/analytics/WTOpt Database.java
7	The App uses the encryption mode CBC with PKCS5/PKCS7 padding. This configuration is vulnerable to padding oracle attacks.	high	CWE: CWE-649: Reliance on Obfuscation or Encryption of Security-Relevant Inputs without Integrity Checking OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-3	com/maximus/missinginformation/util/P hotoEncryptor.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
8	Calling Cipher.getInstance("AES") will return AES ECB mode by default. ECB mode is known to be weak as it results in the same ciphertext for identical blocks of plaintext.	high	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-2	com/mellissa/addressautocomplete/util/K eyUtility.java
9	IP Address disclosure	warning	CWE: CWE-200: Information Exposure OWASP MASVS: MSTG-CODE-2	com/webtrends/mobile/analytics/BuildCo nfig.java
10	This App use Realm Database with encryption.	secure	OWASP MASVS: MSTG-CRYPTO-1	com/maximus/missinginformation/util/D atabaseManager.java
11	SHA-1 is a weak hash known to have hash collisions.	warning	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	com/adobe/marketing/mobile/StringEnco der.java
12	MD5 is a weak hash known to have hash collisions.	warning	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	com/webtrends/mobile/analytics/WTOptl mageCache.java

# ■ NIAP ANALYSIS v1.3

NO	IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION



RULE ID	BEHAVIOUR	LABEL	FILES
00013	Read file and put it into a stream	file	com/adobe/marketing/mobile/AndroidCompressedFileService.java com/adobe/marketing/mobile/AndroidFullscreenMessage.java com/adobe/marketing/mobile/ConfigurationExtension.java com/adobe/marketing/mobile/FileUtil.java com/adobe/marketing/mobile/services/ui/MessageWebViewClient.java com/bumptech/glide/disklrucache/DiskLruCache.java com/bumptech/glide/load/ImageHeaderParserUtils.java com/bumptech/glide/load/model/FileLoader.java com/bumptech/glide/load/model/FileLoader.java com/getkeepsafe/relinker/elf/ElfParser.java com/maximus/missinginformation/ui/fragments/AssistorIDProofingReviewFrag ment.java com/maximus/missinginformation/ui/fragments/SubmitDocumentsFragment.jav a com/maximus/missinginformation/util/PhotoEncryptor.java com/mellissa/addressautocomplete/history/DefaultAutocompleteHistoryManage r.java okio/Okio.java org/joda/time/tz/ZoneInfoCompiler.java org/joda/time/tz/ZoneInfoProvider.java
00091	Retrieve data from broadcast	collection	com/adobe/marketing/mobile/LocalNotificationHandler.java com/webtrends/mobile/analytics/WTReferrerReceiver.java
00077	Read sensitive data(SMS, CALLLOG, etc)	collection sms calllog calendar	com/bumptech/glide/load/data/mediastore/ThumbFetcher.java com/navgde/grammaticalinflectionapi/data/ContentResolverKt.java

RULE ID	BEHAVIOUR	LABEL	FILES
00022	Open a file from given absolute path of the file	file	com/adobe/marketing/mobile/AbstractHitsDatabase.java com/adobe/marketing/mobile/AndroidCompressedFileService.java com/adobe/marketing/mobile/CacheManager.java com/adobe/marketing/mobile/RemoteDownloader.java com/adobe/marketing/mobile/RemoteDownloader.java com/getkeepsafe/relinker/ReLinkerInstance.java com/getkeepsafe/relinker/ReLinkerInstance.java com/maximus/missinginformation/documentScanner/activity/DocumentPreview Activity.java com/maximus/missinginformation/documentScanner/activity/DocumentScanner Activity.java com/maximus/missinginformation/documentScanner/model/Image.java com/maximus/missinginformation/ui/fragments/AssistorIDProofingReviewFrag ment.java com/maximus/missinginformation/ui/fragments/AssistorSubmitDocumentsFrag ment.java com/maximus/missinginformation/ui/fragments/SubmitDocumentsFragment.j ava com/maximus/missinginformation/ui/fragments/SubmitDocumentsFragment.j ava com/maximus/missinginformation/uii/PompressImage.java com/maximus/missinginformation/utii/PhotoEncryptor.java com/webtrends/mobile/analytics/WTOptImageCache.java io/realm/RealmConfiguration.java io/realm/internal/OsRealmConfig.java io/realm/internal/OsSharedRealm.java io/realm/internal/Util.java org/opency/android/Utils.java
00096	Connect to a URL and set request method	command network	com/webtrends/mobile/analytics/WTCoreHttpClient.java
00094	Connect to a URL and read data from it command network		com/webtrends/mobile/analytics/WTCoreHttpClient.java

RULE ID	BEHAVIOUR	LABEL	FILES
00089	Connect to a URL and receive input stream from the server		com/bumptech/glide/load/data/HttpUrlFetcher.java com/mellissa/addressautocomplete/network/MellissaHttpUrlConnectionMapsHtt pClient.java com/webtrends/mobile/analytics/WTOptTaskDownloadImage.java
00030	Connect to the remote server through the given URL	network	com/bumptech/glide/load/data/HttpUrlFetcher.java com/webtrends/mobile/analytics/WTOptTaskDownloadImage.java
00183	Get current camera parameters and change the setting.	camera	com/maximus/missinginformation/documentScanner/view/ScanSurfaceView.jav a org/opencv/android/CameraRenderer.java org/opencv/android/JavaCameraView.java
00063	Implicit intent(view a web page, make a phone call, etc.)	control	com/adobe/marketing/mobile/AndroidDeepLinkService.java com/adobe/marketing/mobile/AndroidFullscreenMessage.java com/adobe/marketing/mobile/LocalNotificationHandler.java com/adobe/marketing/mobile/services/ui/AEPMessage.java com/adobe/marketing/mobile/services/ui/AAEPMessage.java com/adobe/marketing/mobile/services/ui/AndroidUlService.java com/maximus/missinginformation/customgallery/CustomGalleryActivity.java com/maximus/missinginformation/ui/fragments/ContactFragment.java com/maximus/missinginformation/ui/fragments/ContactPreferencesFragment.java com/maximus/missinginformation/ui/fragments/ProfilesListFragment.java com/maximus/missinginformation/ui/fragments/RenewAlertBottomSheetDialogFragment.java com/maximus/missinginformation/ui/fragments/SubmitBottomSheetDialogFragment.java com/maximus/missinginformation/ui/fragments/SubmitDocumentsFragment.java com/maximus/missinginformation/ui/fragments/TermsOfUseFragment.java com/maximus/missinginformation/ui/fragments/TermsOfUseFragment.java com/maximus/missinginformation/ui/fragments/TermsOfUseFragment.java com/maximus/missinginformation/uil/LinkManager.java com/webtrends/mobile/analytics/WTDataCollector.java org/opencv/android/AsyncServiceHelper.java

RULE ID	BEHAVIOUR	LABEL	FILES
00051	Implicit intent(view a web page, make a phone call, etc.) via setData		com/adobe/marketing/mobile/AndroidDeepLinkService.java com/adobe/marketing/mobile/AndroidFullscreenMessage.java com/adobe/marketing/mobile/LocalNotificationHandler.java com/adobe/marketing/mobile/services/ui/AEPMessage.java com/adobe/marketing/mobile/services/ui/AndroidUlService.java com/maximus/missinginformation/customgallery/CustomGalleryActivity.java com/maximus/missinginformation/ui/fragments/ContactFragment.java com/maximus/missinginformation/ui/fragments/ContactPreferencesFragment.ja va com/maximus/missinginformation/ui/fragments/ProfilesListFragment.java com/maximus/missinginformation/ui/fragments/RenewAlertBottomSheetDialogF ragment.java com/maximus/missinginformation/ui/fragments/SubmitBottomSheetDialogFrag ment.java com/maximus/missinginformation/ui/fragments/TermsOfUseFragment.java com/maximus/missinginformation/ui/fragments/TermsOfUseFragment.java com/maximus/missinginformation/ui/fragments/TermsOfUseFragment.java com/maximus/missinginformation/util/LinkManager.java com/webtrends/mobile/analytics/WTDataCollector.java
00078	Get the network operator name	collection telephony	com/adobe/marketing/mobile/AndroidSystemInfoService.java com/adobe/marketing/mobile/services/DeviceInfoService.java com/webtrends/mobile/analytics/WTCoreClientInfo.java
00109	Connect to a URL and get the response code network command		com/bumptech/glide/load/data/HttpUrlFetcher.java
00202	Make a phone call	control	com/maximus/missinginformation/ui/fragments/ContactFragment.java com/maximus/missinginformation/ui/fragments/ContactPreferencesFragment.ja va com/maximus/missinginformation/ui/fragments/ProfilesListFragment.java com/maximus/missinginformation/ui/fragments/SubmitBottomSheetDialogFragment.java

RULE ID	BEHAVIOUR	LABEL	FILES
00203	Put a phone number into an intent	control	com/maximus/missinginformation/ui/fragments/ContactFragment.java com/maximus/missinginformation/ui/fragments/ContactPreferencesFragment.ja va com/maximus/missinginformation/ui/fragments/ProfilesListFragment.java com/maximus/missinginformation/ui/fragments/SubmitBottomSheetDialogFragment.java
00002	Open the camera and take picture	camera	com/maximus/missinginformation/documentScanner/view/ScanSurfaceView.jav a
00125	Check if the given file path exist	file	com/maximus/missinginformation/ui/fragments/SubmitDocumentsFragment.jav a
00132	Query The ISO country code	telephony collection	com/webtrends/mobile/analytics/WTCoreClientInfo.java
00192	Get messages in the SMS inbox	sms	com/maximus/missinginformation/documentScanner/util/ImageFilePath.java
00163	Create new Socket and connecting to it	socket	com/adobe/marketing/mobile/services/HttpConnectionHandler.java
00009	Put data in cursor to JSON object	file	com/webtrends/mobile/analytics/WTOptDatabase.java
00012	Read data and put it into a buffer stream	file	com/maximus/missinginformation/ui/fragments/AssistorIDProofingReviewFrag ment.java
00187	Query a URI and check the result	collection sms calllog calendar	com/navgde/grammaticalinflectionapi/data/ContentResolverKt.java



TITLE	SEVERITY	DESCRIPTION
Firebase Remote Config disabled	secure	Firebase Remote Config is disabled for https://firebaseremoteconfig.googleapis.com/v1/projects/539694057856/namespaces/firebase:fetch?key=AlzaSyBxoCx-Y-qvwTl6pXZy7StDAOLRTmKm72E. This is indicated by the response: {'state': 'NO_TEMPLATE'}

### **\*: ::** ABUSED PERMISSIONS

TYPE	MATCHES	PERMISSIONS
Malware Permissions	6/25	android.permission.INTERNET, android.permission.ACCESS_NETWORK_STATE, android.permission.CAMERA, android.permission.WRITE_EXTERNAL_STORAGE, android.permission.WAKE_LOCK, android.permission.READ_EXTERNAL_STORAGE
Other Common Permissions	2/44	com.google.android.c2dm.permission.RECEIVE, com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE

### **Malware Permissions:**

Top permissions that are widely abused by known malware.

### **Other Common Permissions:**

Permissions that are commonly abused by known malware.

## • OFAC SANCTIONED COUNTRIES

This app may communicate with the following OFAC sanctioned list of countries.

DOMAIN	COUNTRY/REGION
--------	----------------

# **Q DOMAIN MALWARE CHECK**

DOMAIN	STATUS	GEOLOCATION
ots.optimize.webtrends.com	ok	IP: 135.237.225.159 Country: United States of America Region: Illinois City: Naperville Latitude: 41.791512 Longitude: -88.163277 View: Google Map
scs.webtrends.com	ok	No Geolocation information available.
api.nysoh-maximus-mobileapi.com	ok	IP: 18.238.96.81 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
realm.io	ok	IP: 13.224.53.90 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map

DOMAIN	STATUS	GEOLOCATION
ots.optimize.com	ok	IP: 3.228.19.23 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map
issuetracker.google.com	ok	IP: 142.251.40.46 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
assets.adobedtm.com	ok	IP: 23.3.85.32 Country: United States of America Region: California City: Los Angeles Latitude: 34.052231 Longitude: -118.243683 View: Google Map
play.google.com	ok	IP: 142.250.188.238  Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
rcs.webtrends.com	ok	No Geolocation information available.



EMAIL	FILE	
testingemail@testing.com	com/maximus/missinginformation/ui/fragments/ContactPreferencesFragment.java	
test@test.com	com/maximus/missinginformation/ui/fragments/LoginStep1Fragment.java	

## **A** TRACKERS

TRACKER	CATEGORIES	URL
Adobe Experience Cloud		https://reports.exodus-privacy.eu.org/trackers/229
Google CrashLytics	Crash reporting	https://reports.exodus-privacy.eu.org/trackers/27
Google Firebase Analytics	Analytics	https://reports.exodus-privacy.eu.org/trackers/49
Webtrends	Analytics	https://reports.exodus-privacy.eu.org/trackers/129

## HARDCODED SECRETS

### **POSSIBLE SECRETS**

 $"google\_api\_key": "AlzaSyBxoCx-Y-qvwTl6pXZy7StDAOLRTmKm72E"\\$ 

#### **POSSIBLE SECRETS**

"google\_crash\_reporting\_api\_key": "AlzaSyBxoCx-Y-qvwTl6pXZy7StDAOLRTmKm72E"

"webtrends\_key": "dcs2225v0rcesow8m3e4nhyz5\_7e2e"

11839296a789a3bc0045c8a5fb42c7d1bd998f54449579b446817afbd17273e662c97ee72995ef42640c550b9013fad0761353c7086a272c24088be94769fd16650

68647976601306097149819007990813932172694353001433054093944634591855431833976560521225596406614545549772963113914808580371219879997166 43812574028291115057151

258EAFA5-E914-47DA-95CA-C5AB0DC85B11

470fa2b4ae81cd56ecbcda9735803434cec591fa

4fe342e2fe1a7f9b8ee7eb4a7c0f9e162bce33576b315ececbb6406837bf51f5

Ek9vZFfmIH9M0vXuaQAxB8eXieEasYUo6erlzQi6

39402006196394479212279040100143613805079739270465446667946905279627659399113263569398956308152294913554433653942643

5ac635d8aa3a93e7b3ebbd55769886bc651d06b0cc53b0f63bce3c3e27d2604b

c6858e06b70404e9cd9e3ecb662395b4429c648139053fb521f828af606b4d3dbaa14b5e77efe75928fe1dc127a2ffa8de3348b3c1856a429bf97e7e31c2e5bd66

3617de4a96262c6f5d9e98bf9292dc29f8f41dbd289a147ce9da3113b5f0b8c00a60b1ce1d7e819d7a431d7c90ea0e5f

000102030405060708090A0B0C0D0E0F101112131415161718191A1B1C1D1E1F202122232425262728292A2B2C2D2E2F303132333435363738393A3B3C3D3E3F4041 42434445464748494A4B4C4D4E4F505152535455565758595A5B5C5D5E5F606162636465666768696A6B6C6D6E6F707172737475767778797A7B7C7D7E7F80818283 8485868788898A8B8C8D8E8F909192939495969798999A9B9C9D9E9FA0A1A2A3A4A5A6A7A8A9AAABACADAEAFB0B1B2B3B4B5B6B7B8B9BABBBCBDBEBFC0C1C2C3 C4C5C6C7C8C9CACBCCCDCECFD0D1D2D3D4D5D6D7D8D9DADBDCDDDEDFE0E1E2E3E4E5E6E7E8E9EAEBECEDEEEFF0F1F2F3F4F5F6F7F8F9FAFBFCFDFEFF

b3312fa7e23ee7e4988e056be3f82d19181d9c6efe8141120314088f5013875ac656398d8a2ed19d2a85c8edd3ec2aef

#### POSSIBLE SECRETS

39402006196394479212279040100143613805079739270465446667948293404245721771496870329047266088258938001861606973112319

aa87ca22be8b05378eb1c71ef320ad746e1d3b628ba79b9859f741e082542a385502f25dbf55296c3a545e3872760ab7

051953eb9618e1c9a1f929a21a0b68540eea2da725b99b315f3b8b489918ef109e156193951ec7e937b1652c0bd3bb1bf073573df883d2c34f1ef451fd46b503f00

115792089210356248762697446949407573530086143415290314195533631308867097853951

68647976601306097149819007990813932172694353001433054093944634591855431833976553942450577463332171975329639963713633211138647686124403 80340372808892707005449

6b17d1f2e12c4247f8bce6e563a440f277037d812deb33a0f4a13945d898c296

115792089210356248762697446949407573529996955224135760342422259061068512044369



### > PLAYSTORE INFORMATION

Title: NYSOH Mobile Upload

Score: 4.805697 Installs: 100,000+ Price: 0 Android Version Support: Category: Medical Play Store URL: com.maximus.missinginformation.nysoh

Developer Details: MAXIMUS, MAXIMUS, None, https://nystateofhealth.ny.gov, mobile@maximus.com,

Release Date: Oct 27, 2019 Privacy Policy: Privacy link

#### **Description:**

When you apply for health insurance through the NY State of Health (NYSOH) marketplace, you may need to provide supporting documents to complete your application. With the NYSOH Mobile App, you can take a picture of your documents, or choose a photo of your documents from your device's album, and upload it to your account. The NYSOH Mobile App now also allows you to view your eligibility and enrollment dates, program information, and more. The NYSOH Mobile App is quick and easy to use. Following a simple log in from your phone or tablet, you can choose to upload a document to your account or navigate to your account overview to view your account information. Do you have questions or feedback? Call us. We can help! Toll-free number: 1.855.355.5777 TTY: 1.800.662.1220 NYSOH Mobile Upload is for New York residents only.

# **⋮**≡ SCAN LOGS

Timestamp	Event	Error
2025-08-31 02:35:33	Generating Hashes	ОК
2025-08-31 02:35:33	Extracting APK	ОК
2025-08-31 02:35:33	Unzipping	ОК
2025-08-31 02:35:33	Parsing APK with androguard	ОК
2025-08-31 02:35:33	Extracting APK features using aapt/aapt2	ОК
2025-08-31 02:35:33	Getting Hardcoded Certificates/Keystores	ОК
2025-08-31 02:35:35	Parsing AndroidManifest.xml	ОК
2025-08-31 02:35:35	Extracting Manifest Data	ОК
2025-08-31 02:35:35	Manifest Analysis Started	OK

2025-08-31 02:35:35	Performing Static Analysis on: NYSOH Upload (com.maximus.missinginformation.nysoh)	ОК
2025-08-31 02:35:36	Fetching Details from Play Store: com.maximus.missinginformation.nysoh	ОК
2025-08-31 02:35:37	Checking for Malware Permissions	ОК
2025-08-31 02:35:37	Fetching icon path	ОК
2025-08-31 02:35:37	Library Binary Analysis Started	ОК
2025-08-31 02:35:37	Reading Code Signing Certificate	ОК
2025-08-31 02:35:37	Running APKiD 2.1.5	ОК
2025-08-31 02:35:42	Detecting Trackers	ОК
2025-08-31 02:35:45	Decompiling APK to Java with JADX	ОК
2025-08-31 02:39:07	Decompiling with JADX failed, attempting on all DEX files	ОК
2025-08-31 02:39:07	Decompiling classes2.dex with JADX	ОК

2025-08-31 02:40:51	Decompiling classes.dex with JADX	ОК
2025-08-31 02:41:01	Decompiling classes3.dex with JADX	ОК
2025-08-31 02:41:10	Decompiling classes2.dex with JADX	ОК
2025-08-31 02:41:23	Decompiling classes.dex with JADX	ОК
2025-08-31 02:41:35	Decompiling classes3.dex with JADX	ОК
2025-08-31 02:41:46	Converting DEX to Smali	ОК
2025-08-31 02:41:46	Code Analysis Started on - java_source	OK
2025-08-31 02:41:49	Android SBOM Analysis Completed	OK
2025-08-31 02:43:30	Android SAST Completed	OK
2025-08-31 02:43:30	Android API Analysis Started	OK
2025-08-31 02:43:44	Android API Analysis Completed	ОК

2025-08-31 02:43:44	Android Permission Mapping Started	ОК
2025-08-31 02:43:56	Android Permission Mapping Completed	ОК
2025-08-31 02:43:56	Android Behaviour Analysis Started	OK
2025-08-31 02:44:14	Android Behaviour Analysis Completed	OK
2025-08-31 02:44:14	Extracting Emails and URLs from Source Code	OK
2025-08-31 02:44:19	Email and URL Extraction Completed	OK
2025-08-31 02:44:19	Extracting String data from APK	OK
2025-08-31 02:44:19	Extracting String data from Code	OK
2025-08-31 02:44:19	Extracting String values and entropies from Code	OK
2025-08-31 02:44:24	Performing Malware check on extracted domains	OK
2025-08-31 02:44:29	Saving to Database	OK

### Report Generated by - MobSF v4.4.0

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

© 2025 Mobile Security Framework - MobSF | Ajin Abraham | OpenSecurity.