

ANDROID STATIC ANALYSIS REPORT



Benefits (18.0.0)

File Name:	com.lighthouse1.mobilebenefits.dbi_181.apk
Package Name:	com.lighthouse1.mobilebenefits.dbi
Scan Date:	Aug. 31, 2025, 1 a.m.
App Security Score:	62/100 (LOW RISK)
Grade:	A
Trackers Detection:	1/432

FINDINGS SEVERITY

≟ HIGH	▲ MEDIUM	i INFO	✓ SECURE	ℚ HOTSPOT
2	17	1	6	1

FILE INFORMATION

File Name: com.lighthouse1.mobilebenefits.dbi_181.apk

Size: 10.27MB

MD5: b3250d542a1a0a894426e52d7d841698

SHA1: 6e284d06415bb9c45cfa6dc97c004bdf826bd72b

SHA256: 888d4f400f3f3dee64e1ba2eb56227c79b6baa969c57ec64f98a8e5cb047c85c

i APP INFORMATION

App Name: Benefits

Package Name: com.lighthouse1.mobilebenefits.dbi

Main Activity: com.lighthouse1.mobilebenefits.activity.LoginActivity

Target SDK: 34 Min SDK: 28 Max SDK:

Android Version Name: 18.0.0

EE APP COMPONENTS

Activities: 80 Services: 7 Receivers: 5 Providers: 4

Exported Activities: 2 Exported Services: 0 Exported Receivers: 2 Exported Providers: 0



Binary is signed v1 signature: False v2 signature: False v3 signature: True v4 signature: False

X.509 Subject: C=US, ST=Minnesota, L=Minneapolis, O=Lighthouse1, OU=Lighthouse1, CN=Lighthouse1

Signature Algorithm: rsassa_pkcs1v15 Valid From: 2010-11-11 15:06:16+00:00 Valid To: 2038-03-29 15:06:16+00:00

Issuer: C=US, ST=Minnesota, L=Minneapolis, O=Lighthouse1, OU=Lighthouse1, CN=Lighthouse1

Serial Number: 0x4cdc0668 Hash Algorithm: sha1

md5: 68a51bd43442347a1f3d1f8bd9d8ea76

sha1: 6d6f473d786903ef4f3436c4891f19856d675e1b

sha256: 26fd8fa91df95d791dd247eb778e9a9f475ed74036f5c8b17f5524c2215bb792

sha512: d4ddc312155741826f2e3acc4be041cd1917a5f2f14465f7111d65c01dbb9d0fdabc7e798ffcf502ba3344487c529c47686e18de431ef66ebf977074e7e7f60b

PublicKey Algorithm: rsa

Bit Size: 2048

Fingerprint: 7c132cd16034847a4a762e91c99d164eeac7805be668f54eb69cd27b3abce3d0

Found 1 unique certificates

⋮ APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.CAMERA	dangerous	take pictures and videos	Allows application to take pictures and videos with the camera. This allows the application to collect images that the camera is seeing at any time.
android.permission.INTERNET	normal	full Internet access	Allows an application to create network sockets.
android.permission.ACCESS_NETWORK_STATE	normal	view network status	Allows an application to view the status of all networks.
android.permission.READ_EXTERNAL_STORAGE	dangerous	read external storage contents	Allows an application to read from external storage.
android.permission.WRITE_EXTERNAL_STORAGE	dangerous	read/modify/delete external storage contents	Allows an application to write to external storage.
android.permission.VIBRATE	normal	control vibrator	Allows the application to control the vibrator.
android.permission.USE_FINGERPRINT	normal	allow use of fingerprint	This constant was deprecated in API level 28. Applications should request USE_BIOMETRIC instead.
android.permission.POST_NOTIFICATIONS	dangerous	allows an app to post notifications.	Allows an app to post notifications

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.WAKE_LOCK	normal	prevent phone from sleeping	Allows an application to prevent the phone from going to sleep.
com.google.android.c2dm.permission.RECEIVE	normal	recieve push notifications	Allows an application to receive push notifications from cloud.
com.lighthouse1.mobilebenefits.dbi.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	unknown	Unknown permission	Unknown permission from android reference
android.permission.ACCESS_WIFI_STATE	normal	view Wi-Fi status	Allows an application to view the information about the status of Wi-Fi.
android.permission.ACCESS_LOCATION_EXTRA_COMMANDS		access extra location provider commands	Access extra location provider commands. Malicious applications could use this to interfere with the operation of the GPS or other location sources.
android.permission.BLUETOOTH	normal	create Bluetooth connections	Allows applications to connect to paired bluetooth devices.
android.permission.ACCESS_COARSE_LOCATION	dangerous	coarse (network- based) location	Access coarse location sources, such as the mobile network database, to determine an approximate phone location, where available. Malicious applications can use this to determine approximately where you are.

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.ACCESS_FINE_LOCATION	dangerous	fine (GPS) location	Access fine location sources, such as the Global Positioning System on the phone, where available. Malicious applications can use this to determine where you are and may consume additional battery power.
android.permission.BLUETOOTH_CONNECT	dangerous	necessary for connecting to paired Bluetooth devices.	Required to be able to connect to paired Bluetooth devices.

M APKID ANALYSIS

FILE

FILE	DETAILS			
	FINDINGS yara_issue	DETAILS yara issue - dex file recognized by apkid but not yara module		
classes.dex	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.HARDWARE check Build.BOARD check possible Build.SERIAL check Build.TAGS check SIM operator check network operator name check		
	Compiler	unknown (please file detection issue!)		

FILE	DETAILS		
	FINDINGS	DETAILS	
	yara_issue	yara issue - dex file recognized by apkid but not yara module	
classes2.dex	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.HARDWARE check Build.BOARD check SIM operator check device ID check subscriber ID check ro.product.device check emulator file check	
	Compiler	unknown (please file detection issue!)	

BROWSABLE ACTIVITIES

ACTIVITY	INTENT
com.lighthouse1.mobilebenefits.activity.LoginActivity	Schemes: evolution1.1mobile.dbi://,
sdk.pendo.io.activities.PendoGateActivity	Schemes: @string/PendoSchemeld://,
net.openid.appauth.RedirectUriReceiverActivity	Schemes: com.lighthouse1.mobilebenefits.dbi.appauth://,

△ NETWORK SECURITY

HIGH: 0 | WARNING: 0 | INFO: 0 | SECURE: 3

NO	SCOPE	SEVERITY	DESCRIPTION
1	evolution1.com	secure	Certificate pinning does not have an expiry. Ensure that pins are updated before certificate expire. [Pin: zy2aAVLUjYuPNpGj40vHiHjIWzaJvfcu+40NqwNeH3w= Digest: SHA-256,Pin: cGuxAXyFXFkWm61cF4HPWX8S0srS9j0aSqN0k4AP+4A= Digest: SHA-256,Pin: jyuGlAWoUrnZeQTtLngupkmucYkYjiJKm5q4wGo1w+o= Digest: SHA-256,Pin: du6FkDdMcVQ3u8prumAo6t3i3G27uMP2EOhR8R0at/U= Digest: SHA-256]
2	navigatorsuite.com	secure	Certificate pinning does not have an expiry. Ensure that pins are updated before certificate expire. [Pin: jvYnGmScj1qAwz1odQPbLQJLUv+OtfUSGhlognqT4+E= Digest: SHA-256,Pin: du6FkDdMcVQ3u8prumAo6t3i3G27uMP2EOhR8R0at/U= Digest: SHA-256,Pin: cGuxAXyFXFkWm61cF4HPWX8S0srS9j0aSqN0k4AP+4A= Digest: SHA-256,Pin: EQOp9SQjE5F2HbMTYycxQMDmsNYTaNAl9MfqNbEtqf0= Digest: SHA-256]
3	lh1ondemand.com	secure	Certificate pinning does not have an expiry. Ensure that pins are updated before certificate expire. [Pin: pmzBene/Qc/GqiEaezhAZpeZo954t+OMW/swW5F5s6w= Digest: SHA-256,Pin: du6FkDdMcVQ3u8prumAo6t3i3G27uMP2EOhR8R0at/U= Digest: SHA-256,Pin: cGuxAXyFXFkWm61cF4HPWX8S0srS9j0aSqN0k4AP+4A= Digest: SHA-256,Pin: yE0wyyMmZu5v+C8jx+sXfVNK3tDhDTZjzaPDm5tSslw= Digest: SHA-256]

CERTIFICATE ANALYSIS

HIGH: 1 | WARNING: 0 | INFO: 1

TITLE	SEVERITY	DESCRIPTION
Signed Application	info	Application is signed with a code signing certificate
Certificate algorithm vulnerable to hash collision	high	Application is signed with SHA1withRSA. SHA1 hash algorithm is known to have collision issues.

Q MANIFEST ANALYSIS

HIGH: 0 | WARNING: 5 | INFO: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	DESCRIPTION
1	App can be installed on a vulnerable Android version Android 9, minSdk=28]	warning	This application can be installed on an older version of android that has multiple vulnerabilities. Support an Android version => 10, API 29 to receive reasonable security updates.
2	App has a Network Security Configuration [android:networkSecurityConfig=@xml/network_security_config]	info	The Network Security Configuration feature lets apps customize their network security settings in a safe, declarative configuration file without modifying app code. These settings can be configured for specific domains and for a specific app.
3	Activity (sdk.pendo.io.activities.PendoGateActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
4	Activity (net.openid.appauth.RedirectUriReceiverActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
5	Broadcast Receiver (com.google.firebase.iid.FirebaseInstanceIdReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.c2dm.permission.SEND [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

NO	ISSUE	SEVERITY	DESCRIPTION
6	Broadcast Receiver (androidx.profileinstaller.ProfileInstallReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

</> CODE ANALYSIS

HIGH: 1 | WARNING: 10 | INFO: 1 | SECURE: 3 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	STANDARDS	FILES
				a2/e.java a2/i.java a4/b.java ab/n.java ab/s.java ab/s.java ab/t.java android/view/result/ActivityResultRegistry.java b2/a.java b5/h.java b6/a.java b6/c.java c2/c.java c2/c.java c2/t.java c2/t.java c2/v.java

NO	ISSUE	SEVERITY	STANDARDS	c4/b.java F1/c5Sva c4/f.java
				c4/h.java com/bumptech/glide/b.java com/bumptech/glide/load/data/b.java com/bumptech/glide/load/data/j.java com/bumptech/glide/load/data/j.java com/bumptech/glide/load/data/l.java com/bumptech/glide/manager/e.java com/bumptech/glide/manager/p.java com/bumptech/glide/manager/p.java com/bumptech/glide/manager/j.java com/bumptech/glide/manager/j.java com/bumptech/glide/manager/j.java com/lexisnexisrisk/threatmetrix/rl/tmxprofiling/ vvvccvv.java com/lexisnexisrisk/threatmetrix/rl/tmxprofilingc onnections/ujjuuuu.java com/samsung/android/sdk/samsungpay/enroll ment/EnrollmentManager.java com/samsung/android/sdk/samsungpay/payme nt/PaymentManager.java com/samsung/android/sdk/samsungpay/v2/Api LevelTable.java com/samsung/android/sdk/samsungpay/v2/Bin dRetry.java com/samsung/android/sdk/samsungpay/v2/Par tnerRequest.java com/samsung/android/sdk/samsungpay/v2/Req uestTracker.java com/samsung/android/sdk/samsungpay/v2/Sa msungPayBase.java com/samsung/android/sdk/samsungpay/v2/Ser viceHelper.java com/samsung/android/sdk/samsungpay/v2/Spa ySdk.java com/samsung/android/sdk/samsungpay/v2/Spa yValidity.java com/samsung/android/sdk/samsungpay/v2/Stu bBase.java com/samsung/android/sdk/samsungpay/v2/Ver sionChecker.java

NO	ISSUE	SEVERITY	STANDARDS	com/samsung/android/sdk/samsungpay/v2/Wat
				com/samsung/android/sdk/samsungpay/v2/car d/CardManager.java com/samsung/android/sdk/samsungpay/v2/pay ment/MstManager.java com/samsung/android/sdk/samsungpay/v2/pay ment/PaymentManager.java com/samsung/android/sdk/samsungpay/v2/ser vice/ServiceManager.java com/samsung/android/sdk/samsungpay/v2/ser vice/UserlnfoCollection.java com/visa/mobileEnablement/pushProvisioning/l /d.java com/visa/mobileEnablement/pushProvisioning/ p/b.java d1/b.java d1/b.java d1/v.java e0/d.java e2/a.java external/sdk/pendo/io/com/appmattus/certificat etransparency/internal/loglist/model/v2/Log\$\$s erializer.java external/sdk/pendo/io/glide/a.java external/sdk/pendo/io/glide/gifdecoder/Standar dGifDecoder.java external/sdk/pendo/io/glide/load/data/AssetPat hFetcher.java external/sdk/pendo/io/glide/load/data/HttpUrlF etcher.java external/sdk/pendo/io/glide/load/data/LocalUriF etcher.java external/sdk/pendo/io/glide/load/data/mediasto re/ThumbFetcher.java external/sdk/pendo/io/glide/load/data/mediasto re/ThumbFetcher.java external/sdk/pendo/io/glide/load/data/mediasto re/c.java external/sdk/pendo/io/glide/load/data/mediasto re/c.java external/sdk/pendo/io/glide/load/data/mediasto re/c.java

NO	ISSUE	SEVERITY	STANDARDS	external/sdk/pendo/io/glide/load/engine/bitmap FILFS _recycle/LruBitmapPool.java external/sdk/pendo/io/glide/load/engine/cache/
1	The App logs information. Sensitive information should never be logged.	info	CWE: CWE-532: Insertion of Sensitive Information into Log File OWASP MASVS: MSTG-STORAGE-3	DiskLruCacheWrapper.java external/sdk/pendo/io/glide/load/engine/g.java external/sdk/pendo/io/glide/load/engine/h.java external/sdk/pendo/io/glide/load/engine/n.java external/sdk/pendo/io/glide/load/engine/u.java external/sdk/pendo/io/glide/load/model/ByteBu fferEncoder.java external/sdk/pendo/io/glide/load/model/ByteBu fferFileLoader.java external/sdk/pendo/io/glide/load/model/FileLoa der.java external/sdk/pendo/io/glide/load/model/FileLoa der.java external/sdk/pendo/io/glide/load/model/Stream Encoder.java external/sdk/pendo/io/glide/load/resource/lmag eDecoderResourceDecoder.java external/sdk/pendo/io/glide/load/resource/bitm ap/BitmapEncoder.java external/sdk/pendo/io/glide/load/resource/bitm ap/BitmapImageDecoderResourceDecoder.java external/sdk/pendo/io/glide/load/resource/bitm ap/DefaultImageHeaderParser.java external/sdk/pendo/io/glide/load/resource/bitm ap/VideoDecoder.java external/sdk/pendo/io/glide/load/resource/bitm ap/b.java external/sdk/pendo/io/glide/load/resource/bitm ap/b.java external/sdk/pendo/io/glide/load/resource/bitm ap/d.java external/sdk/pendo/io/glide/load/resource/gif/B yteBufferGifDecoder.java external/sdk/pendo/io/glide/load/resource/gif/G ifDrawableEncoder.java external/sdk/pendo/io/glide/load/resource/gif/S treamGifDecoder.java external/sdk/pendo/io/glide/load/resource/gif/S

est.java external/sdk/pendo/io/glide/request/targ omViewTarget.java external/sdk/pendo/io/glide/request/targ Target.java external/sdk/pendo/io/mozilla/javascript eter.java external/sdk/pendo/io/mozilla/javascript untime.java external/sdk/pendo/io/mozilla/javascript debugger/Dim.java external/sdk/pendo/io/mozilla/javascript dswitch/Main.java	NO	ISSUE	SEVERITY	STANDARDS	nnectivityMonitorFactory.java FILES external/sdk/pendo/io/glide/manager/b.java
external/sdk/pendo/io/glide/request/targ omViewTarget.java external/sdk/pendo/io/glide/request/targ Target.java external/sdk/pendo/io/mozilla/javascript eter.java external/sdk/pendo/io/mozilla/javascript untime.java external/sdk/pendo/io/mozilla/javascript debugger/Dim.java external/sdk/pendo/io/mozilla/javascript dswitch/Main.java external/sdk/pendo/io/mozilla/javascript sc/Main.java external/sdk/pendo/io/mozilla/javascript sc/Main.java external/sdk/pendo/io/mozilla/javascript sc/Main.java external/sdk/pendo/io/mozilla/javascript sc/Main.java f0/c.java f0/c.java f0/c.java f2/c.java f2/c.java f2/d.java f2/m.java f2/m.java f2/n.java f2/r.java f2/r.java f2/r.java g1/a.java g1/a.java g6/c.java h0/f.java ii/f.java ii/f.java ii/f.java j1/j.java j1/j.java j1/j.java j1/j.java j1/j.java					external/sdk/pendo/io/glide/request/SingleRequ
om/lewTarget.java external/sdk/pendo/io/glide/request/targ Target.java external/sdk/pendo/io/mozilla/javascript eter.java external/sdk/pendo/io/mozilla/javascript untime.java external/sdk/pendo/io/mozilla/javascript debugger/Dim.java external/sdk/pendo/io/mozilla/javascript dswitch/Main.java external/sdk/pendo/io/mozilla/javascript sc/Main.java external/sdk/pendo/io/mozilla/javascript sc/Main.java f0/c.java f0/c.java f0/c.java f2/c.java f2/c.java f2/c.java f2/d.java f2/r.java f3/a.java g6/c.java h0/f.java i6/f.java i6/f.java i6/f.java i6/f.java i6/f.java j2/a.java j2/a.java j2/a.java					
external/sdk/pendo/io/glide/request/targ Target.java external/sdk/pendo/io/mozilla/javascript eter.java external/sdk/pendo/io/mozilla/javascript untime.java external/sdk/pendo/io/mozilla/javascript debugger/Dim.java external/sdk/pendo/io/mozilla/javascript dswitch/Main.java external/sdk/pendo/io/mozilla/javascript dswitch/Main.java external/sdk/pendo/io/mozilla/javascript sc/Main.java f0/c.java f0/c.java f0/c.java f2/c.java f2/c.java f2/c.java f2/r.java f2/r.java f2/r.java f2/r.java f2/r.java f2/r.java f2/r.java f2/r.java f2/r.java io/r.java j1/j.java j2/a.java					
Target.java external/sdk/pendo/io/mozilla/javascript eter.java external/sdk/pendo/io/mozilla/javascript untime.java external/sdk/pendo/io/mozilla/javascript debugger/Dim.java external/sdk/pendo/io/mozilla/javascript debugger/Dim.java external/sdk/pendo/io/mozilla/javascript sc/Main.java external/sdk/pendo/io/mozilla/javascript sc/Main.java fo/c.java					
external/sdk/pendo/io/mozilla/javascript eter.java external/sdk/pendo/io/mozilla/javascript untime.java external/sdk/pendo/io/mozilla/javascript debugger/Dim.java external/sdk/pendo/io/mozilla/javascript dswitch/Main.java external/sdk/pendo/io/mozilla/javascript sc/Main.java external/sdk/pendo/io/mozilla/javascript sc/Main.java f0/c.java f0/c.java f0/c.java f2/c.java f2/c.java f2/c.java f2/r.java					
eter.java external/sdk/pendo/io/mozilla/javascript untime,java external/sdk/pendo/io/mozilla/javascript debugger/Dim.java external/sdk/pendo/io/mozilla/javascript dswitch/Main,java external/sdk/pendo/io/mozilla/javascript sc/Main,java fo/c.java fo/c.java fo/c.java f2/c.java f2/c.java f2/d.java f2/m.java f2/java f3/z.java g1/a.java g6/c.java h0/f.java i4/z.java i6/g.java i6/g.java i6/g.java i6/g.java j1/j.java j2/a.java					external/sdk/pendo/io/mozilla/javascript/Interpr
external/sdk/pendo/io/mozilla/javascript untime.java external/sdk/pendo/io/mozilla/javascript debugger/Dim.java external/sdk/pendo/io/mozilla/javascript dswitch/Main.java external/sdk/pendo/io/mozilla/javascript sc/Main.java fo/c.java fo/c.java fo/c.java f2/c.java f2/c.java f2/c.java f2/d.java f2/m.java f2/m.java f2/m.java f2/r.java f2/z.java g1/a.java g6/c.java h0/f.java id/z.java id/z.java id/z.java id/z.java					
untime.java external/sdk/pendo/io/mozilla/javascript debugger/Dim.java external/sdk/pendo/io/mozilla/javascript dswitch/Main.java external/sdk/pendo/io/mozilla/javascript sc/Main.java f0/c.java f0/c.java f0/l.java f2/c.java f2/c.java f2/c.java f2/d.java f2/m.java f2/m.java f2/m.java f2/r.java f3/r.java j1/r.java j2/a.java					external/sdk/pendo/io/mozilla/javascript/ScriptR
debugger/Dim.java external/sdk/pendo/io/mozilla/javascript dswitch/Main.java external/sdk/pendo/io/mozilla/javascript sc/Main.java fl/c.java fl/c.java fl/c.java fl/c.java fl/c.java fl/c.java fl/c.java fl/d.java fl/m.java					untime.java
external/sdk/pendo/io/mozilla/javascript dswitch/Main,java external/sdk/pendo/io/mozilla/javascript sc/Main,java f0/c.java f0/c.java f0/c.java f2/c.java f2/c.java f2/d.java f2/r.java f2/r.java f2/r.java f2/r.java f2/r.java f3/z.java g1/a,java g6/c.java h0/f.java i4/z.java i6/g.java i6/g.java j1/j.java j1/j.java j1/j.java j1/j.java j2/a,java					external/sdk/pendo/io/mozilla/javascript/tools/
external/sdk/pendo/io/mozilla/javascript dswitch/Main,java external/sdk/pendo/io/mozilla/javascript sc/Main,java f0/c.java f0/c.java f0/c.java f2/c.java f2/c.java f2/d.java f2/r.java f2/r.java f2/r.java f2/r.java f2/r.java f3/z.java g1/a,java g6/c.java h0/f.java i4/z.java i6/g.java i6/g.java j1/j.java j1/j.java j1/j.java j1/j.java j2/a,java					debugger/Dim.java
external/sdk/pendo/io/mozilla/javascript sc/Main.java f0/c.java f0/c.java f0/o.java f2/c.java f2/c.java f2/c.java f2/d.java f2/d.java f2/m.java f2/m.java f2/n.java f2/r.java g1/a.java g6/c.java h0/f.java i4/z.java i6/g.java j1/j.java j1/j.java j1/j.java					external/sdk/pendo/io/mozilla/javascript/tools/i
sc/Main.java f0/c.java f0/l.java f0/l.java f0/o.java f2/c.java f2/c.java f2/d.java f2/d.java f2/m.java f2/m.java f2/r.java f2/r.java g1/a.java g6/c.java h0/f.java i4/z.java i6/n.java j1/j.java					dswitch/Main.java
f0/c.java f0/l.java f0/l.java f0/o.java f2/c.java f2/c.java f2/d.java f2/k.java f2/m.java f2/m.java f2/r.java g1/z.java g1/z.java g6/c.java h0/f.java i4/z.java i6/g.java j1/j.java j1/j.java					external/sdk/pendo/io/mozilla/javascript/tools/j
f0/l.java f0/o.java f2/c.java f2/c.java f2/d.java f2/k.java f2/m.java f2/m.java f2/r.java f2/r.java g1/a.java g6/c.java h0/f.java i6/n.java i6/n.java j1/j.java j2/a.java					sc/Main.java
f0/o,java f2/c,java f2/c,java f2/c,java f2/d,java f2/k,java f2/m,java f2/r,java f2/r,java g1/a,java g6/c,java h0/f,java i4/z,java i6/g,java j1/j,java j1/j,java j2/a,java					f0/c.java
f2/c,java f2/c0.java f2/d,java f2/k,java f2/k,java f2/m,java f2/n,java f2/r,java f2/r,java g1/a,java g6/c,java h0/f,java i6/g,java i6/n,java j1/j,java j2/a,java					f0/l.java
f2/c0.java f2/d.java f2/d.java f2/k.java f2/m.java f2/n.java f2/r.java f2/z.java g1/a.java g6/c.java h0/f.java i4/z.java i6/g.java j1/j.java j2/a.java					=
f2/d.java f2/k.java f2/m.java f2/n.java f2/r.java f2/z.java g1/a.java g6/c.java h0/f.java i4/z.java i6/n.java j1/j.java j2/a.java					
f2/k.java f2/m.java f2/n.java f2/r.java f2/r.java g1/a.java g6/c.java h0/f.java i4/z.java i6/g.java i6/n.java j1/j.java j2/a.java					
f2/m.java f2/n.java f2/r.java f2/z.java g1/a.java g6/c.java h0/f.java i4/z.java i6/g.java j1/j.java j2/a.java					=
f2/n.java f2/r.java f2/z.java g1/a.java g6/c.java h0/f.java i4/z.java i6/g.java i6/n.java j1/j.java j2/a.java					
f2/r.java f2/z.java g1/a.java g6/c.java h0/f.java i4/z.java i6/g.java j1/j.java j2/a.java					-
f2/z.java g1/a.java g6/c.java h0/f.java i4/z.java i6/g.java j1/j.java j2/a.java					=
g1/a.java g6/c.java h0/f.java i4/z.java i6/g.java i6/n.java j1/j.java j2/a.java					
g6/c.java h0/f.java i4/z.java i6/g.java i6/n.java j1/j.java j2/a.java					
h0/f.java i4/z.java i6/g.java i6/n.java j1/j.java j2/a.java					
i4/z.java i6/g.java i6/n.java j1/j.java j2/a.java					
i6/g.java i6/n.java j1/j.java j2/a.java					=
i6/n.java j1/j.java j2/a.java					
j1/j.java j2/a.java					
j2/a.java					
j2/d.java					
j2/j.java					
k0/b.java					

NO	ISSUE	SEVERITY	STANDARDS	k0/e_java F1/ES k1/d.java
				11/a.java
				l2/d.java
				l3/a.java
				l3/d.java
				l3/e.java
				l3/n.java
				l3/p.java
				l3/q.java
				n2/i.java
				n5/d.java
				nf/a.java
				o1/b.java
				o2/d.java
				o2/j.java
				o3/a0.java
				p4/f.java
				pf/d.java
				q0/d.java
				q3/b.java
				q3/b0.java
				q3/d.java
				q3/g0.java
				q3/u.java
				q3/x.java
				q5/h.java
				s0/c.java
				s2/a.java
				sdk/pendo/io/PendoInternal.java
				sdk/pendo/io/activities/PendoGateActivity.java
				sdk/pendo/io/c0/j.java
				sdk/pendo/io/c0/k.java
				sdk/pendo/io/c0/m.java
				sdk/pendo/io/c0/n.java
				sdk/pendo/io/g3/c.java
				sdk/pendo/io/h0/a.java
				sdk/pendo/io/j0/a.java
				sdk/pendo/io/logging/PendoLogger.java
				sdk/pendo/io/logging/c.java
				adda and a line la

NO	ISSUE	SEVERITY	STANDARDS	sdk/pendo/io/q8/a.java Fdk/pendo/io/q8/a.java sdk/pendo/io/s7/e.java
				sdk/pendo/io/u6/g.java
				sdk/pendo/io/v/a.java
				sdk/pendo/io/w/a.java
				sdk/pendo/io/w/b.java
				sdk/pendo/io/x2/b.java
				sdk/pendo/io/y/b.java
				sdk/pendo/io/z7/a.java
				t1/a.java
				t5/i.java
				u1/a.java
				u4/a.java
				u6/b.java
				v1/d.java
				v1/e.java
				v3/b.java
				v6/c.java
				w/u0.java
				w2/k.java
				w3/e.java
				w3/o.java
				x1/c.java
				x1/e.java
				y0/c.java
				y1/h.java
				y1/i.java
				y1/k.java
				y1/q.java
				y1/z.java
				y2/a.java
				y4/a.java
				z1/i.java
				z1/j.java
				zf/c.java
1				

NO	ISSUE	SEVERITY	STANDARDS	FILES
2	IP Address disclosure	warning	CWE: CWE-200: Information Exposure OWASP MASVS: MSTG-CODE-2	external/sdk/pendo/io/mozilla/javascript/tools/debugger/Dim.java sdk/pendo/io/a4/b.java sdk/pendo/io/b4/b.java sdk/pendo/io/e4/d.java sdk/pendo/io/e4/f.java sdk/pendo/io/e4/k.java sdk/pendo/io/f4/h.java sdk/pendo/io/j/j.java sdk/pendo/io/j/j.java sdk/pendo/io/k/i.java sdk/pendo/io/o3/a.java sdk/pendo/io/o3/a.java sdk/pendo/io/v3/b.java sdk/pendo/io/v3/b.java sdk/pendo/io/y3/a.java sdk/pendo/io/y3/a.java sdk/pendo/io/y3/a.java
				ab/c.java com/lighthouse1/mobilebenefits/fragment/Acce ptDocumentFragment.java com/lighthouse1/mobilebenefits/fragment/HsaT ransactionAccountsFragment.java com/lighthouse1/mobilebenefits/fragment/agre ements/ViewAgreementDtoFragment.java com/lighthouse1/mobilebenefits/webservice/dat acontract/consumer/ConsumerLoginStatus.java com/lighthouse1/mobilebenefits/webservice/dat acontract/consumer/ListContent.java com/lighthouse1/mobilebenefits/webservice/dat acontract/consumer/ListItemContent.java com/lighthouse1/mobilebenefits/webservice/dat acontract/consumer/ListItemContent.java

NO	ISSUE	SEVERITY	STANDARDS	external/sdk/pendo/io/com/appmattus/certificat Filan Sparency/internal/loglist/model/v2/Log.jav a
3	Files may contain hardcoded sensitive information like usernames, passwords, keys etc.	warning	CWE: CWE-312: Cleartext Storage of Sensitive Information OWASP Top 10: M9: Reverse Engineering OWASP MASVS: MSTG-STORAGE-14	external/sdk/pendo/io/glide/load/engine/c.java external/sdk/pendo/io/glide/load/engine/m.java external/sdk/pendo/io/glide/load/engine/s.java external/sdk/pendo/io/mozilla/javascript/ClassC ache.java external/sdk/pendo/io/mozilla/javascript/Native Error.java external/sdk/pendo/io/mozilla/javascript/NativeJ avaObject.java external/sdk/pendo/io/mozilla/javascript/ScriptR untime.java external/sdk/pendo/io/mozilla/javascript/scriptR untime.java external/sdk/pendo/io/mozilla/javascript/xmlim pl/XmlNode.java sdk/pendo/io/actions/ActivationManager.java sdk/pendo/io/actions/FloatingVisualGuide.java sdk/pendo/io/actions/ToolTipVisualGuide.java sdk/pendo/io/actions/handlers/PendoGlobalCo mmandHandler.java sdk/pendo/io/d1/e.java sdk/pendo/io/models/GlobalEventPropertiesKt.j ava sdk/pendo/io/models/StepModel.java sdk/pendo/io/models/StepModel.java sdk/pendo/io/n/b.java sdk/pendo/io/views/custom/videoplayer/Pendo YoutubePlayer.java w1/g.java y1/d.java y1/d.java y1/p.java y1/r.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
4	This App uses SSL certificate pinning to detect or prevent MITM attacks in secure communication channel.	secure	OWASP MASVS: MSTG-NETWORK-4	sdk/pendo/io/f3/c.java sdk/pendo/io/f3/d.java sdk/pendo/io/f3/g.java sdk/pendo/io/f3/h.java sdk/pendo/io/k/d.java sdk/pendo/io/t4/c.java sdk/pendo/io/t4/p0.java yf/c.java yf/c.java yf/i.java
5	The App uses an insecure Random Number Generator.	warning	CWE: CWE-330: Use of Insufficiently Random Values OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-6	android/view/result/ActivityResultRegistry.java com/distil/protection/android/Protection.java com/distil/protection/android/setAccessibilityPa neTitle.java com/lexisnexisrisk/threatmetrix/rl/tmxprofiling/ oddodod.java com/lexisnexisrisk/threatmetrix/rl/tmxprofilingc onnections/ujuuuju.java com/visa/mobileEnablement/displayCard/b/a.ja va com/visa/mobileEnablement/pushProvisioning/ b.java lc/a.java sdk/pendo/io/j3/d.java sdk/pendo/io/j3/h.java sdk/pendo/io/j4/f.java sdk/pendo/io/v4/c.java sdk/pendo/io/v4/d.java sdk/pendo/io/v4/d.java sdk/pendo/io/v4/d.java sdk/pendo/io/v4/d.java sdk/pendo/io/w2/z.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
6	Debug configuration enabled. Production builds must not be debuggable.	high	CWE: CWE-919: Weaknesses in Mobile Applications OWASP Top 10: M1: Improper Platform Usage OWASP MASVS: MSTG-RESILIENCE-2	external/sdk/pendo/io/daimajia/BuildConfig.jav a
7	This App may request root (Super User) privileges.	warning	CWE: CWE-250: Execution with Unnecessary Privileges OWASP MASVS: MSTG-RESILIENCE-1	ab/q.java ab/r.java w9/e0.java w9/f0.java
8	SHA-1 is a weak hash known to have hash collisions.	warning	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	ab/u.java com/lexisnexisrisk/threatmetrix/rl/tmxprofiling/ odddodo.java com/lexisnexisrisk/threatmetrix/rl/tmxprofiling/ vvvvvcc.java sdk/pendo/io/q8/m.java u6/b.java
9	App uses SQLite Database and execute raw SQL query. Untrusted user input in raw SQL queries can cause SQL Injection. Also sensitive information should be encrypted and written to the database.	warning	CWE: CWE-89: Improper Neutralization of Special Elements used in an SQL Command ('SQL Injection') OWASP Top 10: M7: Client Code Quality	c3/b0.java c3/h0.java k1/c.java
10	This App may have root detection capabilities.	secure	OWASP MASVS: MSTG-RESILIENCE-1	ab/r.java t5/w.java w9/e0.java
11	App creates temp file. Sensitive information should never be written into a temp file.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	u6/c.java y8/k.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
12	Insecure WebView Implementation. Execution of user controlled code in WebView is a critical Security Hole.	warning	CWE: CWE-749: Exposed Dangerous Method or Function OWASP Top 10: M1: Improper Platform Usage OWASP MASVS: MSTG-PLATFORM-7	com/lighthouse1/mobilebenefits/fragment/New UserFragment.java sdk/pendo/io/views/custom/videoplayer/Pendo YoutubePlayer.java
13	MD5 is a weak hash known to have hash collisions.	warning	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	com/lexisnexisrisk/threatmetrix/rl/tmxprofiling/ vvvvvcc.java external/sdk/pendo/io/mozilla/javascript/tools/s hell/Main.java
14	App can read/write to External Storage. Any App can read data written to External Storage.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	sdk/pendo/io/PendoInternal.java sdk/pendo/io/b8/a.java
15	This App uses SafetyNet API.	secure	OWASP MASVS: MSTG-RESILIENCE-7	gb/h.java

■ NIAP ANALYSIS v1.3

NO	IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION



RULE ID	BEHAVIOUR	LABEL	FILES
00022	Open a file from given absolute path of the file	file	external/sdk/pendo/io/mozilla/javascript/tools/jsc/Main.java k1/d.java sdk/pendo/io/q8/h.java
00013	Read file and put it into a stream	file	app/tango/o/setOnApplyWindowInsetsListener.java c2/g.java com/bumptech/glide/load/a.java com/lexisnexisrisk/threatmetrix/rl/tmxprofiling/uurruuu.java com/lexisnexisrisk/threatmetrix/rl/tmxprofiling/vvvvcvc.java com/lexisnexisrisk/threatmetrix/rl/tmxprofiling/vvvvcvc.java com/lighthouse1/mobilebenefits/webservice/i.java com/visa/mobileEnablement/displayCard/ah/b.java dg/n.java external/sdk/pendo/io/glide/load/model/FileLoader.java external/sdk/pendo/io/mozilla/javascript/tools/SourceReader.java external/sdk/pendo/io/mozilla/javascript/tools/debugger/Dim.java external/sdk/pendo/io/mozilla/javascript/tools/idswitch/Main.java external/sdk/pendo/io/mozilla/javascript/tools/shell/Global.java fc/l.java g1/b.java sdk/pendo/io/p/a.java sdk/pendo/io/q8/h.java sdk/pendo/io/t4/m1.java sdk/pendo/io/t4/n0.java u1/a.java u6/c.java w9/q.java
00131	Get location of the current GSM and put it into JSON	collection location	com/lexisnexisrisk/threatmetrix/rl/tmxprofiling/vcvvvvv.java
00078	Get the network operator name	collection telephony	com/lexisnexisrisk/threatmetrix/rl/tmxprofiling/vcvvvvv.java

RULE ID	BEHAVIOUR	LABEL	FILES
00065	Get the country code of the SIM card provider	collection	com/lexisnexisrisk/threatmetrix/rl/tmxprofiling/vcvvvvv.java sdk/pendo/io/v7/e.java
00004	Get filename and put it to JSON object	file collection	com/lexisnexisrisk/threatmetrix/rl/tmxprofiling/vcvvvvv.java sdk/pendo/io/q8/g.java
00085	Get the ISO country code and put it into JSON	collection telephony	com/lexisnexisrisk/threatmetrix/rl/tmxprofiling/vcvvvvv.java
00099	Get location of the current GSM and put it into JSON	collection location	com/lexisnexisrisk/threatmetrix/rl/tmxprofiling/vcvvvvv.java
00016	Get location info of the device and put it to JSON object	location collection	ab/d.java com/lexisnexisrisk/threatmetrix/rl/tmxprofiling/vcvvvvv.java
00132	Query The ISO country code	telephony collection	com/lexisnexisrisk/threatmetrix/rl/tmxprofiling/vcvvvvv.java
00162	Create InetSocketAddress object and connecting to it	socket	com/lexisnexisrisk/threatmetrix/rl/tmxprofilingconnections/ujujuuu.java sdk/pendo/io/f3/b.java sdk/pendo/io/f3/h.java sdk/pendo/io/t4/b1.java yf/b.java yf/j.java
00163	Create new Socket and connecting to it	socket	com/lexisnexisrisk/threatmetrix/rl/tmxprofilingconnections/ujjjuuu.java com/lexisnexisrisk/threatmetrix/rl/tmxprofilingconnections/ujujuuu.java sdk/pendo/io/f3/b.java sdk/pendo/io/f3/h.java sdk/pendo/io/t4/b1.java yf/b.java yf/j.java

RULE ID	BEHAVIOUR	LABEL	FILES
00063	Implicit intent(view a web page, make a phone call, etc.)	control	com/lighthouse1/mobilebenefits/activity/BaseActivity.java com/lighthouse1/mobilebenefits/activity/LoginActivity.java com/lighthouse1/mobilebenefits/activity/ScreenActivity.java com/lighthouse1/mobilebenefits/activity/SmartScanEobScanFormActivity.java com/lighthouse1/mobilebenefits/fragment/AcceptDocumentFragment.java com/lighthouse1/mobilebenefits/fragment/ScreenBaseFragment.java com/lighthouse1/mobilebenefits/view/BottomNavigation.java com/lighthouse1/mobilebenefits/view/BottomNavigation.java com/samsung/android/sdk/samsungpay/v2/SamsungPay.java com/samsung/android/sdk/samsungpay/v2/WatchManager.java com/visa/mobileEnablement/pushProvisioning/p/b.java net/openid/appauth/d.java q3/k0.java sdk/pendo/io/actions/handlers/PendoGlobalCommandHandler.java w9/v.java y8/i.java
00023	Start another application from current application	reflection control	com/samsung/android/sdk/samsungpay/payment/PaymentManager.java com/samsung/android/sdk/samsungpay/v2/SpayValidity.java
00091	Retrieve data from broadcast	collection	com/lighthouse1/mobilebenefits/presentation/screen/rsachallenge/RsaOtpChallen geActivity.java com/visa/mobileEnablement/featureModuleCore/pushProvisioning/ui/headless/Sp innerActivity.java net/openid/appauth/AuthorizationManagementActivity.java w9/v.java
00130	Get the current WIFI information	wifi collection	ab/b.java com/lexisnexisrisk/threatmetrix/rl/tmxprofiling/vvcvccv.java sdk/pendo/io/v7/d.java
00052	Deletes media specified by a content URI(SMS, CALL_LOG, File, etc.)	sms	com/lighthouse1/mobilebenefits/fragment/AcceptDocumentFragment.java

RULE ID	BEHAVIOUR	LABEL	FILES
00001	Initialize bitmap object and compress data (e.g. JPEG) into bitmap object	camera	com/lighthouse1/mobilebenefits/fragment/AcceptDocumentFragment.java
00147	Get the time of current location	collection location	ab/k.java
00075	Get location of the device	collection location	ab/k.java
00047	Query the local IP address	network collection	sdk/pendo/io/t4/e1.java
00077	Read sensitive data(SMS, CALLLOG, etc)	collection sms calllog calendar	external/sdk/pendo/io/glide/load/data/mediastore/ThumbFetcher.java x1/c.java
00089	Connect to a URL and receive input stream from the server	command network	app/tango/o/setHasTransientState.java com/bumptech/glide/load/data/j.java external/sdk/pendo/io/glide/load/data/HttpUrlFetcher.java external/sdk/pendo/io/mozilla/javascript/commonjs/module/provider/UrlModuleS ourceProvider.java v6/c.java
00030	Connect to the remote server through the given URL	network	com/bumptech/glide/load/data/j.java external/sdk/pendo/io/glide/load/data/HttpUrlFetcher.java external/sdk/pendo/io/mozilla/javascript/commonjs/module/provider/UrlModuleS ourceProvider.java
00109	Connect to a URL and get the response code	network command	app/tango/o/setHasTransientState.java com/bumptech/glide/load/data/j.java external/sdk/pendo/io/glide/load/data/HttpUrlFetcher.java external/sdk/pendo/io/mozilla/javascript/commonjs/module/provider/UrlModuleS ourceProvider.java v6/c.java

RULE ID	BEHAVIOUR	LABEL	FILES
00051	Implicit intent(view a web page, make a phone call, etc.) via setData	control	com/lighthouse1/mobilebenefits/view/BottomNavigation.java com/samsung/android/sdk/samsungpay/v2/SamsungPay.java com/samsung/android/sdk/samsungpay/v2/WatchManager.java com/visa/mobileEnablement/pushProvisioning/p/b.java q3/k0.java w9/v.java
00036	Get resource file from res/raw directory	reflection	com/lighthouse1/mobilebenefits/view/BottomNavigation.java
00125	Check if the given file path exist	file	com/lighthouse1/mobilebenefits/activity/ScreenActivity.java com/lighthouse1/mobilebenefits/fragment/ScreenBaseFragment.java
00054	Install other APKs from file	reflection	w9/v.java
00026	Method reflection	reflection	bd/a.java bd/b.java
00114	Create a secure socket connection to the proxy address	network command	sdk/pendo/io/b3/f.java tf/f.java
00042	Query WiFi BSSID and scan results	collection wifi	com/lexisnexisrisk/threatmetrix/rl/tmxprofiling/vvcvccv.java
00123	Save the response to JSON after connecting to the remote server	network command	net/openid/appauth/i.java
00062	Query WiFi information and WiFi Mac Address	wifi collection	ab/b.java
00038	Query the phone number	collection	ab/b.java

RULE ID	BEHAVIOUR	LABEL	FILES
00067	Query the IMSI number	collection	ab/b.java
00082	Get the current WiFi MAC address	collection wifi	ab/b.java
00096	Connect to a URL and set request method	command network	app/tango/o/setHasTransientState.java v6/c.java
00012	Read data and put it into a buffer stream	file	sdk/pendo/io/t4/m1.java sdk/pendo/io/t4/n0.java
00014	Read file into a stream and put it into a JSON object	file	u6/c.java
00094	Connect to a URL and read data from it	command network	external/sdk/pendo/io/mozilla/javascript/tools/shell/Global.java

***: ::** ABUSED PERMISSIONS

TYPE	MATCHES	PERMISSIONS
Malware Permissions	10/25	android.permission.CAMERA, android.permission.INTERNET, android.permission.ACCESS_NETWORK_STATE, android.permission.READ_EXTERNAL_STORAGE, android.permission.WRITE_EXTERNAL_STORAGE, android.permission.VIBRATE, android.permission.WAKE_LOCK, android.permission.ACCESS_WIFI_STATE, android.permission.ACCESS_COARSE_LOCATION, android.permission.ACCESS_FINE_LOCATION
Other Common Permissions	3/44	com.google.android.c2dm.permission.RECEIVE, android.permission.ACCESS_LOCATION_EXTRA_COMMANDS, android.permission.BLUETOOTH

Malware Permissions:

Top permissions that are widely abused by known malware.

Other Common Permissions:

Permissions that are commonly abused by known malware.

• OFAC SANCTIONED COUNTRIES

This app may communicate with the following OFAC sanctioned list of countries.

DOMAIN COUNTRY/REGION

Q DOMAIN MALWARE CHECK

DOMAIN	STATUS	GEOLOCATION
mws.navigatorsuite.com	ok	IP: 45.223.161.93 Country: United States of America Region: California City: Redwood City Latitude: 37.532440 Longitude: -122.248833 View: Google Map
apache.org	ok	IP: 151.101.2.132 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map

DOMAIN	STATUS	GEOLOCATION
plus.google.com	ok	IP: 172.217.12.142 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
issuetracker.google.com	ok	IP: 142.251.40.46 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
data.eu.pendo.io	ok	IP: 34.110.214.126 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
data.pendo-uat.pendo-dev.com	ok	IP: 34.120.16.131 Country: United States of America Region: Missouri City: Kansas City Latitude: 39.099731 Longitude: -94.578568 View: Google Map
www.k006bk006bk006bk	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
www.w3.org	ok	IP: 104.18.22.19 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
github.com	ok	IP: 140.82.114.4 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
www.hh00680068h00680068z10	ok	No Geolocation information available.
developer.android.com	ok	IP: 142.250.217.142 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
www.slf4j.org	ok	IP: 31.97.181.89 Country: United Kingdom of Great Britain and Northern Ireland Region: England City: Bowness-on-Windermere Latitude: 54.363312 Longitude: -2.918590 View: Google Map

DOMAIN	STATUS	GEOLOCATION
www.youtube.com	ok	IP: 142.250.217.142 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
www.h0068hhh00680068	ok	No Geolocation information available.
www.h006800680068h00680068hashmap	ok	No Geolocation information available.
data.jpn.pendo.io	ok	IP: 34.149.195.87 Country: United States of America Region: Texas City: Houston Latitude: 29.941401 Longitude: -95.344498 View: Google Map
127.0.0.1	ok	IP: 127.0.0.1 Country: - Region: - City: - Latitude: 0.000000 Longitude: 0.000000 View: Google Map
javax.xml.xmlconstants	ok	No Geolocation information available.
www.hh006800680068h0068i10	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
www.gstatic.com	ok	IP: 142.250.188.227 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
i1mws.evolution1.com	ok	IP: 45.223.161.93 Country: United States of America Region: California City: Redwood City Latitude: 37.532440 Longitude: -122.248833 View: Google Map
data.pendo.io	ok	IP: 34.107.204.85 Country: United States of America Region: Missouri City: Kansas City Latitude: 39.099731 Longitude: -94.578568 View: Google Map
www.h0068h00680068h0068	ok	No Geolocation information available.
www.hh0068h0068h0068	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
us1.data.pendo.io	ok	IP: 34.110.177.118 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map

EMAILS

EMAIL	FILE
test@example.com customerservice@wexhealth.com	Android String Resource

A TRACKERS

TRACKER	CATEGORIES	URL
Pendo	Analytics	https://reports.exodus-privacy.eu.org/trackers/416



POSSIBLE SECRETS

"Authorization Services Tokens Elevate Permissions UriQuery String": "? Elevate Permissions = true"

"AuthorizationServicesTokensUriPathSegment": "/Tokens/"

"CredentialType": "RsaldpNative"

"PendoAPIKey": "eyJhbGciOiJSUzl1NilsImtpZCI6lilsInR5cCI6lkpXVCJ9.eyJkYXRhY2VudGVyIjoidXMiLCJrZXkiOiJlYjVmYzZhN2E1ZjBiOWIyMTZlY2FkNTE5MzlzMDBlOGQ4ZD E5NDhhYjkyY2NjNGFhMTZlZmM0YjNjOTFiMDM2MTdjNjQ0MzE2M2FkZGQ2ZWVIMGQ1ZWExZmZjMjU2MDY1Nzg2ZjMyYjkwOGU3NmE1ZGI5NDVhY2YwNzJjODIwMzRj N2U2YjkxODFkODU5MDYzYzc2MzYyMmJjNzQ2OTcwMGI5YWUyOGJiNjQyNzUxOGRmZTZIMWE0NDMxYjI1ODc0MGUyNDUwZGVkZDMwOGJhODliYzk5Mjc2MjJmOTQz Z55hNTU3ZGYyMjdmZmRlOWM2NTg0YWM0YWZkMTlmNjc4YS5mNzkzZTE5MzJkYzc4YTA3YTM1Y2JjN2NhM2U2YzMwMmRhZjlkNDEwNTBIYmI4Y2EwNWViZDBhMDM 5MmMxNGM1In0.LyMfYO_FdFSUzCXjKsuj5HPeS6yiw-50bYNfNy8NwJ_pxlunWxLwbKbqygsWE6Bd1AIH2SA9mEMbRJij8GeYbfGx1FvrbFvziSLtlgo4QJcdxca3ll21eog3jvrxC Wb82XqG83vMCln9L85F5RNXpybUygi2dgbLkYGkXUYq6u0"

"appauthtoken_reauthorize": "Reauthorize"

"login password": "Password"

"login_username": "Username"

MIGfMA0GCSqGSIb3DQEBAQUAA4GNADCBiQKBgQC1B6qsa2sbpc4CuFEjgRWez9nN

41058363725152142129326129780047268409114441015993725554835256314039467401291

fd7f53811d75122952df4a9c2eece4e7f611b7523cef4400c31e3f80b6512669455d402251fb593d8d58fabfc5f5ba30f6cb9b556cd7813b801d346ff26660b76b9950a5a49f9fe8047b1022c24fbba9d7feb7c61bf83b57e7c6a8a6150f04fb83f6d3c51ec3023554135a169132f675f3ae2b61d72aeff22203199dd14801c7

VTdL1VbC2tejvcl2BlMkEpk1BzBZI0KQB0GaDWFLN

Vd99BKh6pxt3mXSDJzHuVrCq52xBXAKVahbuFb6dqBc

32670510020758816978083085130507043184471273380659243275938904335757337482424

ABi2fbt8vkzj7SJ8aD5jc4xJFTDFntdkMrYXL3itsvqY1Qlw

nvknbo5+6pBVWVZpCg5Rtpii3JUKMxOmJrccBCo7lClqPlj/L9Nc5zmWMH2igKHLq

95475cf5d93e596c3fcd1d902add02f427f5f3c7210313bb45fb4d5bb2e5fe1cbd678cd4bbdd84c9836be1f31c0777725aeb6c2fc38b85f48076fa76bcd8146cc89a6fb2f706 dd719898c2083dc8d896f84062e2c9c94d137b054a8d8096adb8d51952398eeca852a0af12df83e475aa65d4ec0c38a9560d5661186ff98b9fc9eb60eee8b030376b236bc 73be3acdbd74fd61c1d2475fa3077b8f080467881ff7e1ca56fee066d79506ade51edbb5443a563927dbc4ba520086746175c8885925ebc64c6147906773496990cb714ec 667304e261faee33b3cbdf008e0c3fa90650d97d3909c9275bf4ac86ffcb3d03e6dfc8ada5934242dd6d3bcca2a406cb0b

55066263022277343669578718895168534326250603453777594175500187360389116729240

FFFFFFFFFFFFADF85458A2BB4A9AAFDC5620273D3CF1D8B9C583CE2D3695A9E13641146433FBCC939DCE249B3EF97D2FE363630C75D8F681B202AEC4617AD3D F1ED5D5FD65612433F51F5F066ED0856365553DED1AF3B557135E7F57C935984F0C70E0E68B77E2A689DAF3EFE8721DF158A136ADE73530ACCA4F483A797ABC0AB1 82B324FB61D108A94BB2C8E3FBB96ADAB760D7F4681D4F42A3DE394DF4AE56EDE76372BB190B07A7C8EE0A6D709E02FCE1CDF7E2ECC03404CD28342F619172FE9C E98583FF8E4F1232EEF28183C3FE3B1B4C6FAD733BB5FCBC2EC22005C58EF1837D1683B2C6F34A26C1B2EFFA886B4238611FCFDCDE355B3B6519035BBC34F4DEF99 C023861B46FC9D6E6C9077AD91D2691F7F7EE598CB0FAC186D91CAEFE130985139270B4130C93BC437944F4FD4452E2D74DD364F2E21E71F54BFF5CAE82AB9C9DF6 9EE86D2BC522363A0DABC521979B0DEADA1DBF9A42D5C4484E0ABCD06BFA53DDEF3C1B20EE3FD59D7C25E41D2B669E1EF16E6F52C3164DF4FB7930E9E4E58857B 6AC7D5F42D69F6D187763CF1D5503400487F55BA57E31CC7A7135C886EFB4318AED6A1E012D9E6832A907600A918130C46DC778F971AD0038092999A333CB8B7A1 A1DB93D7140003C2A4ECEA9F98D0ACC0A8291CDCEC97DCF8EC9B55A7F88A46B4DB5A851F44182E1C68A007E5E0DD9020BFD64B645036C7A4E677D2C38532A3A23 BA4442CAF53EA63BB454329B7624C8917BDD64B1C0FD4CB38E8C334C701C3ACDAD0657FCCFEC719B1F5C3E4E46041F388147FB4CFDB477A52471F7A9A96910B855 322EDB6340D8A00EF092350511E30ABEC1FFF9E3A26E7FB29F8C183023C3587E38DA0077D9B4763E4E4B94B2BBC194C6651E77CAF992EEAAC0232A281BF6B3A739C 1226116820AE8DB5847A67CBEF9C9091B462D538CD72B03746AE77F5E62292C311562A846505DC82DB854338AE49F5235C95B91178CCF2DD5CACEF403EC9D1810C 6272B045B3B71F9DC6B80D63FDD4A8F9ADB1F6962A69526D43161C1A41D570D7938DAD4A40F329CCFF46AAA36AD004CF600C8381F425A31D951AF64FDB23FCFC 9509D43687FEB69EDD1CC5E0B8CC3BDF64B10EF86B63142A3AB8829555B2F747C932665CB2C0F1CC01BD70229388839D2AF05E454504AC78B7582822846C0BA35C 35F5C59160CC046FD8251541FC68C9C86B022BB7099876A460E7451A8A93109703FEE1C217E6C3826E52C51AA691E0E423CFC99E9E31650C1217B624816CDAD9A95 F9D5B8019488D9C0A0A1FE3075A577E23183F81D4A3F2FA4571EFC8CE0BA8A4FE8B6855DFE72B0A66EDED2FBABFBE58A30FAFABE1C5D71A87E2F741EF8C1FE86FEA

9c6b87fd-4bfa-4e46-a244-ef1e213bc64a

115792089237316195423570985008687907852837564279074904382605163141518161494337

39402006196394479212279040100143613805079739270465446667948293404245721771496870329047266088258938001861606973112319

115792089210356248762697446949407573530086143415290314195533631308867097853951

26617408020502170632287687167233609607298591687569731477066713684188029449964278084915450806277719023520942412250655586621571135455709 16814161637315895999846

68647976601306097149819007990813932172694353001433054093944634591855431833976553942450577463332171975329639963713633211138647686124403 80340372808892707005449

05e3f287-4cb8-4706-b157-ffc01942fed0

9cdbd84c9f1ac2f38d0f80f42ab952e7338bf511

8325710961489029985546751289520108179287853048861315594709205902480503199884419224438643760392947333078086511627871

94da5232-8d8e-46e1-b851-9cb80141c59d

115792089210356248762697446949407573529996955224135760342422259061068512044369

30470ad5a005fb14ce2d9dcd87e38bc7d1b1c5facbaecbe95f190aa7a31d23c4dbbcbe06174544401a5b2c020965d8c2bd2171d3668445771f74ba084d2029d83c1c1585 47f3a9f1a2715be23d51ae4d3e5a1f6a7064f316933a346d3f529252

8138e8a0fcf3a4e84a771d40fd305d7f4aa59306d7251de54d98af8fe95729a1f73d893fa424cd2edc8636a6c3285e022b0e3866a565ae8108eed8591cd4fe8d2ce86165a9 78d719ebf647f362d33fca29cd179fb42401cbaf3df0c614056f9c8f3cfd51e474afb6bc6974f78db8aba8e9e517fded658591ab7502bd41849462f

258FAFA5-F914-47DA-95CA-C5AB0DC85B11

AC6BDB41324A9A9BF166DE5E1389582FAF72B6651987EE07FC3192943DB56050A37329CBB4A099ED8193E0757767A13DD52312AB4B03310DCD7F48A9DA04FD50E 8083969EDB767B0CF6095179A163AB3661A05FBD5FAAAE82918A9962F0B93B855F97993EC975EEAA80D740ADBF4FF747359D041D5C33EA71D281E446B14773BCA9 7843A23FB801676BD207A436C6481F1D2B9078717461A5B9D32E688F87748544523B524B0D57D5EA77A2775D2ECFA032CFBDBF52FB3786160279004E57AE6AF874E 7303CE53299CCC041C7BC308D82A5698F3A8D0C38271AE35F8E9DBFBB694B5C803D89F7AE435DE236D525F54759B65E372FCD68EF20FA7111F9E4AFF73

10938490380737342745111123907668055699362075989516837489945863944959531161507350160137087375737596232485921322967063133094384525315910

39402006196394479212279040100143613805079739270465446667946905279627659399113263569398956308152294913554433653942643

37571800257700204635455072244911836035944551347697624866945677796155444774405563166912344050129455395621444445372894285225856667291965 80810124344277578376784

EEAF0AB9ADB38DD69C33F80AFA8FC5E86072618775FF3C0B9EA2314C9C256576D674DF7496EA81D3383B4813D692C6E0E0D5D8E250B98BE48E495C1D6089DAD15 DC7D7B46154D6B6CE8EF4AD69B15D4982559B297BCF1885C529F566660E57EC68EDBC3C05726CC02FD4CBF4976EAA9AFD5138FE8376435B9FC61D2FC0EB06E3

f7e1a085d69b3ddecbbcab5c36b857b97994afbbfa3aea82f9574c0b3d0782675159578ebad4594fe67107108180b449167123e84c281613b7cf09328cc8a6e13c167a8b547c8d28e0a3ae1e2bb3a675916ea37f0bfa213562f1fb627a01243bcca4f1bea8519089a883dfe15ae59f06928b665e807b552564014c3bfecf492a

962eddcc369cba8ebb260ee6b6a126d9346e38c5

115792089210356248762697446949407573530086143415290314195533631308867097853948

fca682ce8e12caba26efccf7110e526db078b05edecbcd1eb4a208f3ae1617ae01f35b91a47e6df63413c5e12ed0899bcd132acd50d99151bdc43ee737592e17

27580193559959705877849011840389048093056905856361568521428707301988689241309860865136260764883745107765439761230575

678471b27a9cf44ee91a49c5147db1a9aaf244f05a434d6486931d2d14271b9e35030b71fd73da179069b32e2935630e1c2062354d0da20a6c416e50be794ca4

b869c82b35d70e1b1ff91b28e37a62ecdc34409b

68647976601306097149819007990813932172694353001433054093944634591855431833976560521225596406614545549772963113914808580371219879997166 43812574028291115057148

42debb9da5b3d88cc956e08787ec3f3a09bba5f48b889a74aaf53174aa0fbe7e3c5b8fcd7a53bef563b0e98560328960a9517f4014d3325fc7962bf1e049370d76d1314a76
137e792f3f0db859d095e4a5b932024f079ecf2ef09c797452b0770e1350782ed57ddf794979dcef23cb96f183061965c4ebc93c9c71c56b925955a75f94cccf1449ac43d586
d0beee43251b0b2287349d68de0d144403f13e802f4146d882e057af19b6f6275c6676c8fa0e3ca2713a3257fd1b27d0639f695e347d8d1cf9ac819a26ca9b04cb0eb9b7b
035988d15bbac65212a55239cfc7e58fae38d7250ab9991ffbc97134025fe8ce04c4399ad96569be91a546f4978693c7a

34df0e7a9f1cf1892e45c056b4973cd81ccf148a4050d11aea4ac5a65f900a42

sXchDaQebHnPiGvyDOAT4saGEUetSyo9MKLOoWFsueri23bOdgWp4Dy1WlUzewbgBHod5pcM9H95GQRV3JDXbolRROSBigeC5yjU1hGzHHyXss8UDprecbAYxknTcQkhsl ANGRUZmdTOQ5qTRsLAt6BTYuyvVRdhS8exSZEy

FDB497E7C6F9D71A89D042B0FA5B7A4DEA5EE7938F08CFDA9F1FB58EBDF749E7

48439561293906451759052585252797914202762949526041747995844080717082404635286

39402006196394479212279040100143613805079739270465446667948293404245721771496870329047266088258938001861606973112316

dZozdop5rgKNxjbrQAd5nntAGpgh9w84O1Xgg==

b0b4417601b59cbc9d8ac8f935cadaec4f5fbb2f23785609ae466748d9b5a536

9760508f15230bccb292b982a2eb840bf0581cf5

e9e642599d355f37c97ffd3567120b8e25c9cd43e927b3a9670fbec5d890141922d2c3b3ad2480093799869d1e846aab49fab0ad26d2ce6a22219d470bce7d777d4a21fbe 9c270b57f607002f3cef8393694cf45ee3688c11a8c56ab127a3daf

36134250956749795798585127919587881956611106672985015071877198253568414405109

9DEF3CAFB939277AB1F12A8617A47BBBDBA51DF499AC4C80BEEEA9614B19CC4D5F4F5F556E27CBDE51C6A94BE4607A291558903BA0D0F84380B655BB9A22E8DCD F028A7CEC67F0D08134B1C8B97989149B609E0BE3BAB63D47548381DBC5B1FC764E3F4B53DD9DA1158BFD3E2B9C8CF56EDF019539349627DB2FD53D24B7C48665 772E437D6C7F8CE442734AF7CCB7AE837C264AE3A9BEB87F8A2FE9B8B5292E5A021FFF5E91479E8CE7A28C2442C6F315180F93499A234DCF76E3FED135F9BB

473222bd-48e8-4900-8997-7882b1b5071c

77d0f8c4dad15eb8c4f2f8d6726cefd96d5bb399

 $68647976601306097149819007990813932172694353001433054093944634591855431833976560521225596406614545549772963113914808580371219879997166\\43812574028291115057151$

MIGfMA0GCSqGSlb3DQEBAQUAA4GNADCBiQKBgQCbelsiqvdpzGmRF3pex4Ar1HNI

UhbMtiAExFNPNceArXxYL07lKDceJ9QVHwVTMl3pzL5rNOxCM

f8183668ba5fc5bb06b5981e6d8b795d30b8978d43ca0ec572e37e09939a9773

Ct4eTlXHBIY2EaV7t7LjJaynVJCpkv4LKjTTAumiGUIuQhrNhZLuF

57896044618658097711785492504343953926634992332820282019728792003956564819949

8d5155894229d5e689ee01e6018a237e2cae64cd

MIGfMA0GCSqGSIb3DQEBAQUAA4GNADCBiQKBgQCv8lqRRwpH8s7EnWhLwuFqnbTA

FFFFFFFFFFFFC90FDAA22168C234C4C6628B80DC1CD129024E088A67CC74020BBEA63B139B22514A08798E3404DDEF9519B3CD3A431B302B0A6DF25F14374FE1 356D6D51C245E485B576625E7EC6F44C42E9A637ED6B0BFF5CB6F406B7EDEE386BFB5A899FA5AE9F24117C4B1FE649286651ECE45B3DC2007CB8A163BF0598DA483 61C55D39A69163FA8FD24CF5F83655D23DCA3AD961C62F356208552BB9ED529077096966D670C354E4ABC9804F1746C08CA18217C32905E462E36CE3BE39E772C18 0E86039B2783A2EC07A28FB5C55DF06F4C52C9DE2BCBF6955817183995497CEA956AE515D2261898FA051015728E5A8AAAC42DAD33170D04507A33A85521ABDF1C BA64ECFB850458DBEF0A8AEA71575D060C7DB3970F85A6E1E4C7ABF5AE8CDB0933D71E8C94E04A25619DCEE3D2261AD2EE6BF12FFA06D98A0864D87602733EC86 A64521F2B18177B200CBBE117577A615D6C770988C0BAD946E208E24FA074E5AB3143DB5BFCE0FD108E4B82D120A92108011A723C12A787E6D788719A10BDBA5B2 699C327186AF4E23C1A946834B6150BDA2583E9CA2AD44CE8DBBBC2DB04DE8EF92E8EFC141FBECAA6287C59474E6BC05D99B2964FA090C3A2233BA186515BE7ED 1F612970CEE2D7AFB81BDD762170481CD0069127D5B05AA993B4EA988D8FDDC186FFB7DC90A6C08F4DF435C93402849236C3FAB4D27C7026C1D4DCB2602646DE C9751E763DBA37BDF8FF9406AD9E530EE5DB382F413001AEB06A53ED9027D831179727B0865A8918DA3EDBEBCF9B14ED44CE6CBACED4BB1BDB7F1447E6CC254B3 32051512BD7AF426FB8F401378CD2BF5983CA01C64B92ECF032EA15D1721D03F482D7CE6E74FEF6D55E702F46980C82B5A84031900B1C9E59E7C97FBEC7E8F323A9 7A7E36CC88BE0F1D45B7FF585AC54BD407B22B4154AACC8F6D7EBF48E1D814CC5ED20F8037E0A79715EEF29BE32806A1D58BB7C5DA76F550AA3D8A1FBFF0EB19CC B1A313D55CDA56C9EC2EF29632387FE8D76E3C0468043E8F663F4860EE12BF2D5B0B7474D6E694F91E6DBE115974A3926F12FEE5E438777CB6A932DF8CD8BEC4D07 3B931BA3BC832B68D9DD300741FA7BF8AFC47ED2576F6936BA424663AAB639C5AE4F5683423B4742BF1C978238F16CBE39D652DE3FDB8BEFC848AD922222E04A40 37C0713EB57A81A23F0C73473FC646CEA306B4BCBC8862F8385DDFA9D4B7FA2C087E879683303ED5BDD3A062B3CF5B3A278A66D2A13F83F44F82DDF310EE074AB6 A364597E899A0255DC164F31CC50846851DF9AB48195DED7EA1B1D510BD7EE74D73FAF36BC31ECFA268359046F4EB879F924009438B481C6CD7889A002ED5EE382

nMcadFr9rwxGUMGOn8glcjLE4vr9T1rxm6DekW9IBGNAwGOynuA+ebTfpfPMYY8nO



> PLAYSTORE INFORMATION

Title: Benefits by WEX

Score: 3.643204 Installs: 500,000+ Price: 0 Android Version Support: Category: Health & Fitness Play Store URL: com.lighthouse1.mobilebenefits.dbi

Developer Details: WEX, Inc., WEX,+Inc., None, https://www.wexinc.com/contact/health, customerservice@wexhealth.com,

Release Date: Dec 9, 2010 Privacy Policy: Privacy link

Description:

Keep tabs on all your benefit accounts by quickly checking your balances and details using our secure mobile app. With real-time access and intuitive navigation to all your important account information, our app includes the following features: Easy, Convenient & Secure • Simply login to the intuitive app using your same health benefits website username and password (or follow alternative instructions if provided) • No sensitive account information is ever stored on your mobile device • Use Touch ID or Face ID to quickly log in to the mobile app Connects You with the Details • Quickly check available balances 24/7 • View charts summarizing account(s) • View claims requiring receipts • Click to call or email Customer Service • View your statements and notifications • Scan product barcodes to determine their eligibility Provides Additional Time-Saving Options (if supported or applicable to your account(s)) • File a claim towards your FSA and HRA • Take or upload a picture of a receipt and submit for a new or existing claim • View, contribute and distribute HSA transactions • Pay bills from any account and add a payee • Manage your expenses by entering medical expense information and supporting documentation • View and Manage your HSA investments • Retrieve your forgotten username/password • Report a debit card as lost or stolen Powered by WEX Health®

⋮ SCAN LOGS

Timestamp	Event	Error
2025-08-31 01:00:25	Generating Hashes	ОК

2025-08-31 01:00:25	Extracting APK	ОК
2025-08-31 01:00:25	Unzipping	ОК
2025-08-31 01:00:25	Parsing APK with androguard	ОК
2025-08-31 01:00:25	Extracting APK features using aapt/aapt2	ОК
2025-08-31 01:00:26	Getting Hardcoded Certificates/Keystores	ОК
2025-08-31 01:00:28	Parsing AndroidManifest.xml	ОК
2025-08-31 01:00:28	Extracting Manifest Data	ОК
2025-08-31 01:00:28	Manifest Analysis Started	ОК
2025-08-31 01:00:28	Reading Network Security config from network_security_config.xml	ОК
2025-08-31 01:00:28	Parsing Network Security config	ОК
2025-08-31 01:00:28	Performing Static Analysis on: Benefits (com.lighthouse1.mobilebenefits.dbi)	ОК

2025-08-31 01:00:29	Fetching Details from Play Store: com.lighthouse1.mobilebenefits.dbi	ОК
2025-08-31 01:00:32	Checking for Malware Permissions	ОК
2025-08-31 01:00:32	Fetching icon path	ОК
2025-08-31 01:00:32	Library Binary Analysis Started	ОК
2025-08-31 01:00:32	Reading Code Signing Certificate	ОК
2025-08-31 01:00:34	Running APKiD 2.1.5	ОК
2025-08-31 01:00:38	Detecting Trackers	ОК
2025-08-31 01:00:40	Decompiling APK to Java with JADX	ОК
2025-08-31 01:15:57	Decompiling with JADX failed, attempting on all DEX files	ОК
2025-08-31 01:15:57	Decompiling classes2.dex with JADX	ОК
2025-08-31 01:16:12	Decompiling classes.dex with JADX	ОК

2025-08-31 01:16:12	Decompiling classes2.dex with JADX	ОК
2025-08-31 01:16:27	Decompiling classes.dex with JADX	ОК
2025-08-31 01:16:39	Converting DEX to Smali	ОК
2025-08-31 01:16:39	Code Analysis Started on - java_source	ОК
2025-08-31 01:16:44	Android SBOM Analysis Completed	ОК
2025-08-31 01:16:56	Android SAST Completed	ОК
2025-08-31 01:16:56	Android API Analysis Started	ОК
2025-08-31 01:17:06	Android API Analysis Completed	ОК
2025-08-31 01:17:08	Android Permission Mapping Started	ОК
2025-08-31 01:17:16	Android Permission Mapping Completed	ОК
2025-08-31 01:17:17	Android Behaviour Analysis Started	ОК

2025-08-31 01:17:32	Android Behaviour Analysis Completed	ОК
2025-08-31 01:17:32	Extracting Emails and URLs from Source Code	ОК
2025-08-31 01:17:38	Email and URL Extraction Completed	ОК
2025-08-31 01:17:38	Extracting String data from APK	ОК
2025-08-31 01:17:38	Extracting String data from Code	ОК
2025-08-31 01:17:38	Extracting String values and entropies from Code	ОК
2025-08-31 01:17:41	Performing Malware check on extracted domains	ОК
2025-08-31 01:17:45	Saving to Database	ОК

Report Generated by - MobSF v4.4.0

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

© 2025 Mobile Security Framework - MobSF | <u>Ajin Abraham</u> | <u>OpenSecurity</u>.