

ANDROID STATIC ANALYSIS REPORT

app_icon

Sleep Monitor (v2.8.1.2)

File Name: com.sleepmonitor.aio_484.apk

Package Name: com.sleepmonitor.aio

Scan Date: Sept. 1, 2025, 9:05 a.m.

App Security Score: 43/100 (MEDIUM RISK)

В

Grade:

Trackers Detection: 6/432

FINDINGS SEVERITY

兼 HIGH	▲ MEDIUM	iNFO	✓ SECURE	Q HOTSPOT
5	23	4		6

FILE INFORMATION

File Name: com.sleepmonitor.aio_484.apk

Size: 74.67ME

MD5: 15246f46280024353a93053e6bc506ff

SHA1: aa97213ac749ce82e404744b5c1e142833374c35

SHA256: 34a3c80901d11e842c90531f16186647ad9a74755a396e00c474823a11eaeb6f

i APP INFORMATION

App Name: Sleep Monitor

Package Name: com.sleepmonitor.aio

Main Activity: com.sleepmonitor.aio.activity.SplashActivity

Target SDK: 34 Min SDK: 25 Max SDK:

Android Version Name: v2.8.1.2 Android Version Code: 484

APP COMPONENTS

Activities: 120
Services: 16
Receivers: 18
Providers: 6
Exported Activities: 3
Exported Services: 2
Exported Receivers: 6
Exported Providers: 0

***** CERTIFICATE INFORMATION

Binary is signed

v1 signature: False

v2 signature: True

v3 signature: True v4 signature: False

X.509 Subject: CN=iMobLife

Signature Algorithm: rsassa_pkcs1v15

Valid From: 2010-02-01 08:07:28+00:00 Valid To: 2110-01-08 08:07:28+00:00

Issuer: CN=iMobLife

Serial Number: 0x4b668bc0

Hash Algorithm: sha1

md5: 199cbb1a1ae5a1d04a978475a4ab6eaf

sha1: 971da0d8842f7539c666f87b74676c4548c26341

sha256: b8b9a8b347e102532cf3596f9f29a8465210e4c1aa7c407bd78ffd3f3706f8dc

sha512:69376b2865aac48ed432dce3287baff24eebd8605c4539e9f7b4470e0376a5fc9ad8c687ac13301cbfd7f59ef1c5aebdadf6dce9f5099d9de429fa00dfb052b5

PublicKey Algorithm: rsa

Bit Size: 1024

Fingerprint: 7e6758fd9475f68497fdb53fa473a6bb9c77edcc406b934056c3bc8c7efc0f67

Found 1 unique certificates

᠄≡ APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.ACCESS_NOTIFICATION_POLICY	normal	marker permission for accessing notification policy.	Marker permission for applications that wish to access notification policy.
android.permission.FOREGROUND_SERVICE	normal	enables regular apps to use Service.startForeground.	Allows a regular application to use Service.startForeground.
android.permission.INTERNET	normal	full Internet access	Allows an application to create network sockets.
android.permission.RECEIVE_BOOT_COMPLETED	normal	automatically start at boot	Allows an application to start itself as soon as the system has finished booting. This can make it take longer to start the phone and allow the application to slow down the overall phone by always running.

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.READ_EXTERNAL_STORAGE	dangerous	read external storage contents	Allows an application to read from external storage.
android.permission.RECORD_AUDIO	dangerous	record audio	Allows application to access the audio record path.
android.permission.WAKE_LOCK	normal	prevent phone from sleeping	Allows an application to prevent the phone from going to sleep.
android.permission.WRITE_EXTERNAL_STORAGE	dangerous	read/modify/delete external storage contents	Allows an application to write to external storage.
android.permission.VIBRATE	normal	control vibrator	Allows the application to control the vibrator.
com.android.vending.BILLING	normal	application has in-app purchases	Allows an application to make in-app purchases from Google Play.
android.permission.ACCESS_NETWORK_STATE	normal	view network status	Allows an application to view the status of all networks.
android.permission.REQUEST_IGNORE_BATTERY_OPTIMIZATIONS	normal	permission for using Settings.ACTION_REQUEST_IGNORE_BATTERY_OPTIMIZATIONS.	Permission an application must hold in order to use Settings.ACTION_REQUEST_IGNORE_BATTERY_OPTIMIZATIONS.
com.google.android.gms.permission.AD_ID	normal	application shows advertisements	This app uses a Google advertising ID and can possibly serve advertisements.
android.permission.POST_NOTIFICATIONS	dangerous	allows an app to post notifications.	Allows an app to post notifications
android.permission.CAMERA	dangerous	take pictures and videos	Allows application to take pictures and videos with the camera. This allows the application to collect images that the camera is seeing at any time.
android.permission.FOREGROUND_SERVICE_MICROPHONE	normal	permits foreground services with microphone use.	Allows a regular application to use Service.startForeground with the type "microphone".
android.permission.FOREGROUND_SERVICE_MEDIA_PLAYBACK	normal	enables foreground services for media playback.	Allows a regular application to use Service.startForeground with the type "mediaPlayback".
com.google.android.c2dm.permission.RECEIVE	normal	recieve push notifications	Allows an application to receive push notifications from cloud.
android.permission.ACCESS_ADSERVICES_ATTRIBUTION	normal	allow applications to access advertising service attribution	This enables the app to retrieve information related to advertising attribution, which can be used for targeted advertising purposes. App can gather data about how users interact with ads, such as clicks or impressions, to measure the effectiveness of advertising campaigns.
android.permission.ACCESS_ADSERVICES_AD_ID	normal	allow app to access the device's advertising ID.	This ID is a unique, user-resettable identifier provided by Google's advertising services, allowing apps to track user behavior for advertising purposes while maintaining user privacy.
com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE	normal	permission defined by google	A custom permission defined by Google.
com.sleepmonitor.aio.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	unknown	Unknown permission	Unknown permission from android reference
android.permission.ACCESS_WIFI_STATE	normal	view Wi-Fi status	Allows an application to view the information about the status of Wi-Fi.

ক্ল APKID ANALYSIS

FILE	DETAILS

FILE	DETAILS			
	FINDINGS		DETAILS	
15246f46280024353a93053e6bc506ff.apk	Anti-VM Code		possible VM check	
	FINDINGS	DETAILS		
classes.dex	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.BRAND check Build.PRODUCT check SIM operator check network operator name check		
	Compiler	r8 without ma	arker (suspicious)	
	FINDINGS DETAILS			
classes2.dex	Anti-VM Code	Build.FINGER Build.MODEL Build.MANUF Build.PRODU Build.TAGS ch	check ACTURER check CT check	
	Compiler	r8 without marker (suspicious)		
	FINDINGS	DETAILS		
	Anti Debug Code	Debug.isDebu	uggerConnected() check	
classes3.dex	Anti-VM Code	Build.MODEL Build.MANUF. Build.PRODU Build.HARDW Build.TAGS ch SIM operator possible VM c	ACTURER check CT check ARE check leck check	
	Compiler	r8 without ma	arker (suspicious)	

FILE DETAILS		
	FINDINGS	DETAILS
classes4.dex	Anti-VM Code	Build.MANUFACTURER check
	Compiler	r8 without marker (suspicious)

BROWSABLE ACTIVITIES

ACTIVITY	INTENT	
com.sleepmonitor.aio.activity.SplashActivity	Schemes: sm://, sleepmonitor://, Hosts: sleep.emobistudio.com, emobistudio, Path Prefixes: /sleepmonitor,	
com.sleepmonitor.aio.activity.InAppMessageActivity	Schemes: sm://, Hosts: sleep.sleepmonitor.com, Path Prefixes: /message,	
com.sensorsdata.analytics.android.sdk.dialog.SchemeActivity	Schemes: saf80e1418://,	

△ NETWORK SECURITY

HIGH: 1 | WARNING: 0 | INFO: 0 | SECURE: 0

NO	SCOPE	SEVERITY	DESCRIPTION
1	127.0.0.1 192.168.1.97 192.168.1.90 34.202.110.64 d3r8mhnsi638l9.cloudfront.net	high	Domain config is insecurely configured to permit clear text traffic to these domains in scope.

EXECUTIFICATE ANALYSIS

HIGH: 1 | WARNING: 0 | INFO: 1

TITLE	SEVERITY	DESCRIPTION	
Signed Application info		Application is signed with a code signing certificate	
Certificate algorithm vulnerable to hash collision	high	Application is signed with SHA1withRSA. SHA1 hash algorithm is known to have collision issues.	

Q MANIFEST ANALYSIS

HIGH: 1 | WARNING: 13 | INFO: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	DESCRIPTION
1	App can be installed on a vulnerable unpatched Android version Android 7.1-7.1.2, [minSdk=25]	high	This application can be installed on an older version of android that has multiple unfixed vulnerabilities. These devices won't receive reasonable security updates from Google. Support an Android version => 10, API 29 to receive reasonable security updates.
2	App has a Network Security Configuration [android:networkSecurityConfig=@xml/network_security_config]	info	The Network Security Configuration feature lets apps customize their network security settings in a safe, declarative configuration file without modifying app code. These settings can be configured for specific domains and for a specific app.
3	Application Data can be Backed up [android:allowBackup=true]	warning	This flag allows anyone to backup your application data via adb. It allows users who have enabled USB debugging to copy application data off of the device.
4	Activity (com.sleepmonitor.aio.alarm.RemindDialogActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
5	Activity (com.sleepmonitor.aio.activity.lnAppMessageActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
6	Broadcast Receiver (com.sleepmonitor.control.boot.BootEventReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
7	Broadcast Receiver (com.sleepmonitor.aio.alarm.RemindReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
8	Broadcast Receiver (com.adjust.sdk.AdjustReferrerReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.INSTALL_PACKAGES [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
9	Activity (com.sensorsdata.analytics.android.sdk.dialog.SchemeActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
10	Service (androidx.work.impl.background.systemjob.SystemJobService) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.BIND_JOB_SERVICE [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
11	Broadcast Receiver (androidx.work.impl.diagnostics.DiagnosticsReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
12	Broadcast Receiver (com.google.firebase.iid.FirebaseInstanceIdReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.c2dm.permission.SEND [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

NO	ISSUE	SEVERITY	DESCRIPTION
13	Service (com.google.android.gms.auth.api.signin.RevocationBoundService) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.gms.auth.api.signin.permission.REVOCATION_NOTIFICATION [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
14	Broadcast Receiver (androidx.profileinstaller.ProfileInstallReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
15	High Intent Priority (9999) - {3} Hit(s) [android:priority]	warning	By setting an intent priority higher than another intent, the app effectively overrides other requests.

</> CODE ANALYSIS

HIGH: 1 | WARNING: 8 | INFO: 3 | SECURE: 1 | SUPPRESSED: 0

)	ISSUE	SEVERITY STANDARDS	FILES
			com/bumptech/glide/b.java
			com/bumptech/glide/disklrucache/b.java
			com/bumptech/glide/gifdecoder/d.java
			com/bumptech/glide/gifdecoder/f.java
			com/bumptech/glide/load/data/j.java
			com/bumptech/glide/load/data/mediastore/e.java
			com/bumptech/glide/load/engine/bitmap_recycle/j.java
			com/bumptech/glide/load/engine/bitmap_recycle/l.java
			com/bumptech/glide/load/engine/cache/MemorySizeCalculator.java
ı			com/bumptech/glide/load/engine/cache/e.java
ı			com/bumptech/glide/load/engine/h.java
			com/bumptech/glide/load/engine/i.java
			com/bumptech/glide/load/engine/k.java
			com/bumptech/glide/load/engine/prefill/a.java
			com/bumptech/glide/load/engine/y.java
			com/bumptech/glide/load/model/s.java
			com/bumptech/glide/load/model/t.java
			com/bumptech/glide/load/resource/bitmap/DefaultImageHeaderParser.java
			com/bumptech/glide/load/resource/bitmap/c0.java
			com/bumptech/glide/load/resource/bitmap/e.java
			com/bumptech/glide/load/resource/bitmap/g.java
			com/bumptech/glide/load/resource/bitmap/m0.java
			com/bumptech/glide/load/resource/bitmap/w.java
			com/bumptech/glide/load/resource/bitmap/x.java
			com/bumptech/glide/load/resource/gif/ByteBufferGifDecoder.java
			com/bumptech/glide/load/resource/j.java
			com/bumptech/glide/manager/q.java
Ì			com/bumptech/glide/module/ManifestParser.java
			com/bumptech/glide/request/k.java
Ì			com/bumptech/glide/request/target/f.java
Ì			com/bumptech/glide/request/target/r.java
			com/bumptech/glide/util/b.java
ı			com/bumptech/glide/util/bo.java com/bumptech/glide/util/pool/a.java
ı			com/sensorsdata/analytics/android/autotrack/core/AutoTrackContextHelper.j
			com/sensorsdata/analytics/android/autotrack/core/autotrack/ActivityLifecycle
1			cks.java
			com/sensorsdata/analytics/android/autotrack/core/autotrack/FragmentViewS

NO	ISSUE	SEVERITY	STANDARDS	Callbacks.java Com/sensorsdata/analytics/android/autotrack/core/impl/AutoTrackProtocollml.java com/sensorsdata/analytics/android/autotrack/core/pageteave/FragmentPageteaveC
1	The App logs information. Sensitive information should never be logged.	info	CWE: CWE-532: Insertion of Sensitive Information into Log File OWASP MASVS: MSTG-STORAGE-3	com/sensorsdata/analytics/android/sdk/AbstractSensorsDataAPl.java com/sensorsdata/analytics/android/sdk/AbstractSensorsDataAPl.java com/sensorsdata/analytics/android/sdk/AsprorsDataAPl.java com/sensorsdata/analytics/android/sdk/Advert/deeplink/ChannelDeepLinki, java com/sensorsdata/analytics/android/sdk/advert/deeplink/ChannelDeepLinki, java com/sensorsdata/analytics/android/sdk/advert/deipl/DDRom.java com/sensorsdata/analytics/android/sdk/advert/deipl/DDRom.java com/sensorsdata/analytics/android/sdk/advert/oaid/DDRom.java com/sensorsdata/analytics/android/sdk/advert/oaid/DDRom.java com/sensorsdata/analytics/android/sdk/advert/oaid/impl/Asusimpl.java com/sensorsdata/analytics/android/sdk/advert/oaid/impl/Lenovolmpl.java com/sensorsdata/analytics/android/sdk/advert/oaid/impl/Lenovolmpl.java com/sensorsdata/analytics/android/sdk/advert/oaid/impl/Heavelimpl.java com/sensorsdata/analytics/android/sdk/advert/oaid/impl/Meizulmpl.java com/sensorsdata/analytics/android/sdk/advert/oaid/impl/DolpTectory.java com/sensorsdata/analytics/android/sdk/advert/oaid/impl/DolpTectory.java com/sensorsdata/analytics/android/sdk/advert/oaid/impl/SamsungImpl.java com/sensorsdata/analytics/android/sdk/advert/oaid/impl/SamsungImpl.java com/sensorsdata/analytics/android/sdk/advert/oaid/impl/SamsungImpl.java com/sensorsdata/analytics/android/sdk/advert/oaid/impl/Zimpl.java com/sensorsdata/analytics/android/sdk/advert/oaid/impl/Zimpl.java com/sensorsdata/analytics/android/sdk/advert/oaid/impl/Zimpl.java com/sensorsdata/analytics/android/sdk/advert/oaid/impl/Zimpl.java com/sensorsdata/analytics/android/sdk/advert/oaid/impl/Zimpl.java com/sensorsdata/analytics/android/sdk/advert/oaid/impl/Zimpl.java com/sensorsdata/analytics/android/sdk/advert/oaid/impl/Zimpl.java com/sensorsdata/analytics/android/sdk/advert/oaid/impl/Zimpl.java com/sensorsdata/analytics/android/sdk/advert/oaid/impl/Timpl/Berepta/adverto-aid/impl/Simpl/ com/sensorsdata/analytics/android/sdk/advert/oaid/impl/Zimpl/ com/sensorsdata/analytics/android/sdk/advert/oaid/impl/Zimpl/

NO	ISSUE	SEVERITY	STANDARDS	ger.java Fült 🕰 nsorsdata/analytics/android/sdk/remote/SensorsDataRemoteManager.java
2	This App uses SSL certificate pinning to detect or prevent MITM attacks in secure communication channel.	secure	OWASP MASVS: MSTG-NETWORK-4	com/sleepmonitor/aio/network/c.java io/grpc/okhttp/i.java io/grpc/util/b.java
3	App uses SQLite Database and execute raw SQL query. Untrusted user input in raw SQL queries can cause SQL Injection. Also sensitive information should be encrypted and written to the database.	warning	CWE: CWE-89: Improper Neutralization of Special Elements used in an SQL Command ('SQL Injection') OWASP Top 10: M7: Client Code Quality	com/danikula/videocache/sourcestorage/a.java com/sensorsdata/analytics/android/sdk/data/OldBDatabaseHelper.java com/sensorsdata/analytics/android/sdk/data/SensorsDataDBHelper.java com/sleepmonitor/aio/activity/SplashActivity.java com/sleepmonitor/model/a.java com/sleepmonitor/model/d.java com/sleepmonitor/model/f.java com/sleepmonitor/model/f.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
4	Files may contain hardcoded sensitive information like usernames, passwords, keys etc.	warning	CWE: CWE-312: Cleartext Storage of Sensitive Information OWASP Top 10: M9: Reverse Engineering OWASP MASVS: MSTG-STORAGE-14	com/adjust/sdk/Constants.java com/bumptech/glide/load/engine/d.java com/bumptech/glide/load/engine/p.java com/bumptech/glide/load/h.java com/bumptech/glide/load/h.java com/sensorsdata/analytics/android/sdk/dore/mediator/Modules.java com/sensorsdata/analytics/android/sdk/core/mediator/Modules.java com/sensorsdata/analytics/android/sdk/data/adapter/DbParams.java com/sensorsdata/analytics/android/sdk/data/adapter/DbParams.java com/sensorsdata/analytics/android/sdk/encrypt/biz/SecretKeyManager.java com/sensorsdata/analytics/android/sdk/encrypt/mpl/SAEncryptAPlimpl.java com/sensorsdata/analytics/android/sdk/plugin/encrypt/SAStoreManager.java com/sensorsdata/analytics/android/sdk/plugin/encrypt/SAStoreManager.java com/sensorsdata/analytics/android/sdk/useridentity/Identities.java com/sensorsdata/analytics/android/sdk/util/SADataHelper.java com/sleepmonitor/aio/bean/Discover.java io/grpc/internal/m3.java
5	SHA-1 is a weak hash known to have hash collisions.	warning	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	com/sensorsdata/analytics/android/sdk/advert/oaid/impl/Oppolmpl.java com/sleepmonitor/aio/vip/a.java e0/a.java
6	The App uses an insecure Random Number Generator.	warning	CWE: CWE-330: Use of Insufficiently Random Values OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-6	com/adjust/sdk/Util.java com/sleepmonitor/aio/firebase/MyFirebaseMessagingService.java com/sleepmonitor/aio/music/MusicPlayerUtils.java com/sleepmonitor/aio/record/x.java com/sleepmonitor/aio/riewmodel/MusicListViewModel.java com/sleepmonitor/control/a.java com/sleepmonitor/view/widget/PopularView.java com/sleepmonitor/view/widget/SnowFlakesLayout.java io/grpc/internal/c2.java io/grpc/internal/h0.java io/grpc/internal/l0.java io/grpc/internal/k2.java io/grpc/internal/k2.java io/grpc/okhttp/l.java io/grpc/util/l.java io/grpc/util/l.java util/x0.java y4/a.java
7	IP Address disclosure	warning	CWE: CWE-200: Information Exposure OWASP MASVS: MSTG-CODE-2	com/danikula/videocache/HttpProxyCacheServer.java io/grpc/okhttp/b0.java io/grpc/okhttp/l.java w3/a.java
8	MD5 is a weak hash known to have hash collisions.	warning	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	com/airbnb/lottie/network/g.java com/danikula/videocache/q.java com/sensorsdata/analytics/android/sdk/visual/ViewSnapshot.java util/x1.java
9	App can read/write to External Storage. Any App can read data written to External Storage.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	com/danikula/videocache/t.java com/github/mikephil/charting/charts/Chart.java com/github/mikephil/charting/utils/d.java com/orhanobut/logger/c.java com/sleepmonitor/aio/activity/SleepDiaryActivity.java g7/a.java util/c1.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
10	App can write to App Directory. Sensitive Information should be encrypted.	info	CWE: CWE-276: Incorrect Default Permissions OWASP MASVS: MSTG-STORAGE-14	com/sleepmonitor/aio/viewmodel/MainViewModel.java com/sleepmonitor/aio/viewmodel/SplashViewModel.java com/sleepmonitor/aio/vip/main/MainMenuVipBaseActivity.java com/sleepmonitor/aio/vip/noise/NoiseVipBaseActivity.java v/b.java
11	This App copies data to clipboard. Sensitive data should not be copied to clipboard as other applications can access it.	info	OWASP MASVS: MSTG-STORAGE-10	com/sleepmonitor/aio/activity/MyGiftCodeActivity.java
12	Remote WebView debugging is enabled.	high	CWE: CWE-919: Weaknesses in Mobile Applications OWASP Top 10: M1: Improper Platform Usage OWASP MASVS: MSTG-RESILIENCE-2	com/github/lzyzsd/jsbridge/BridgeWebView.java
13	Insecure WebView Implementation. Execution of user controlled code in WebView is a critical Security Hole.	warning	CWE: CWE-749: Exposed Dangerous Method or Function OWASP Top 10: M1: Improper Platform Usage OWASP MASVS: MSTG-PLATFORM-7	com/sensorsdata/analytics/android/webview/impl/SAWebViewProtocollmpl.java

■ NIAP ANALYSIS v1.3

NO IDENTIFIER REQUIREMENT TEATORE DESCRIPTION		IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION
---	--	------------	-------------	---------	-------------

BEHAVIOUR ANALYSIS

RULE ID	BEHAVIOUR	LABEL	FILES
00013	Read file and put it into a stream	file	com/adjust/sdk/PreinstallUtil.java com/airbnb/lottie/network/g.java com/airbnb/lottie/network/h.java com/bumptech/glide/load/e.java com/bumptech/glide/load/model/g.java com/bumptech/glide/load/model/g.java com/bumptech/glide/load/resource/bitmap/d0.java com/bumptech/glide/load/resource/bitmap/d0.java com/bumptech/glide/load/resource/bitmap/d0.java com/sumptech/glide/load/resource/bitmap/d0.java com/sensorsdata/analytics/android/sdk/util/AppInfoUtils.java com/sensorsdata/analytics/android/sdk/util/FileUtils.java com/sleepmonitor/aio/viewmodel/AudioItemViewModel.java com/sleepmonitor/aio/vip/a.java io/grpc/util/a.java io/grpc/util/a.java io/grpc/y2.java oio/grpc/y2.java oio/grpc/y2.java oio/grpc/y2.java oio/grpc/sile/support/common/a.java org/tensorflow/lite/support/common/a.java org/tensorflow/lite/task/core/Task niUtils.java t/j.java util/u.java y/a.java y/k.java

RULE ID	BEHAVIOUR	LABEL	FILES
00009	Put data in cursor to JSON object	file	com/sensorsdata/analytics/android/sdk/data/adapter/EncryptDataOperation.java com/sensorsdata/analytics/android/sdk/data/adapter/EventDataOperation.java com/sensorsdata/analytics/android/sdk/data/adapter/PersistentDataOperation.java
00125	Check if the given file path exist	file	com/sleepmonitor/aio/activity/SleepDiaryActivity.java com/sleepmonitor/aio/fragment/FavoriteNoiseFragment.java com/sleepmonitor/aio/fragment/MusicMixFragment.java t/f.java
00183	Get current camera parameters and change the setting.	camera	net/kibotu/heartrateometer/camera/c.java
00089	Connect to a URL and receive input stream from the server	command network	com/bumptech/glide/load/data/j.java com/danikula/videocache/j.java com/sensorsdata/analytics/android/sdk/AnalyticsMessages.java com/sensorsdata/analytics/android/sdk/advert/Utils/SAAdvertUtils.java com/sensorsdata/analytics/android/sdk/network/RealRequest.java com/sensorsdata/analytics/android/sdk/visual/AbstractViewCrawler.java e0/c.java
00030	Connect to the remote server through the given URL	network	com/adjust/sdk/AdjustLinkResolution.java com/airbnb/lottie/network/b.java com/bumptech/glide/load/data/j.java com/sensorsdata/analytics/android/sdk/network/RealRequest.java
00109	Connect to a URL and get the response code	network command	com/bumptech/glide/load/data/j.java com/danikula/videocache/j.java com/sensorsdata/analytics/android/sdk/AnalyticsMessages.java com/sensorsdata/analytics/android/sdk/advert/utils/SAAdvertUtils.java com/sensorsdata/analytics/android/sdk/dialog/SensorsDataDialogUtils.java com/sensorsdata/analytics/android/sdk/network/RealRequest.java com/sensorsdata/analytics/android/sdk/visual/AbstractViewCrawler.java
00077	Read sensitive data(SMS, CALLLOG, etc)	collection sms calllog calendar	com/adjust/sdk/DeviceInfo.java com/bumptech/glide/load/data/mediastore/c.java com/sensorsdata/analytics/android/sdk/data/SAProviderHelper.java com/sensorsdata/analytics/android/sdk/data/adapter/DataOperation.java com/sleepmonitor/view/dialog/w.java g7/a.java
00012	Read data and put it into a buffer stream	file	com/naman14/androidlame/WaveReader.java com/sensorsdata/analytics/android/sdk/util/FileUtils.java
00022	Open a file from given absolute path of the file	file	com/airbnb/lottie/d0.java com/airbnb/lottie/network/g.java com/airbnb/lottie/network/h.java com/danikula/videocache/file/e.java com/github/mikephil/charting/charts/Chart.java com/github/mikephil/charting/charts/Chart.java com/orhanobut/logger/c.java com/sleepmonitor/aio/vijo/a.java com/sleepmonitor/control/SleepSamplingService.java com/sleepmonitor/control/play/b.java g7/a.java util/c1.java
00005	Get absolute path of file and put it to JSON object	file	com/airbnb/lottie/d0.java com/sleepmonitor/aio/vip/a.java

RULE ID	BEHAVIOUR	LABEL	FILES
00024	Write file after Base64 decoding	reflection file	com/airbnb/lottie/d0.java
00004	Get filename and put it to JSON object	file collection	b0/a.java com/airbnb/lottie/d0.java com/sleepmonitor/aio/vip/a.java t/f.java y/c.java
00096	Connect to a URL and set request method	command network	com/airbnb/lottie/network/b.java com/sensorsdata/analytics/android/sdk/AnalyticsMessages.java com/sensorsdata/analytics/android/sdk/davert/utils/SAAdvertUtils.java com/sensorsdata/analytics/android/sdk/dialog/SensorsDataDialogUtils.java com/sensorsdata/analytics/android/sdk/network/RealRequest.java com/sensorsdata/analytics/android/sdk/visual/AbstractViewCrawler.java
00003	Put the compressed bitmap data into JSON object	camera	com/sensorsdata/analytics/android/sdk/visual/ViewSnapshot.java q/g.java
00091	Retrieve data from broadcast	collection	com/sensorsdata/analytics/android/sdk/aop/push/PushAutoTrackHelper.java
00162	Create InetSocketAddress object and connecting to it	socket	io/grpc/okhttp/internal/h.java
00163	Create new Socket and connecting to it	socket	com/adjust/sdk/network/ActivityPackageSender.java io/grpc/okhttp/internal/h.java
00063	Implicit intent(view a web page, make a phone call, etc.)	control	com/adjust/sdk/ActivityHandler.java com/adjust/sdk/PreinstallUtil.java com/sensorsdata/analytics/android/sdk/util/NetworkUtils.java com/sensorsdata/analytics/android/sdk/visual/viewPairingCodeRequestHelper.java com/sleepmonitor/aio/activity/HeartRateTipsActivity.java com/sleepmonitor/aio/firebase/MessageRouterActivity.java com/sleepmonitor/aio/firebase/MessageRouterActivity.java com/sleepmonitor/aio/music/service/MusicPlayService.java com/sleepmonitor/aio/vip/PayWebViewActivity.java com/sleepmonitor/viow/dialog/w.java f7/b.java util/n0.java util/s.java util/v0.java
00036	Get resource file from res/raw directory	reflection	com/adjust/sdk/ActivityHandler.java com/adjust/sdk/DeviceInfo.java com/adjust/sdk/InstallReferrerHuawei.java com/sleepmonitor/aio/activity/HeartRateTipsActivity.java f7/b.java util/n0.java util/v0.java
00189	Get the content of a SMS message	sms	com/adjust/sdk/DeviceInfo.java g7/a.java
00188	Get the address of a SMS message	sms	com/adjust/sdk/DeviceInfo.java g7/a.java
00200	Query data from the contact list	collection contact	com/adjust/sdk/DeviceInfo.java g7/a.java

RULE ID	BEHAVIOUR	LABEL	FILES
00201	Query data from the call log	collection calllog	com/adjust/sdk/DeviceInfo.java g7/a.java
00112	Get the date of the calendar event	collection calendar	com/haibin/calendarview/e.java com/sleepmonitor/aio/activity/Challenge5Activity.java com/sleepmonitor/aio/activity/ChallengeActivity.java com/sleepmonitor/aio/viewmodel/CalendarDialogViewModel.java com/sleepmonitor/aio/viewmodel/RecordDayViewModel.java util/v0.java
00051	Implicit intent(view a web page, make a phone call, etc.) via setData	control	com/sensorsdata/analytics/android/sdk/visual/view/PairingCodeRequestHelper.java f7/b.java util/n0.java util/v0.java
00014	Read file into a stream and put it into a JSON object	file	com/sleepmonitor/aio/vip/a.java t/j.java v/a.java y/k.java
00034	Query the current data network type	collection network	com/sensorsdata/analytics/android/sdk/util/NetworkUtils.java
00094	Connect to a URL and read data from it	command network	com/danikula/videocache/j.java com/sensorsdata/analytics/android/sdk/visual/AbstractViewCrawler.java d2/a.java
00108	Read the input stream from given URL	network command	com/danikula/videocache/j.java com/sensorsdata/analytics/android/sdk/visual/AbstractViewCrawler.java
00191	Get messages in the SMS inbox	sms	com/adjust/sdk/DeviceInfo.java com/adjust/sdk/InstallReferrerMeta.java com/sensorsdata/analytics/android/sdk/advert/oaid/impl/MeizuImpl.java com/sensorsdata/analytics/android/sdk/advert/oaid/impl/VivoImpl.java
00011	Query data from URI (SMS, CALLLOGS)	sms calllog collection	com/adjust/sdk/DeviceInfo.java com/sleepmonitor/view/dialog/w.java
00056	Modify voice volume	control	cn/jzvd/Jzvd.java
00062	Query WiFi information and WiFi Mac Address	wifi collection	com/sensorsdata/analytics/android/sdk/util/SensorsDataUtils.java
00130	Get the current WIFI information	wifi collection	com/sensorsdata/analytics/android/sdk/util/SensorsDataUtils.java
00033	Query the IMEI number	collection	com/sensorsdata/analytics/android/sdk/util/SensorsDataUtils.java
00116	Get the current WiFi MAC address and put it into JSON	wifi collection	com/sensorsdata/analytics/android/sdk/util/SensorsDataUtils.java
00076	Get the current WiFi information and put it into JSON	collection wifi	com/sensorsdata/analytics/android/sdk/util/SensorsDataUtils.java
00083	Query the IMEI number	collection telephony	com/sensorsdata/analytics/android/sdk/util/SensorsDataUtils.java
00082	Get the current WiFi MAC address	collection wifi	com/sensorsdata/analytics/android/sdk/util/SensorsDataUtils.java
00023	Start another application from current application	reflection control	util/v0.java

FIREBASE DATABASES ANALYSIS

TITLE	SEVERITY	DESCRIPTION
App talks to a Firebase database	info	The app talks to Firebase database at https://sleep-monitor-35948.firebaseio.com
Firebase Remote Config enabled	warning	The Firebase Remote Config at https://firebaseremoteconfig.googleapis.com/v1/projects/1087612375963/namespaces/firebase:fetch?key=AlzaSyB18qt6fXyLz9DlpMU0ySablMalaLloUdl is enabled. Ensure that the configurations are not sensitive '["01f5edeac5f466c7","0d02ae7c51761ecf","53417ce45b3d5db7","7616b92964105f6e","937e96bf75d9fcb5","ae779807a5264777","c99ad04c1e49936c","dadd7040d42b7320","dd170e94424303e2","df3411dc01d97e44","e5f86adec6ea3af2","0c1t 'Guide_close_pay1': '2', 'Inapp_pay_cancel': '1', 'Inapp_pay_close': '1', 'OldUser_Guide_Pay1': '1', 'OldUser_Pay3': '2', 'OldUser_poup': '1', 'OldUser_noise': '2', 'Pay1_CancelPopup': '3', 'Pay1_Reguide_Retaining': '2', 'PriceTest_Pay1': '0', 'PriceTest_Pay1': '0

***::**:: ABUSED PERMISSIONS

TYPE	MATCHES	PERMISSIONS
Malware Permissions	10/25	android.permission.INTERNET, android.permission.RECEIVE_BOOT_COMPLETED, android.permission.READ_EXTERNAL_STORAGE, android.permission.RECORD_AUDIO, android.permission.WAKE_LOCK, android.permission.WRITE_EXTERNAL_STORAGE, android.permission.VIBRATE, android.permission.ACCESS_NETWORK_STATE, android.permission.CAMERA, android.permission.ACCESS_WIFI_STATE
Other Common Permissions	6/44	android.permission.ACCESS_NOTIFICATION_POLICY, android.permission.FOREGROUND_SERVICE, android.permission.REQUEST_IGNORE_BATTERY_OPTIMIZATIONS, com.google.android.gms.permission.AD_ID, com.google.android.c2dm.permission.RECEIVE, com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE

Malware Permissions:

Top permissions that are widely abused by known malware.

Other Common Permissions:

Permissions that are commonly abused by known malware.

! OFAC SANCTIONED COUNTRIES

This app may communicate with the following OFAC sanctioned list of countries.

DOMAIN	COUNTRY/REGION
app.adjust.cn	IP: 47.104.30.117 Country: China Region: Zhejiang City: Hangzhou
subscription.adjust.cn	IP: 47.104.30.117 Country: China Region: Zhejiang City: Hangzhou
gdpr.adjust.cn	IP: 47.104.30.117 Country: China Region: Zhejiang City: Hangzhou

DOMAIN	COUNTRY/REGION
ssrv.adjust.cn	IP: 47.104.30.117 Country: China Region: Zhejiang City: Hangzhou

Q DOMAIN MALWARE CHECK

DOMAIN	STATUS	GEOLOCATION
app.adjust.cn	ok	IP: 47.104.30.117 Country: China Region: Zhejiang City: Hangzhou Latitude: 30.293650 Longitude: 120.161423 View: Google Map
app.eu.adjust.com	ok	IP: 185.151.204.60 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
gdpr.adjust.world	ok	IP: 185.151.204.40 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map.
gdpr.tr.adjust.com	ok	IP: 195.244.54.5 Country: Turkey Region: !zmir City: !zmir Latitude: 38.412731 Longitude: 27.138380 View: Google Map
app.adjust.net.in	ok	IP: 185.151.204.31 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map

DOMAIN	STATUS	GEOLOCATION
app.adjust.com	ok	IP: 185.151.204.14 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
gdpr.adjust.com	ok	IP: 185.151.204.51 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
subscription.tr.adjust.com	ok	IP: 195.244.54.5 Country: Turkey Region: Izmir City: Izmir Latitude: 38.412731 Longitude: 27.138380 View: Google Map
ssrv.us.adjust.com	ok	IP: 185.151.204.70 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
play.google.com	ok	IP: 142.250.74.142 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
subscription.adjust.world	ok	IP: 185.151.204.44 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
github.com	ok	IP: 140.82.113.3 Country: United States of America Region: California City: San Francisco Latitude: -37.775700 Longitude: -122.395203 View: Google Map

DOMAIN	STATUS	GEOLOCATION
firebase.google.com	ok	IP: 142.250.74.110 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
ssrv.adjust.world	Ok	IP: 185.151.204.206 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
manual.sensorsdata.cn	ok	IP: 47.246.23.177 Country: United States of America Region: California City: San Jose Latitude: 37.339390 Longitude: -121.894958 View: Google Map
ssrv.adjust.net.in	Ok	IP: 185.151.204.207 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
ssrv.adjust.com	Ok	IP: 185.151.204.2 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
gdpr.eu.adjust.com	Ok	IP: 185.151.204.60 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
subscription.eu.adjust.com	Ok	IP: 185.151.204.60 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map

DOMAIN	STATUS	GEOLOCATION
34.202.110.64	ok	IP: 34.202.110.64 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map
gdpr.us.adjust.com	Ok	IP: 185.151.204.70 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
subscription.adjust.cn	0k	IP: 47.104.30.117 Country: China Region: Zhejiang City: Hangzhou Latitude: 30.293650 Longitude: 120.161423 View: Google Map
subscription.adjust.net.in	Ok	IP: 185.151.204.34 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
sleep-monitor-35948.firebaseio.com	Ok	IP: 35.201.97.85 Country: United States of America Region: Missouri City: Kansas City Latitude: 39.099731 Longitude: -94.578568 View: Google Map
gdpr.adjust.cn	Ok	IP: 47.104.30.117 Country: China Region: Zhejiang City: Hangzhou Latitude: 30.293650 Longitude: 120.161423 View: Google Map
app.adjust.world	ok	IP: 185.151.204.41 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map

DOMAIN	STATUS	GEOLOCATION
ssrv.eu.adjust.com	ok	IP: 185.151.204.60 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
ssrv.tr.adjust.com	ok	IP: 195.244.54.6 Country: Turkey Region: Izmir City: Izmir Latitude: 38.412731 Longitude: 27.138380 View: Google Map
xml.apache.org	ok	IP: 151.101.2.132 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
subscription.us.adjust.com	ok	IP: 185.151.204.70 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
app.tr.adjust.com	ok	IP: 195.244.54.6 Country: Turkey Region: !zmir City: !zmir Latitude: 38.412731 Longitude: 27.138380 View: Google Map
gdpr.adjust.net.in	ok	IP: 185.151.204.33 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
app.us.adjust.com	ok	IP: 185.151.204.70 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map

DOMAIN	STATUS	GEOLOCATION
ssrv.adjust.cn	ok	IP: 47.104.30.117 Country: China Region: Zhejiang City: Hangzhou Latitude: 30.293650 Longitude: 120.161423 View: Google Map
smlullabies.s3.amazonaws.com	ok	IP: 16.15.200.236 Country: United States of America Region: California City: Palo Alto Latitude: 37.409912 Longitude: -122.160400 View: Google Map
subscription.adjust.com	ok	IP: 185.151.204.52 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
d2obtd3dy3fvir.cloudfront.net	ok	IP: 18.238.92.212 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
sleepmonitor.emobistudio.com	ok	IP: 34.202.110.64 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map
d3r8mhnsi638l9.cloudfront.net	ok	IP: 18.155.174.47 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
smlullabiesimage.s3.amazonaws.com	ok	IP: 16.182.41.73 Country: United States of America Region: Washington City: Seattle Latitude: 47.606209 Longitude: -122.332069 View: Google Map

DOMAIN	STATUS	GEOLOCATION
www.facebook.com	ok	IP: 31.13.70.36 Country: United States of America Region: California City: Los Angeles Latitude: 34.052231 Longitude: -118.243683 View: Google Map
en.wikipedia.org	ok	IP: 198.35.26.96 Country: United States of America Region: California City: San Francisco Latitude: 37.791256 Longitude: -122.400810 View: Google Map
sleep.emobistudio.com	Ok	IP: 34.202.110.64 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map

EMAILS

EMAIL	FILE
mixed_cover2@3x.png mixed_cover3@3x.png mixed_cover4@3x.png mixed_cover5@3x.png mixed_cover1@3x.png	com/sleepmonitor/aio/activity/MixActivity.java
img_1@3x.png img_4@3x.png img_2@3x.png img_3@3x.png	com/sleepmonitor/aio/vip/GuideVip51Activity.java
img_1@3x.png img_4@3x.png img_2@3x.png img_3@3x.png	com/sleepmonitor/aio/vip/GuideVipAuditActivity.java
img_1@3x.png img_4@3x.png img_2@3x.png img_3@3x.png	com/sleepmonitor/aio/vip/GuideVip23Activity.java
img_1@3x.png img_4@3x.png img_2@3x.png img_3@3x.png	com/sleepmonitor/aio/vip/GuideVip53Activity.java

EMAIL	FILE
img_1@3x.png img_4@3x.png img_2@3x.png img_3@3x.png	com/sleepmonitor/aio/vip/GuideVip52Activity.java
img_1@3x.png img_4@3x.png img_2@3x.png img_3@3x.png	com/sleepmonitor/aio/vip/GuideVipFree41Activity.java
img_1@3x.png img_4@3x.png img_2@3x.png img_3@3x.png	com/sleepmonitor/aio/vip/GuideVipFree40Activity.java
img_1@3x.png img_4@3x.png img_2@3x.png img_3@3x.png	com/sleepmonitor/aio/vip/again_vip/GuideVipOldV1Activity.java
img_1@3x.png img_4@3x.png img_2@3x.png img_3@3x.png	com/sleepmonitor/aio/vip/again_vip/GuideVipAuditOldActivity.java
img_1@3x.png img_4@3x.png img_2@3x.png img_3@3x.png	com/sleepmonitor/aio/vip/main/MainMenuVip4Activity.java
img_1@3x.png img_4@3x.png img_2@3x.png img_3@3x.png	com/sleepmonitor/aio/vip/main/MainMenuVip3Activity.java
img_1@3x.png img_4@3x.png img_2@3x.png img_3@3x.png	com/sleepmonitor/aio/vip/main/MainMenuVip5Activity.java
img_1@3x.png img_4@3x.png img_2@3x.png img_3@3x.png	com/sleepmonitor/aio/vip/main/MainMenuVipAuditActivity.java
hanging_out@3x.png natural_sound2@3x.png 1_2@3x.png img_meditation4@3x.png	com/sleepmonitor/aio/vip/main/MainMenuVip1Activity.java
img_1@3x.png img_4@3x.png img_2@3x.png img_3@3x.png	com/sleepmonitor/aio/vip/noise/NoiseVip2Activity.java

EMAIL	FILE
img_1@3x.png img_4@3x.png img_2@3x.png img_3@3x.png	com/sleepmonitor/aio/vip/noise/NoiseVipAuditActivity.java
danikula@gmail.com	com/danikula/videocache/j.java
sleepmonitor.dev@gmail.com	Android String Resource

TRACKERS

TRACKER	CATEGORIES	URL
Adjust	Analytics	https://reports.exodus-privacy.eu.org/trackers/52
Facebook Analytics	Analytics	https://reports.exodus-privacy.eu.org/trackers/66
Google AdMob	Advertisement	https://reports.exodus-privacy.eu.org/trackers/312
Google CrashLytics	Crash reporting	https://reports.exodus-privacy.eu.org/trackers/27
Google Firebase Analytics	Analytics	https://reports.exodus-privacy.eu.org/trackers/49
Sensors Analytics	Analytics	https://reports.exodus-privacy.eu.org/trackers/248

HARDCODED SECRETS

POSSIBLE SECRETS
"com.google.firebase.crashlytics.mapping_file_id": "917c9f2fd27c4e30957ac29823ab86d2"
"facebook_client_token" : "2ab0bb6a4f986ce6be3273518591ac95"
"firebase_database_url" : "https://sleep-monitor-35948.firebaseio.com"
"google_api_key" : "AlzaSyB18qt6fXyLz9DlpMU0ySablMalaLloUdl"
"google_crash_reporting_api_key" : "AlzaSyB18qt6fXyLz9DlpMU0ySablMalaLloUdl"
11839296a789a3bc0045c8a5fb42c7d1bd998f54449579b446817afbd17273e662c97ee72995ef42640c550b9013fad0761353c7086a272c24088be94769fd16650
wPLuRKbAvZPAiJqPYNBqgvUCesMc3+VTtpgM018gMz5F9Lz38uNUBeCfwu8TSv2X
ocyv6C8QcbvM773uNIAZp2X4LXa0iaH/WiMOnB1xz18=
49f946663a8deb7054212b8adda248c6

POSSIBLE SECRETS
194e02b0f65f04a2395ca620719eed08
RukHQ2QyoltYcCVOmbl/vMdZ4cajSx2BB5kPudfplwo=
c56fb7d591ba6704df047fd98f535372fea00211
8a3c4b262d721acd49a4bf97d5213199c86fa2b9
fBdzdgD1bofuaKTW6LUcH7mpQ3p8BVkg+3EYXR2IWu4=
JUzcgAa7QiZMDmYjeHwtF22qOBbojTFP/5L28xsdeCx9uYvsAo6FDNhapuA6bStH
9b8f518b086098de3d77736f9458a3d2f6f95a37
JTvnHx65Egq/4novhqSS3bMw+oihCNz02Yz4pG4S+kE=
13swnHoz78V4UQSpBM2KHvpNNnXpuWx8GAjTYu5TVQw=
rCh66yJZbGwhYsjh3a4o4nMI5ui67q2Fs4U69kJBF3k=
9iQ5YMaDdmXd2AE0qa10oJyqmGZHX7XNUzgm4wdKztlQl9jbAXaOTiv6toK0AOKU
c879201065135a64757390b93f182fc0
JgNevmfyr8lZxnvZfq3r729JgtxbLk039SjEVr1jMl7eztR3nd0tOgO6sMz+FJz+
2438bce1ddb7bd026d5ff89f598b3b5e5bb824b3
39402006196394479212279040100143613805079739270465446667948293404245721771496870329047266088258938001861606973112319
115792089210356248762697446949407573530086143415290314195533631308867097853951
bd90c50d3673fb2f068d8d694097e288
6864797660130609714981900799081393217269435300143305409394463459185543183397655394245057746333217197532963996371363321113864768612440380340372808892707005449
qfl1DhKUvYvonhmDhl2HtQblNO0xllYvKgMRQgz52nQi898Sh8QDGcMkGv/U7x7x
ylslQbtrjnaBQelQLiG5TQpHgACRff6HBxNL0ysPa0Q=
115792089210356248762697446949407573529996955224135760342422259061068512044369
w0yuMX287JAuExKzMpRTJqrOhPVTMBo6RinyInboEYs=
rfBYaobM06JIPnbukgoyOwsb7bCc9rvkUNfR4KOQWHU=
258EAFA5-E914-47DA-95CA-C5AB0DC85B11
4fe342e2fe1a7f9b8ee7eb4a7c0f9e162bce33576b315ececbb6406837bf51f5
z60w6+pWlGB4RCxkD/LDTBZ25WofjghjXXagNVA9cCM=

POSSIBLE SECRETS
yXOhM6UEm+Qz/JUey2l1+ql404D+W2SeSSnUBSRl6ql=
39402006196394479212279040100143613805079739270465446667946905279627659399113263569398956308152294913554433653942643
30820268308201d102044a9c4610300d06092a864886f70d0101040500307a310b3009060355040613025553310b3009060355040813024341311230100603550407130950616c6f20416c746f31183016060355040a130f46616365626f6f6b20436f72706f726174696f6e3020170d3039303833313231355231365a307a310b3009060355040a130f46616365626f6f6b20436f72706f726174696f6e3020170d3039303833313231355231365a307a310b3009060355040a130f46616365526f6f6b20436f72706f726174696f6e3020170d3039303833313231353231365a307a310b3009060355040613025553310b3009060355040813024341311230100603550400130950616c6f20416c746f31183016060355040a130f46616365626f6f6b20436f72706f726174696f6e30819f300d06092a864886f70d010101050003818d0030818902818100c207d51df8eb8c97d93ba0c8c1002c928fab00dc1b42fca5e66e99cc3023ed2d214d822bc59e8e35ddcf5f44c7ae8ade50d7e0c434f500e6c131f4a2834f987fc46406115de2018ebbb0d5a3c261bd97581ccfef76afc7135a6d59e8855ecd7eacc8f8737e794c60a761c536b72b11fac8e603f5da1a2d54aa103b8a13c0dbc10203010001300d06092a864886f70d0101040500038181005ee9be8bcbb250648d3b741290a82a1c9dc2e76a0af2f2228f1d9f9c4007529c446a70175c5a900d5141812866db46be6559e2141616483998211f4a673149fb2232a10d247663b26a9031e15f84bc1c74d141ff98a02d76f85b2c8ab2571b6469b232d8e768a7f7ca04f7abe4a775615916c07940656b58717457b42bd928a2
AlzaSyDRKQ9d6kfsoZT2lUnZcZnBYvH69HExNPE
051953eb9618e1c9a1f929a21a0b68540eea2da725b99b315f3b8b489918ef109e156193951ec7e937b1652c0bd3bb1bf073573df883d2c34f1ef451fd46b503f00
XOTxexwsk5wzpmsanl+x8sPTZMmLepw+z7JZ/NtNU48=
cc2751449a350f668590264ed76692694a80308a
VbWvt5u3iV1e6mTKIEv50y8+Z2ekDgVJovyXyxeSHYc=
a17x9Lt/WQTGhUJAM6t8VqFWsXteADlsbbHvy7b7aMM=
dGQnAya6a12xEk9RZqxizYv1KQcB0awlyegaC3HNbmw=
TzSf4nrBofZD4sG4/0KqSG9VhwNKl95AgxoElclkVIM=
6b17d1f2e12c4247f8bce6e563a440f277037d812deb33a0f4a13945d898c296
9MUQl4bkTrG/hbkOaiPEQeZR+Q1g5nerlUIYlLLAX+szyWBOaKlwxYudXHeApTjq
5Y5rtClQhjVwnkrBvzpTMg0rZuVvyD2oudHeojlpiyRPt3QF1dlwn8qKzMnR3WrD
16a09e667f3bcc908b2fb1366ea957d3e3adec17512775099da2f590b0667322a
470fa2b4ae81cd56ecbcda9735803434cec591fa
L+eAMQBxQYtni61+5W3ps9X1nzCZQ5WzyUUXMjOuRZ4=
BmCZi3wg7cX26+HP9p5KWWgFeCy6CBwpe84PbqLu08A=
hs3/rpu0ZtoaPE+A6aRGA1SNmSKC7zzkLMT9t285eJ8=
a4b7452e2ed8f5f191058ca7bbfd26b0d3214bfc
rN4de9ttzTEp3+iQIPyTFLSG8iLr2YuUXdQWnliGMSg=
d345089b347d07bc886684dcc5698714
0tQXY1xo2ukrM9W+s0u6j2Mh+vSCsclEF17Hl/ROszM=

POSSIBLE SECRETS
ZDqFJ0I5g5uVDR0fSRJqwb59d8cP3p3/RbyvkYRIQc0=
myj1nOfty7SmCD8TPLBSkg5Eqhpr16G4wLW5wXHtMTM=
rLNLoOjjQBnuvnCDgD+yaoADKol2087E89SpHXw4yFg=
f+92zzsRq9nsZjabs/oaBlCH7Rtijvk62T7dPsPTbRg=
c6858e06b70404e9cd9e3ecb662395b4429c648139053fb521f828af606b4d3dbaa14b5e77efe75928fe1dc127a2ffa8de3348b3c1856a429bf97e7e31c2e5bd66
3617de4a96262c6f5d9e98bf9292dc29f8f41dbd289a147ce9da3113b5f0b8c00a60b1ce1d7e819d7a431d7c90ea0e5f
b3312fa7e23ee7e4988e056be3f82d19181d9c6efe8141120314088f5013875ac656398d8a2ed19d2a85c8edd3ec2aef
aa87ca22be8b05378eb1c71ef320ad746e1d3b628ba79b9859f741e082542a385502f25dbf55296c3a545e3872760ab7
uXer3UA11jv0SZxM8rEYS7HzXCd8ucSITS/VghhemVPtPpwzWKxJYN2vUPP5dw9E
EggzVxU0IX/1UIHAeEGUyUm45SOmio09y9T4hm0PM9xyGW0Fa8XV6zB35QkAF1yq
df6b721c8b4d3b6eb44c861d4415007e5a35fc95
0000016742C00BDA259000000168CE0F13200000016588840DCE7118A0002FBF1C31C3275D78
Jj1vyuWfy0iUak+iXdGffQYzyyVnoa3nOmSynhrPgns=
azGRTaieBebLUCBtXxWiGC8ntdSjezuXnKrD7NOMrfVnrrLl+ziOvss+bqlk4xLN
U55JZyt+fru+djXeCzNGPL143KELlHwp5RNEO07WiP4=
23456789abcdefghjkmnpqrstvwxyz
6864797660130609714981900799081393217269435300143305409394463459185543183397656052122559640661454554977296311391480858037121987999716643812574028291115057151
dJwO6Cl9MRqD0Gc5K3JTdZycyClQqkAPKU0XDLxQQPeGCWqiQha6f2rP1wtqtwx3
lomf+VO0Ecj7WivSbw6aVWdgbo/lmDysFNgyXwY+gTY=
UdRLZDfL4bVVU0VX3qg8hi1McU3FMuLhNf0tRNLophcguwloVZfflAQP6VRf+/uk
ChNjb20uYW5kcm9pZC52ZW5kaW5nCiBjb20uZ29vZ2xlLmFuZHJvaWQuYXBwcy5tZWV0aW5ncwohY29tLmdvb2dsZS5hbmRyb2lkLmFwcHMubWVzc2FnaW5n
FdWssDbNTznwvaSwEiy9othUceULqhXS0NiSaXeIdQIZaN4heVunXmsWFB1bgBsj

POSSIBLE SECRETS

308204433082032ba003020102020900c2e08746644a308d300d06092a864886f70d0101040500374310b300960355040613025553311330110603550408130a43616c69666f726e696131163014060355040B13007416e64726f69643110300e060355040B1307416e64726f69643110300e060355040B13007416e64726f69643110300e060355040B13007416e64726f69643110300e060355040B13007416e64726f69643110300e060355040B13007416e64726f69643110300e060355040B13007416e64726f69643110300e060355040B13007416e64726f69643110300e060355040B13007416e64726f69643110300e060355040B13007416e64726f69643110300e060355040B13007416e64726f69643110300e060355040B13007416e64726f69643110300e060355040B13007416e64726f69643110300e060355040B13007416e64726f69643110300e060355040B13007416e64726f69643110300e060355040B13007416e64726f69643110300e060355040B13007416e64726f69643110300e060355040B13007416e64726f69643110300e060355040B13007416e64726f69643110300e060355040B13007416e64726f69643110300e060355040B13007416e64726f696431163014060355040B13009060355040B13009060355040B13009060355040B13009060355040B13009060355040B13009060355040B13009060355040B13009060355040B13009060355040B13009060355040B13009060355040B13009060355040B13009060355040B13009060355040B13009060355040B13009060355040B13009060355040B13009060355040B13000060355040B13000060355040B13000060355040B13000060355040B13000060355040B13000060355040B13000060355040B130000600355040B13000060355040B1300006003

DZ4YQMGjiiG80De3h2RdExLJLCk1HXfUitSGB3xdLKjSzFe5jaVRnSWLaDfXmTZ6

5ac635d8aa3a93e7b3ebbd55769886bc651d06b0cc53b0f63bce3c3e27d2604b

B3EEABB8EE11C2BE770B684D95219ECB

2VR7L/2srPLBbh3OPlGeS8Ru8uYXtYmourWjxCdZl0ZvDKChHNCuDLRy98nk4nFB

S/SI7YtODXxfB+6o9UylgHild71g3ksNaRMWqG3MsynbaW5fZJkURKKNBmxPvqKI

Kjj/NWt5Xw530zWkhsqzO18XZPoLer8GCJYwlVW4Z2TDaLFXmLCWh2yD69kBis5q

JcyGK+UJP268FQFtTaGhQAzoKUodZulOKvzraNGT5p3xvR5cM9kMk5tDQLTCBUij

c103703e120ae8cc73c9248622f3cd1e

THnQW94FsCDUSM+XeJNpgUTCgMolxy7rl1LeD10r6fuFhGDZDxfkCa3f3R02TTfn

YC+pJVOZY25wDvtlWBPChLSjLU0iUh44DqTcbsbdAncZlcvrsOhFkSGXkkm3Hf4Z

Gdhi15k7cHPLVK8ak2AW2U8wWjJccRmTSeAAE7zSYYmR363nmijtloZo3WMMU3lH

▶ PLAYSTORE INFORMATION

Title: Sleep Monitor: Sleep Tracker

Score: 4.3738737 Installs: 10,000,000+ Price: 0 Android Version Support: Category: Health & Fitness Play Store URL: com.sleepmonitor.aio

Developer Details: Fasting APP Group, 6102696118242940173, None, http://sleepmonitor.emobistudio.com/, SleepMonitor.dev@gmail.com,

Release Date: Sep 13, 2019 Privacy Policy: Privacy link

Description:

How did you sleep last night? ☐ Sleep Monitor helps you track and record sleep cycle details. Sleep Monitor ralso has a smart alarm clock to remind you to sleep early at night and wake you up gently in the morning. In addition, Sleep Monitor provides relaxing sleep music to help you sleep better. Key Features: ☐ New Features: Sleep Trends Improve sleep quality and develop better sleep habits with weekly and monthly data statistics. ☐ Record Snoring or Dream Talking Sleep Monitor will record snoring and grinding sounds made during your sleep, its how them, and find more about your sleep the next morning! For fun! ☐ Mark Your Sleep habits If you drink, eat, exercise, have any pathological condition or depressed emotions before sleep, see how these slumber habits can impact your sleep. ☐ Track Your Sleep Phases Sleepers will have 4 or 5 sleep cycles during the night. Usually, sleeppers will pass four sleep stages in one sleep cycle: Non-REM 1(between waking and sleep), Non-REM 2(light sleep), Non-REM 3(deep sleep), and REM (Rapid Eye Movement, when most dreaming happens) sleep. These stages progress cyclically from 1 through REM then begin again with stage 1. A complete sleep cycle takes an average of 90 to 110 minutes, with each stage lasting between 5 to 25 minutes. Sleep Monitor uses both microphone and accelerator sensors to measure body movements and environmental noise changes and then recognize your sleep stages. ☐ Get Your Sleep Score Sleep Monitor will generate useful information for you after tracking, like sleep score, sleep cycle graphic, sleep statistics, sleep noise audios. Get your daily, weekly, or monthly sleep insights and use those data to help you sleep better. Sleep Monitor is especially helpful for those who want a way to check how their sleep is, and do not want to invest in an accessory like a smart band or sample such that it is can be a reminder for bedtime. ☐ Listen to Soothing Lullabies Suffering from insomnia? Listen to high-quality relaxing music to calm a racing mind before sleep. Fa

≔ SCAN LOGS

Timestamp	Event	Error
2025-09-01 09:05:19	Generating Hashes	ОК
2025-09-01 09:05:19	Extracting APK	ОК
2025-09-01 09:05:19	Unzipping	ОК
2025-09-01 09:05:19	Parsing APK with androguard	ОК
2025-09-01 09:05:20	Extracting APK features using aapt/aapt2	ОК
2025-09-01 09:05:20	Getting Hardcoded Certificates/Keystores	ОК
2025-09-01 09:05:23	Parsing AndroidManifest.xml	ОК
2025-09-01 09:05:23	Extracting Manifest Data	ОК
2025-09-01 09:05:23	Manifest Analysis Started	ОК
2025-09-01 09:05:23	Reading Network Security config from network_security_config.xml	ОК
2025-09-01 09:05:23	Parsing Network Security config	ОК

2025-09-01 09:05:23	Performing Static Analysis on: Sleep Monitor (com.sleepmonitor.aio)	OK
2025-09-01 09:05:24	Fetching Details from Play Store: com.sleepmonitor.aio	ОК
2025-09-01 09:05:26	Checking for Malware Permissions	ОК
2025-09-01 09:05:26	Fetching icon path	ОК
2025-09-01 09:05:26	Library Binary Analysis Started	ОК
2025-09-01 09:05:26	Reading Code Signing Certificate	ОК
2025-09-01 09:05:26	Running APKiD 2.1.5	ОК
2025-09-01 09:05:33	Detecting Trackers	ОК
2025-09-01 09:05:38	Decompiling APK to Java with JADX	ОК
2025-09-01 09:06:17	Decompiling with JADX failed, attempting on all DEX files	ОК
2025-09-01 09:06:17	Decompiling classes2.dex with JADX	ОК
2025-09-01 09:06:26	Decompiling classes4.dex with JADX	ОК
2025-09-01 09:06:34	Decompiling classes.dex with JADX	ОК
2025-09-01 09:06:43	Decompiling classes3.dex with JADX	ОК
2025-09-01 09:06:50	Decompiling classes2.dex with JADX	ОК
2025-09-01 09:07:00	Decompiling classes4.dex with JADX	ОК
2025-09-01 09:07:08	Decompiling classes.dex with JADX	ОК

2025-09-01 09:07:16	Decompiling classes3.dex with JADX	ок
2025-09-01 09:07:24	Converting DEX to Small	ОК
2025-09-01 09:07:24	Code Analysis Started on - java_source	ОК
2025-09-01 09:07:28	Android SBOM Analysis Completed	ОК
2025-09-01 09:07:34	Android SAST Completed	ОК
2025-09-01 09:07:34	Android API Analysis Started	ОК
2025-09-01 09:07:40	Android API Analysis Completed	ОК
2025-09-01 09:07:40	Android Permission Mapping Started	ОК
2025-09-01 09:07:43	Android Permission Mapping Completed	ОК
2025-09-01 09:07:44	Android Behaviour Analysis Started	ОК
2025-09-01 09:07:50	Android Behaviour Analysis Completed	ОК
2025-09-01 09:07:50	Extracting Emails and URLs from Source Code	ОК
2025-09-01 09:07:53	Email and URL Extraction Completed	ОК
2025-09-01 09:07:53	Extracting String data from APK	ОК
2025-09-01 09:07:53	Extracting String data from Code	ОК
2025-09-01 09:07:53	Extracting String values and entropies from Code	ОК
2025-09-01 09:07:58	Performing Malware check on extracted domains	ОК

2025-09-01 09:08:16	Saving to Database	ОК

Report Generated by - MobSF v4.4.0

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

© 2025 Mobile Security Framework - MobSF | Ajin Abraham | OpenSecurity.