

ANDROID STATIC ANALYSIS REPORT

app_icon

Ascension One (2.0.3)

File Name:	org.ascension.one.prod_203045.apk
Package Name:	org.ascension.one.prod
Scan Date:	Sept. 1, 2025, 2:57 p.m.
App Security Score:	51/100 (MEDIUM RISK)
Grade:	
Trackers Detection:	4/432

FINDINGS SEVERITY

≟ HIGH	▲ MEDIUM	i INFO	✓ SECURE	ℚ HOTSPOT
2	17	1	2	1

FILE INFORMATION

File Name: org.ascension.one.prod_203045.apk

Size: 41.83MB

MD5: ac97614759b6bef4e1280233fa34d3ff

SHA1: ad180ec2a6fa24ba552e3d04dee19b18c1feb211

\$HA256: dd43ee2ac2c9ae15e5209ca50bddb9f7203fe3572c9ad5544508568b04ba0fa9

i APP INFORMATION

App Name: Ascension One

Package Name: org.ascension.one.prod

Main Activity: org.ascension.myaccount.mobile.MainActivity

Target SDK: 34 Min SDK: 26 Max SDK:

Android Version Name: 2.0.3

Android Version Code: 203045

APP COMPONENTS

Activities: 15
Services: 14
Receivers: 14
Providers: 12
Exported Activities: 1

Exported Services: 2
Exported Receivers: 2
Exported Providers: 0



Binary is signed v1 signature: False v2 signature: True v3 signature: True v4 signature: False

X.509 Subject: C=US, ST=MO, L=St. Louis, O=ascension, OU=ascension.org, CN=Chris Gerbick

Signature Algorithm: rsassa_pkcs1v15 Valid From: 2015-05-20 15:14:32+00:00 Valid To: 2040-05-13 15:14:32+00:00

Issuer: C=US, ST=MO, L=St. Louis, O=ascension, OU=ascension.org, CN=Chris Gerbick

Serial Number: 0x3774f4a9 Hash Algorithm: sha256

md5: 7ec52dd4f9b8683692c7f1431a7d5fa1

sha1: e4fffa1a992f510cb8839737f0a5a749f1bf4b4e

sha256: 4d4f5ce948a062fea00a8202c077e1e16b70c582a55438bde8249aec0843fcdc

sha512: a7b361f0d0aff4f67b279ce89f2cd57d85a7dd1f3b46ac9bd681c0d91bfd76446b39b2cf81ae503c4910d455a7b2af3813acc6b5b9e5e49b5e7ac29ff07286ec

PublicKey Algorithm: rsa

Bit Size: 2048

Fingerprint: 96b7a7a1cb2c3d7cdcf1da2bf3a18a5a55efa90c172fd9f846c43c9d235be69a

Found 1 unique certificates

⋮ APPLICATION PERMISSIONS

PERMISSION		INFO	DESCRIPTION	
android.permission.INTERNET		full Internet access	Allows an application to create network sockets.	
android.permission.ACCESS_COARSE_LOCATION	dangerous	coarse (network-based) location	Access coarse location sources, such as the mobile network database, to determine an approximate phone location, where available. Malicious applications can use this to determine approximately where you are.	
android.permission.ACCESS_FINE_LOCATION	dangerous	fine (GPS) location	Access fine location sources, such as the Global Positioning System on the phone, where available. Malicious applications can use this to determine where you are and may consume additional battery power.	
android.permission.CAMERA	dangerous	take pictures and videos	Allows application to take pictures and videos with the camera. This allows the application to collect images that the camera is seeing at any time.	
android.permission.WRITE_CALENDAR		add or modify calendar events and send emails to guests	Allows an application to add or change the events on your calendar, which may send emails to guests. Malicious applications can use this to erase or modify your calendar events or to send emails to guests.	

PERMISSION		INFO	DESCRIPTION
android.permission.ACCESS_NETWORK_STATE	normal	view network status	Allows an application to view the status of all networks.
android.permission.ACCESS_WIFI_STATE	normal	view Wi-Fi status	Allows an application to view the information about the status of Wi-Fi.
android.permission.WAKE_LOCK	normal	prevent phone from sleeping	Allows an application to prevent the phone from going to sleep.
android.permission.READ_CALENDAR	dangerous	read calendar events	Allows an application to read all of the calendar events stored on your phone. Malicious applications can use this to send your calendar events to other people.
android.permission.USE_BIOMETRIC	normal	allows use of device- supported biometric modalities.	Allows an app to use device supported biometric modalities.
android.permission.USE_FINGERPRINT	normal	allow use of fingerprint	This constant was deprecated in API level 28. Applications should request USE_BIOMETRIC instead.
com.android.vending.CHECK_LICENSE	unknown	Unknown permission	Unknown permission from android reference
android.permission.WRITE_EXTERNAL_STORAGE	dangerous	read/modify/delete external storage contents	Allows an application to write to external storage.
android.permission.READ_EXTERNAL_STORAGE	dangerous	read external storage contents	Allows an application to read from external storage.

PERMISSION		INFO	DESCRIPTION	
android.permission.POST_NOTIFICATIONS		allows an app to post notifications.	Allows an app to post notifications	
com.google.android.c2dm.permission.RECEIVE	normal	recieve push notifications	Allows an application to receive push notifications from cloud.	
android.permission.RECEIVE_BOOT_COMPLETED	normal	automatically start at boot	Allows an application to start itself as soon as the system has finished booting. This can make it take longer to start the phone and allow the application to slow down the overall phone by always running.	
android.permission.FOREGROUND_SERVICE	normal	enables regular apps to use Service.startForeground.	Allows a regular application to use Service.startForeground.	
org.ascension.one.prod.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	unknown	Unknown permission	Unknown permission from android reference	
com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE	normal	permission defined by google	A custom permission defined by Google.	

命 APKID ANALYSIS

FILE	DETAILS	

FILE	DETAILS		
	FINDINGS		DETAILS
ac97614759b6bef4e1280233fa34d3ff.apk	Anti-VM Code		possible VM check
	FINDINGS	DETA	ILS
classes.dex	Anti-VM Code	Build.FINGERPRINT check Build.MANUFACTURER check possible Build.SERIAL check network operator name check	
	Compiler	r8 with	out marker (suspicious)

FILE	DETAILS		
	FINDINGS	DETAILS	
classes2.dex	Anti-VM Code Anti Debug Code Compiler	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.HARDWARE check Build.BOARD check possible Build.SERIAL check Build.TAGS check SIM operator check network operator name check possible VM check Debug.isDebuggerConnected() check	
	FINDINGS	DETAILS	
classes3.dex	Compiler	r8 without marker (suspicious)	



ACTIVITY	INTENT
org.ascension.myaccount.mobile.MainActivity	Schemes: rnascone.ehr://, https://, Hosts: mobile-ehr-link, mobile-ehr-finished, @string/MY_ACCOUNT_DEEP_LINK_DOMAIN, @string/MY_ACCOUNT_ASCENSION_ID_ENV_ROOT_DOMAIN,
net.openid.appauth.RedirectUriReceiverActivity	Schemes: rnascone://,

△ NETWORK SECURITY

HIGH: 1 | WARNING: 0 | INFO: 0 | SECURE: 0

NO	SCOPE	SEVERITY	DESCRIPTION
1	10.0.2.2 localhost	high	Domain config is insecurely configured to permit clear text traffic to these domains in scope.

CERTIFICATE ANALYSIS

HIGH: 0 | WARNING: 0 | INFO: 1

TITLE	SEVERITY	DESCRIPTION
Signed Application	info	Application is signed with a code signing certificate

Q MANIFEST ANALYSIS

HIGH: 0 | WARNING: 7 | INFO: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	DESCRIPTION
1	App can be installed on a vulnerable Android version Android 8.0, minSdk=26]	warning	This application can be installed on an older version of android that has multiple vulnerabilities. Support an Android version => 10, API 29 to receive reasonable security updates.
2	App has a Network Security Configuration [android:networkSecurityConfig=@xml/network_security_config]	info	The Network Security Configuration feature lets apps customize their network security settings in a safe, declarative configuration file without modifying app code. These settings can be configured for specific domains and for a specific app.
3	TaskAffinity is set for activity (com.salesforce.marketingcloud.notifications.NotificationOpenActivity)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
4	Broadcast Receiver (com.google.firebase.iid.FirebaseInstanceIdReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.c2dm.permission.SEND [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
5	Activity (net.openid.appauth.RedirectUriReceiverActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
6	Service (com.google.android.gms.auth.api.signin.RevocationBoundService) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.gms.auth.api.signin.permission.REVOCATION_NOTIFICATION [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
7	Service (androidx.work.impl.background.systemjob.SystemJobService) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.BIND_JOB_SERVICE [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
8	Broadcast Receiver (androidx.work.impl.diagnostics.DiagnosticsReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

</> CODE ANALYSIS

HIGH: 1 | WARNING: 8 | INFO: 1 | SECURE: 1 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	STANDARDS	FILES	

NO	ISSUE	SEVERITY	STANDARDS	FILES
1	Files may contain hardcoded sensitive information like usernames, passwords, keys etc.	warning	CWE: CWE-312: Cleartext Storage of Sensitive Information OWASP Top 10: M9: Reverse Engineering OWASP MASVS: MSTG-STORAGE-14	com/amplitude/reactnative/AmplitudeReactNati veModule.java com/bumptech/glide/load/Option.java com/bumptech/glide/load/engine/DataCacheKe y.java com/bumptech/glide/load/engine/EngineResou rce.java com/bumptech/glide/load/engine/ResourceCac heKey.java com/bumptech/glide/load/engine/ResourceCac heKey.java com/bumptech/glide/manager/RequestManage rRetriever.java com/launchdarkly/sdk/Errors.java com/launchdarkly/sdk/android/Migration.java com/launchdarkly/sdk/android/Migration.java com/launchdarkly/sdk/android/PersistentDataS toreWrapper.java com/oblador/keychain/KeychainModule.java com/qualtrics/digital/EmbeddedFeedbackUtils.java com/qualtrics/digital/EmbeddedFeedbackUtils.java com/qualtrics/digital/ExpressionDeserializer.jav a com/qualtrics/digital/QualtricsPopOverFragme nt.java com/qualtrics/digital/SDKUtils.java com/qualtrics/digital/ImpeddedFeedbackUtils.java com/qualtrics/digital/ImpeddedFeedbackUtils.java com/qualtrics/digital/ImpeddedFeedbackUtils.java com/qualtrics/digital/SDKUtils.java com/qualtrics/digital/SDKUtils.java com/salesforce/marketingcloud/events/g.java com/salesforce/marketingcloud/events/h.java com/salesforce/marketingcloud/registration/Registration.java io/invertase/firebase/common/TaskExecutorSer vice.java net/openid/appauth/ClientSecretPost.java net/openid/appauth/RegistrationResponse.java net/openid/appauth/TokenRequest.java

NO	ISSUE	SEVERITY	STANDARDS	org/ascension/myaccount/mobile/BuildConfig.j
				cl/json/RNShareImpl.java
				cl/json/RNSharePathUtil.java
				cl/json/social/InstagramShare.java
				cl/json/social/SingleShareIntent.java
				com/airbnb/android/react/lottie/LottieAnimatio
				nViewPropertyManager.java
				com/airbnb/android/react/maps/AirMapGradie
				ntPolyline.java
				com/airbnb/android/react/maps/AirMapHeatm
				ap.java
				com/airbnb/android/react/maps/AirMapModul
				e.java
				com/airbnb/android/react/maps/AirMapTilePro
				vider.java
				com/airbnb/android/react/maps/AirMapTileWo
				rker.java
				com/airbnb/android/react/maps/AirMapUrlTile.
				java
				com/airbnb/android/react/maps/FileUtil.java
				com/airbnb/lottie/LottieAnimationView.java
				com/airbnb/lottie/PerformanceTracker.java
				com/airbnb/lottie/utils/LogcatLogger.java
				com/amplitude/reactnative/LogcatLogger.java
				com/brentvatne/react/ReactVideoView.java
				com/birentevatile/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redeb/redb/red
				elmpl.java
				com/bumptech/glide/Glide.java
				com/bumptech/glide/disklrucache/DiskLruCach
				e.java
				com/bumptech/glide/gifdecoder/GifHeaderPars
				er.java
				com/bumptech/glide/gifdecoder/StandardGifDe
				coder.java
				com/bumptech/glide/load/data/AssetPathFetch
				er.java com/bumptech/glide/load/data/HttpUrlFetcher.
				java

NO	ISSUE	SEVERITY	STANDARDS	com/bumptech/glide/load/data/LocalUriFetcher F្រាំ៤ES
				com/bumptech/glide/load/data/mediastore/Th
				umbFetcher.java
				com/bumptech/glide/load/data/mediastore/Th
				umbnailStreamOpener.java
				com/bumptech/glide/load/engine/DecodeJob.ja
				va
				com/bumptech/glide/load/engine/DecodePath.j
				ava
				com/bumptech/glide/load/engine/Engine.java
				com/bumptech/glide/load/engine/GlideExcepti
				on.java
				com/bumptech/glide/load/engine/SourceGener
				ator.java
				com/bumptech/glide/load/engine/bitmap_recyc
				le/LruArrayPool.java
				com/bumptech/glide/load/engine/bitmap_recyc
				le/LruBitmapPool.java
				com/bumptech/glide/load/engine/cache/DiskLr
				uCacheWrapper.java
				com/bumptech/glide/load/engine/cache/Memo
				rySizeCalculator.java
				com/bumptech/glide/load/engine/executor/Gli
				deExecutor.java
				com/bumptech/glide/load/engine/executor/Run timeCompat.java
				com/bumptech/glide/load/engine/prefill/Bitma
				pPreFillRunner.java
				com/bumptech/glide/load/model/ByteBufferEn
				coder.java
				com/bumptech/glide/load/model/ByteBufferFil
				eLoader.java
				com/bumptech/glide/load/model/FileLoader.ja
				va
				com/bumptech/glide/load/model/ResourceLoa
				der.java
				com/bumptech/glide/load/model/StreamEncod
				er.java
				com/bumptech/glide/load/resource/ImageDeco

NO	ISSUE	SEVERITY	STANDARDS	derResourceDecoder.java Fdh 56umptech/glide/load/resource/bitmap/Bit mapEncoder.java
				com/bumptech/glide/load/resource/bitmap/Bit mapImageDecoderResourceDecoder.java
				com/bumptech/glide/load/resource/bitmap/Def
				aultImageHeaderParser.java com/bumptech/glide/load/resource/bitmap/Do
				wnsampler.java com/bumptech/glide/load/resource/bitmap/Dr
				awableToBitmapConverter.java com/bumptech/glide/load/resource/bitmap/Ha
				rdwareConfigState.java com/bumptech/glide/load/resource/bitmap/Tra
				nsformationUtils.java
				com/bumptech/glide/load/resource/bitmap/Vid eoDecoder.java
				com/bumptech/glide/load/resource/gif/ByteBuf ferGifDecoder.java
				com/bumptech/glide/load/resource/gif/GifDra wableEncoder.java
				com/bumptech/glide/load/resource/gif/Stream GifDecoder.java
				com/bumptech/glide/manager/DefaultConnecti vityMonitor.java
				com/bumptech/glide/manager/DefaultConnecti
				vityMonitorFactory.java com/bumptech/glide/manager/RequestManage
				rFragment.java com/bumptech/glide/manager/RequestManage
				rRetriever.java com/bumptech/glide/manager/RequestTracker.j
				ava com/bumptech/glide/manager/SupportRequest
				ManagerFragment.java com/bumptech/glide/module/ManifestParser.ja
				va
				com/bumptech/glide/request/SingleRequest.jav a
				com/bumptech/glide/request/target/CustomVie

NO ISSUE		SEVERITY	STANDARDS	wTarget.java Folk ES umptech/glide/request/target/ViewTarget .iava
,	logs information. Sensitive ion should never be logged.	info	CWE: CWE-532: Insertion of Sensitive Information into Log File OWASP MASVS: MSTG-STORAGE-3	com/bumptech/glide/signature/ApplicationVersionSignature.java com/bumptech/glide/util/ContentLengthInputStream.java com/bumptech/glide/util/pool/FactoryPools.java com/bumptech/glide/util/pool/FactoryPools.java com/drpogodin/reactnativefs/Downloader.java com/github/barteksc/pdfviewer/PDFView.java com/github/barteksc/pdfviewer/RenderingHandler.java com/github/barteksc/pdfviewer/link/DefaultLinkHandler.java com/horcrux/svg/Brush.java com/horcrux/svg/Brush.java com/horcrux/svg/linearGradientView.java com/horcrux/svg/LinearGradientView.java com/horcrux/svg/RadialGradientView.java com/horcrux/svg/VirtualView.java com/horcrux/svg/VirtualView.java com/imagepicker/ImageMetadata.java com/imagepicker/Metadata.java com/launchdarkly/sdk/android/LDAndroidLogging.java com/learnium/RNDeviceInfo/RNDeviceModule.java com/learnium/RNDeviceInfo/resolver/DeviceId Resolver.java com/lugg/RNCConfig/RNCConfigModule.java com/lugg/RNCConfig/RNCConfigModule.java com/oblador/keychain/cipherStorage/CipherStorageBase.java com/oblador/keychain/cipherStorage/CipherStorageFacebookConceal.java com/oblador/keychain/cipherStorage/CipherStorageFacebookConceal.java

NO	ISSUE	SEVERITY	STANDARDS	rageKeystoreAesCbc.java Fold & Solador/keychain/cipherStorage/CipherStorageKeystoreRsaEcb.java
				com/oblador/keychain/decryptionHandler/Decr yptionResultHandlerInteractiveBiometric.java com/oblador/keychain/decryptionHandler/Decr yptionResultHandlerInteractiveBiometricManual Retry.java com/proyecto26/inappbrowser/RNInAppBrows er.java com/qualtrics/digital/ActionSet.java com/qualtrics/digital/DateExpression.java com/qualtrics/digital/DayExpression.java com/qualtrics/digital/DurationExpression.java com/qualtrics/digital/EmbeddedFeedbackOrche strator.java com/qualtrics/digital/InterceptDefinition.java
				com/qualtrics/digital/Properties.java com/qualtrics/digital/Qualtrics.java com/qualtrics/digital/QualtricsLog.java com/qualtrics/digital/QualtricsPopOverFragme nt.java com/qualtrics/digital/QualtricsSurveyActivity.jav a
				com/qualtrics/digital/QualtricsSurveyExpressio n.java com/qualtrics/digital/ServiceInterceptor.java com/qualtrics/digital/TimeExpression.java com/qualtrics/digital/VariableExpression.java com/qualtrics/digital/ViewCountExpression.java com/qualtrics/digital/WebViewInterface.java com/qualtrics/digital/resolvers/CustomProperty Resolver.java
				com/qualtrics/digital/resolvers/DateTimeTypeR esolvers.java com/qualtrics/digital/resolvers/QualtricsSurvey Resolver.java com/qualtrics/digital/resolvers/SamplingResolv er.java com/qualtrics/digital/resolvers/TimeSpentInApp

NO	ISSUE	SEVERITY	STANDARDS	Resolver.java Edut S ualtrics/digital/resolvers/ViewCountResol ver.java
				com/qualtrics/reactdigital/RNQualtricsDigitalMo
				dule.java
				com/reactcommunity/rndatetimepicker/Comm
				on.java
				com/reactcommunity/rndatetimepicker/Minutel
				ntervalSnappableTimePickerDialog.java
				com/reactnativecommunity/asyncstorage/Asyn
				cLocalStorageUtil.java
				com/reactnativecommunity/asyncstorage/Asyn
				cStorageExpoMigration.java
				com/reactnativecommunity/asyncstorage/Asyn
				cStorageModule.java
				com/reactnativecommunity/asyncstorage/React
				DatabaseSupplier.java
				com/reactnativecommunity/cookies/CookieMa
				nagerModule.java
				com/reactnativecommunity/geolocation/Androi
				dLocationManager.java
				com/reactnativecommunity/webview/RNCWeb
				View.java
				com/reactnativecommunity/webview/RNCWeb ViewClient.java
				com/reactnativecommunity/webview/RNCWeb
				ViewManagerImpl.java
				com/reactnativedocumentpicker/DocumentPick
				erModule.java
				com/rnappauth/utils/UnsafeConnectionBuilder.
				java
				com/salesforce/marketingcloud/MCLogListener.
				java
				com/salesforce/marketingcloud/g.java
				com/salesforce/marketingcloud/sfmcsdk/comp
				onents/encryption/Encryptor.java
				com/salesforce/marketingcloud/sfmcsdk/comp
				onents/encryption/KeyStoreWrapper.java
				com/salesforce/marketingcloud/sfmcsdk/comp
				onents/encryption/SalesforceKeyGenerator.java

NO	ISSUE	SEVERITY	STANDARDS	com/salesforce/marketingcloud/sfmcsdk/comp
				com/salesforce/marketingcloud/sfmcsdk/comp
				onents/logging/Logger.java
				com/salesforce/marketingcloud/tozny/AesCbcW
				ithIntegrity.java
				com/shockwave/pdfium/PdfiumCore.java
				com/swmansion/gesturehandler/react/RNGestu
				reHandlerModule.java
				com/swmansion/gesturehandler/react/RNGestu
				reHandlerRootHelper.java
				com/swmansion/gesturehandler/react/RNGestu
				reHandlerRootView.java
				com/swmansion/reanimated/NativeMethodsHe
				lper.java
				com/swmansion/reanimated/ReanimatedModu
				le.java
				com/swmansion/reanimated/ReanimatedUIMa
				nagerFactory.java
				com/swmansion/reanimated/layoutReanimatio
				n/AnimationsManager.java
				com/swmansion/reanimated/layoutReanimatio
				n/ReanimatedNativeHierarchyManager.java
				com/swmansion/reanimated/layoutReanimatio
				n/SharedTransitionManager.java
				com/swmansion/reanimated/nativeProxy/Nativ
				eProxyCommon.java
				com/swmansion/reanimated/sensor/Reanimate
				dSensorContainer.java
				com/swmansion/rnscreens/ScreenStackHeader
				ConfigViewManager.java
				com/th3rdwave/safeareacontext/SafeAreaView.j
				ava
				com/vonovak/AddCalendarEventModule.java
				com/zoontek/rnbootsplash/RNBootSplashMod
				uleImpl.java
				com/zoontek/rnpermissions/RNPermissionsMo
				dule.java
				eightbitlab/com/blurview/BlurView.java
				io/invertase/firebase/app/ReactNativeFirebaseA

NO	ISSUE	SEVERITY	STANDARDS	pp.java El/IrES rtase/firebase/app/ReactNativeFirebaseA ppModule.java
				io/invertase/firebase/common/RCTConvertFireb ase.java io/invertase/firebase/common/ReactNativeFire baseEventEmitter.java io/invertase/firebase/common/SharedUtils.java io/invertase/firebase/crashlytics/ReactNativeFir ebaseCrashlyticsInitProvider.java io/invertase/firebase/crashlytics/ReactNativeFir ebaseCrashlyticsModule.java io/invertase/firebase/utils/ReactNativeFirebase UtilsModule.java net/openid/appauth/internal/Logger.java org/ascension/myaccount/mobile/MainApplicat ion.java org/greenrobot/eventbus/Logger.java org/greenrobot/eventbus/Logger.java org/greenrobot/eventbus/Logger.java
3	App creates temp file. Sensitive information should never be written into a temp file.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	java oog/gRAHTattohBtótv/RNtPets/hBild/ErBotyjalogMana gen:javlabnb/android/react/maps/AirMapModul erjg/greenrobot/eventbus/util/ExceptionToReso பரைவிர்நால்வுவில்லி/react/maps/FileUtil.java tionhate/வது/கால்eகர்வைபார்y/webview/RNCWeb ViewModuleImpl.java com/rumax/reactnative/pdfviewer/PDFView.jav a
				com/reactnativecommunity/asyncstorage/AsyncLocalStorageUtil.javacom/reactnativecommunity/asyncstorage/ReactDatabaseSupplier.javacom/salesforce/marketingcloud/storage/db/a.javacom/salesforce/marketingcloud/storage/db/b.javacom/salesforce/marketingcloud/storage/db/c.javacom/salesforce/marketingcloud/storage/db/c.javacom/salesforce/marketingcloud/storage/db/e.ja

NO	ISSUE	SEVERITY	STANDARDS	va Full Es alesforce/marketingcloud/storage/db/f.ja va
4	App uses SQLite Database and execute raw SQL query. Untrusted user input in raw SQL queries can cause SQL Injection. Also sensitive information should be encrypted and written to the database.	warning	CWE: CWE-89: Improper Neutralization of Special Elements used in an SQL Command ('SQL Injection') OWASP Top 10: M7: Client Code Quality	com/salesforce/marketingcloud/storage/db/g.ja va com/salesforce/marketingcloud/storage/db/h.ja va com/salesforce/marketingcloud/storage/db/i.ja va com/salesforce/marketingcloud/storage/db/j.ja va com/salesforce/marketingcloud/storage/db/k.ja va com/salesforce/marketingcloud/storage/db/k.ja va com/salesforce/marketingcloud/storage/db/l.ja va com/salesforce/marketingcloud/storage/db/l.ja va com/salesforce/marketingcloud/storage/db/m.j ava com/salesforce/marketingcloud/storage/db/upg rades/a.java com/salesforce/marketingcloud/storage/db/upg rades/b.java com/salesforce/marketingcloud/storage/db/upg rades/d.java com/salesforce/marketingcloud/storage/db/upg rades/e.java com/salesforce/marketingcloud/storage/db/upg rades/f.java com/salesforce/marketingcloud/storage/db/upg rades/f.java com/salesforce/marketingcloud/storage/db/upg rades/h.java com/salesforce/marketingcloud/storage/db/upg rades/h.java com/salesforce/marketingcloud/storage/db/upg rades/i.java com/salesforce/marketingcloud/storage/db/upg rades/i.java com/salesforce/marketingcloud/storage/db/upg rades/i.java com/salesforce/marketingcloud/storage/db/upg rades/j.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
5	App can read/write to External Storage. Any App can read data written to External Storage.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	com/RNFetchBlob/RNFetchBlobFS.java com/RNFetchBlob/Utils/PathResolver.java com/drpogodin/reactnativefs/ReactNativeFsMo dule.java com/learnium/RNDeviceInfo/RNDeviceModule.j ava com/reactnativecommunity/webview/RNCWeb ViewModuleImpl.java io/invertase/firebase/utils/ReactNativeFirebase UtilsModule.java
6	This App uses SSL certificate pinning to detect or prevent MITM attacks in secure communication channel.	secure	OWASP MASVS: MSTG-NETWORK-4	com/launchdarkly/eventsource/EventSource.jav a com/qualtrics/digital/LatencyReportingService.j ava com/qualtrics/digital/SiteInterceptService.java com/rnappauth/utils/UnsafeConnectionBuilder. java
7	SHA-1 is a weak hash known to have hash collisions.	warning	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	com/salesforce/marketingcloud/sfmcsdk/comp onents/encryption/Encryptor.java com/salesforce/marketingcloud/sfmcsdk/comp onents/encryption/SalesforceKeyGenerator.java
8	MD5 is a weak hash known to have hash collisions.	warning	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	com/RNFetchBlob/RNFetchBlobUtils.java com/airbnb/lottie/network/NetworkCache.java com/salesforce/marketingcloud/util/l.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
9	The App uses an insecure Random Number Generator.	warning	CWE: CWE-330: Use of Insufficiently Random Values OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-6	com/qualtrics/digital/SamplingUtil.java
10	Insecure WebView Implementation. Execution of user controlled code in WebView is a critical Security Hole.	warning	CWE: CWE-749: Exposed Dangerous Method or Function OWASP Top 10: M1: Improper Platform Usage OWASP MASVS: MSTG-PLATFORM-7	com/qualtrics/digital/QualtricsSurveyFragment.j ava
11	The file or SharedPreference is World Writable. Any App can write to the file	high	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	com/salesforce/marketingcloud/sfmcsdk/comp onents/encryption/EncryptedSharedPreferences .java

■ NIAP ANALYSIS v1.3

NO IDENTIFIER REQUIREMENT FEATURE	DESCRIPTION
-----------------------------------	-------------

BEHAVIOUR ANALYSIS

RULE ID	BEHAVIOUR	LABEL	FILES
------------	-----------	-------	-------

RULE ID	BEHAVIOUR	LABEL	FILES
00013	Read file and put it into a stream	file	com/RNFetchBlob/RNFetchBlobBody.java com/RNFetchBlob/RNFetchBlobFS.java com/airbnb/android/react/lottie/LottieAnimationViewPropertyManager.java com/airbnb/android/react/maps/AirMapLocalTile.java com/airbnb/android/react/maps/AirMapTileProvider.java com/airbnb/android/react/maps/FileUtil.java com/airbnb/lottie/network/NetworkCache.java com/airbnb/lottie/network/NetworkFetcher.java com/bumptech/glide/disklrucache/DiskLruCache.java com/bumptech/glide/load/ImageHeaderParserUtils.java com/bumptech/glide/load/model/FileLoader.java com/drpogodin/reactnativefs/ReactNativeFsModule.java com/drpogodin/reactnativefs/Uploader.java com/reactnativecommunity/asyncstorage/AsyncStorageExpoMigration.java com/rumax/reactnative/pdfviewer/PDFView.java com/salesforce/marketingcloud/storage/f.java com/salesforce/marketingcloud/tozny/AesCbcWithIntegrity.java com/salesforce/marketingcloud/util/e.java com/salesforce/marketingcloud/util/f.java com/salesforce/marketingcloud/util/g.java okio/Okio_JvmOkioKt.java
00024	Write file after Base64 decoding	reflection file	cl/json/ShareFile.java cl/json/ShareFiles.java com/RNFetchBlob/RNFetchBlobBody.java com/RNFetchBlob/RNFetchBlobFS.java com/airbnb/lottie/LottieCompositionFactory.java com/salesforce/marketingcloud/tozny/AesCbcWithIntegrity.java
00001	Initialize bitmap object and compress data (e.g. JPEG) into bitmap object	camera	com/airbnb/android/react/maps/AirMapTileProvider.java com/airbnb/android/react/maps/ImageUtil.java

RULE ID	BEHAVIOUR	LABEL	FILES
00022	Open a file from given absolute path of the file	file	cl/json/RNSharePathUtil.java cl/json/ShareFile.java cl/json/ShareFiles.java com/RNFetchBlob/RNFetchBlobFS.java com/RNFetchBlob/RNFetchBlobReq.java com/RNFetchBlob/Utils/PathResolver.java com/airbnb/lottie/LottieCompositionFactory.java com/airbnb/lottie/network/NetworkCache.java com/airbnb/lottie/network/NetworkFetcher.java com/drpogodin/reactnativefs/ReactNativeFsModule.java com/launchdarkly/sdk/android/HttpFeatureFlagFetcher.java com/oblador/vectoricons/VectorlconsModule.java com/reactnativedocumentpicker/DocumentPickerModule.java com/rumax/reactnative/pdfviewer/PDFView.java com/salesforce/marketingcloud/storage/f.java io/invertase/firebase/utils/ReactNativeFirebaseUtilsModule.java
00005	Get absolute path of file and put it to JSON object	file	com/airbnb/lottie/LottieCompositionFactory.java
00004	Get filename and put it to JSON object	file collection	com/airbnb/lottie/LottieCompositionFactory.java
00009	Put data in cursor to JSON object	file	com/amplitude/reactnative/LegacyDatabaseStorage.java com/reactnativecommunity/asyncstorage/AsyncLocalStorageUtil.java com/salesforce/marketingcloud/storage/db/a.java com/salesforce/marketingcloud/storage/db/d.java com/salesforce/marketingcloud/storage/db/f.java com/salesforce/marketingcloud/storage/db/m.java com/salesforce/marketingcloud/storage/db/upgrades/a.java com/salesforce/marketingcloud/storage/db/upgrades/j.java

RULE ID	BEHAVIOUR	LABEL	FILES
00063	Implicit intent(view a web page, make a phone call, etc.)	control	cl/json/RNShareImpl.java cl/json/social/InstagramShare.java cl/json/social/SingleShareIntent.java com/RNFetchBlob/RNFetchBlobReq.java com/github/barteksc/pdfviewer/link/DefaultLinkHandler.java com/proyecto26/inappbrowser/RNInAppBrowser.java com/qualtrics/digital/QualtricsNotificationManager.java com/qualtrics/digital/QualtricsPopOverActivity.java com/qualtrics/digital/QualtricsSurveyFragment.java com/qualtrics/digital/QualtricsSurveyFragment.java com/rnappauth/RNAppAuthModule.java com/salesforce/marketingcloud/notifications/b.java com/vinzscam/reactnativefileviewer/RNFileViewerModule.java net/openid/appauth/AuthorizationException.java
00089	Connect to a URL and receive input stream from the server	command network	com/bumptech/glide/load/data/HttpUrlFetcher.java com/drpogodin/reactnativefs/Downloader.java com/drpogodin/reactnativefs/Uploader.java com/rumax/reactnative/pdfviewer/AsyncDownload.java com/salesforce/marketingcloud/media/q.java com/salesforce/marketingcloud/notifications/b.java com/salesforce/marketingcloud/sfmcsdk/components/http/NetworkManager.jav a net/openid/appauth/AuthorizationService.java
00030	Connect to the remote server through the given URL	network	com/airbnb/lottie/network/DefaultLottieNetworkFetcher.java com/bumptech/glide/load/data/HttpUrlFetcher.java com/drpogodin/reactnativefs/Downloader.java com/drpogodin/reactnativefs/Uploader.java com/rumax/reactnative/pdfviewer/AsyncDownload.java com/salesforce/marketingcloud/notifications/b.java

RULE ID	BEHAVIOUR	LABEL	FILES
00036	Get resource file from res/raw directory	reflection	cl/json/RNSharePathUtil.java com/airbnb/android/react/maps/AirMapMarker.java com/airbnb/android/react/maps/ImageReader.java com/dylanvann/fastimage/FastImageSource.java com/proyecto26/inappbrowser/RNInAppBrowser.java com/salesforce/marketingcloud/notifications/b.java io/invertase/firebase/common/SharedUtils.java
00062	Query WiFi information and WiFi Mac Address	wifi collection	com/learnium/RNDeviceInfo/RNDeviceModule.java
00078	Get the network operator name	collection telephony	com/amplitude/reactnative/AndroidContextProvider.java com/learnium/RNDeviceInfo/RNDeviceModule.java
00130	Get the current WIFI information	wifi collection	com/learnium/RNDeviceInfo/RNDeviceModule.java
00134	Get the current WiFi IP address	wifi collection	com/learnium/RNDeviceInfo/RNDeviceModule.java
00082	Get the current WiFi MAC address	collection wifi	com/learnium/RNDeviceInfo/RNDeviceModule.java
00189	Get the content of a SMS message	sms	com/RNFetchBlob/Utils/PathResolver.java com/imagepicker/Utils.java com/reactnativedocumentpicker/DocumentPickerModule.java com/vonovak/Utils.java
00188	Get the address of a SMS message	sms	com/RNFetchBlob/Utils/PathResolver.java com/imagepicker/Utils.java com/reactnativedocumentpicker/DocumentPickerModule.java com/vonovak/Utils.java

RULE ID	BEHAVIOUR LABEL		FILES
00200	Query data from the contact list	collection contact	com/RNFetchBlob/Utils/PathResolver.java com/imagepicker/Utils.java com/reactnativedocumentpicker/DocumentPickerModule.java com/vonovak/Utils.java
00201	Query data from the call log	collection calllog	com/RNFetchBlob/Utils/PathResolver.java com/imagepicker/Utils.java com/reactnativedocumentpicker/DocumentPickerModule.java com/vonovak/Utils.java
00077	Read sensitive data(SMS, CALLLOG, etc) collection sms calllog calendar		com/RNFetchBlob/Utils/PathResolver.java com/bumptech/glide/load/data/mediastore/ThumbFetcher.java com/imagepicker/Utils.java com/reactnativedocumentpicker/DocumentPickerModule.java
00051	Implicit intent(view a web page, make a phone call, etc.) via setData		cl/json/social/InstagramShare.java com/proyecto26/inappbrowser/RNInAppBrowser.java com/qualtrics/digital/QualtricsNotificationManager.java
00096	Connect to a URL and set request method command network		com/airbnb/lottie/network/DefaultLottieNetworkFetcher.java com/drpogodin/reactnativefs/Uploader.java com/rumax/reactnative/pdfviewer/AsyncDownload.java com/salesforce/marketingcloud/media/q.java com/salesforce/marketingcloud/sfmcsdk/components/http/NetworkManager.jav a net/openid/appauth/AuthorizationService.java
00091	Retrieve data from broadcast	collection	com/qualtrics/digital/QualtricsNotificationManager.java com/salesforce/marketingcloud/alarms/b.java com/salesforce/marketingcloud/messages/push/a.java com/salesforce/marketingcloud/sfmcsdk/components/behaviors/BehaviorMana gerImpl.java net/openid/appauth/AuthorizationManagementActivity.java

RULE ID	BEHAVIOUR	LABEL	FILES
00191	Get messages in the SMS inbox	sms	com/RNFetchBlob/RNFetchBlobReq.java com/RNFetchBlob/Utils/PathResolver.java
00192	Get messages in the SMS inbox	sms	cl/json/RNSharePathUtil.java com/RNFetchBlob/Utils/PathResolver.java com/drpogodin/reactnativefs/ReactNativeFsModule.java
00028	Read file from assets directory	file	com/drpogodin/reactnativefs/ReactNativeFsModule.java
00132	Query The ISO country code	telephony collection	com/amplitude/reactnative/AndroidContextProvider.java
00025	Monitor the general action to be performed	reflection	com/salesforce/marketingcloud/http/c.java
00109	Connect to a URL and get the response code	network command	com/bumptech/glide/load/data/HttpUrlFetcher.java com/drpogodin/reactnativefs/Downloader.java com/drpogodin/reactnativefs/Uploader.java com/salesforce/marketingcloud/sfmcsdk/components/http/NetworkManager.jav a net/openid/appauth/AuthorizationService.java
00072	Write HTTP input stream into a file	command network file	com/drpogodin/reactnativefs/Downloader.java com/rumax/reactnative/pdfviewer/AsyncDownload.java
00094	Connect to a URL and read data from it	command network	com/rumax/reactnative/pdfviewer/AsyncDownload.java
00108	Read the input stream from given URL	network command	com/rumax/reactnative/pdfviewer/AsyncDownload.java
00147	Get the time of current location	collection location	com/reactnativecommunity/geolocation/AndroidLocationManager.java

RULE ID	BEHAVIOUR	LABEL	FILES
00075	Get location of the device	collection location	com/reactnativecommunity/geolocation/AndroidLocationManager.java
00016	Get location info of the device and put it to JSON object	location collection	com/salesforce/marketingcloud/messages/d.java
00043	Calculate WiFi signal strength	collection wifi	com/reactnativecommunity/netinfo/ConnectivityReceiver.java
00012	Read data and put it into a buffer stream	file	com/drpogodin/reactnativefs/Uploader.java
00011	Query data from URI (SMS, CALLLOGS)	sms calllog collection	com/RNFetchBlob/Utils/PathResolver.java
00123	Save the response to JSON after connecting to the remote server	network command	net/openid/appauth/AuthorizationServiceConfiguration.java

FIREBASE DATABASES ANALYSIS

TITLE	SEVERITY	DESCRIPTION
Firebase Remote Config disabled	secure	Firebase Remote Config is disabled for https://firebaseremoteconfig.googleapis.com/v1/projects/200559485533/namespaces/firebase:fetch?key=AlzaSyBvM-X8wHw9Bid5t8DEYZ7VHkilXWbFChQ. This is indicated by the response: {'state': 'NO_TEMPLATE'}

***: ::** ABUSED PERMISSIONS

TYPE	MATCHES	PERMISSIONS
Malware Permissions	10/25	android.permission.INTERNET, android.permission.ACCESS_COARSE_LOCATION, android.permission.ACCESS_FINE_LOCATION, android.permission.CAMERA, android.permission.ACCESS_NETWORK_STATE, android.permission.ACCESS_WIFI_STATE, android.permission.WAKE_LOCK, android.permission.WRITE_EXTERNAL_STORAGE, android.permission.READ_EXTERNAL_STORAGE, android.permission.RECEIVE_BOOT_COMPLETED
Other Common Permissions	4/44	android.permission.READ_CALENDAR, com.google.android.c2dm.permission.RECEIVE, android.permission.FOREGROUND_SERVICE, com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE

Malware Permissions:

Top permissions that are widely abused by known malware.

Other Common Permissions:

Permissions that are commonly abused by known malware.

• OFAC SANCTIONED COUNTRIES

This app may communicate with the following OFAC sanctioned list of countries.

DOMAIN COUNTRY/REGION

Q DOMAIN MALWARE CHECK

DOMAIN	STATUS	GEOLOCATION
--------	--------	-------------

DOMAIN	STATUS	GEOLOCATION
pinterest.com	ok	IP: 151.101.128.84 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
healthcare.ascension.org	ok	IP: 151.101.131.52 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
id.ascension.org	ok	IP: 13.107.246.71 Country: Netherlands Region: Noord-Holland City: Amsterdam Latitude: 52.374031 Longitude: 4.889690 View: Google Map
ascensioncrm.my.site.com	ok	IP: 23.62.226.162 Country: Japan Region: Tokyo City: Tokyo Latitude: 35.689507 Longitude: 139.691696 View: Google Map

DOMAIN	STATUS	GEOLOCATION
prod-api.ascension.org	ok	IP: 34.8.234.52 Country: United States of America Region: Texas City: Houston Latitude: 29.941401 Longitude: -95.344498 View: Google Map
plus.google.com	ok	IP: 216.58.211.14 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
play.google.com	ok	IP: 142.250.74.142 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
github.com	ok	IP: 140.82.112.3 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map

DOMAIN	STATUS	GEOLOCATION
www.billpay.ascension.org	ok	IP: 13.78.133.254 Country: United States of America Region: Wyoming City: Cheyenne Latitude: 41.139980 Longitude: -104.820251 View: Google Map
twitter.com	ok	IP: 162.159.140.229 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
survey.qualtrics.com	ok	IP: 23.202.57.104 Country: United States of America Region: California City: San Jose Latitude: 37.339390 Longitude: -121.894958 View: Google Map
asconemobileapp.ascension.org	ok	No Geolocation information available.
docs.swmansion.com	ok	IP: 104.21.27.136 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map

DOMAIN	STATUS	GEOLOCATION
clientsdk.launchdarkly.com	ok	IP: 151.101.65.55 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
profile.ascension.org	ok	IP: 35.201.83.208 Country: United States of America Region: Missouri City: Kansas City Latitude: 39.099731 Longitude: -94.578568 View: Google Map
mobile.launchdarkly.com	ok	IP: 35.170.159.207 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map
ascensioncrm.my.salesforce.com	ok	IP: 155.226.156.176 Country: United States of America Region: California City: San Francisco Latitude: 37.788464 Longitude: -122.394608 View: Google Map

DOMAIN	STATUS	GEOLOCATION
salesforce-marketingcloud.github.io	ok	IP: 185.199.109.153 Country: United States of America Region: Pennsylvania City: California Latitude: 40.065632 Longitude: -79.891708 View: Google Map
app.igodigital.com	ok	IP: 3.218.154.34 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map
mcw2xdjjm-c4n6-34-f3hsg8mdc4.device.marketingcloudapis.com	ok	IP: 13.111.67.60 Country: United States of America Region: California City: San Francisco Latitude: 37.788464 Longitude: -122.394608 View: Google Map
clientstream.launchdarkly.com	ok	IP: 13.248.151.210 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map

DOMAIN	STATUS	GEOLOCATION
apps.usw2.pure.cloud	ok	IP: 34.214.238.178 Country: United States of America Region: Oregon City: Portland Latitude: 45.523449 Longitude: -122.676208 View: Google Map
stage.app.igodigital.com	ok	IP: 98.86.87.253 Country: United States of America Region: Washington City: Seattle Latitude: 47.606209 Longitude: -122.332069 View: Google Map
S-S.S	ok	No Geolocation information available.
api.visitpay.com	ok	IP: 4.255.248.84 Country: United States of America Region: Louisiana City: Monroe Latitude: 32.548328 Longitude: -92.045235 View: Google Map
ascensioncrm.my.salesforce-scrt.com	ok	IP: 3.141.185.157 Country: United States of America Region: Ohio City: Columbus Latitude: 39.961182 Longitude: -82.998787 View: Google Map

DOMAIN	STATUS	GEOLOCATION
www.facebook.com	ok	IP: 31.13.70.36 Country: United States of America Region: California City: Los Angeles Latitude: 34.052231 Longitude: -118.243683 View: Google Map
s.qualtrics.com	ok	IP: 23.202.57.104 Country: United States of America Region: California City: San Jose Latitude: 37.339390 Longitude: -121.894958 View: Google Map

A TRACKERS

TRACKER	CATEGORIES	URL
Amplitude	Profiling, Analytics	https://reports.exodus-privacy.eu.org/trackers/125
Google CrashLytics	Crash reporting	https://reports.exodus-privacy.eu.org/trackers/27
Qualtrics		https://reports.exodus-privacy.eu.org/trackers/306
Salesforce Marketing Cloud		https://reports.exodus-privacy.eu.org/trackers/220

HARDCODED SECRETS

POSSIBLE SECRETS
"MY_ACCOUNT_ANALYTICS_API_KEY" : "e5e44c75eeaeb0d161b94df040c6ed64"
"MY_ACCOUNT_ANDROID_FIREBASE_APP_ID" : "1:200559485533:android:aba3b9f4b89c4f1633e3b4"
"MY_ACCOUNT_AUTH_POLICY" : "B2C_1A_Signup_SignIn_MyAccount"
"MY_ACCOUNT_GOOGLE_MAP_API_TOKEN" : "AlzaSyA348HJhbvQcDFe7QoWils58dmKn1Cc-2w"
"MY_ACCOUNT_GRAPHQL_API_ANDROID_KEY" : "6dL2D9OMQMUeXJGIblWbWXAEQoanwPRO"
"MY_ACCOUNT_GRAPHQL_API_ENDPOINT" : "https://prod-api.ascension.org/myaccount/graphql"
"MY_ACCOUNT_GRAPHQL_API_IOS_KEY" : "eb0N2fRL6ZvzeRTLRGMuO1JlnMhHJiFH"
"MY_ACCOUNT_MOBILE_KEYCHAIN_USERNAME" : "myAccountLoginProd"
"MY_ACCOUNT_SALESFORCE_ACCESS_TOKEN_DEV" : "akbwahO2cW8O5rmFrVRbrS9M"
"MY_ACCOUNT_TOKEN_API_ENDPOINT" : "https://prod-api.ascension.org/token"
"MY_ACCOUNT_TOKEN_API_KEY" : "cN6Yv50RtGG9ILhHqV32gPhe1wrTdrWx"
"MY_ACCOUNT_TOKEN_REFRESH_POLICY" : "B2C_1A_SIGNUP_SIGNIN_MYACCOUNT"
"com.google.firebase.crashlytics.mapping_file_id" : "0000000000000000000000000000000000
"google_api_key" : "AlzaSyBvM-X8wHw9Bid5t8DEYZ7VHkilXWbFChQ"

POSSIBLE SECRETS
"google_crash_reporting_api_key" : "AlzaSyBvM-X8wHw9Bid5t8DEYZ7VHkilXWbFChQ"
cN6Yv50RtGG9lLhHqV32gPhe1wrTdrWx
23456789abcdefghjkmnpqrstvwxyz
e5e44c75eeaeb0d161b94df040c6ed64
258EAFA5-E914-47DA-95CA-C5AB0DC85B11
470fa2b4ae81cd56ecbcda9735803434cec591fa
F6389234-1024-481F-9173-37D9D7F5051F
849f26e2-2df6-11e4-ab12-14109fdc48df
7fmduHKTdHHrlMvldlEqAllSfii1tl35bxj1OXN5Ve8c4lU6URVu4xtSHc3BVZxS6WWJnxMDhlfQN0N0K2NDJg==
49f946663a8deb7054212b8adda248c6
29200FA5-DF79-4C3F-BC0F-E2FF3CE6199A
ChNjb20uYW5kcm9pZC52ZW5kaW5nCiBjb20uZ29vZ2xlLmFuZHJvaWQuYXBwcy5tZWV0aW5ncwohY29tLmdvb2dsZS5hbmRyb2lkLmFwcHMubWVzc2FnaW5n
ABi2fbt8vkzj7SJ8aD5jc4xJFTDFntdkMrYXL3itsvqY1Qlw
aba3b9f4b89c4f1633e3b4
AlzaSyA348HJhbvQcDFe7QoWils58dmKn1Cc

POSSIBLE SECRETS c8da0afa-e1b6-4077-bcba-c9ebc2e3abee 7919cf5a-b152-4b37-85b9-531a0e786c5d 6dL2D9OMQMUeXJGIblWbWXAEQoanwPRO dZozdop5rgKNxjbrQAd5nntAGpgh9w84O1Xgg== c103703e120ae8cc73c9248622f3cd1e b-f8e7da78-9f02-4345-a5ab-893481b5b958 c4ec0029-34ef-46de-b689-ebf39534a85c f291f8cc-f7fd-45d9-b4cf-526c584e7482 eb0N2fRL6ZvzeRTLRGMuO1JlnMhHJiFH



Title: Ascension One

Score: 4.7568808 Installs: 50,000+ Price: 0 Android Version Support: Category: Medical Play Store URL: org.ascension.one.prod

Developer Details: Ascension Health, 9147662759211920413, None, https://healthcare.ascension.org/, ascensiononesupport@ascension.org,

Release Date: Dec 20, 2023 Privacy Policy: Privacy link

Description:

With Ascension One, we're connecting the dots with a new and more personalized account for managing care for you and your family. Find a doctor or location, schedule or manage appointments, message your doctor or care team, pay bills, view test results and request prescription renewals – all in one place. Note: Ascension One is only

available in certain locations at this time. We look forward to continuing to expand access in the future. • Ascension St. Vincent's (Jacksonville, FL) • Ascension Sacred Heart (Pensacola, FL) • Ascension Saint Thomas (Nashville, TN) • Ascension Seton (Austin, TX) • Dell Children's Medical Center (Austin, TX) • Ascension St. John (Tulsa, OK) • Ascension Medical Group St. Vincent (Evansville, IN) Currently only supporting outpatient services. • Ascension Medical Group St. Vincent (Indianapolis, IN) Currently only supporting outpatient services. • Ascension Via Christi (Wichita, KS) • Ascension Alexian Brothers & Ascension Medical Group (Chicago, IL) Ready to get started? Register online at healthcare.ascension.org/ascension-one

∷ SCAN LOGS

Timestamp	Event	Error
2025-09-01 14:57:59	Generating Hashes	ОК
2025-09-01 14:57:59	Extracting APK	ОК
2025-09-01 14:57:59	Unzipping	ОК
2025-09-01 14:57:59	Parsing APK with androguard	ОК
2025-09-01 14:57:59	Extracting APK features using aapt/aapt2	ОК
2025-09-01 14:57:59	Getting Hardcoded Certificates/Keystores	ОК
2025-09-01 14:58:01	Parsing AndroidManifest.xml	ОК

2025-09-01 14:58:01	Extracting Manifest Data	ОК
2025-09-01 14:58:01	Manifest Analysis Started	ОК
2025-09-01 14:58:01	Reading Network Security config from network_security_config.xml	ОК
2025-09-01 14:58:01	Parsing Network Security config	OK
2025-09-01 14:58:01	Performing Static Analysis on: Ascension One (org.ascension.one.prod)	OK
2025-09-01 14:58:03	Fetching Details from Play Store: org.ascension.one.prod	OK
2025-09-01 14:58:04	Checking for Malware Permissions	ОК
2025-09-01 14:58:04	Fetching icon path	ОК
2025-09-01 14:58:04	Library Binary Analysis Started	ОК
2025-09-01 14:58:05	Reading Code Signing Certificate	ОК

2025-09-01 14:58:05	Running APKiD 2.1.5	ОК
2025-09-01 14:58:09	Detecting Trackers	ОК
2025-09-01 14:58:12	Decompiling APK to Java with JADX	ОК
2025-09-01 14:58:36	Decompiling with JADX failed, attempting on all DEX files	ОК
2025-09-01 14:58:36	Decompiling classes2.dex with JADX	ОК
2025-09-01 14:58:45	Decompiling classes.dex with JADX	ОК
2025-09-01 14:58:53	Decompiling classes3.dex with JADX	ОК
2025-09-01 14:58:59	Decompiling classes2.dex with JADX	ОК
2025-09-01 14:59:08	Decompiling classes.dex with JADX	ОК
2025-09-01 14:59:17	Decompiling classes3.dex with JADX	ОК
2025-09-01 14:59:23	Converting DEX to Smali	ОК

2025-09-01 14:59:23	Code Analysis Started on - java_source	ОК
2025-09-01 14:59:25	Android SBOM Analysis Completed	OK
2025-09-01 14:59:30	Android SAST Completed	ОК
2025-09-01 14:59:30	Android API Analysis Started	ОК
2025-09-01 14:59:34	Android API Analysis Completed	ОК
2025-09-01 14:59:35	Android Permission Mapping Started	ОК
2025-09-01 14:59:38	Android Permission Mapping Completed	ОК
2025-09-01 14:59:39	Android Behaviour Analysis Started	ОК
2025-09-01 14:59:43	Android Behaviour Analysis Completed	ОК
2025-09-01 14:59:43	Extracting Emails and URLs from Source Code	ок
2025-09-01 14:59:45	Email and URL Extraction Completed	ОК

2025-09-01 14:59:45	Extracting String data from APK	ОК
2025-09-01 14:59:45	Extracting String data from Code	ОК
2025-09-01 14:59:45	Extracting String values and entropies from Code	ОК
2025-09-01 14:59:49	Performing Malware check on extracted domains	OK
2025-09-01 14:59:51	Saving to Database	ОК

Report Generated by - MobSF v4.4.0

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

© 2025 Mobile Security Framework - MobSF | Ajin Abraham | OpenSecurity.