

## ANDROID STATIC ANALYSIS REPORT

app\_icon

**#** Bend (4.2.3)

File Name:	com.bowerydigital.bend_145.apk
Package Name:	com.bowerydigital.bend
Scan Date:	Aug. 29, 2025, 8:31 p.m.
App Security Score:	54/100 (MEDIUM RISK)
Grade:	
Trackers Detection:	4/432

## FINDINGS SEVERITY

<b>飛</b> HIGH	▲ MEDIUM	<b>i</b> INFO	✓ SECURE	<b>Q</b> HOTSPOT
0	15	2	1	2

### FILE INFORMATION

**File Name:** com.bowerydigital.bend\_145.apk

**Size:** 25.3MB

MD5: 2642eebe4e3cb60d8f0242514d767522

**SHA1:** 1ec4c40a378b1713bbcf8e65c58f18c2b0764ad1

SHA256: b776f5df3901bb927f887854d3658bde54d1b7842c44bcaff5150c9bb7a0cb45

## **i** APP INFORMATION

App Name: Bend

Package Name: com.bowerydigital.bend

Main Activity: com.bowerydigital.bend.app.MainActivity

Target SDK: 35 Min SDK: 26 Max SDK:

**Android Version Name:** 4.2.3

#### **EE** APP COMPONENTS

Activities: 11 Services: 9 Receivers: 5 Providers: 2

Exported Activities: 3
Exported Services: 1
Exported Receivers: 2
Exported Providers: 0

### **\*** CERTIFICATE INFORMATION

Binary is signed v1 signature: False v2 signature: True v3 signature: True v4 signature: False

X.509 Subject: C=US, ST=California, L=Mountain View, O=Google Inc., OU=Android, CN=Android

Signature Algorithm: rsassa\_pkcs1v15 Valid From: 2022-01-17 15:23:01+00:00 Valid To: 2052-01-17 15:23:01+00:00

Issuer: C=US, ST=California, L=Mountain View, O=Google Inc., OU=Android, CN=Android

Serial Number: 0xd4822d8b6f65b00c30a544cf691f60e157f46b7f

Hash Algorithm: sha256

md5: b58582d3b431cc0e10144bc5330f7c6a

sha1: 83cffcf73e5f6a473eb7127030c5c06b5b624428

sha256: f2370bccea1bcacd85cece64f5dfec2c0ce61dba4b10ee59b60a2f053e4267b8

sha512: e619f631f129952223119d76a2c52e6b1b3463bf948d00afb9921b983794565788e1b584a18d0b66de84f318c882056ee9ce9f31b60ce3f6c3a9c85a0ead4ce2

PublicKey Algorithm: rsa

Bit Size: 4096

Fingerprint: 61dc0caf83395684886cb60df3f45fda36eaf56188220cc381b3f82f0aa1e761

Found 1 unique certificates

## **⋮** APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.INTERNET	normal	full Internet access	Allows an application to create network sockets.
android.permission.ACCESS_NETWORK_STATE	normal	view network status	Allows an application to view the status of all networks.
android.permission.ACCESS_WIFI_STATE	normal	view Wi-Fi status	Allows an application to view the information about the status of Wi-Fi.
android.permission.VIBRATE	normal	control vibrator	Allows the application to control the vibrator.
com.google.android.gms.permission.AD_ID	normal	application shows advertisements	This app uses a Google advertising ID and can possibly serve advertisements.
com.android.vending.BILLING	normal	application has in-app purchases	Allows an application to make in-app purchases from Google Play.
android.permission.RECEIVE_BOOT_COMPLETED	normal	automatically start at boot	Allows an application to start itself as soon as the system has finished booting. This can make it take longer to start the phone and allow the application to slow down the overall phone by always running.

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.SCHEDULE_EXACT_ALARM	normal	permits exact alarm scheduling for background work.	Allows an app to use exact alarm scheduling APIs to perform timing sensitive background work.
android.permission.POST_NOTIFICATIONS	dangerous	allows an app to post notifications.	Allows an app to post notifications
android.permission.WAKE_LOCK	normal	prevent phone from sleeping	Allows an application to prevent the phone from going to sleep.
com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE	normal	permission defined by google	A custom permission defined by Google.
android.permission.ACCESS_ADSERVICES_ATTRIBUTION	normal	allow applications to access advertising service attribution	This enables the app to retrieve information related to advertising attribution, which can be used for targeted advertising purposes. App can gather data about how users interact with ads, such as clicks or impressions, to measure the effectiveness of advertising campaigns.
android.permission.ACCESS_ADSERVICES_AD_ID	normal	allow app to access the device's advertising ID.	This ID is a unique, user-resettable identifier provided by Google's advertising services, allowing apps to track user behavior for advertising purposes while maintaining user privacy.
com.google.android.c2dm.permission.RECEIVE	normal	recieve push notifications	Allows an application to receive push notifications from cloud.

PERMISSION	STATUS	INFO	DESCRIPTION
com.google.android.providers.gsf.permission.READ_GSERVICES	unknown	Unknown permission	Unknown permission from android reference
com.bowerydigital.bend.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	unknown	Unknown permission	Unknown permission from android reference

# **M** APKID ANALYSIS

FILE	DETAILS		
	FINDINGS		DETAILS
2642eebe4e3cb60d8f0242514d767522.apk	Anti-VM Code		possible VM check
classes.dex	FINDINGS	DETA	ILS
	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check	
	Compiler	r8 without marker (suspicious)	

FILE	DETAILS		
	FINDINGS	DETAILS	
classes2.dex	Compiler	r8 without marker (suspicious)	
	-		
	FINDINGS	DETAILS	
classes3.dex	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.HARDWARE check Build.BOARD check Build.TAGS check SIM operator check network operator name check possible VM check	
	Anti Debug Code	Debug.isDebuggerConnected() check	
	Compiler	r8 without marker (suspicious)	



ACTIVITY	INTENT
com.bowerydigital.bend.app.MainActivity	Schemes: bend-and://,
com.google.firebase.auth.internal.GenericIdpActivity	Schemes: genericidp://, Hosts: firebase.auth, Paths: /,
com.google.firebase.auth.internal.RecaptchaActivity	Schemes: recaptcha://, Hosts: firebase.auth, Paths: /,

## **△** NETWORK SECURITY

	DESCRIPTION	SEVERITY	SCOPE	NO	
--	-------------	----------	-------	----	--

## **CERTIFICATE ANALYSIS**

HIGH: 0 | WARNING: 0 | INFO: 1

TITLE	SEVERITY	DESCRIPTION
Signed Application	info	Application is signed with a code signing certificate

## **Q** MANIFEST ANALYSIS

NO	ISSUE	SEVERITY	DESCRIPTION
1	App can be installed on a vulnerable Android version Android 8.0, minSdk=26]	warning	This application can be installed on an older version of android that has multiple vulnerabilities. Support an Android version => 10, API 29 to receive reasonable security updates.
2	Broadcast Receiver (com.adjust.sdk.AdjustReferrerReceiver) is Protected by a permission, but the protection level of the permission should be checked.  Permission: android.permission.INSTALL_PACKAGES  [android:exported=true]		A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
3	Activity (com.google.firebase.auth.internal.GenericIdpActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
4	Activity (com.google.firebase.auth.internal.RecaptchaActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
5	Service (com.google.android.gms.auth.api.signin.RevocationBoundService) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.gms.auth.api.signin.permission.REVOCATION_NOTIFICATION [android:exported=true]		A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
6	Activity (androidx.compose.ui.tooling.PreviewActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
7	Broadcast Receiver (androidx.profileinstaller.ProfileInstallReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]		A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.



NO	ISSUE	SEVERITY	STANDARDS	FILES
1	Files may contain hardcoded sensitive information like usernames, passwords, keys etc.	warning	CWE: CWE-312: Cleartext Storage of Sensitive Information OWASP Top 10: M9: Reverse Engineering OWASP MASVS: MSTG-STORAGE-14	Mb/C1691e.java Mb/w.java Mc/b.java P/G.java Q3/c.java R0/C1819g.java R0/S.java U/C1921a1.java U/C1964t0.java com/adjust/sdk/Constants.java com/revenuecat/purchases/amazon/Amazo nBillingKt.java com/revenuecat/purchases/amazon/Amazo nCacheKt.java com/revenuecat/purchases/common/Backe ndKt.java com/revenuecat/purchases/common/Backe roundAwareCallbackCacheKey.java com/revenuecat/purchases/common/cachin g/DeviceCache.java com/revenuecat/purchases/common/diagn ostics/DiagnosticsEntry.java com/revenuecat/purchases/common/diagn ostics/DiagnosticsHelper.java com/revenuecat/purchases/common/diagn ostics/DiagnosticsTracker.java com/revenuecat/purchases/common/offline entitlements/ProductEntitlementMapping.ja va com/revenuecat/purchases/common/verific ation/DefaultSignatureVerifier.java com/revenuecat/purchases/common/verific ation/Signature.java com/revenuecat/purchases/common/verific ation/SigningManager.java com/revenuecat/purchases/common/verific ation/SigningManager.java com/revenuecat/purchases/strings/Configur

NO	ISSUE	SEVERITY	STANDARDS	eStrings.java
	<del> </del>			utes/SubscriberAttribute.java
	l		'	com/revenuecat/purchases/subscriberattrib
	l		'	utes/SubscriberAttributeKt.java
	l		'	fc/C3103a.java
	I		'	hc/C3388b.java
	l		'	hc/r.java
	l		'	ic/AbstractC3465f.java
	l		'	io/grpc/internal/S0.java
	l		'	n2/C3964a.java
	l		'	y4/InterfaceC5117a.java
	l		'	y4/d.java
	I		'	zf/d.java
		<del> </del>		2. Cija i 2.
	I		'	A1/i.java
	l		'	A1/o.java
	l		'	Ac/c.java
	l		'	B1/d.java
	I			B3/h.java
	I			C2/f.java
	I		'	C3/d.java
	l		'	Cb/B.java
	l		'	Cb/G.java
	l		'	Cb/H.java
	I			Cb/M.java
	I		'	Cb/N.java
	l		'	Cb/N.java Cb/a0.java
	I		'	
	l		'	Cb/h0.java
	l		'	D2/g.java
	l		'	D3/a.java
	l		'	Db/f.java
	l		'	Db/n.java
	I		'	F0/N.java
	l		'	F1/AbstractC1493e0.java
	l		'	F1/AbstractC1531y.java
	l		'	F1/C1532y0.java
	l		'	F1/X.java
	I		'	F3/a.java
	1		'	Fa/a.java

NO	ISSUE	SEVERITY	STANDARDS	G1/t.java <b>GH/長為</b> va I1/c.java
				la/c.java
				Jb/C1602y.java
				Kc/a.java
				Kc/e.java
				L/u0.java
				L6/a.java
				N1/c.java
				Oc/B.java
				Oc/C1737g.java
				Oc/D.java
				Oc/G.java
				Oc/k.java
				Oc/x.java
				Pc/a.java
				Qc/c.java
				Qc/f.java
				Rc/a.java
				Rc/b.java
				Rc/h.java
				S0/M.java
				Sc/b.java
				T0/a.java
				U/AbstractC1922b.java
				Va/d.java
				W1/b.java
				Wa/b.java
				Y0/c.java
				Ya/g.java
				aa/k.java
				b2/AbstractC2375a.java
	The App logs information. Sensitive		CWE: CWE-532: Insertion of Sensitive	c1/C2427B.java
2	information should never be logged.	info	Information into Log File	c1/C2435a.java
	in a made in strong in the logged.		OWASP MASVS: MSTG-STORAGE-3	c1/m.java
				c1/x.java
				cd/C2525u.java
				com/adjust/sdk/Logger.java
				com/revenuecat/purchases/common/Defau

	STANDARDS	<b>⊞LÆS</b> 17d.java
		da/AbstractC2936a.java
		db/C2945i.java
		g/e.java
		h0/f.java
		h1/b.java
		h1/g.java
		h2/c.java
		i2/C3429a.java
		j1/C3565b.java
		k1/f.java
		k4/c.java
		l1/o.java
		lc/s.java
		m/c.java
		m2/m.java
		mc/g.java
		o3/C4028a.java
		o3/n.java
		o4/h.java
		p1/C4173f.java
		rd/C4434a.java
		sc/C4508b.java
		t1/AbstractC4581d.java
		t1/AbstractC4582e.java
		t1/l.java
		t1/q.java
		t1/x.java
		tc/c.java
		u3/n.java
		v1/AbstractC4794c.java
		v1/d.java
		v1/h.java
		va/C4840g.java
		w1/j.java
		w1/o.java
		w1/p.java
		w1/r.java
		w1/t.java

NO	ISSUE	SEVERITY	STANDARDS	wb/e.java <b>F3lufj&amp;</b> va x3/v.java
				xa/C5043a.java xa/b.java xa/d.java xa/e.java xa/m.java xa/n.java xa/o.java xb/C5045b.java xb/o.java ya/AbstractC5142d.java
3	App uses SQLite Database and execute raw SQL query. Untrusted user input in raw SQL queries can cause SQL Injection. Also sensitive information should be encrypted and written to the database.	warning	CWE: CWE-89: Improper Neutralization of Special Elements used in an SQL Command ('SQL Injection') OWASP Top 10: M7: Client Code Quality	yb/C5146b.java  23/AbjaYactC5227a.java gc/T0.java gc/t1.java ha/M.java ha/W.java o4/k.java
4	The App uses an insecure Random Number Generator.	warning	CWE: CWE-330: Use of Insufficiently Random Values OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-6	Fc/d.java Rc/b.java Td/a.java Td/b.java Ud/a.java Ud/a.java com/adjust/sdk/Util.java io/grpc/internal/C0.java io/grpc/internal/C3546u0.java io/grpc/internal/F.java ic/grpc/internal/F.java sd/i.java x2/s.java yd/h.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
5	This App copies data to clipboard. Sensitive data should not be copied to clipboard as other applications can access it.	info	OWASP MASVS: MSTG-STORAGE-10	Y7/a.java
6	App creates temp file. Sensitive information should never be written into a temp file.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	L9/a.java sc/c.java x3/v.java
7	This App may have root detection capabilities.	secure	OWASP MASVS: MSTG-RESILIENCE-1	Jb/AbstractC1587i.java db/AbstractC2958v.java
8	SHA-1 is a weak hash known to have hash collisions.	warning	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	com/revenuecat/purchases/common/UtilsK t.java sc/C4508b.java

# ■ NIAP ANALYSIS v1.3

## BEHAVIOUR ANALYSIS

RULE ID	BEHAVIOUR	LABEL	FILES

RULE ID	BEHAVIOUR	LABEL	FILES
00013	Read file and put it into a stream	file	Jb/H.java Lb/f.java Nd/f.java P1/l.java Pb/e.java Rb/a.java com/adjust/sdk/PreinstallUtil.java com/revenuecat/purchases/common/FileHelper.java sc/c.java t1/AbstractC4582e.java w1/t.java x3/v.java xf/x.java z3/b.java
00063	Implicit intent(view a web page, make a phone call, etc.)	control	H6/a.java com/adjust/sdk/ActivityHandler.java com/adjust/sdk/PreinstallUtil.java o3/C4028a.java o3/n.java t8/g.java
00051	Implicit intent(view a web page, make a phone call, etc.) via setData	control	H6/a.java o3/C4028a.java
00132	Query The ISO country code	telephony collection	m2/J.java o4/m.java o6/e.java
00096	Connect to a URL and set request method	command network	G4/a.java com/revenuecat/purchases/common/HTTPClient.java o2/i.java tc/c.java

RULE ID	BEHAVIOUR	LABEL	FILES
00089	Connect to a URL and receive input stream from the server	command network	G4/a.java com/revenuecat/purchases/common/HTTPClient.java o2/i.java o4/j.java tc/c.java xb/o.java
00109	Connect to a URL and get the response code	network command	com/revenuecat/purchases/common/HTTPClient.java o2/i.java o4/j.java tc/c.java va/RunnableC4839f.java xb/o.java
00030	Connect to the remote server through the given URL	network	com/adjust/sdk/AdjustLinkResolution.java o2/i.java
00014	Read file into a stream and put it into a JSON object	file	Lb/f.java Rb/a.java sc/c.java
00191	Get messages in the SMS inbox	sms	com/adjust/sdk/a.java
00036	Get resource file from res/raw directory	reflection	H6/a.java P3/e.java com/adjust/sdk/ActivityHandler.java com/adjust/sdk/InstallReferrerHuawei.java com/adjust/sdk/a.java

RULE ID	BEHAVIOUR	LABEL	FILES
00022	Open a file from given absolute path of the file	file	C3/d.java H7/c.java K3/a.java Lb/f.java P1/l.java Y3/i.java x3/v.java
00009	Put data in cursor to JSON object	file	o4/k.java
00024	Write file after Base64 decoding	reflection file	Y3/i.java
00094	Connect to a URL and read data from it	command network	Ob/a.java o2/i.java
00163	Create new Socket and connecting to it	socket	com/adjust/sdk/network/ActivityPackageSender.java
00026	Method reflection	reflection	le/C3801a.java le/C3802b.java
00016	Get location info of the device and put it to JSON object	location collection	o4/g.java
00078	Get the network operator name	collection telephony	o4/m.java
00137	Get last known location of the device	location collection	o4/m.java
00115	Get last known location of the device	collection location	o4/m.java

RULE ID	BEHAVIOUR	LABEL	FILES
00173	Get bounds in screen of an AccessibilityNodeInfo and perform action	accessibility service	G1/t.java
00005	Get absolute path of file and put it to JSON object	file	Lb/f.java
00108	Read the input stream from given URL	network command	o2/i.java
00001	Initialize bitmap object and compress data (e.g. JPEG) into bitmap object	camera	l2/C3771a.java

# FIREBASE DATABASES ANALYSIS

TITLE	SEVERITY	DESCRIPTION
Firebase Remote Config enabled	warning	The Firebase Remote Config at https://firebaseremoteconfig.googleapis.com/v1/projects/230862153677/namespaces/firebase:fetch? key=AlzaSyDbBiNdq7_BeHLEWvMo9HRkisCR49d4BD4 is enabled. Ensure that the configurations are not sensitive. This is indicated by the response: {'entries': {'Al_credits': '3', 'Al_model_free': 'gpt-4o', 'Al_model_premium': 'gpt-4o', 'ab_test_version': '00041', 'account_enabled': 'false', 'disable_Al_routine_generation': 'false', 'in_review_mode': 'false', 'rating_prompt': '0', 'rating_prompt_version': '1', 'review_prompt_days_completed': '25', 'show_Al_tab': 'false', 'show_explore_feature': 'true', 'show_share_routine_button': 'false', 'video_instructions_enabled': 'true', 'welcome_email_id': "}, 'state': 'UPDATE', 'templateVersion': '479'}

### **SECOND SECOND PERMISSIONS**

TYPE	MATCHES	PERMISSIONS
Malware Permissions	6/25	android.permission.INTERNET, android.permission.ACCESS_NETWORK_STATE, android.permission.ACCESS_WIFI_STATE, android.permission.VIBRATE, android.permission.RECEIVE_BOOT_COMPLETED, android.permission.WAKE_LOCK
Other Common Permissions	3/44	com.google.android.gms.permission.AD_ID, com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE, com.google.android.c2dm.permission.RECEIVE

#### **Malware Permissions:**

Top permissions that are widely abused by known malware.

#### **Other Common Permissions:**

Permissions that are commonly abused by known malware.

## • OFAC SANCTIONED COUNTRIES

This app may communicate with the following OFAC sanctioned list of countries.

DOMAIN	COUNTRY/REGION	
app.adjust.cn	IP: 47.104.30.117 Country: China Region: Zhejiang City: Hangzhou	

## **Q DOMAIN MALWARE CHECK**

DOMAIN	STATUS	GEOLOCATION
app.adjust.cn	ok	IP: 47.104.30.117  Country: China  Region: Zhejiang City: Hangzhou Latitude: 30.293650 Longitude: 120.161423 View: Google Map
app.eu.adjust.com	ok	IP: 185.151.204.60 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
gdpr.adjust.world	ok	IP: 185.151.204.40 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
gdpr.tr.adjust.com	ok	IP: 195.244.54.6 Country: Turkey Region: Izmir City: Izmir Latitude: 38.412731 Longitude: 27.138380 View: Google Map

DOMAIN	STATUS	GEOLOCATION
api.revenuecat.com	ok	IP: 54.158.163.245  Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map
app.adjust.net.in	ok	IP: 185.151.204.30 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
support.google.com	ok	IP: 64.233.177.113  Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
app.adjust.com	ok	IP: 185.151.204.10 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map

DOMAIN	STATUS	GEOLOCATION
api.eu.amplitude.com	ok	IP: 3.127.160.87  Country: Germany Region: Hessen City: Frankfurt am Main Latitude: 50.115520 Longitude: 8.684170 View: Google Map
issuetracker.google.com	ok	IP: 64.233.177.101 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
subscription.tr.adjust.com	ok	IP: 195.244.54.6 Country: Turkey Region: Izmir City: Izmir Latitude: 38.412731 Longitude: 27.138380 View: Google Map
gdpr.adjust.com	ok	IP: 185.151.204.50 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map

DOMAIN	STATUS	GEOLOCATION
subscription.adjust.world	ok	IP: 185.151.204.44  Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
play.google.com	ok	IP: 172.253.124.101 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
www.w3.org	ok	IP: 104.18.22.19 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
github.com	ok	IP: 140.82.113.4 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map

DOMAIN	STATUS	GEOLOCATION
firebase.google.com	ok	IP: 74.125.136.113  Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
developer.android.com	ok	IP: 64.233.176.101 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
gdpr.eu.adjust.com	ok	IP: 185.151.204.60 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
subscription.eu.adjust.com	ok	IP: 185.151.204.60 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map

DOMAIN	STATUS	GEOLOCATION
rev.cat	ok	IP: 52.72.49.79 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map
gdpr.us.adjust.com	ok	IP: 185.151.204.70 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
subscription.adjust.net.in	ok	IP: 185.151.204.34  Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
app.adjust.world	ok	IP: 185.151.204.40 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map

DOMAIN	STATUS	GEOLOCATION
accounts.google.com	ok	IP: 172.217.215.84  Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
api.ipify.org	ok	IP: 104.26.13.205  Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
api-diagnostics.revenuecat.com	ok	IP: 54.243.244.245 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map
api2.amplitude.com	ok	IP: 35.86.50.235 Country: United States of America Region: Oregon City: Portland Latitude: 45.523449 Longitude: -122.676208 View: Google Map

DOMAIN	STATUS	GEOLOCATION
subscription.us.adjust.com	ok	IP: 185.151.204.70 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
www.getbend.co	ok	IP: 104.21.64.1  Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203  View: Google Map
developer.apple.com	ok	IP: 17.253.83.139 Country: Singapore Region: Singapore City: Singapore Latitude: 1.289670 Longitude: 103.850067 View: Google Map
app.tr.adjust.com	ok	IP: 195.244.54.5 Country: Turkey Region: Izmir City: Izmir Latitude: 38.412731 Longitude: 27.138380 View: Google Map

DOMAIN	STATUS	GEOLOCATION
gdpr.adjust.net.in	ok	IP: 185.151.204.33  Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
api-paywalls.revenuecat.com	ok	IP: 52.203.57.188  Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map
app.us.adjust.com	ok	IP: 185.151.204.70 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
ns.adobe.com	ok	No Geolocation information available.
firebaseappcheck.googleapis.com	ok	IP: 74.125.136.95 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map

DOMAIN	STATUS	GEOLOCATION
firebase-settings.crashlytics.com	ok	IP: 142.250.9.94 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
errors.rev.cat	ok	IP: 67.199.248.13 Country: United States of America Region: New York City: New York City Latitude: 40.739288 Longitude: -73.984955 View: Google Map
schemas.android.com	ok	No Geolocation information available.
docs.revenuecat.com	ok	IP: 18.238.109.116 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
subscription.adjust.com	ok	IP: 185.151.204.52 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map

DOMAIN	STATUS	GEOLOCATION
regionconfig.eu.amplitude.com	ok	IP: 18.238.96.4 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
firebasestorage.googleapis.com	ok	IP: 64.233.185.95  Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
regionconfig.amplitude.com	ok	IP: 18.155.173.79 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
aomedia.org	ok	IP: 185.199.111.153 Country: United States of America Region: Pennsylvania City: California Latitude: 40.065632 Longitude: -79.891708 View: Google Map

DOMAIN	STATUS	GEOLOCATION
console.firebase.google.com	ok	IP: 64.233.176.138  Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
goo.gle	ok	IP: 67.199.248.12 Country: United States of America Region: New York City: New York City Latitude: 40.739288 Longitude: -73.984955 View: Google Map

# **EMAILS**

EMAIL	FILE
support@joinbend.com	l8/d.java



TRACKER	CATEGORIES	URL
Adjust	Analytics	https://reports.exodus-privacy.eu.org/trackers/52
Amplitude	Profiling, Analytics	https://reports.exodus-privacy.eu.org/trackers/125
Google CrashLytics	Crash reporting	https://reports.exodus-privacy.eu.org/trackers/27
Google Firebase Analytics	Analytics	https://reports.exodus-privacy.eu.org/trackers/49

### HARDCODED SECRETS

#### **POSSIBLE SECRETS**

"android.credentials.TYPE\_PASSWORD\_CREDENTIAL" : "Password"

"androidx.credentials.TYPE\_PUBLIC\_KEY\_CREDENTIAL" : "Passkey"

"com.google.firebase.crashlytics.mapping\_file\_id": "6d038f630729419d9807c3dea0218050"

"google\_api\_key": "AlzaSyDbBiNdq7\_BeHLEWvMo9HRkisCR49d4BD4"

"google\_crash\_reporting\_api\_key": "AlzaSyDbBiNdq7\_BeHLEWvMo9HRkisCR49d4BD4"

8277cf183b18c7722899e157b7ff81f1

11839296a789a3bc0045c8a5fb42c7d1bd998f54449579b446817afbd17273e662c97ee72995ef42640c550b9013fad0761353c7086a272c24088be94769fd16650a272bd946817afbd17273e662c97ee72995ef42640c550b9013fad0761353c7086a272c24088be94769fd16650a272bd946817afbd17273e662c97ee72995ef42640c550b9013fad0761353c7086a272c24088be94769fd16650a272bd946817afbd17273e662c97ee72995ef42640c550b9013fad0761353c7086a272c24088be94769fd16650a272bd946817afbd17273e662c97ee72995ef42640c550b9013fad0761353c7086a272c24088be94769fd16650a272bd946817afbd17273e662c97ee72995ef42640c550b9013fad0761353c7086a272c24088be94769fd16650a272bd946817afbd17273e662c97ee72995ef42640c550b9013fad0761353c7086a272c24088be94769fd16650a272bd946817afbd17273e662c97ee72995ef42640c550b9013fad0761353c7086a272c24088be94769fd16650a272bd946817afbd94686817afbd94686817afbd94686817afbd94686817afbd94686817afbd94686817afbd94686817afbd946868686848686848686868686868686

68647976601306097149819007990813932172694353001433054093944634591855431833976560521225596406614545549772963113914808580371219879997166 43812574028291115057151

#### **POSSIBLE SECRETS**

258EAFA5-E914-47DA-95CA-C5AB0DC85B11

470fa2b4ae81cd56ecbcda9735803434cec591fa

4fe342e2fe1a7f9b8ee7eb4a7c0f9e162bce33576b315ececbb6406837bf51f5

af60eb711bd85bc1e4d3e0a462e074eea428a8

ChNjb20uYW5kcm9pZC52ZW5kaW5nCiBjb20uZ29vZ2xlLmFuZHJvaWQuYXBwcy5tZWV0aW5ncwohY29tLmdvb2dsZS5hbmRyb2lkLmFwcHMubWVzc2FnaW5n

39402006196394479212279040100143613805079739270465446667946905279627659399113263569398956308152294913554433653942643

UC1upXWg5QVmyOSwozp755xLqquBKjjU+di6U8QhMIM=

36864200e0eaf5284d884a0e77d31646

30820268308201d102044a9c4610300d06092a864886f70d0101040500307a310b3009060355040613025553310b300906035504081302434131123010060355040713
0950616c6f20416c746f31183016060355040a130f46616365626f6f6b204d6f6269c653111300f060355040b130846616365626f6f6b311d301b06035504031314466163
65626f6f6b20436f72706f726174696f6e3020170d3039303833313231353231365a180f32303530303932353231353231365a307a310b3009060355040613025553310b
3009060355040813024341311230100603550407130950616c6f20416c746f31183016060355040a130f46616365626f6f6b204d6f62696c653111300f060355040b13084
6616365626f6f6b311d301b0603550403131446616365626f6f6b20436f72706f726174696f6e30819f300d06092a864886f70d010101050003818d0030818902818100c2
07d51df8eb8c97d93ba0c8c1002c928fab00dc1b42fca5e66e99cc3023ed2d214d822bc59e8e35ddcf5f44c7ae8ade50d7e0c434f500e6c131f4a2834f987fc46406115de20
18ebbb0d5a3c261bd97581ccfef76afc7135a6d59e8855ecd7eacc8f8737e794c60a761c536b72b11fac8e603f5da1a2d54aa103b8a13c0dbc10203010001300d06092a864
886f70d0101040500038181005ee9be8bcbb250648d3b741290a82a1c9dc2e76a0af2f2228f1d9f9c4007529c446a70175c5a900d5141812866db46be6559e2141616483
998211f4a673149fb2232a10d247663b26a9031e15f84bc1c74d141ff98a02d76f85b2c8ab2571b6469b232d8e768a7f7ca04f7abe4a775615916c07940656b58717457b4
2bd928a2

5ac635d8aa3a93e7b3ebbd55769886bc651d06b0cc53b0f63bce3c3e27d2604b

c6858e06b70404e9cd9e3ecb662395b4429c648139053fb521f828af606b4d3dbaa14b5e77efe75928fe1dc127a2ffa8de3348b3c1856a429bf97e7e31c2e5bd66

3617de4a96262c6f5d9e98bf9292dc29f8f41dbd289a147ce9da3113b5f0b8c00a60b1ce1d7e819d7a431d7c90ea0e5f

# **POSSIBLE SECRETS** 808182838485868788898a8b8c8d8e8f909192939495969798999a9b9c9d9e9f QIEJGQE8P1u1bpsy6DfreUAOqrfwP5 b3312fa7e23ee7e4988e056be3f82d19181d9c6efe8141120314088f5013875ac656398d8a2ed19d2a85c8edd3ec2aef 39402006196394479212279040100143613805079739270465446667948293404245721771496870329047266088258938001861606973112319 aa87ca22be8b05378eb1c71ef320ad746e1d3b628ba79b9859f741e082542a385502f25dbf55296c3a545e3872760ab7 115792089210356248762697446949407573530086143415290314195533631308867097853951 051953eb9618e1c9a1f929a21a0b68540eea2da725b99b315f3b8b489918ef109e156193951ec7e937b1652c0bd3bb1bf073573df883d2c34f1ef451fd46b503f00 ec1e5b1fdbf0e3d3f5f613d91c66f400 68647976601306097149819007990813932172694353001433054093944634591855431833976553942450577463332171975329639963713633211138647686124403 80340372808892707005449 a0784d7a4716f3feb4f64e7f4b39bf04 6b17d1f2e12c4247f8bce6e563a440f277037d812deb33a0f4a13945d898c296

bae8e37fc83441b16034566b

115792089210356248762697446949407573529996955224135760342422259061068512044369



Title: Bend: Stretching & Flexibility

Score: 4.721467 Installs: 1,000,000+ Price: 0 Android Version Support: Category: Health & Fitness Play Store URL: com.bowerydigital.bend

Developer Details: Bend Health & Fitness, Inc., 4730896714628006179, None, https://bend.com, support@bend.com,

Release Date: Mar 14, 2022 Privacy Policy: Privacy link

#### **Description:**

Bend is the #1 app for daily stretching with over 10 million users. Our quick & convenient stretching routines help you improve your flexibility and maintain your natural range of motion as you get older. We offer hundreds of stretches and yoga poses along with dozens of easy-to-follow stretching routines designed for all ages and experience levels. It's never too early to start stretching everyday! STRETCHING IS IMPORTANT! A simple, daily stretching routine can have a huge impact on your quality of life. Every time you stretch, you invest in your long-term health and longevity. Stretching benefits include: 

Increase flexibility & mobility in your muscles and joints 

Increase flexibility & mobility in your muscles and joints 

Increase flexibility & mobility in your muscles and joints 

Increase flexibility & mobility in your muscles and joints 

Increase flexibility & mobility in your muscles and joints 

Increase flexibility & mobility in your muscles and joints 

Increase flexibility & mobility in your muscles and joints 

Increase flexibility & mobility in your muscles and joints 

Increase flexibility & mobility in your muscles and joints 

Increase flexibility & mobility in your muscles and joints 

Increase flexibility & mobility in your muscles and joints 

Increase flexibility & mobility in your muscles and joints 

Increase flexibility & mobility in your muscles and joints 

Increase flexibility & mobility in your muscles and joints 

Increase flexibility & mobility in your muscles and 

Increase flexibility & mobility in your muscles an Prevent and relieve pain in your lower back, neck, hips, shoulders and more ⊕ Reduce the risk of injury during outdoor activities and sports ⊕ Improve sleep quality and energy throughout the day ⊕ Improve posture and strengthen your core ⊕ Reduce stress & anxiety ⊕ Improve athletic performance ⊕ Improve circulation and blood flow ⊕ Accelerate muscle recovery ⊕ Improve balance & coordination ⊕ And more! YOUR BODY'S FAVORITE APP™ Bend offers dozens of daily stretching & mobility routines for every occasion.  $\oplus$  "Wake Up" Designed to maintain your body's natural mobility and range of motion. Simple, quick, convenient, and effective, you can do it anytime, anywhere, everyday. • "Posture Reset" Specifically designed to improve your posture with seated stretches that can correct habitual posture problems by increasing flexibility in the shoulders, back, and neck. 

"Full Body" Focused on improving overall flexibility, with more than 20 stretching exercises and poses that target key muscles and joints throughout your entire body. 

"Sleep" Gentle, long-hold stretches designed to help you unwind and de-stress after a long day at work through better quality of sleep, which is made possible by relieving muscle tension and relaxing the body. 

"Expert" Advance group of stretching exercises and yoga poses that cover all major muscle groups and extremities. Flexibility and range of motion can be improved significantly with their more complex movements. 

"Hips" Open and unlock tight hips with deep, focused stretches designed to improve hip flexibility and undo hours of inactivity from sitting at a desk, in a car, or on the couch. ⊕ "Hamstrings" Improve hamstring flexibility with subtle stretches designed to reduce hamstring tightness and relieve pressure on the knees, pelvis, and lower back. 

"Lower Back" Reduce and prevent lower back pain with gentle stretches designed to increase flexibility in the lower back, pelvis, and hip flexors. 

"Isometric" isometric exercise routines that build muscle, strength, balance, and range of motion in targeted areas through static muscle contraction. 

And more! CREATE YOUR OWN Create your own custom stretching routine suited to your specific needs. Choose from hundreds of stretches, yoga poses, and isometric exercises in our library. EASY-TO-USE Bend makes stretching simple. We use custom illustrations and a timer to guide you through each routine. Every stretch has detailed instructions, information about its benefits, and specific things to be cautious about! STREAKS & ANALYTICS Our dashboard displays your streaks and analytics to track your progress and you can set reminders to help motivate you to stretch every day. FEEDBACK & SUPPORT If you have any questions, feedback, or suggestions, feel free to contact us at hello@bend.com! LEGAL Terms of Use: https://bend.com/terms Privacy Policy: https://bend.com/privacy

#### **≡** SCAN LOGS

Timestamp	Event	Error
-----------	-------	-------

2025-08-29 20:31:33	Generating Hashes	ОК
2025-08-29 20:31:33	Extracting APK	ОК
2025-08-29 20:31:33	Unzipping	OK
2025-08-29 20:31:33	Parsing APK with androguard	OK
2025-08-29 20:31:33	Extracting APK features using aapt/aapt2	OK
2025-08-29 20:31:33	Getting Hardcoded Certificates/Keystores	OK
2025-08-29 20:31:35	Parsing AndroidManifest.xml	OK
2025-08-29 20:31:35	Extracting Manifest Data	OK
2025-08-29 20:31:35	Manifest Analysis Started	OK
2025-08-29 20:31:35	Performing Static Analysis on: Bend (com.bowerydigital.bend)	OK
2025-08-29 20:31:35	Fetching Details from Play Store: com.bowerydigital.bend	OK

2025-08-29 20:31:36	Checking for Malware Permissions	ОК
2025-08-29 20:31:36	Fetching icon path	OK
2025-08-29 20:31:36	Library Binary Analysis Started	OK
2025-08-29 20:31:36	Reading Code Signing Certificate	OK
2025-08-29 20:31:36	Running APKiD 2.1.5	OK
2025-08-29 20:31:40	Detecting Trackers	ОК
2025-08-29 20:31:43	Decompiling APK to Java with JADX	ОК
2025-08-29 20:32:00	Converting DEX to Smali	OK
2025-08-29 20:32:00	Code Analysis Started on - java_source	ОК
2025-08-29 20:32:04	Android SBOM Analysis Completed	OK
2025-08-29 20:32:13	Android SAST Completed	ОК

2025-08-29 20:32:13	Android API Analysis Started	ОК
2025-08-29 20:32:21	Android API Analysis Completed	ОК
2025-08-29 20:32:22	Android Permission Mapping Started	ОК
2025-08-29 20:32:28	Android Permission Mapping Completed	ОК
2025-08-29 20:32:28	Android Behaviour Analysis Started	ОК
2025-08-29 20:32:39	Android Behaviour Analysis Completed	ОК
2025-08-29 20:32:39	Extracting Emails and URLs from Source Code	ОК
2025-08-29 20:32:44	Email and URL Extraction Completed	ОК
2025-08-29 20:32:44	Extracting String data from APK	ОК
2025-08-29 20:32:44	Extracting String data from Code	ОК

2025-08-29 20:32:44	Extracting String values and entropies from Code	ОК
2025-08-29 20:32:47	Performing Malware check on extracted domains	ОК
2025-08-29 20:32:55	Saving to Database	ОК

#### Report Generated by - MobSF v4.4.0

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

© 2025 Mobile Security Framework - MobSF | Ajin Abraham | OpenSecurity.