

## ANDROID STATIC ANALYSIS REPORT



**#** Guardian (11.6.2)

| File Name:          | com.glic.group.ga.mobile_116201.apk |
|---------------------|-------------------------------------|
| Package Name:       | com.glic.group.ga.mobile            |
| Scan Date:          | Aug. 29, 2025, 11:02 p.m.           |
| App Security Score: | 47/100 (MEDIUM RISK)                |
| Grade:              |                                     |
| Trackers Detection: | 4/432                               |
|                     |                                     |

## FINDINGS SEVERITY

| <b>飛</b> HIGH | ▲ MEDIUM | i INFO | ✓ SECURE | <b>@</b> HOTSPOT |
|---------------|----------|--------|----------|------------------|
| 2             | 10       | 8      | 1        | 2                |

#### FILE INFORMATION

**File Name:** com.glic.group.ga.mobile\_116201.apk

**Size:** 35.53MB

MD5: 73d2a59ac1d52e096dc52ac48834bfe1

**SHA1:** ef14532e2ab0ebe846d0e58e1cd396bed9bdd4da

**SHA256**: 1a298180ff1599582c078102c3dd5ed7c4b013c5dc6ff23ac0a55705eb36936d

### **i** APP INFORMATION

App Name: Guardian

Package Name: com.glic.group.ga.mobile

Main Activity: com.glic.group.ga.mobile.Activity.MainActivity

Target SDK: 34 Min SDK: 31 Max SDK:

**Android Version Name:** 11.6.2

**Android Version Code: 116201** 

#### **EE** APP COMPONENTS

Activities: 14 Services: 7 Receivers: 4 Providers: 3

Exported Activities: O Exported Services: O Exported Receivers: 1 Exported Providers: O

### **\*** CERTIFICATE INFORMATION

Binary is signed v1 signature: False v2 signature: True v3 signature: True v4 signature: None

X.509 Subject: C=US, ST=NY, L=New York, O=Guardian Life, OU=Guardian Life, CN=Guardian Life

Signature Algorithm: rsassa\_pkcs1v15 Valid From: 2012-06-06 15:28:31+00:00 Valid To: 2037-05-31 15:28:31+00:00

Issuer: C=US, ST=NY, L=New York, O=Guardian Life, OU=Guardian Life, CN=Guardian Life

Serial Number: 0x4fcf771f Hash Algorithm: sha1

md5: 993046ada57b6e36dc6af758e0ed5bcc

sha1: 64b4b5005df222a0d5836fd2decf44ab1428a131

sha256: ef6ea35041999e1b0257a9bf92ae148c02d6f554b2486443f1fe52896d6b44cc

PublicKey Algorithm: rsa

Bit Size: 1024

Fingerprint: f96a5208e30fa0f58f96143384967b46c764aa414edea598f383773b7d24957c

Found 1 unique certificates

## **⋮** APPLICATION PERMISSIONS

| PERMISSION                                | STATUS    | INFO  | DESCRIPTION  |
|---|-----------|---|--|
| android.permission.INTERNET               | normal    | full Internet<br>access   | Allows an application to create network sockets.   |
| android.permission.ACCESS_WIFI_STATE      | normal    | view Wi-Fi<br>status  | Allows an application to view the information about the status of Wi-Fi.   |
| android.permission.ACCESS_NETWORK_STATE   | normal    | view network<br>status  | Allows an application to view the status of all networks.  |
| android.permission.ACCESS_FINE_LOCATION   | dangerous | fine (GPS)<br>location  | Access fine location sources, such as the Global Positioning System on the phone, where available. Malicious applications can use this to determine where you are and may consume additional battery power.      |
| android.permission.ACCESS_COARSE_LOCATION | dangerous | coarse<br>(network-<br>based) location                            | Access coarse location sources, such as the mobile network database, to determine an approximate phone location, where available.  Malicious applications can use this to determine approximately where you are. |
| android.permission.USE_BIOMETRIC          | normal    | allows use of<br>device-<br>supported<br>biometric<br>modalities. | Allows an app to use device supported biometric modalities.  |
| android.permission.USE_FINGERPRINT        | normal    | allow use of<br>fingerprint                                       | This constant was deprecated in API level 28. Applications should request USE_BIOMETRIC instead.   |

| PERMISSION   | STATUS    | INFO   | DESCRIPTION  |
|--|-----------|--|--|
| android.permission.WAKE_LOCK   | normal    | prevent phone<br>from sleeping                               | Allows an application to prevent the phone from going to sleep.  |
| com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE | normal    | permission<br>defined by<br>google                           | A custom permission defined by Google.   |
| com.google.android.gms.permission.AD_ID                                | normal    | application<br>shows<br>advertisements                       | This app uses a Google advertising ID and can possibly serve advertisements.   |
| android.permission.ACCESS_ADSERVICES_ATTRIBUTION                       | normal    | allow applications to access advertising service attribution | This enables the app to retrieve information related to advertising attribution, which can be used for targeted advertising purposes. App can gather data about how users interact with ads, such as clicks or impressions, to measure the effectiveness of advertising campaigns. |
| android.permission.ACCESS_ADSERVICES_AD_ID                             | normal    | allow app to<br>access the<br>device's<br>advertising ID.    | This ID is a unique, user-resettable identifier provided by Google's advertising services, allowing apps to track user behavior for advertising purposes while maintaining user privacy.   |
| com.glic.group.ga.mobile.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION      | unknown   | Unknown<br>permission  | Unknown permission from android reference  |
| android.permission.READ_EXTERNAL_STORAGE                               | dangerous | read external<br>storage<br>contents                         | Allows an application to read from external storage.   |



| FILE                                 | DETAILS  |                          |  |  |
|--------------------------------------|--|--------------------------|--|--|
| 73d2a59ac1d52e096dc52ac48834bfe1.apk | FINDINGS  Anti-VM Code   |                          | DETAILS  possible VM check             |  |
|                                      | FINDINGS   | DETAILS                  |  |  |
| classes.dex                          | yara_issue   | yara issue - dex file re | cognized by apkid but not yara module  |  |
|                                      | Anti-VM Code  Build.FINGERPRINT che Build.MANUFACTURER                 |                          |  |  |
|                                      | Compiler unknown (please file d  |                          | detection issue!)                      |  |
|                                      | FINDINGS   | DETAILS                  |  |  |
|                                      | yara_issue yara issue - dex file re                                    |                          | ecognized by apkid but not yara module |  |
| classes2.dex                         | Anti-VM Code  Build.FINGERPRINT ch Build.MANUFACTUREF Build.TAGS check |                          |  |  |
|                                      | Compiler unknown (please file o  |                          | detection issue!)                      |  |

| FILE         | DETAILS         |  |  |  |
|--------------|-----------------|--|--|--|
| classes3.dex | FINDINGS        | DETAILS  |  |  |
|              | yara_issue      | yara issue - dex file recognized by apkid but not yara module  |  |  |
|              | Anti Debug Code | Debug.isDebuggerConnected() check  |  |  |
|              | Anti-VM Code    | Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.HARDWARE check Build.TAGS check network operator name check possible VM check |  |  |
|              | Compiler        | unknown (please file detection issue!)   |  |  |

## **△** NETWORK SECURITY

HIGH: 0 | WARNING: 1 | INFO: 6 | SECURE: 0

| NO | SCOPE | SEVERITY | DESCRIPTION  |
|----|-------|----------|--|
| 1  | *     | warning  | Base config is configured to trust system certificates.  |
| 2  | *     | info     | Base config is configured to trustbundled certs @raw/sectigo_rsa_extended_validation_secure_server_ca.     |
| 3  | *     | info     | Base config is configured to trustbundled certs @raw/sectigo_rsa_organization_validation_secure_server_ca. |

| NO | SCOPE                      | SEVERITY | DESCRIPTION  |
|----|----------------------------|----------|--|
| 4  | *                          | info     | Base config is configured to trustbundled certs @raw/usertrust_rsa_certification_authority.  |
| 5  | group.api.guardianlife.com | info     | Certificate pinning expires on 2030-12-30. After this date pinning will be disabled. [Pin: hEJ5FNYP7ZpNILySZtJgiP6UtW3ClYUTRFxXGqWSWQ0= Digest: SHA-256] |
| 6  | apisvc.guardianlife.com    | info     | Certificate pinning expires on 2030-12-30. After this date pinning will be disabled. [Pin: hEJ5FNYP7ZpNILySZtJgiP6UtW3ClYUTRFxXGqWSWQ0= Digest: SHA-256] |
| 7  | guardiananytime.com        | info     | Certificate pinning expires on 2030-12-30. After this date pinning will be disabled. [Pin: hEJ5FNYP7ZpNILySZtJgiP6UtW3ClYUTRFxXGqWSWQ0= Digest: SHA-256] |

## **CERTIFICATE ANALYSIS**

HIGH: 1 | WARNING: 0 | INFO: 1

| TITLE  | SEVERITY | DESCRIPTION  |
|--|----------|--|
| Signed Application                                 | info     | Application is signed with a code signing certificate  |
| Certificate algorithm vulnerable to hash collision | high     | Application is signed with SHA1withRSA. SHA1 hash algorithm is known to have collision issues. |

## **Q** MANIFEST ANALYSIS

HIGH: 0 | WARNING: 1 | INFO: 0 | SUPPRESSED: 0

| NO | ISSUE | SEVERITY | DESCRIPTION |
|----|-------|----------|-------------|
|----|-------|----------|-------------|

| NO | ISSUE  | SEVERITY | DESCRIPTION  |
|----|--|----------|--|
| 1  | App has a Network Security Configuration [android:networkSecurityConfig=@xml/network_security_config]  | info     | The Network Security Configuration feature lets apps customize their network security settings in a safe, declarative configuration file without modifying app code. These settings can be configured for specific domains and for a specific app.   |
| 2  | Broadcast Receiver (androidx.profileinstaller.ProfileInstallReceiver) is Protected by a permission, but the protection level of the permission should be checked.  Permission: android.permission.DUMP [android:exported=true] | warning  | A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission. |

# </> CODE ANALYSIS

HIGH: 1 | WARNING: 5 | INFO: 2 | SECURE: 1 | SUPPRESSED: 0

| 11101111 | VARIATIO. 9 INTO. 2 SECORE. 1 SOFT | (13313.0 |           |                |
|----------|------------------------------------|----------|-----------|----------------|
| NO       | ISSUE                              | SEVERITY | STANDARDS | FILES          |
|          |                                    |          |           | B2/a.java      |
|          |                                    |          |           | C1/c.java      |
|          |                                    |          |           | C2/A.java      |
|          |                                    |          |           | C2/C.java      |
|          |                                    |          |           | C2/C0734c.java |
|          |                                    |          |           | C2/d.java      |
|          |                                    |          |           | C2/l.java      |
|          |                                    |          |           | C2/n.java      |
|          |                                    |          |           | C2/o.java      |
|          |                                    |          |           | C2/s.java      |
|          |                                    |          |           | D0/N.java      |
|          |                                    |          |           | F1/a.java      |
|          |                                    |          |           | G2/a.java      |
|          |                                    |          |           | G2/d.java      |

| NO | ISSUE | SEVERITY | STANDARDS | G2/j.java<br>FJUoFaVa                         |
|----|-------|----------|-----------|---|
|    |       | <u> </u> |           | I2/f.java                                     |
|    |       |          |           | I2/q.java                                     |
|    |       |          |           | I2/r.java                                     |
|    |       |          |           | I2/t.java                                     |
|    |       |          |           | I2/u.java                                     |
|    |       |          |           | I2/v.java                                     |
|    |       |          |           | J2/d.java                                     |
|    |       |          |           | L1/C0993a.java                                |
|    |       |          |           | L1/n.java                                     |
|    |       |          |           | L2/d.java                                     |
|    |       |          |           | L2/l.java                                     |
|    |       |          |           | N2/b.java                                     |
|    |       |          |           | P1/a.java                                     |
|    |       |          |           | P2/a.java                                     |
|    |       |          |           | Q0/L.java                                     |
|    |       |          |           | Q2/b.java                                     |
|    |       |          |           | Q2/h.java                                     |
|    |       |          |           | Q2/k.java                                     |
|    |       |          |           | R0/a.java                                     |
|    |       |          |           | T1/n.java                                     |
|    |       |          |           | Y1/a.java                                     |
|    |       |          |           | a1/C1431d.java                                |
|    |       |          |           | com/bumptech/glide/GeneratedAppGlideModul     |
|    |       |          |           | elmpl.java                                    |
|    |       |          |           | com/bumptech/glide/c.java                     |
|    |       |          |           | com/bumptech/glide/load/data/b.java           |
|    |       |          |           | com/bumptech/glide/load/data/j.java           |
|    |       |          |           | com/bumptech/glide/load/data/l.java           |
|    |       |          |           | com/bumptech/glide/request/j.java             |
|    |       |          |           | com/glic/group/ga/mobile/application/BaseApp  |
|    |       |          |           | lication.java                                 |
|    |       |          |           | com/glic/member/client/authLibrary/Oktaldenti |
|    |       |          |           | tyProvider\$logout\$1.java                    |
|    |       |          |           | com/glic/member/client/authLibrary/Oktaldenti |
|    |       |          |           | tyProvider.java                               |
|    |       |          |           | com/qualtrics/digital/ActionSet.java          |
|    |       |          |           | com/qualtrics/digital/DateExpression.java     |
|    |       |          |           | com/qualtrics/digital/DayExpression.java      |
| J  |       | ,        |           | com/qualtrics/digital/DurationExpression.java |

| NO | ISSUE   | SEVERITY | STANDARDS  | com/qualtrics/digital/EmbeddedFeedbackOrche  Fthat65.java  com/qualtrics/digital/InterceptDefinition.java   |
|----|---|----------|--|---|
| 1  | The App logs information. Sensitive information should never be logged. | info     | CWE: CWE-532: Insertion of Sensitive<br>Information into Log File<br>OWASP MASVS: MSTG-STORAGE-3 | com/qualtrics/digital/Properties.java<br>com/qualtrics/digital/Qualtrics.java<br>com/qualtrics/digital/QualtricsLog.java<br>com/qualtrics/digital/QualtricsPopOverFragme<br>nt.java   |
|    |   |          |  | com/qualtrics/digital/QualtricsSurveyActivity.jav a com/qualtrics/digital/QualtricsSurveyExpressio n.java com/qualtrics/digital/ServiceInterceptor.java com/qualtrics/digital/TimeExpression.java com/qualtrics/digital/VariableExpression.java com/qualtrics/digital/ViewCountExpression.java com/qualtrics/digital/WebViewInterface.java com/qualtrics/digital/resolvers/CustomProperty Resolver.java com/qualtrics/digital/resolvers/DateTimeTypeR esolvers.java com/qualtrics/digital/resolvers/QualtricsSurvey |
|    |   |          |  | Resolver.java com/qualtrics/digital/resolvers/SamplingResolv er.java com/qualtrics/digital/resolvers/TimeSpentInApp Resolver.java com/qualtrics/digital/resolvers/ViewCountResol ver.java d1/f.java e/AbstractC2077e.java   |
|    |   |          |  | es/voghdev/pdfviewpager/library/subscaleview /SubsamplingScaleImageView.java es/voghdev/pdfviewpager/library/subscaleview /decoder/SkiaPooledImageRegionDecoder.java h0/C2188f.java k1/AbstractC2259d.java m1/C2364h.java n/d.java n/e.java   |

| NO | ISSUE | SEVERITY | STANDARDS | n/h.java<br><b>戶</b> 戶 <b>PS</b>              |
|----|-------|----------|-----------|---|
|    |       |          |           | n/k.java<br>n/l.java                          |
|    |       |          |           | r2/C2640a.java                                |
|    |       |          |           | s2/d.java                                     |
|    |       |          |           | s2/e.java                                     |
|    |       |          |           | s3/AbstractC2745a.java                        |
|    |       |          |           | u2/C2909c.java                                |
|    |       |          |           | u2/C2911e.java                                |
|    |       |          |           | v2/h.java                                     |
|    |       |          |           | v2/i.java                                     |
|    |       |          |           | v2/k.java                                     |
|    |       |          |           | v2/q.java                                     |
|    |       |          |           | v2/z.java                                     |
|    |       |          |           | w2/i.java                                     |
|    |       |          |           | w2/j.java                                     |
|    |       |          |           | x2/C3115e.java                                |
|    |       |          |           | x2/i.java                                     |
|    |       |          |           | y2/ExecutorServiceC3196a.java                 |
|    |       |          |           | z2/C3234c.java                                |
|    |       |          |           | z2/d.java                                     |
|    |       |          |           | z2/f.java                                     |
|    |       |          |           | z2/r.java                                     |
|    |       |          |           | z2/s.java                                     |
|    |       |          |           | K3/Authenticator.java                         |
|    |       |          |           | K3/FormValue.java                             |
|    |       |          |           | K3/Message.java                               |
|    |       |          |           | M/J.java                                      |
|    |       |          |           | P0/C1085g.java                                |
|    |       |          |           | P0/P.java                                     |
|    |       |          |           | R/C1196b0.java                                |
|    |       |          |           | X5/C1330h0.java                               |
|    |       |          |           | com/glic/group/ga/mobile/Activity/LocationCha |
|    |       |          |           | ngeActivity.java                              |
|    |       |          |           | com/glic/group/ga/mobile/BuildConfig.java     |
|    |       |          |           | com/glic/group/ga/mobile/application/BaseApp  |
|    |       |          |           | lication.java                                 |
|    |       |          |           | com/glic/group/ga/mobile/controller/DentistSe |
|    |       |          |           | archActivityManager.java                      |

| NO | ISSUE   | SEVERITY | STANDARDS  | com/glic/group/ga/mobile/group/presentation/<br><b>FilirES</b> /data/model/response/LetterSearchResp<br>onse.java   |
|----|---|----------|--|---|
| 2  | Files may contain hardcoded sensitive information like usernames, passwords, keys etc.  | warning  | CWE: CWE-312: Cleartext Storage of Sensitive Information OWASP Top 10: M9: Reverse Engineering OWASP MASVS: MSTG-STORAGE-14                    | com/glic/group/ga/mobile/group/presentation/finddentist/viewmodel/DentistViewModel.java com/glic/member/client/authLibrary/ApigeeOA uthGenerateResponse.java com/glic/member/client/authLibrary/OktaEvent .java com/qualtrics/digital/EmbeddedFeedbackUtils.j ava com/qualtrics/digital/EmbeddedFeedbackUtils.java com/qualtrics/digital/EmbeddedFeedbackUtilsJava.java com/qualtrics/digital/ExpressionDeserializer.jav a com/qualtrics/digital/QualtricsPopOverFragme nt.java com/qualtrics/digital/SDKUtils.java com/qualtrics/digital/XMDUtils.java com/qualtrics/digital/Ittlls/TranslationUtils.java k2/InterfaceC2266c.java k3/C2272c.java t2/h.java v2/d.java v2/p.java v2/r.java |
| 3  | This App copies data to clipboard.  Sensitive data should not be copied to clipboard as other applications can access it.   | info     | OWASP MASVS: MSTG-STORAGE-10   | com/glic/group/ga/mobile/idcard/LoginActivity.j<br>ava  |
| 4  | Calling Cipher.getInstance("AES") will return AES ECB mode by default. ECB mode is known to be weak as it results in the same ciphertext for identical blocks of plaintext. | high     | CWE: CWE-327: Use of a Broken or Risky<br>Cryptographic Algorithm<br>OWASP Top 10: M5: Insufficient Cryptography<br>OWASP MASVS: MSTG-CRYPTO-2 | com/glic/group/ga/mobile/common/AESEncryp<br>tion.java  |

| NO | ISSUE  | SEVERITY | STANDARDS  | FILES   |
|----|--|----------|--|---|
| 5  | MD5 is a weak hash known to have hash collisions.  |          | CWE: CWE-327: Use of a Broken or Risky<br>Cryptographic Algorithm<br>OWASP Top 10: M5: Insufficient Cryptography<br>OWASP MASVS: MSTG-CRYPTO-4   | com/glic/group/ga/mobile/common/AESEncryp<br>tion.java  |
| 6  | The App uses an insecure Random Number Generator.  | warning  | CWE: CWE-330: Use of Insufficiently Random<br>Values<br>OWASP Top 10: M5: Insufficient Cryptography<br>OWASP MASVS: MSTG-CRYPTO-6                | com/qualtrics/digital/SamplingUtil.java<br>q4/AbstractC2599a.java<br>q4/C2600b.java<br>r4/C2643a.java |
| 7  | This App may have root detection capabilities.   | secure   | OWASP MASVS: MSTG-RESILIENCE-1   | com/glic/group/ga/mobile/helpers/KeyStoreMa<br>nager.java   |
| 8  | Insecure WebView Implementation.  Execution of user controlled code in  WebView is a critical Security Hole.  Warning  |          | CWE: CWE-749: Exposed Dangerous Method<br>or Function<br>OWASP Top 10: M1: Improper Platform Usage<br>OWASP MASVS: MSTG-PLATFORM-7               | com/qualtrics/digital/QualtricsSurveyFragment.j<br>ava  |
| 9  | App uses SQLite Database and execute raw SQL query. Untrusted user input in raw SQL queries can cause SQL Injection. Also sensitive information should be encrypted and written to the database. | warning  | CWE: CWE-89: Improper Neutralization of<br>Special Elements used in an SQL Command<br>('SQL Injection')<br>OWASP Top 10: M7: Client Code Quality | r3/C2641a.java<br>v3/C2944a.java  |

## ■ NIAP ANALYSIS v1.3

| NO | IDENTIFIER | REQUIREMENT | FEATURE | DESCRIPTION |
|----|------------|-------------|---------|-------------|
|----|------------|-------------|---------|-------------|

# BEHAVIOUR ANALYSIS

| RULE<br>ID | BEHAVIOUR  | LABEL      | FILES  |
|------------|--|------------|--|
| 00013      | Read file and put it into a stream                                       | file       | com/bumptech/glide/load/a.java<br>com/glic/group/ga/mobile/helpers/DocPrintManager.java<br>okio/x.java<br>r2/C2640a.java<br>u1/m.java<br>z2/f.java   |
| 00063      | Implicit intent(view a web page, make<br>a phone call, etc.)             | control    | L1/C0993a.java L1/n.java com/glic/group/ga/mobile/Activity/ActivityUtilsKt.java com/glic/group/ga/mobile/Activity/MainActivity.java com/glic/group/ga/mobile/RateThisApp.java com/glic/group/ga/mobile/group/presentation/finddentist/OfficeDetailKt.java com/glic/group/ga/mobile/group/presentation/finddentist/screens/location_instructions /LocationInstructionsSheetKt.java com/glic/group/ga/mobile/group/utils/FapUtilsKt.java com/glic/group/ga/mobile/helpers/ClickableURLSpan.java com/glic/group/ga/mobile/idcard/LoginActivity.java com/glic/group/ga/mobile/idcard/ProfileActivity.java com/qualtrics/digital/QualtricsNotificationManager.java com/qualtrics/digital/QualtricsPopOverActivity.java com/qualtrics/digital/QualtricsSurveyFragment.java |
| 00091      | Retrieve data from broadcast   | collection | com/qualtrics/digital/QualtricsNotificationManager.java  |
| 00051      | Implicit intent(view a web page, make<br>a phone call, etc.) via setData | control    | L1/C0993a.java com/glic/group/ga/mobile/group/utils/FapUtilsKt.java com/qualtrics/digital/QualtricsNotificationManager.java  |

| RULE<br>ID | BEHAVIOUR LABEL   |                                    | FILES   |
|------------|---|------------------------------------|---|
| 00077      | Read sensitive data(SMS, CALLLOG, etc)                                    | collection sms<br>calllog calendar | com/glic/group/ga/mobile/group/utils/FileUtils.java<br>u2/C2909c.java   |
| 00202      | Make a phone call   | control                            | com/glic/group/ga/mobile/group/utils/FapUtilsKt.java  |
| 00203      | Put a phone number into an intent   | control                            | com/glic/group/ga/mobile/group/utils/FapUtilsKt.java  |
| 00036      | Get resource file from res/raw directory reflection                       |                                    | com/glic/group/ga/mobile/Activity/MainActivity.java com/glic/group/ga/mobile/RateThisApp.java com/glic/group/ga/mobile/group/utils/FapUtilsKt.java com/glic/group/ga/mobile/helpers/ClickableURLSpan.java es/voghdev/pdfviewpager/library/subscaleview/SubsamplingScaleImageView.java j2/e.java |
| 00022      | Open a file from given absolute path of the file                          | file                               | com/glic/group/ga/mobile/Activity/IDCardViewerActivity.java<br>f2/InterfaceC2119a.java<br>u1/m.java<br>v3/AbstractC2945b.java   |
| 00026      | Method reflection reflection  |                                    | 14/C0864a.java<br>14/C0865b.java  |
| 00024      | Write file after Base64 decoding  | reflection file                    | com/glic/group/ga/mobile/idcard/IDCardListFragment.java   |
| 00089      | Connect to a URL and receive input stream from the server command network |                                    | com/bumptech/glide/load/data/j.java   |
| 00030      | Connect to the remote server through the given URL network                |                                    | com/bumptech/glide/load/data/j.java   |
| 00109      | Connect to a URL and get the response code                                | network command                    | com/bumptech/glide/load/data/j.java   |

| RULE<br>ID | BEHAVIOUR | LABEL | FILES |
|------------|-----------|-------|-------|
|------------|-----------|-------|-------|

| 00078 | Get the network operator name   | collection telephony  | s3/AbstractC2747c.java                                  |
|-------|---|-----------------------|---|
| 00132 | Query The ISO country code  | telephony collection  | s3/AbstractC2747c.java                                  |
| 00121 | Create a directory  | file command          | com/glic/group/ga/mobile/idcard/IDCardViewActivity.java |
| 00125 | Check if the given file path exist  | file                  | com/glic/group/ga/mobile/idcard/IDCardViewActivity.java |
| 00161 | Perform accessibility service action on accessibility node info           | accessibility service | m1/C2364h.java  |
| 00173 | Get bounds in screen of an<br>AccessibilityNodeInfo and perform<br>action | accessibility service | m1/C2364h.java  |

## FIREBASE DATABASES ANALYSIS

| TITLE                                   | SEVERITY | DESCRIPTION  |
|---|----------|--|
| Firebase<br>Remote<br>Config<br>enabled | warning  | The Firebase Remote Config at https://firebaseremoteconfig.googleapis.com/v1/projects/846825620717/namespaces/firebase:fetch? key=AlzaSyCUGl0Lt-T17D5azTTqQgj_TiOazZSuDVI is enabled. Ensure that the configurations are not sensitive. This is indicated by the response: {'entries': {'AppMinVersion': '11.1.0', 'ForceUpdate': 'true', 'HideAbsenceCommunicationDelete': 'false', 'Maintenance': 'false', 'MaintenanceMessage': "We'll be back. We're busy updating the app. We'll be back as soon as possible.", 'OktaAuthentication': 'true', 'OktaBaseURL': 'https://signin.guardianlife.com/signin/', 'ProfileV2Enabled': 'true', 'UpdateAvailable': 'true'}, 'state': 'UPDATE', 'templateVersion': '37'} |

#### **\*: ::** ABUSED PERMISSIONS

| TYPE                           | MATCHES | PERMISSIONS  |
|--------------------------------|---------|--|
| Malware<br>Permissions         | 7/25    | android.permission.INTERNET, android.permission.ACCESS_WIFI_STATE, android.permission.ACCESS_NETWORK_STATE, android.permission.ACCESS_FINE_LOCATION, android.permission.ACCESS_COARSE_LOCATION, android.permission.WAKE_LOCK, android.permission.READ_EXTERNAL_STORAGE |
| Other<br>Common<br>Permissions | 2/44    | com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE, com.google.android.gms.permission.AD_ID  |

#### **Malware Permissions:**

Top permissions that are widely abused by known malware.

#### Other Common Permissions:

Permissions that are commonly abused by known malware.

## • OFAC SANCTIONED COUNTRIES

This app may communicate with the following OFAC sanctioned list of countries.

| DOMAIN | COUNTRY/REGION |
|--------|----------------|
|--------|----------------|

### **Q DOMAIN MALWARE CHECK**

| DOMAIN                           | STATUS | GEOLOCATION   |
|----------------------------------|--------|---|
| maps.googleapis.com              | ok     | IP: 172.253.124.95 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map |
| group.api.guardianlife.com       | ok     | IP: 45.60.150.30 Country: United States of America Region: Washington City: Seattle Latitude: 47.606209 Longitude: -122.332069 View: Google Map         |
| www.guardiananytime.com          | ok     | IP: 45.60.11.160 Country: United States of America Region: Washington City: Seattle Latitude: 47.606209 Longitude: -122.332069 View: Google Map         |
| mobile.events.data.microsoft.com | ok     | IP: 20.189.173.9 Country: United States of America Region: California City: San Francisco Latitude: 37.774929 Longitude: -122.419418 View: Google Map   |

| DOMAIN                  | STATUS | GEOLOCATION  |
|-------------------------|--------|--|
| xml.org                 | ok     | IP: 104.239.142.8 Country: United States of America Region: Texas City: Windcrest Latitude: 29.499678 Longitude: -98.399246 View: Google Map             |
| issuetracker.google.com | ok     | IP: 64.233.177.100  Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map |
| play.google.com         | ok     | IP: 172.253.124.102 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map |
| www.w3.org              | ok     | IP: 104.18.22.19 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map    |

| DOMAIN                    | STATUS | GEOLOCATION  |
|---------------------------|--------|--|
| www.manageddentalcare.net | ok     | IP: 45.223.97.187  Country: United States of America Region: California City: Redwood City Latitude: 37.532440 Longitude: -122.248833 View: Google Map |
| survey.qualtrics.com      | ok     | IP: 23.38.162.28 Country: United States of America Region: California City: Los Angeles Latitude: 34.052231 Longitude: -118.243683 View: Google Map    |
| login.guardianlife.com    | ok     | IP: 3.15.167.137  Country: United States of America Region: Ohio City: Columbus Latitude: 39.961182 Longitude: -82.998787 View: Google Map             |
| www.avesis.com            | ok     | IP: 141.193.213.11 Country: United States of America Region: Texas City: Austin Latitude: 30.271158 Longitude: -97.741699 View: Google Map             |

| DOMAIN                       | STATUS | GEOLOCATION  |
|------------------------------|--------|--|
| apisvc.guardianlife.com      | ok     | IP: 45.60.11.160 Country: United States of America Region: Washington City: Seattle Latitude: 47.606209 Longitude: -122.332069 View: Google Map  |
| client.libertydentalplan.com | ok     | IP: 52.175.202.25 Country: United States of America Region: Washington City: Redmond Latitude: 47.682899 Longitude: -122.120903 View: Google Map |
| teledentix.com               | ok     | IP: 20.228.82.3 Country: United States of America Region: Washington City: Redmond Latitude: 47.682899 Longitude: -122.120903 View: Google Map   |
| www.guardianlife.com         | ok     | IP: 45.60.11.160 Country: United States of America Region: Washington City: Seattle Latitude: 47.606209 Longitude: -122.332069 View: Google Map  |

| DOMAIN                      | STATUS | GEOLOCATION  |
|-----------------------------|--------|--|
| www.dominiondentists.com    | ok     | IP: 8.43.31.32 Country: United States of America Region: Pennsylvania City: Philadelphia Latitude: 39.952339 Longitude: -75.163788 View: Google Map      |
| microsite.versanthealth.com | ok     | IP: 104.18.30.10 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map    |
| www.vsp.com                 | ok     | IP: 18.238.96.8 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map           |
| maps.google.com             | ok     | IP: 173.194.219.139 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map |

| DOMAIN                  | STATUS | GEOLOCATION  |
|-------------------------|--------|--|
| in.appcenter.ms         | ok     | IP: 20.57.103.21 Country: United States of America Region: Virginia City: Boydton Latitude: 36.667641 Longitude: -78.387497 View: Google Map           |
| S-S.S                   | ok     | No Geolocation information available.  |
| signin.guardianlife.com | ok     | IP: 45.60.11.160 Country: United States of America Region: Washington City: Seattle Latitude: 47.606209 Longitude: -122.332069 View: Google Map        |
| idoc.davisvision.com    | ok     | IP: 134.195.63.15 Country: United States of America Region: Texas City: San Antonio Latitude: 29.425426 Longitude: -98.489349 View: Google Map         |
| xmlpull.org             | ok     | IP: 185.199.109.153 Country: United States of America Region: Pennsylvania City: California Latitude: 40.065632 Longitude: -79.891708 View: Google Map |

| DOMAIN          | STATUS | GEOLOCATION   |
|-----------------|--------|---|
| s.qualtrics.com | ok     | IP: 23.38.162.28 Country: United States of America Region: California City: Los Angeles Latitude: 34.052231 Longitude: -118.243683 View: Google Map |

## **EMAILS**

| EMAIL            | FILE  |
|------------------|---|
| random@email.com | com/glic/group/ga/mobile/mfa/ComposableSingletons\$MFAActivityKt\$lambda6\$1.java |

# A TRACKERS

| TRACKER                                      | CATEGORIES      | URL  |
|--|-----------------|--|
| Google CrashLytics                           | Crash reporting | https://reports.exodus-privacy.eu.org/trackers/27  |
| Google Firebase Analytics                    | Analytics       | https://reports.exodus-privacy.eu.org/trackers/49  |
| Microsoft Visual Studio App Center Analytics | Analytics       | https://reports.exodus-privacy.eu.org/trackers/243 |
| Qualtrics                                    |                 | https://reports.exodus-privacy.eu.org/trackers/306 |



# **POSSIBLE SECRETS** "com.google.firebase.crashlytics.mapping\_file\_id": "aab560160cd3434791a3500972766ab3" "google\_api\_key": "AlzaSyCUGl0Lt-T17D5azTTqQgj\_TiOazZSuDVI" "google\_crash\_reporting\_api\_key": "AlzaSyCUGl0Lt-T17D5azTTqQgj\_TiOazZSuDVI" "password": "Password" 11839296a789a3bc0045c8a5fb42c7d1bd998f54449579b446817afbd17273e662c97ee72995ef42640c550b9013fad0761353c7086a272c24088be94769fd16650 16a09e667f3bcc908b2fb1366ea957d3e3adec17512775099da2f590b0667322a 23456789abcdefghjkmnpqrstvwxyz 686479766013060971498190079908139321726943530014330540939446345918554318339765605212255964066145455497729631139148085803712198799971664 3812574028291115057151 258EAFA5-E914-47DA-95CA-C5AB0DC85B11 470fa2b4ae81cd56ecbcda9735803434cec591fa 4fe342e2fe1a7f9b8ee7eb4a7c0f9e162bce33576b315ececbb6406837bf51f5 39402006196394479212279040100143613805079739270465446667946905279627659399113263569398956308152294913554433653942643 5ac635d8aa3a93e7b3ebbd55769886bc651d06b0cc53b0f63bce3c3e27d2604b

#### **POSSIBLE SECRETS**

c6858e06b70404e9cd9e3ecb662395b4429c648139053fb521f828af606b4d3dbaa14b5e77efe75928fe1dc127a2ffa8de3348b3c1856a429bf97e7e31c2e5bd66

3617de4a96262c6f5d9e98bf9292dc29f8f41dbd289a147ce9da3113b5f0b8c00a60b1ce1d7e819d7a431d7c90ea0e5f

733f8a2e-0352-4025-9d8b-30be58fd08f3

b3312fa7e23ee7e4988e056be3f82d19181d9c6efe8141120314088f5013875ac656398d8a2ed19d2a85c8edd3ec2aef

39402006196394479212279040100143613805079739270465446667948293404245721771496870329047266088258938001861606973112319

aa87ca22be8b05378eb1c71ef320ad746e1d3b628ba79b9859f741e082542a385502f25dbf55296c3a545e3872760ab7

051953eb9618e1c9a1f929a21a0b68540eea2da725b99b315f3b8b489918ef109e156193951ec7e937b1652c0bd3bb1bf073573df883d2c34f1ef451fd46b503f00

115792089210356248762697446949407573530086143415290314195533631308867097853951

686479766013060971498190079908139321726943530014330540939446345918554318339765539424505774633321719753296399637136332111386476861244038 0340372808892707005449

6b17d1f2e12c4247f8bce6e563a440f277037d812deb33a0f4a13945d898c296

115792089210356248762697446949407573529996955224135760342422259061068512044369



#### > PLAYSTORE INFORMATION

Title: Guardian® Dental & Vision

Score: 2.33 Installs: 100,000+ Price: 0 Android Version Support: Category: Medical Play Store URL: com.glic.group.ga.mobile

Developer Details: The Guardian Life Insurance Company of America, 5653449626263155179, None, https://www.guardianlife.com/, cru@glic.com,

Release Date: Jul 18, 2012 Privacy Policy: Privacy link

#### **Description:**

Easily access your Guardian Dental and Vision benefit information. - Find a Provider: Search for participating dental or vision providers by name or location - ID cards: View, download/add to Apple wallet or email your Dental and Vision ID cards. Use when making an appointment or at your next visit. - NEW View Dental benefit plan information - NEW View Dental claims status and history

#### **∷** SCAN LOGS

| Timestamp              | Event                                       | Error |
|------------------------|---|-------|
| 2025-08-29<br>23:02:06 | Generating Hashes                           | OK    |
| 2025-08-29<br>23:02:06 | Extracting APK                              | OK    |
| 2025-08-29<br>23:02:06 | Unzipping                                   | OK    |
| 2025-08-29<br>23:02:06 | Parsing APK with androguard                 | ОК    |
| 2025-08-29<br>23:02:06 | Extracting APK features using aapt/aapt2    | OK    |
| 2025-08-29<br>23:02:06 | Getting Hardcoded<br>Certificates/Keystores | ОК    |
| 2025-08-29<br>23:02:08 | Parsing<br>AndroidManifest.xml              | OK    |

| 2025-08-29<br>23:02:08 | Extracting Manifest Data   | ОК |
|------------------------|--|----|
| 2025-08-29<br>23:02:08 | Manifest Analysis Started  | ОК |
| 2025-08-29<br>23:02:08 | Reading Network Security config from network_security_config.xml         | ОК |
| 2025-08-29<br>23:02:08 | Parsing Network Security config  | OK |
| 2025-08-29<br>23:02:08 | Performing Static Analysis<br>on: Guardian<br>(com.glic.group.ga.mobile) | OK |
| 2025-08-29<br>23:02:09 | Fetching Details from Play<br>Store:<br>com.glic.group.ga.mobile         | OK |
| 2025-08-29<br>23:02:09 | Checking for Malware<br>Permissions                                      | OK |
| 2025-08-29<br>23:02:09 | Fetching icon path   | OK |
| 2025-08-29<br>23:02:09 | Library Binary Analysis<br>Started                                       | ОК |
| 2025-08-29<br>23:02:09 | Reading Code Signing<br>Certificate                                      | OK |

| 2025-08-29<br>23:02:10 | Failed to get signature<br>versions with apksigner | CalledProcessError(1, ['/jdk-22.0.2/bin/java', '-Xmx1024M', '-Djava.library.path=', '-jar', '/home/mobsf/Mobile-Security-Framework-MobSF/mobsf/StaticAnalyzer/tools/apksigner.jar', 'verify', 'verbose', '/home/mobsf/.MobSF/uploads/73d2a59ac1d52e096dc52ac48834bfe1/73d2a59ac1d52e096dc52ac48834bfe1.apk']) |
|------------------------|--|---|
| 2025-08-29<br>23:02:10 | Running APKiD 2.1.5                                | OK  |
| 2025-08-29<br>23:02:12 | Detecting Trackers                                 | ОК  |
| 2025-08-29<br>23:02:15 | Decompiling APK to Java<br>with JADX               | ОК  |
| 2025-08-29<br>23:02:32 | Converting DEX to Smali                            | ОК  |
| 2025-08-29<br>23:02:32 | Code Analysis Started on -<br>java_source          | ОК  |
| 2025-08-29<br>23:02:36 | Android SBOM Analysis<br>Completed                 | ОК  |
| 2025-08-29<br>23:02:44 | Android SAST Completed                             | OK  |
| 2025-08-29<br>23:02:44 | Android API Analysis Started                       | OK  |
| 2025-08-29<br>23:02:52 | Android API Analysis<br>Completed                  | ОК  |

| 2025-08-29<br>23:02:52 | Android Permission<br>Mapping Started            | ОК |
|------------------------|--|----|
| 2025-08-29<br>23:03:02 | Android Permission<br>Mapping Completed          | ОК |
| 2025-08-29<br>23:03:03 | Android Behaviour Analysis<br>Started            | ОК |
| 2025-08-29<br>23:03:14 | Android Behaviour Analysis<br>Completed          | ОК |
| 2025-08-29<br>23:03:14 | Extracting Emails and URLs from Source Code      | ОК |
| 2025-08-29<br>23:03:32 | Email and URL Extraction<br>Completed            | ОК |
| 2025-08-29<br>23:03:32 | Extracting String data from APK                  | ОК |
| 2025-08-29<br>23:03:32 | Extracting String data from<br>Code              | ОК |
| 2025-08-29<br>23:03:32 | Extracting String values and entropies from Code | OK |
| 2025-08-29<br>23:03:48 | Performing Malware check on extracted domains    | OK |
| 2025-08-29<br>23:03:53 | Saving to Database                               | OK |

#### Report Generated by - MobSF v4.4.0

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

© 2025 Mobile Security Framework - MobSF | Ajin Abraham | OpenSecurity.