

## ANDROID STATIC ANALYSIS REPORT



Voidpet Garden (3.11.0)

| File Name:          | com.voidpet_210.apk         |
|---------------------|-----------------------------|
| Package Name:       | com.voidpet                 |
| Scan Date:          | Sept. 1, 2025, 11:23 a.m.   |
| App Security Score: | <b>52/100 (MEDIUM RISK)</b> |
| Grade:              |                             |
| Trackers Detection: | 2/432                       |
|                     |                             |

## FINDINGS SEVERITY

| <b>≟</b> HIGH | ▲ MEDIUM | i INFO | ✓ SECURE | <b>®</b> HOTSPOT |
|---------------|----------|--------|----------|------------------|
| 3             | 15       | 2      | 3        | 2                |

#### FILE INFORMATION

**File Name:** com.voidpet\_210.apk

**Size:** 117.77MB

MD5: 8b71208824042e6ec41a921f375b9ddf

**SHA1**: 659222cb792496318d1444d32cafb35f4e920a4a

**SHA256**: 6e4b9b66fe4a5bb2006b974066bacd73304c11ca874f57bbcb085913bbe25651

## **i** APP INFORMATION

**App Name:** Voidpet Garden **Package Name:** com.voidpet

Main Activity: com.voidpet.MainActivity

Target SDK: 34 Min SDK: 24 Max SDK:

**Android Version Name: 3.11.0** 

#### **APP COMPONENTS**

Activities: 7 Services: 6 Receivers: 5 Providers: 7

Exported Activities: 0 Exported Services: 0 Exported Receivers: 3 Exported Providers: 0



Binary is signed v1 signature: False v2 signature: True v3 signature: True v4 signature: False

X.509 Subject: C=US, ST=California, L=Mountain View, O=Google Inc., OU=Android, CN=Android

Signature Algorithm: rsassa\_pkcs1v15 Valid From: 2023-01-28 19:27:50+00:00 Valid To: 2053-01-28 19:27:50+00:00

Issuer: C=US, ST=California, L=Mountain View, O=Google Inc., OU=Android, CN=Android

Serial Number: 0x1588d06d0f0afd8cd0a1740256bd3fd5b2a91c1

Hash Algorithm: sha256

md5: fe42d5e00c9da5ca880b8ce4d4c40ecd

sha1: 10f83031f9085d87fedc4e0bb6e328e44c4e83ec

sha256: 2b18d7031dbc63618f9c32fb8457429776694d31c20366bfdf9f8d3571808a9e

sha512: 3fcb6d935c91c7d2e58197a9e0954ffced847f4bd7b37d8e5d1cbc218eb952a6898c4e87ef808542928bb478590b3da7616a12d139ddc68769c09fd148415d70

PublicKey Algorithm: rsa

Bit Size: 4096

Fingerprint: 9849dee7fc1e8e93f01325033cbe464e19f39287bb65dc0718d07993d868c614

Found 1 unique certificates

## **⋮** APPLICATION PERMISSIONS

| PERMISSION                                | STATUS    | INFO   | DESCRIPTION  |
|---|-----------|--|--|
| android.permission.ACCESS_MEDIA_LOCATION  | dangerous | access any<br>geographic<br>locations              | Allows an application to access any geographic locations persisted in the user's shared collection.                      |
| android.permission.INTERNET               | normal    | full Internet access                               | Allows an application to create network sockets.   |
| android.permission.MODIFY_AUDIO_SETTINGS  | normal    | change your audio<br>settings                      | Allows application to modify global audio settings, such as volume and routing.  |
| android.permission.READ_EXTERNAL_STORAGE  | dangerous | read external<br>storage contents                  | Allows an application to read from external storage.   |
| android.permission.RECORD_AUDIO           | dangerous | record audio                                       | Allows application to access the audio record path.  |
| android.permission.SYSTEM_ALERT_WINDOW    | dangerous | display system-<br>level alerts                    | Allows an application to show system-alert windows. Malicious applications can take over the entire screen of the phone. |
| android.permission.VIBRATE                | normal    | control vibrator                                   | Allows the application to control the vibrator.  |
| android.permission.WRITE_EXTERNAL_STORAGE | dangerous | read/modify/delete<br>external storage<br>contents | Allows an application to write to external storage.  |
| android.permission.ACCESS_NETWORK_STATE   | normal    | view network<br>status                             | Allows an application to view the status of all networks.  |

| PERMISSION   | STATUS    | INFO   | DESCRIPTION  |
|--|-----------|--|--|
| com.google.android.gms.permission.AD_ID            | normal    | application shows<br>advertisements  | This app uses a Google advertising ID and can possibly serve advertisements.   |
| android.permission.READ_MEDIA_IMAGES               | dangerous | allows reading image files from external storage.                                    | Allows an application to read image files from external storage.   |
| android.permission.READ_MEDIA_VIDEO                | dangerous | allows reading<br>video files from<br>external storage.                              | Allows an application to read video files from external storage.   |
| android.permission.READ_MEDIA_AUDIO                | dangerous | allows reading<br>audio files from<br>external storage.                              | Allows an application to read audio files from external storage.   |
| android.permission.READ_MEDIA_VISUAL_USER_SELECTED | dangerous | allows reading<br>user-selected<br>image or video<br>files from external<br>storage. | Allows an application to read image or video files from external storage that a user has selected via the permission prompt photo picker. Apps can check this permission to verify that a user has decided to use the photo picker, instead of granting access to READ_MEDIA_IMAGES or READ_MEDIA_VIDEO . It does not prevent apps from accessing the standard photo picker manually. This permission should be requested alongside READ_MEDIA_IMAGES and/or READ_MEDIA_VIDEO , depending on which type of media is desired. |

| PERMISSION   | STATUS    | INFO  | DESCRIPTION  |
|--|-----------|---|--|
| android.permission.RECEIVE_BOOT_COMPLETED                          | normal    | automatically start<br>at boot  | Allows an application to start itself as soon as the system has finished booting. This can make it take longer to start the phone and allow the application to slow down the overall phone by always running.  |
| android.permission.POST_NOTIFICATIONS                              | dangerous | allows an app to post notifications.                                  | Allows an app to post notifications  |
| android.permission.ACCESS_ADSERVICES_ATTRIBUTION                   | normal    | allow applications<br>to access<br>advertising service<br>attribution | This enables the app to retrieve information related to advertising attribution, which can be used for targeted advertising purposes. App can gather data about how users interact with ads, such as clicks or impressions, to measure the effectiveness of advertising campaigns. |
| com.samsung.android.mapsagent.permission.READ_APP_INFO             | unknown   | Unknown<br>permission   | Unknown permission from android reference  |
| com.huawei.appmarket.service.commondata.permission.GET_COMMON_DATA | unknown   | Unknown<br>permission   | Unknown permission from android reference  |
| android.permission.WAKE_LOCK                                       | normal    | prevent phone<br>from sleeping  | Allows an application to prevent the phone from going to sleep.  |
| com.google.android.c2dm.permission.RECEIVE                         | normal    | recieve push<br>notifications   | Allows an application to receive push notifications from cloud.  |
| android.permission.USE_BIOMETRIC                                   | normal    | allows use of<br>device-supported<br>biometric<br>modalities.         | Allows an app to use device supported biometric modalities.  |

| PERMISSION   | STATUS  | INFO                                 | DESCRIPTION  |
|--|---------|--------------------------------------|--|
| android.permission.USE_FINGERPRINT                                     | normal  | allow use of<br>fingerprint          | This constant was deprecated in API level 28. Applications should request USE_BIOMETRIC instead. |
| com.android.vending.BILLING  | normal  | application has in-<br>app purchases | Allows an application to make in-app purchases from Google Play.                                 |
| com.voidpet.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION                   | unknown | Unknown<br>permission                | Unknown permission from android reference  |
| com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE | normal  | permission defined<br>by google      | A custom permission defined by Google.   |
| com.sec.android.provider.badge.permission.READ                         | normal  | show notification<br>count on app    | Show notification count or badge on application launch icon for samsung phones.                  |
| com.sec.android.provider.badge.permission.WRITE                        | normal  | show notification<br>count on app    | Show notification count or badge on application launch icon for samsung phones.                  |
| com.htc.launcher.permission.READ_SETTINGS                              | normal  | show notification<br>count on app    | Show notification count or badge on application launch icon for htc phones.                      |
| com.htc.launcher.permission.UPDATE_SHORTCUT                            | normal  | show notification<br>count on app    | Show notification count or badge on application launch icon for htc phones.                      |
| com.sonyericsson.home.permission.BROADCAST_BADGE                       | normal  | show notification<br>count on app    | Show notification count or badge on application launch icon for sony phones.                     |
| com.sonymobile.home.permission.PROVIDER_INSERT_BADGE                   | normal  | show notification<br>count on app    | Show notification count or badge on application launch icon for sony phones.                     |

| PERMISSION  | STATUS  | INFO                              | DESCRIPTION  |
|---|---------|-----------------------------------|--|
| com.anddoes.launcher.permission.UPDATE_COUNT          | normal  | show notification<br>count on app | Show notification count or badge on application launch icon for apex.          |
| com.majeur.launcher.permission.UPDATE_BADGE           | normal  | show notification<br>count on app | Show notification count or badge on application launch icon for solid.         |
| com.huawei.android.launcher.permission.CHANGE_BADGE   | normal  | show notification<br>count on app | Show notification count or badge on application launch icon for huawei phones. |
| com.huawei.android.launcher.permission.READ_SETTINGS  | normal  | show notification<br>count on app | Show notification count or badge on application launch icon for huawei phones. |
| com.huawei.android.launcher.permission.WRITE_SETTINGS | normal  | show notification<br>count on app | Show notification count or badge on application launch icon for huawei phones. |
| android.permission.READ_APP_BADGE                     | normal  | show app<br>notification          | Allows an application to show app icon badges.                                 |
| com.oppo.launcher.permission.READ_SETTINGS            | normal  | show notification<br>count on app | Show notification count or badge on application launch icon for oppo phones.   |
| com.oppo.launcher.permission.WRITE_SETTINGS           | normal  | show notification<br>count on app | Show notification count or badge on application launch icon for oppo phones.   |
| me.everything.badger.permission.BADGE_COUNT_READ      | unknown | Unknown<br>permission             | Unknown permission from android reference                                      |
| me.everything.badger.permission.BADGE_COUNT_WRITE     | unknown | Unknown<br>permission             | Unknown permission from android reference                                      |

# **M** APKID ANALYSIS

| FILE        | DETAILS      |   |  |
|-------------|--------------|---|--|
|             | FINDINGS     | DETAILS   |  |
| classes.dex | Anti-VM Code | Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.BOARD check possible Build.SERIAL check Build.TAGS check SIM operator check network operator name check ro.kernel.qemu check |  |
|             | Compiler     | r8 without marker (suspicious)  |  |

| FILE         | DETAILS         | DETAILS  |  |  |
|--------------|-----------------|--|--|--|
|              | FINDINGS        | DETAILS  |  |  |
| classes2.dex | Anti-VM Code    | Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.HARDWARE check Build.HARDWARE check Build.BOARD check |  |  |
|              | Anti Debug Code | Debug.isDebuggerConnected() check  |  |  |
|              | Compiler        | r8 without marker (suspicious)   |  |  |
|              |                 |  |  |  |
|              |                 |  |  |  |

## BROWSABLE ACTIVITIES

| ACTIVITY                 | INTENT  |
|--------------------------|---|
| com.voidpet.MainActivity | Schemes: voidpet://, com.voidpet://, exp+voidpet://, https://, Hosts: voidpet.com, Path Prefixes: /a, |



### **CERTIFICATE ANALYSIS**

HIGH: 0 | WARNING: 0 | INFO: 1

| TITLE              | SEVERITY | DESCRIPTION   |
|--------------------|----------|---|
| Signed Application | info     | Application is signed with a code signing certificate |

## **Q** MANIFEST ANALYSIS

HIGH: 2 | WARNING: 4 | INFO: 0 | SUPPRESSED: 0

| NO | ISSUE   | SEVERITY | DESCRIPTION   |
|----|---|----------|---|
| 1  | App can be installed on a vulnerable unpatched<br>Android version<br>Android 7.0, [minSdk=24] | high     | This application can be installed on an older version of android that has multiple unfixed vulnerabilities. These devices won't receive reasonable security updates from Google. Support an Android version => 10, API 29 to receive reasonable security updates. |
| 2  | Application Data can be Backed up [android:allowBackup=true]                                  | warning  | This flag allows anyone to backup your application data via adb. It allows users who have enabled USB debugging to copy application data off of the device.   |

| NO | ISSUE   | SEVERITY | DESCRIPTION   |
|----|---|----------|---|
| 3  | App Link assetlinks.json file not found<br>[android:name=com.voidpet.MainActivity]<br>[android:host=https://voidpet.com]  | high     | App Link asset verification URL (https://voidpet.com/.well-known/assetlinks.json) not found or configured incorrectly. (Status Code: None). App Links allow users to redirect from a web URL/email to the mobile app. If this file is missing or incorrectly configured for the App Link host/domain, a malicious app can hijack such URLs. This may lead to phishing attacks, leak sensitive data in the URI, such as PII, OAuth tokens, magic link/password reset tokens and more. You must verify the App Link domain by hosting the assetlinks.json file and enabling verification via [android:autoVerify="true"] in the Activity intent-filter. |
| 4  | Broadcast Receiver (com.google.firebase.iid.FirebaseInstanceIdReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.c2dm.permission.SEND [android:exported=true] | warning  | A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.  |
| 5  | Broadcast Receiver (com.amazon.device.iap.ResponseReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.amazon.inapp.purchasing.Permission.NOTIFY [android:exported=true]       | warning  | A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.  |
| 6  | Broadcast Receiver (androidx.profileinstaller.ProfileInstallReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]                   | warning  | A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.  |

# </> CODE ANALYSIS

HIGH: 1 | WARNING: 9 | INFO: 2 | SECURE: 2 | SUPPRESSED: 0

| NO | ISSUE | SEVERITY | STANDARDS | FILES     |
|----|-------|----------|-----------|-----------|
|    |       |          |           | A0/e.java |
|    |       |          |           | A7/A.java |
|    |       |          |           | A7/h.java |
|    |       |          |           | A7/t.java |
|    |       |          |           | C/A.java  |
|    |       |          |           | Cb/e.java |
|    |       |          |           | D6/b.java |
|    |       |          |           | E0/b.java |
|    |       |          |           | E6/c.java |
|    |       |          |           | F/e.java  |
|    |       |          |           | F0/d.java |
|    |       |          |           | F0/e.java |
|    |       |          |           | F7/a.java |
|    |       |          |           | F8/g.java |
|    |       |          |           | G0/b.java |
|    |       |          |           | G3/a.java |
|    |       |          |           | H0/a.java |
|    |       |          |           | H1/f.java |
|    |       |          |           | I3/b.java |
|    |       |          |           | l8/b.java |
|    |       |          |           | l8/d.java |
|    |       |          |           | J/c.java  |
|    |       |          |           | J0/c.java |
|    |       |          |           | J0/e.java |
|    |       |          |           | J5/a.java |
|    |       |          |           | K/b.java  |
|    |       |          |           | K/d.java  |
|    |       |          |           | K0/h.java |
|    |       |          |           | K0/i.java |
|    |       |          |           | K0/k.java |
|    |       |          |           | K0/q.java |
|    |       |          |           | K0/z.java |

| MMCI, java MMCI, java MMCI, java MMCI, java NMCC, java NMCC, java NMCC, java NMCC, java NMC Java NMC Java NMC Java NMC Java NMC Java OUC, java   | NO | ISSUE | SEVERITY | STANDARDS | KS/a.java<br>F1(ES)<br>L0/k.java |
|--|----|-------|----------|-----------|----------------------------------|
| M8/a_java N0/a_java N8/c_java N8/c_java N8/c_java N8/c_java N8/c_java N8/c_java N8/c_java O0/c_java R0/cO855C_java R0/cO855C_java R0/cO855C_java R0/c/java R0/f_java R0/f_java R0/f_java R0/f_java R0/f_java V0/d_java V0/d_java V0/d_java V0/d_java V0/f_java |    |       |          |           | M0/e.java                        |
| NO/a,java N5/c,java N5/c,java N8/c,java N8/c,java N8/c,java N8/c,java O0/c,java R0/C0855c,java R0/C0855c,java R0/C0855c,java R0/C085c,java R0/c,java R0/c,java R0/c,java R0/c,java R0/c,java R0/c,java R0/c,java R0/c,java V0/d,java   |    |       |          |           |                                  |
| N5/c.java N8/c.java N8/c.java N8/c.java N8/c.java N8/c.java N8/c.java O0/c.java O0/c.java O0/c.java O0/t.java R0/C0855c.java R0/C0855f.java R0/C0858f.java R0/c.java R0/t.java V0/d.java V0/d.java V0/d.java V0/d.java V0/t.java   |    |       |          |           |                                  |
| N8/c_java N8/c_java N8/c_java N8/c_java O0/c_java O0/c_java O0/s_java Qor_java Qor_java R0/c0855c_java R0/c0855f_java R0/c085f_java R0/co85f_java R0/cjava R0/cjava R0/s_java R0/s_java R0/s_java R0/s_java V0/java V0/s_java  |    |       |          |           |                                  |
| N8/c_java N8/c_java N8/c_java OO/c_java Qo/java RO/C_S55c_java RO/C_S55c_java RO/C_S55c_java RO/c_java RO/c_java RO/c_java RO/c_java RO/c_java RO/c_java RO/c_java RO/c_java RO/c_java VO/a_java   |    |       |          |           |                                  |
| N8/e, java N8/g, java O/C, java RO/C085f, java RO/C085f, java RO/C, java RO/C, java RO/C, java RO/L, java V/O, java X/C, java   |    |       |          |           |                                  |
| N8/g,java OOrc.java OOrc.java OOrg,java Qorg,java Qorg,java Rorg,java Rorg,java Rorg,java Rorg,java Rorg,java Rorg,java Rorg,java Rorg,java Vorg,java  |    |       |          |           |                                  |
| O/c_java O/c_java O/c_java O/c_java O/c_java O/c_java O/c_java O/c_java O/c_java Q/c_java Q/c_java R/c_gava R/c_gava R/c_gava R/c_gava R/c_java V/c_java X/c_java   |    |       |          |           |                                  |
| OO/d,java OO/s,java OO/s,java OO/t,java OO/t,java OO/t,java OO/t,java OO/f,java Q/c,java Q/c,java QO/l,java RO/C0855c,java RO/C0858f,java RO/F,java RO/F,java RO/f,java RO/t,java RO/t,java RO/t,java VO/d,java  |    |       |          |           |                                  |
| O0/g,java O0/s,java O0/t,java O0/t,java O7/f,java Q/c,java Q/c,java Q/c,java QO/ijava RO/C0855c,java RO/C0856f,java RO/F,java RO/F,java RO/f,java RO/f,java RO/f,java RO/r,java RO/r,java RO/r,java RO/r,java V/r,java  |    |       |          |           |                                  |
| O0/s.java O0/u.java O0/u.java O7/f.java O7/f.java Q/c.java Q/c.java Q/c.java R0/C0855c.java R0/C0855c.java R0/f.java R0/f.java R0/l.java R0/l.java R0/u.java R0/u.java R0/u.java R0/u.java V0/j.java   |    |       |          |           |                                  |
| O0/t.java O0/u.java O7/f.java O7/f.java Q/c.java Q/c.java Q/c.java RO/C0855c.java RO/C0855f.java RO/F.java RO/F.java RO/F.java RO/F.java RO/f.java RO/f.java RO/f.java RO/f.java V/J.java V/J.java V/d.java  |    |       |          |           |                                  |
| O0/u.java O7/f.java O7/f.java Q/c.java Q/c.java QO/l.java R0/C0855c.java R0/C0858f.java R0/F.java R0/F.java R0/m.java R0/m.java R0/m.java R0/u.java R0/u.java V0/java V0/a.java V0/d.java V0/d.java V0/d.java V0/f.java V/f.java  |    |       |          |           |                                  |
| O7/f.java Q/c.java Q/c.java Q0/l.java R0/C0855c.java R0/C0858f.java R0/F.java R0/F.java R0/I.java R0/I.java R0/L.java R0/L.java R0/L.java V0/J.java V0/d.java V0/d.java V0/d.java V0/f.java  |    |       |          |           |                                  |
| Q/c,java Q0/l,java R0/C0855c,java R0/C0858f,java R0/F,java R0/I,java R0/I,java R0/L,java V0/L,java   |    |       |          |           |                                  |
| Q0/l.java R0/C0855c.java R0/C0858f.java R0/F.java R0/I.java R0/m.java V0/java V0/java V0/java V0/java V0/java W/m.java W/m.java X0/c.java X5/d.java X5/d.java Y5/b.java  |    |       |          |           |                                  |
| R0/C0855c.java R0/C0858f.java R0/F.java R0/F.java R0/M.java R0/M.java R0/L.java R0/L.java R0/L.java R0/L.java R0/L.java R0/L.java R0/L.java V0/d.java V0/d.java V0/d.java V0/d.java V0/f.java  |    |       |          |           |                                  |
| R0/C0858f.java R0/F.java R0/I.java R0/I.java R0/m.java R0/t.java R0/x.java S8/i.java U/d.java V0/a.java V0/d.java V0/d.java W/q.java W/q.java W/q.java X5/d.java X5/d.java X5/d.java Y5/b.java   |    |       |          |           |                                  |
| RO/F.java RO/I.java RO/I.java RO/m.java RO/L.java RO/x.java RO/x.java S8/i.java U/d.java VO/a.java VO/d.java VO/d.java VO/f.java W/q.java W/q.java W/q.java XS/d.java XS/d.java Y/a.java Y/a.java Y/a.java   |    |       |          |           |                                  |
| R0/I.java R0/m.java R0/t.java R0/t.java R0/x.java R0/x.java S8/i.java U/d.java V0/a.java V0/d.java V0/j.java W/q.java W/u.java X0/c.java X5/d.java X5/b.java Y/a.java  |    |       |          |           |                                  |
| R0/m.java R0/t.java R0/u.java R0/x.java S8/i.java U/d.java V0/a.java V0/d.java V0/j.java W/q.java W/q.java W/u.java X0/c.java X0/c.java X5/d.java X5/d.java X5/b.java X5/b.java  |    |       |          |           |                                  |
| R0/t.java R0/u.java R0/u.java R0/x.java S8/i.java U/d.java V0/a.java V0/d.java V0/d.java V0/j.java W/q.java W/u.java X0/c.java X5/d.java X5/d.java Y5/b.java   |    |       |          |           |                                  |
| R0/u.java R0/x.java S8/i.java U/d.java V0/a.java V0/d.java V0/j.java W/q.java W/u.java X0/c.java X5/d.java X6/b.java Y/a.java  |    |       |          |           |                                  |
| R0/x.java S8/i.java U/d.java V0/a.java V0/d.java V0/j.java W/q.java W/q.java X0/c.java X5/d.java X6/b.java Y/a.java  |    |       |          |           |                                  |
| S8/i.java U/d.java V0/a.java V0/d.java V0/j.java V0/j.java W/q.java W/u.java X5/d.java X5/d.java X6/b.java Y/a.java  |    |       |          |           |                                  |
| U/d.java V0/a.java V0/d.java V0/d.java V0/j.java V0/j.java W/q.java W/u.java X0/c.java X5/d.java X6/b.java Y/a.java Y5/b.java  |    |       |          |           |                                  |
| V0/a.java V0/d.java V0/j.java W/q.java W/u.java X0/c.java X5/d.java X6/b.java Y/a.java Y5/b.java   |    |       |          |           |                                  |
| V0/d.java V0/j.java W/q.java W/u.java X0/c.java X5/d.java X6/b.java Y/a.java Y5/b.java   |    |       |          |           |                                  |
| V0/j.java W/q.java W/u.java X0/c.java X5/d.java X6/b.java Y/a.java Y5/b.java   |    |       |          |           |                                  |
| W/q.java W/u.java X0/c.java X5/d.java X6/b.java Y/a.java Y5/b.java   |    |       |          |           |                                  |
| W/u.java X0/c.java X5/d.java X6/b.java Y/a.java Y5/b.java  |    |       |          |           |                                  |
| X0/c.java X5/d.java X6/b.java Y/a.java Y5/b.java   |    |       |          |           |                                  |
| X5/d.java X6/b.java Y/a.java Y/5/b.java  |    |       |          |           |                                  |
| X6/b.java<br>Y/a.java<br>Y5/b.java   |    |       |          |           |                                  |
| Y/a.java<br>Y5/b.java  |    |       |          |           |                                  |
| Y5/b.java  |    |       |          |           |                                  |
| Y5/b.java  |    |       |          |           |                                  |
|  |    |       |          |           | Y5/b.java                        |

| NO | ISSUE | SEVERITY | STANDARDS | 78 <b>(全さ</b> va<br>a0/InterfaceC0970h.java |
|----|-------|----------|-----------|---|
|    |       |          |           | a2/C0978d.java                              |
|    |       |          |           | a4/k.java                                   |
|    |       |          |           | a6/g.java                                   |
|    |       |          |           | a9/b.java                                   |
|    |       |          |           | a9/c.java                                   |
|    |       |          |           | a9/d.java                                   |
|    |       |          |           | b0/C1139d.java                              |
|    |       |          |           | c0/C1180a.java                              |
|    |       |          |           | c1/AbstractC1181a.java                      |
|    |       |          |           | com/amazon/a/a/g/d.java                     |
|    |       |          |           | com/amazon/a/a/o/c.java                     |
|    |       |          |           | com/amazon/c/a/a/d.java                     |
|    |       |          |           | com/amazon/device/drm/LicensingService      |
|    |       |          |           | .java                                       |
|    |       |          |           | com/amazon/device/drm/a/d/c.java            |
|    |       |          |           | com/amazon/device/iap/PurchasingServic      |
|    |       |          |           | e.java                                      |
|    |       |          |           | com/amazon/device/iap/internal/c/e.java     |
|    |       |          |           | com/amazon/device/simplesignin/Broadc       |
|    |       |          |           | astHandler.java                             |
|    |       |          |           | com/amazon/device/simplesignin/SimpleS      |
|    |       |          |           | ignInService.java                           |
|    |       |          |           | com/amazon/device/simplesignin/a/a/c/b.     |
|    |       |          |           | java  |
|    |       |          |           | com/amazon/device/simplesignin/a/c.java     |
|    |       |          |           | com/amazon/device/simplesignin/a/c/b.ja     |
|    |       |          |           | va  |
|    |       |          |           | com/appsflyer/internal/AFg1aSDK.java        |
|    |       |          |           | com/appsflyer/reactnative/RNAppsFlyerM      |
|    |       |          |           | odule.java                                  |
|    |       |          |           | com/bumptech/glide/GeneratedAppGlide        |
|    |       |          |           | ModuleImpl.java                             |
|    |       |          |           | com/bumptech/glide/c.java                   |
|    |       |          |           | com/bumptech/glide/load/data/b.java         |
|    |       |          |           | com/bumptech/glide/load/data/j.java         |
|    |       |          |           | com/bumptech/glide/load/data/l.java         |
|    |       |          |           | com/bumptech/glide/manager/e.java           |
|    |       |          |           | com/bumptech/glide/manager/p.java           |

| NO | ISSUE   | SEVERITY | STANDARDS  | com/bumptech/glide/manager/q.java<br>டிருஜ்thub/penfeizhou/animation/decode<br>/b.java   |
|----|---|----------|--|--|
| 1  | The App logs information. Sensitive information should never be logged. | info     | CWE: CWE-532: Insertion of Sensitive Information into Log File OWASP MASVS: MSTG-STORAGE-3 | com/horcrux/svg/C1588w.java com/reactcommunity/rndatetimepicker/d. ava com/reactnativecommunity/asyncstorage/ h.java com/reactnativevolumemanager/Volume ManagerModule.java com/revenuecat/purchases/common/DefaultLogHandler.java com/revenuecat/purchases/hybridcommon/CommonKt.java com/revenuecat/purchases/hybridcommon/mappers/PurchasesPeriod.java com/revenuecat/purchases/react/RNPurchasesModule.java com/shopify/reactnative/skia/RNSkiaModule.java com/shopify/reactnative/skia/SkiaAHBView.java com/shopify/reactnative/skia/SkiaBaseView.java com/shopify/reactnative/skia/SkiaTexture View.java com/shopify/reactnative/skia/ViewScreenshotService.java com/swmansion/gesturehandler/react/RN GestureHandlerModule.java com/swmansion/gesturehandler/react/i.ja va com/swmansion/gesturehandler/react/j.ja va com/swmansion/gesturehandler/react/j.ja va com/swmansion/reanimated/NativeMethodsHelper.java com/swmansion/reanimated/Reanimated Module.java com/swmansion/reanimated/Reanimated UlManagerFactory.java com/swmansion/reanimated/Reanimated UlManagerFactory.java com/swmansion/reanimated/keyboard/Wi |

| NO | ISSUE | SEVERITY | STANDARDS | ndowsInsetsManager.java<br><b>种性多</b> ymansion/reanimated/layoutReani      |
|----|-------|----------|-----------|--|
|    |       |          | <u> </u>  | mation/AnimationsManager.java  |
|    |       |          |           | com/swmansion/reanimated/layoutReani                                       |
|    |       |          |           | mation/ReanimatedNativeHierarchyManag                                      |
|    |       |          |           | er.java  |
|    |       |          |           | com/swmansion/reanimated/layoutReani                                       |
|    |       |          |           | mation/ScreensHelper.java  |
|    |       |          |           | com/swmansion/reanimated/layoutReani                                       |
|    |       |          |           | mation/SharedTransitionManager.java  |
|    |       |          |           | com/swmansion/reanimated/layoutReani                                       |
|    |       |          |           | mation/TabNavigatorObserver.java   |
|    |       |          |           | com/swmansion/reanimated/nativeProxy/                                      |
|    |       |          |           | NativeProxyCommon.java   |
|    |       |          |           | com/swmansion/reanimated/sensor/Reani                                      |
|    |       |          |           | matedSensorContainer.java  |
|    |       |          |           | com/swmansion/rnscreens/C1600i.java  |
|    |       |          |           | com/swmansion/rnscreens/ScreenStackHe                                      |
|    |       |          |           | aderConfigViewManager.java   |
|    |       |          |           | com/swmansion/rnscreens/ScreensModul                                       |
|    |       |          |           | e.java   |
|    |       |          |           | com/swmansion/rnscreens/SearchBarMan                                       |
|    |       |          |           | ager.java  |
|    |       |          |           | com/swmansion/rnscreens/utils/ScreenDu                                     |
|    |       |          |           | mmyLayoutHelper.java   |
|    |       |          |           | com/th3rdwave/safeareacontext/k.java                                       |
|    |       |          |           | d4/AbstractC1630a.java   |
|    |       |          |           | d6/i.java  |
|    |       |          |           | e1/AbstractC1657a.java   |
|    |       |          |           | expo/modules/av/AVManager.java   |
|    |       |          |           | expo/modules/av/Avivianager.java<br>expo/modules/av/player/PlayerData.java |
|    |       |          |           |  |
|    |       |          |           | expo/modules/av/player/h.java  |
|    |       |          |           | expo/modules/av/video/e.java   |
|    |       |          |           | expo/modules/fetch/NativeResponse.java                                     |
|    |       |          |           | expo/modules/notifications/service/Notific                                 |
|    |       |          |           | ationsService.java   |
|    |       |          |           | expo/modules/updates/d.java  |
|    |       |          |           | expo/modules/updates/h.java  |
|    |       |          |           | f0/AbstractC1749a.java   |
|    |       |          |           | f1/C1753b.java   |
|    |       |          |           | f1/h.java  |

|    | ICCLIE | CEVEDITY | CTANDARDC | f1/k.java                               |
|----|--------|----------|-----------|---|
| NO | ISSUE  | SEVERITY | STANDARDS | F/g ES/veb/reactnativeviewshot/RNViewSh |
|    |        |          |           | otModule.java                           |
|    |        |          |           | fr/greweb/reactnativeviewshot/a.java    |
|    |        |          |           | g0/M.java                               |
|    |        |          |           | g7/C1876b.java                          |
|    |        |          |           | h9/C1942d.java                          |
|    |        |          |           | io/sentry/V2.java                       |
|    |        |          |           | io/sentry/android/core/C2029u.java      |
|    |        |          |           | io/sentry/android/replay/u.java         |
|    |        |          |           | io/sentry/android/replay/x.java         |
|    |        |          |           | j9/C2180a.java                          |
|    |        |          |           | j9/C2181b.java                          |
|    |        |          |           | j9/C2182c.java                          |
|    |        |          |           | j9/C2183d.java                          |
|    |        |          |           | j9/e.java                               |
|    |        |          |           | k5/AbstractC2272s.java                  |
|    |        |          |           | l/MenultemC2354c.java                   |
|    |        |          |           | l0/AbstractC2358d.java                  |
|    |        |          |           | I0/C2355a.java                          |
|    |        |          |           | l9/g.java                               |
|    |        |          |           | m0/C2528h.java                          |
|    |        |          |           | m7/g.java                               |
|    |        |          |           | m8/f.java                               |
|    |        |          |           | n0/C2629j.java                          |
|    |        |          |           | n6/e.java                               |
|    |        |          |           | nb/AbstractC2690c.java                  |
|    |        |          |           | o5/C2711a.java                          |
|    |        |          |           | o5/d.java                               |
|    |        |          |           | o8/n.java                               |
|    |        |          |           | o8/q.java                               |
|    |        |          |           | q6/C2839f.java                          |
|    |        |          |           | q6/C2847n.java                          |
|    |        |          |           | r5/AbstractC2935A.java                  |
|    |        |          |           | r5/AbstractC2937b.java                  |
|    |        |          |           | =                                       |
|    |        |          |           | r5/C2938c.java                          |
|    |        |          |           | r5/D.java                               |
|    |        |          |           | r5/E.java                               |
|    |        |          |           | r5/k.java                               |
|    |        |          |           | r5/x.java                               |
|    |        |          |           | r5/y.java                               |

| NO | ISSUE  | SEVERITY | STANDARDS  | r8/AbstractC2958a.java <b>Fbl/ÆS</b> tractC3024c.java t/C3030f.java  |
|----|--|----------|--|--|
|    |  |          |  | t5/v.java t8/C3098a.java u5/AbstractBinderC3134a.java u5/AbstractC3136c.java u5/AbstractC3157y.java u5/B.java u5/O.java u5/S.java u5/T.java u5/U.java u5/W.java u5/W.java u5/c0.java u5/c0.java v2/c3161a.java u8/C3180a.java v2/C3238f.java v7/C3238m.java x5/C3373b.java y5/m.java z/AbstractC3465d.java |
| 2  | SHA-1 is a weak hash known to have hash collisions.  | warning  | CWE: CWE-327: Use of a Broken or Risky<br>Cryptographic Algorithm<br>OWASP Top 10: M5: Insufficient Cryptography<br>OWASP MASVS: MSTG-CRYPTO-4 | D6/b.java com/amazon/a/a/o/b/a.java com/revenuecat/purchases/common/Utils Kt.java i8/AbstractC1974b.java io/sentry/util/w.java v1/c.java   |
| 3  | This App copies data to clipboard. Sensitive data should not be copied to clipboard as other applications can access it. | info     | OWASP MASVS: MSTG-STORAGE-10   | r7/C2954a.java   |

| NO | ISSUE  | SEVERITY | STANDARDS   | FILES   |
|----|--|----------|---|---|
| 4  | The App uses an insecure Random<br>Number Generator. | warning  | CWE: CWE-330: Use of Insufficiently Random<br>Values<br>OWASP Top 10: M5: Insufficient Cryptography<br>OWASP MASVS: MSTG-CRYPTO-6 | Fb/d.java Fb/h.java 19/a.java O4/O.java Q7/b.java R4/b.java com/amazon/a/a/b/b.java com/amazon/a/a/i/b.java com/amazon/a/a/l/c.java com/appsflyer/internal/AFa1vSDK.java com/appsflyer/internal/AFb1bSDK.java com/appsflyer/internal/AFi1fSDK.java expo/modules/updates/h.java m4/C2567p0.java qb/C2876A.java   |
|    |  |          |   | I0/g.java K0/d.java K0/d.java K0/p.java K0/x.java Z8/d.java com/appsflyer/reactnative/RNAppsFlyerConstants.java com/revenuecat/purchases/amazon/Amazon/Evenuecat/purchases/amazon/Amazon/CacheKt.java com/revenuecat/purchases/common/BacendKt.java com/revenuecat/purchases/common/BacendKt.java com/revenuecat/purchases/common/BacendKt.java com/revenuecat/purchases/common/cacheng/DeviceCache.java com/revenuecat/purchases/common/diagonostics/DiagnosticsEntry.java com/revenuecat/purchases/common/diagonostics/DiagnosticsHelper.java |

| NO 5 | ISSUE Files may contain hardcoded sensitive information like usernames, passwords, keys etc.   | SEVERITY | SWANDARDSCleartext Storage of Sensitive Information  OWASP Top 10: M9: Reverse Engineering OWASP MASVS: MSTG-STORAGE-14                          | com/revenuecat/purchases/common/diag FileES/DiagnosticsTracker.java com/revenuecat/purchases/common/offli neentitlements/ProductEntitlementMappin g.java com/revenuecat/purchases/common/verif ication/DefaultSignatureVerifier.java com/revenuecat/purchases/common/verif ication/Signature.java com/revenuecat/purchases/common/verif ication/SigningManager.java com/revenuecat/purchases/strings/Config ureStrings.java com/revenuecat/purchases/subscriberattri butes/SubscriberAttribute.java com/revenuecat/purchases/subscriberattri butes/SubscriberAttributeKt.java expo/modules/adapters/react/NativeMod ulesProxy.java expo/modules/image/records/SourceMap. java expo/modules/image/records/SourceMap. java expo/modules/updates/d.java expo/modules/updates/g.java expo/modules/webbrowser/OpenBrowser Options.java h9/j.java |
|------|--|----------|--|---|
| 6    | App can read/write to External Storage. Any App can read data written to External Storage.   | warning  | CWE: CWE-276: Incorrect Default Permissions<br>OWASP Top 10: M2: Insecure Data Storage<br>OWASP MASVS: MSTG-STORAGE-2                            | i1/b.java i0/sentry/android/core/C2008e0.java o8/q.java s1/C2967a.java  |
| 7    | App uses SQLite Database and execute raw SQL query. Untrusted user input in raw SQL queries can cause SQL Injection. Also sensitive information should be encrypted and written to the database. | warning  | CWE: CWE-89: Improper Neutralization of Special<br>Elements used in an SQL Command ('SQL<br>Injection')<br>OWASP Top 10: M7: Client Code Quality | b0/C1138c.java<br>com/reactnativecommunity/asyncstorage/<br>k.java<br>h4/M.java<br>h4/U.java  |

| NO | ISSUE  | SEVERITY | STANDARDS  | FILES   |
|----|--|----------|--|---|
| 8  | IP Address disclosure  | warning  | CWE: CWE-200: Information Exposure<br>OWASP MASVS: MSTG-CODE-2   | Z8/a.java com/amazon/device/drm/LicensingService .java com/amazon/device/iap/PurchasingServic e.java e3/AbstractC1659a.java |
| 9  | App creates temp file. Sensitive information should never be written into a temp file.                   | warning  | CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2                                | D6/c.java W/u.java fr/greweb/reactnativeviewshot/RNViewSh otModule.java i1/b.java io/sentry/react/n.java                    |
| 10 | This App uses SSL certificate pinning to detect or prevent MITM attacks in secure communication channel. | secure   | OWASP MASVS: MSTG-NETWORK-4  | Bb/c.java<br>Bb/d.java<br>Bb/i.java<br>Bb/j.java<br>com/amazon/a/a/o/b/a.java   |
| 11 | MD5 is a weak hash known to have hash collisions.  | warning  | CWE: CWE-327: Use of a Broken or Risky<br>Cryptographic Algorithm<br>OWASP Top 10: M5: Insufficient Cryptography<br>OWASP MASVS: MSTG-CRYPTO-4 | b7/C1152a.java<br>expo/modules/filesystem/next/FileSystem<br>File.java<br>x0/g.java   |
| 12 | This App may request root (Super User) privileges.   | warning  | CWE: CWE-250: Execution with Unnecessary<br>Privileges<br>OWASP MASVS: MSTG-RESILIENCE-1   | io/sentry/android/core/internal/util/m.jav<br>a   |
| 13 | This App may have root detection capabilities.   | secure   | OWASP MASVS: MSTG-RESILIENCE-1   | d6/w.java<br>io/sentry/android/core/internal/util/m.jav<br>a<br>o7/C2713a.java  |

| NO | ISSUE  | SEVERITY | STANDARDS   | FILES     |
|----|--|----------|---|-----------|
| 14 | The App uses the encryption mode CBC with PKCS5/PKCS7 padding. This configuration is vulnerable to padding oracle attacks. | high     | CWE: CWE-649: Reliance on Obfuscation or<br>Encryption of Security-Relevant Inputs without<br>Integrity Checking<br>OWASP Top 10: M5: Insufficient Cryptography<br>OWASP MASVS: MSTG-CRYPTO-3 | T4/a.java |

## ■ NIAP ANALYSIS v1.3

| NO | IDENTIFIER | REQUIREMENT | FEATURE | DESCRIPTION |  |
|----|------------|-------------|---------|-------------|--|
|----|------------|-------------|---------|-------------|--|

## **BEHAVIOUR ANALYSIS**

| RULE ID | BEHAVIOUR | LABEL | FILES |
|---------|-----------|-------|-------|
|---------|-----------|-------|-------|

| RULE ID | BEHAVIOUR  | LABEL                           | FILES   |
|---------|--|---------------------------------|---|
| 00063   | Implicit intent(view a web page, make<br>a phone call, etc.) | control                         | U8/d.java Y6/e.java com/amazon/a/a/i/a.java com/amazon/device/iap/internal/a/a.java com/appsflyer/internal/AFc1bSDK.java com/appsflyer/internal/AFc1kSDK.java com/appsflyer/internal/AFf1tSDK.java com/appsflyer/internal/AFf1tSDK.java expo/modules/notifications/service/NotificationsService.java l0/C2355a.java m0/C2528h.java m0/o.java me/leolin/shortcutbadger/impl/SonyHomeBadger.java o9/b.java o9/k.java v7/C3238m.java |
| 00028   | Read file from assets directory                              | file                            | j5/C2166c.java  |
| 00077   | Read sensitive data(SMS, CALLLOG, etc)                       | collection sms calllog calendar | J0/c.java K/b.java K/d.java com/appsflyer/internal/AFb1lSDK.java com/appsflyer/internal/AFj1uSDK.java o8/n.java o8/q.java q8/AbstractC2862b.java r8/AbstractC2958a.java   |

| RULE ID | BEHAVIOUR                                   | LABEL      | FILES   |
|---------|---|------------|---|
| 00036   | Get resource file from res/raw<br>directory | reflection | Y6/e.java com/amazon/a/a/i/g.java com/appsflyer/internal/AFf1hSDK.java com/appsflyer/internal/AFj1tSDK.java com/appsflyer/internal/AFj1wSDK.java com/appsflyer/internal/AFj1xSDK.java expo/modules/av/player/b.java expo/modules/image/records/SourceMap.java expo/modules/notifications/service/NotificationsService.java expo/modules/updates/d.java j5/C2157E.java k5/Q.java l0/AbstractC2358d.java me/leolin/shortcutbadger/impl/NovaHomeBadger.java w7/C3238m.java |
| 00091   | Retrieve data from broadcast                | collection | com/amazon/device/drm/a/d/c.java<br>com/amazon/device/iap/internal/c/e.java<br>com/amazon/device/simplesignin/a/c/b.java<br>com/appsflyer/internal/AFb1rSDK.java<br>com/appsflyer/internal/AFc1kSDK.java<br>expo/modules/notifications/service/NotificationsService.java  |

| RULE ID | BEHAVIOUR  | LABEL | FILES   |
|---------|--|-------|---|
| 00022   | Open a file from given absolute path of the file | file  | A7/g.java W/u.java b0/C1139d.java com/amazon/a/a/b/b.java com/appsflyer/internal/AFg1jSDK.java e8/K.java expo/modules/updates/h.java fr/greweb/reactnativeviewshot/RNViewShotModule.java i1/k.java io/sentry/AbstractC2091p.java io/sentry/C2113t2.java io/sentry/C2129x.java io/sentry/R0.java io/sentry/T0.java io/sentry/android/core/AbstractC2034z.java io/sentry/android/core/C2008e0.java io/sentry/android/core/cache/b.java io/sentry/android/replay/h.java io/sentry/android/replay/h.java io/sentry/cache/c.java io/sentry/cache/f.java io/sentry/cache/f.java io/sentry/react/n.java I0/AbstractC2358d.java I0/C2359e.java I0/C2359e.java I0/C2360f.java m1/c.java n0/AbstractC2639u.java s1/C2967a.java v7/C3238m.java x0/g.java x0/h.java |

| RULE ID | BEHAVIOUR                          | LABEL | FILES   |
|---------|------------------------------------|-------|---|
| 00013   | Read file and put it into a stream | file  | B1/a.java D6/c.java E0/b.java Gb/r.java O0/g.java W/u.java Y/b.java b7/C1152a.java com/airbnb/android/react/lottie/h.java com/airbnb/android/react/lottie/h.java com/appsflyer/internal/AFa1ySDK.java com/appsflyer/internal/AFa1ySDK.java com/appsflyer/internal/AFg1jSDK.java com/appsflyer/internal/AFg1jSDK.java com/bumptech/glide/load/a.java com/reactnativecommunity/asyncstorage/h.java com/revenuecat/purchases/common/FileHelper.java expo/modules/updates/h.java g1/C1839b.java h3/RunnableC1899a.java io/sentry/C2129x.java io/sentry/R0.java io/sentry/R0.java io/sentry/android/core/SentryPerformanceProvider.java io/sentry/cache/c.java io/sentry/cache/f.java io/sentry/cache/f.java io/sentry/config/e.java io/sentry/tonfig/e.java io/sentry/tuil/e.java j5/C2157E.java j5/C2157E.java j5/C2157E.java j5/C2157E.java v7/C3238m.java x0/f.java v7/C3238m.java x0/f.java |

| RULE ID | BEHAVIOUR   | LABEL                           | Fold Sppsflyer/internal/AFj1uSDK.java   |
|---------|---|---------------------------------|---|
| 00189   | Get the content of a SMS message                      | sms                             | o8/q.java<br>q8/AbstractC2862b.java<br>r8/AbstractC2958a.java   |
| 00188   | Get the address of a SMS message                      | sms                             | com/appsflyer/internal/AFj1uSDK.java<br>o8/q.java<br>q8/AbstractC2862b.java<br>r8/AbstractC2958a.java |
| 00200   | Query data from the contact list                      | collection contact              | com/appsflyer/internal/AFj1uSDK.java<br>o8/q.java<br>q8/AbstractC2862b.java<br>r8/AbstractC2958a.java |
| 00187   | Query a URI and check the result                      | collection sms calllog calendar | K/d.java<br>o8/q.java<br>q8/AbstractC2862b.java<br>r8/AbstractC2958a.java                             |
| 00201   | Query data from the call log                          | collection calllog              | com/appsflyer/internal/AFj1uSDK.java<br>o8/q.java<br>q8/AbstractC2862b.java<br>r8/AbstractC2958a.java |
| 00026   | Method reflection                                     | reflection                      | Y9/C0942a.java<br>Y9/C0943b.java  |
| 00175   | Get notification manager and cancel notifications     | notification                    | t8/C3098a.java  |
| 00014   | Read file into a stream and put it into a JSON object | file                            | D6/c.java com/appsflyer/internal/AFg1jSDK.java expo/modules/updates/h.java h3/RunnableC1899a.java     |

| RULE ID | BEHAVIOUR   | LABEL          | FILES   |
|---------|---|----------------|---|
| 00005   | Get absolute path of file and put it to JSON object | file           | com/appsflyer/internal/AFg1jSDK.java<br>expo/modules/updates/h.java |
| 08000   | Save recorded audio/video to a file                 | record file    | expo/modules/av/AVManager.java                                      |
| 00101   | Initialize recorder                                 | record         | expo/modules/av/AVManager.java                                      |
| 00121   | Create a directory                                  | file command   | expo/modules/av/AVManager.java<br>v7/C3238m.java                    |
| 00199   | Stop recording and release recording resources      | record         | expo/modules/av/AVManager.java                                      |
| 00198   | Initialize the recorder and start recording         | record         | expo/modules/av/AVManager.java                                      |
| 00136   | Stop recording                                      | record command | expo/modules/av/AVManager.java                                      |
| 00194   | Set the audio source (MIC) and recorded file format | record         | expo/modules/av/AVManager.java                                      |
| 00090   | Set recroded audio/video file format                | record         | expo/modules/av/AVManager.java                                      |
| 00197   | Set the audio encoder and initialize the recorder   | record         | expo/modules/av/AVManager.java                                      |
| 00102   | Set the phone speaker on                            | command        | expo/modules/av/AVManager.java                                      |
| 00138   | Set the audio source (MIC)                          | record         | expo/modules/av/AVManager.java                                      |

| RULE ID | BEHAVIOUR   | LABEL           | FILES  |
|---------|---|-----------------|--|
| 00196   | Set the recorded file format and output path              | record file     | expo/modules/av/AVManager.java   |
| 00133   | Start recording   | record command  | expo/modules/av/AVManager.java   |
| 00104   | Check if the given path is directory                      | file            | expo/modules/av/AVManager.java<br>v7/C3238m.java   |
| 00041   | Save recorded audio/video to file                         | record          | expo/modules/av/AVManager.java   |
| 00096   | Connect to a URL and set request method                   | command network | E6/c.java com/appsflyer/internal/AFd1hSDK.java com/appsflyer/internal/AFe1lSDK.java com/revenuecat/purchases/common/HTTPClient.java io/sentry/transport/o.java j5/t.java x0/C3355b.java                      |
| 00089   | Connect to a URL and receive input stream from the server | command network | E6/c.java com/appsflyer/internal/AFd1hSDK.java com/appsflyer/internal/AFe1lSDK.java com/bumptech/glide/load/data/j.java com/revenuecat/purchases/common/HTTPClient.java io/sentry/transport/o.java j5/t.java |
| 00030   | Connect to the remote server through the given URL        | network         | com/bumptech/glide/load/data/j.java<br>io/sentry/transport/o.java<br>j5/t.java<br>x0/C3355b.java   |

| RULE ID | BEHAVIOUR  | LABEL           | FILES   |
|---------|--|-----------------|---|
| 00109   | Connect to a URL and get the response code             | network command | E6/c.java com/appsflyer/internal/AFd1hSDK.java com/appsflyer/internal/AFe1lSDK.java com/appsflyer/internal/AFf1kSDK.java com/bumptech/glide/load/data/j.java com/revenuecat/purchases/common/HTTPClient.java io/sentry/transport/o.java j5/t.java o5/d.java |
| 00094   | Connect to a URL and read data from it                 | command network | com/shopify/reactnative/skia/PlatformContext.java<br>j5/t.java  |
| 00108   | Read the input stream from given URL                   | network command | j5/t.java   |
| 00024   | Write file after Base64 decoding                       | reflection file | l0/C2359e.java<br>l0/C2360f.java<br>n0/AbstractC2639u.java<br>v7/C3238m.java  |
| 00012   | Read data and put it into a buffer<br>stream           | file            | com/amazon/c/a/a/c.java io/sentry/C2129x.java io/sentry/R0.java io/sentry/cache/c.java io/sentry/cache/f.java io/sentry/config/e.java io/sentry/util/e.java v7/C3238m.java  |
| 00114   | Create a secure socket connection to the proxy address | network command | wb/f.java   |

| RULE ID | BEHAVIOUR   | LABEL                  | FILES  |
|---------|---|------------------------|--|
| 00192   | Get messages in the SMS inbox   | sms                    | com/appsflyer/internal/AFb1lSDK.java<br>l0/AbstractC2358d.java   |
| 00191   | Get messages in the SMS inbox   | sms                    | com/appsflyer/internal/AFj1tSDK.java<br>com/appsflyer/internal/AFj1uSDK.java<br>com/appsflyer/internal/AFj1vSDK.java<br>com/appsflyer/internal/AFj1xSDK.java<br>r8/AbstractC2958a.java |
| 00078   | Get the network operator name   | collection telephony   | com/appsflyer/internal/AFi1rSDK.java   |
| 00011   | Query data from URI (SMS,<br>CALLLOGS)                                    | sms calllog collection | com/appsflyer/internal/AFb1lSDK.java<br>com/appsflyer/internal/AFj1uSDK.java<br>r8/AbstractC2958a.java   |
| 00161   | Perform accessibility service action on accessibility node info           | accessibility service  | C/A.java   |
| 00173   | Get bounds in screen of an<br>AccessibilityNodeInfo and perform<br>action | accessibility service  | C/A.java   |
| 00162   | Create InetSocketAddress object and connecting to it                      | socket                 | Bb/b.java<br>Bb/j.java   |
| 00163   | Create new Socket and connecting to it                                    | socket                 | Bb/b.java<br>Bb/j.java   |
| 00051   | Implicit intent(view a web page, make<br>a phone call, etc.) via setData  | control                | Y6/e.java<br>m0/C2528h.java<br>o9/b.java<br>o9/k.java  |

| RULE ID | BEHAVIOUR   | LABEL                | FILES   |
|---------|---|----------------------|---|
| 00052   | Deletes media specified by a content URI(SMS, CALL_LOG, File, etc.) | sms                  | r8/c.java   |
| 00125   | Check if the given file path exist                                  | file                 | v7/C3238m.java  |
| 00132   | Query The ISO country code  | telephony collection | k5/Q.java   |
| 00056   | Modify voice volume   | control              | com/reactnativevolumemanager/VolumeManagerModule.java |
| 00009   | Put data in cursor to JSON object                                   | file                 | com/reactnativecommunity/asyncstorage/a.java          |

## FIREBASE DATABASES ANALYSIS

| TITLE                                 | SEVERITY | DESCRIPTION   |
|---------------------------------------|----------|---|
| Firebase<br>Remote Config<br>disabled | secure   | Firebase Remote Config is disabled for https://firebaseremoteconfig.googleapis.com/v1/projects/271643713622/namespaces/firebase:fetch? key=AlzaSyDhnfycg2AhlBgCSHgSfbUTCc8GXtgUp3o. This is indicated by the response: {'state': 'NO_TEMPLATE'} |

### **SECOND SECOND PERMISSIONS**

| TYPE                   | MATCHES | PERMISSIONS   |
|------------------------|---------|---|
| Malware<br>Permissions | 9/25    | android.permission.INTERNET, android.permission.READ_EXTERNAL_STORAGE, android.permission.RECORD_AUDIO, android.permission.SYSTEM_ALERT_WINDOW, android.permission.VIBRATE, android.permission.WRITE_EXTERNAL_STORAGE, android.permission.ACCESS_NETWORK_STATE, android.permission.RECEIVE_BOOT_COMPLETED, android.permission.WAKE_LOCK |

| TYPE                           | MATCHES | PERMISSIONS   |
|--------------------------------|---------|---|
| Other<br>Common<br>Permissions | 4/44    | android.permission.MODIFY_AUDIO_SETTINGS, com.google.android.gms.permission.AD_ID, com.google.android.c2dm.permission.RECEIVE, com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE |

#### **Malware Permissions:**

Top permissions that are widely abused by known malware.

#### **Other Common Permissions:**

Permissions that are commonly abused by known malware.

### • OFAC SANCTIONED COUNTRIES

This app may communicate with the following OFAC sanctioned list of countries.

| DOMAIN | COUNTRY/REGION |
|--------|----------------|
|--------|----------------|

### **Q DOMAIN MALWARE CHECK**

| DOMAIN        | STATUS | GEOLOCATION   |
|---------------|--------|---|
| pinterest.com | ok     | IP: 151.101.0.84 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map |

| DOMAIN   | STATUS | GEOLOCATION   |
|--|--------|---|
| expo.dev   | ok     | IP: 104.18.5.104 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map |
| www.risktabsprev10pxrise25pxblueding300ball for dearnwild box. fairlack verspair june tech if pickevil and the contraction of | ok     | No Geolocation information available.   |
| www.wencodeuricomponent  | ok     | No Geolocation information available.   |
| WWW.CSS  | ok     | No Geolocation information available.   |
| www.interpretation   | ok     | No Geolocation information available.   |
| sinapps.s  | ok     | No Geolocation information available.   |
| xml.org  | ok     | IP: 104.239.142.8 Country: United States of America Region: Texas City: Windcrest Latitude: 29.499678 Longitude: -98.399246 View: Google Map          |

| DOMAIN                  | STATUS | GEOLOCATION   |
|-------------------------|--------|---|
| plus.google.com         | ok     | IP: 216.58.211.14 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map  |
| issuetracker.google.com | ok     | IP: 142.250.74.174 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map |
| play.google.com         | ok     | IP: 142.250.74.142 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map |
| www.world               | ok     | IP: 75.2.38.108 Country: United States of America Region: Washington City: Seattle Latitude: 47.606209 Longitude: -122.332069 View: Google Map          |

| DOMAIN           | STATUS | GEOLOCATION  |
|------------------|--------|--|
| www.w3.org       | ok     | IP: 104.18.22.19 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map    |
| github.com       | ok     | IP: 140.82.114.3 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map    |
| www.facebook.com | ok     | IP: 31.13.70.36  Country: United States of America Region: California City: Los Angeles Latitude: 34.052231 Longitude: -118.243683 View: Google Map      |
| sdlsdk.s         | ok     | No Geolocation information available.  |
| twitter.com      | ok     | IP: 162.159.140.229 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map |

| DOMAIN                | STATUS | GEOLOCATION   |
|-----------------------|--------|---|
| www.years             | ok     | No Geolocation information available.   |
| sconversions.s        | ok     | No Geolocation information available.   |
| simpression.s         | ok     | No Geolocation information available.   |
| .css                  | ok     | No Geolocation information available.   |
| smonitorsdk.s         | ok     | No Geolocation information available.   |
| 10.0.2.2              | ok     | IP: 10.0.2.2  Country: -  Region: -  City: -  Latitude: 0.000000  Longitude: 0.000000  View: Google Map   |
| developer.android.com | ok     | IP: 142.250.74.174 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map |
| sgcdsdk.s             | ok     | No Geolocation information available.   |

| DOMAIN             | STATUS | GEOLOCATION  |
|--------------------|--------|--|
| exoplayer.dev      | ok     | IP: 185.199.110.153 Country: United States of America Region: Pennsylvania City: California Latitude: 40.065632 Longitude: -79.891708 View: Google Map |
| sattr.s            | ok     | No Geolocation information available.  |
| docs.swmansion.com | ok     | IP: 104.21.27.136 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map |
| ssdk-services.s    | ok     | No Geolocation information available.  |
| www.hortcut        | ok     | No Geolocation information available.  |
| sadrevenue.s       | ok     | No Geolocation information available.  |
| www.a              | ok     | No Geolocation information available.  |
| sars.s             | ok     | No Geolocation information available.  |

| DOMAIN   |    | GEOLOCATION   |  |
|--|----|---|--|
| rev.cat  | ok | IP: 52.72.49.79 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map             |  |
| pagead2.googlesyndication.com                              | ok | IP: 142.250.74.130 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map |  |
| www.manifestations   | ok | No Geolocation information available.   |  |
| sregister.s  | ok | No Geolocation information available.   |  |
| scdn-ssettings.s   | ok | No Geolocation information available.   |  |
| www.googleorganizationautocompleterequirementsconservative |    | No Geolocation information available.   |  |
| www.in   |    | No Geolocation information available.   |  |
| www.language   | ok | No Geolocation information available.   |  |
| filesystem.local   | ok | No Geolocation information available.   |  |
| scdn-stestsettings.s                                       | ok | No Geolocation information available.   |  |

| DOMAIN                         | STATUS | GEOLOCATION  |
|--------------------------------|--------|--|
| api-diagnostics.revenuecat.com | ok     | IP: 54.243.244.245 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map   |
| www.recent                     | ok     | No Geolocation information available.  |
| expo.fyi                       | ok     | IP: 216.150.16.1 Country: Canada Region: Ontario City: Etobicoke Latitude: 43.623768 Longitude: -79.559723 View: Google Map                      |
| aps-webhandler.appsflyer.com   | ok     | IP: 18.238.109.70 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map |
| developer.apple.com            | ok     | IP: 17.253.83.143 Country: Singapore Region: Singapore City: Singapore Latitude: 1.289670 Longitude: 103.850067 View: Google Map                 |

| DOMAIN                      | STATUS | GEOLOCATION  |
|-----------------------------|--------|--|
| api-paywalls.revenuecat.com | ok     | IP: 54.158.163.245 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map |
| sonelink.s                  | ok     | No Geolocation information available.  |
| slaunches.s                 | ok     | No Geolocation information available.  |
| ns.adobe.com                | ok     | No Geolocation information available.  |
| schemas.microsoft.com       | ok     | IP: 13.107.246.71 Country: Netherlands Region: Noord-Holland City: Amsterdam Latitude: 52.374031 Longitude: 4.889690 View: Google Map          |
| svalidate-and-log.s         | ok     | No Geolocation information available.  |
| sapp.s                      | ok     | No Geolocation information available.  |
| www.icon                    | ok     | No Geolocation information available.  |
| www.c                       | ok     | No Geolocation information available.  |

| DOMAIN              | STATUS | GEOLOCATION   |
|---------------------|--------|---|
| errors.rev.cat      | ok     | IP: 67.199.248.13 Country: United States of America Region: New York City: New York City Latitude: 40.739288 Longitude: -73.984955 View: Google Map |
| docs.revenuecat.com | ok     | IP: 18.238.109.116 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map   |
| sviap.s             | ok     | No Geolocation information available.   |
| www.style           | ok     | IP: 75.2.38.108 Country: United States of America Region: Washington City: Seattle Latitude: 47.606209 Longitude: -122.332069 View: Google Map      |
| .jpg                | ok     | No Geolocation information available.   |

| DOMAIN            | STATUS | GEOLOCATION  |
|-------------------|--------|--|
| xmlpull.org       | ok     | IP: 185.199.109.153 Country: United States of America Region: Pennsylvania City: California Latitude: 40.065632 Longitude: -79.891708 View: Google Map |
| dashif.org        | ok     | IP: 185.199.111.153 Country: United States of America Region: Pennsylvania City: California Latitude: 40.065632 Longitude: -79.891708 View: Google Map |
| www.amazon.com    | ok     | IP: 18.238.90.46 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map        |
| shopify.github.io | ok     | IP: 185.199.109.153 Country: United States of America Region: Pennsylvania City: California Latitude: 40.065632 Longitude: -79.891708 View: Google Map |
| svalidate.s       | ok     | No Geolocation information available.  |

| DOMAIN              | STATUS | GEOLOCATION  |  |
|---------------------|--------|--|--|
| aomedia.org         | ok     | IP: 185.199.111.153 Country: United States of America Region: Pennsylvania City: California Latitude: 40.065632 Longitude: -79.891708 View: Google Map |  |
| api.revenuecat.com  | ok     | IP: 18.238.96.78 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map        |  |
| www.text-decoration | ok     | No Geolocation information available.  |  |

## \*\* TRACKERS

| TRACKER   | CATEGORIES      | URL  |
|-----------|-----------------|--|
| AppsFlyer | Analytics       | https://reports.exodus-privacy.eu.org/trackers/12  |
| Sentry    | Crash reporting | https://reports.exodus-privacy.eu.org/trackers/447 |



# **POSSIBLE SECRETS** $"google\_api\_key": "AlzaSyDhnfycg2AhlBgCSHgSfbUTCc8GXtgUp3o"$ $"google\_crash\_reporting\_api\_key": "AlzaSyDhnfycg2AhlBgCSHgSfbUTCc8GXtgUp3o"$ 3BAF59A2E5331C30675FAB35FF5FFF0D116142D3D4664F1C3CB804068B40614F FFE391E0EA186D0734ED601E4E70E3224B7309D48E2075BAC46D8C667EAE7212 16a09e667f3bcc908b2fb1366ea957d3e3adec17512775099da2f590b0667322a FBA3AF4E7757D9016E953FB3EE4671CA2BD9AF725F9A53D52ED4A38EAAA08901 472340246d291854f67ce4b51e48fb0b 44e91f336617a878939030a5de33f923 edef8ba9-79d6-4ace-a3c8-27dcd51d21ed UC1upXWg5QVmyOSwozp755xLqquBKjjU+di6U8QhMIM= 258EAFA5-E914-47DA-95CA-C5AB0DC85B11 9a04f079-9840-4286-ab92-e65be0885f95 E3F9E1E0CF99D0E56A055BA65E241B3399F7CEA524326B0CDD6EC1327ED0FDC1 e2719d58-a985-b3c9-781a-b030af78d30e



Title: Voidpet Garden: Mental Health

Score: 4.6136055 Installs: 500,000+ Price: 0 Android Version Support: Category: Health & Fitness Play Store URL: com.voidpet

Developer Details: Voidpet, 7471031256965837982, None, https://voidpet.com/, ben@voidpet.com,

Release Date: Feb 7, 2023 Privacy Policy: Privacy link

#### **Description:**

Enter Voidpet Garden: your mental health journal brought to life, where your emotions live as magical creatures! Whether it is anxiety, depression, anger, or simply curiosity you experience, you will discover, befriend, and grow new parts of yourself as you fill your journal, embarking on your mental health adventure. We've designed cute, digestible, and free journal prompts inspired by Cognitive Behavioral Therapy (CBT), Dialectical Behavioral Therapy (DBT), and personalized recommendations from practicing therapists. Your journal can be your support through times of anxiety, depression, anger, and stress, or cheerleader that celebrates your good days, keeping your mental health going strong. MOOD TRACKER Track mood and see mental health progress over time. Notice patterns of anxiety, anger, or stress. GRATITUDE JOURNALING Journal for optimism and overall mental health. GOAL SETTING Journal for motivation, productivity, and self care. For depression, ADHD, and building a growth mindset. EMOTIONAL NAMING Practice mindfulness for one's own mental health. Quick journal for anxiety, anger, and stress. PRACTICING POSITIVITY DBT inspired exercise to pair stressful situations with positive coping thoughts. AFFIRMATIONS Self-affirming and self-loving phrases to fill your journal with positivity. Face anxiety with confidence. MINUTE MEDITATION Simple soundtracks to encourage mental health as an active practice. A moment of calm to soothe anxiety. FRIENDSHIP JOURNAL Journal for healthy social relationships. PHYSICAL CHECK INS Journal for physical mindfulness about one's own body. Track patterns between anxiety and physical stress. NEGATIVE THOUGHT CHECK CBT worksheet to help you identity and soothe negative thoughts. Journal for anxiety, depression, anger, or stress. AFFIRMATIONS FOR ANXIETY AND PANIC ATTACKS Soothing soundtrack underscoring positive sound bites of self love, safety, and understanding. HOPE BOX Journal to curate hopeful memories and resources. For episodes of depression, suicidal thoughts, and self harm. OVERTHINK TIMER Time-boxed journal for anxiety, depression, anger, intrusive thoughts, and more. VENT RETREAT Visualize a safe space to journal about anxiety, depression, or anger. As you track your mood and journal daily, you'll nourish a zen oasis that grows with you, attracting fantasy creatures who make your journal their home. Experience the tried and true mental health benefits of journaling. When you build the habit of tracking emotions cognitively, your brain can take a step back from overwhelming sensations like anxiety, and focus on taking steps to improve wellbeing. This mental health app takes your journal to the next level. When you not only verbalize and journal, but also visualize and interact with your feelings of anger, sadness, anxiety, and distress, you train your mind to build positive, imaginative, associations with itself, and develop a nuanced, more self-loving mindset for mental health.

## **⋮** SCAN LOGS

| Timestamp           | Event             | Error |
|---------------------|-------------------|-------|
| 2025-09-01 11:23:23 | Generating Hashes | ОК    |

| 2025-09-01 11:23:24 | Extracting APK  | OK |
|---------------------|---|----|
| 2025-09-01 11:23:24 | Unzipping   | ОК |
| 2025-09-01 11:23:24 | Parsing APK with androguard                                 | OK |
| 2025-09-01 11:23:24 | Extracting APK features using aapt/aapt2                    | OK |
| 2025-09-01 11:23:25 | Getting Hardcoded Certificates/Keystores                    | ОК |
| 2025-09-01 11:23:26 | Parsing AndroidManifest.xml                                 | OK |
| 2025-09-01 11:23:27 | Extracting Manifest Data                                    | ОК |
| 2025-09-01 11:23:27 | Manifest Analysis Started                                   | OK |
| 2025-09-01 11:24:02 | Performing Static Analysis on: Voidpet Garden (com.voidpet) | OK |
| 2025-09-01 11:24:03 | Fetching Details from Play Store: com.voidpet               | ОК |

| 2025-09-01 11:24:05 | Checking for Malware Permissions       | ОК |
|---------------------|--|----|
| 2025-09-01 11:24:05 | Fetching icon path                     | ОК |
| 2025-09-01 11:24:05 | Library Binary Analysis Started        | ОК |
| 2025-09-01 11:24:05 | Reading Code Signing Certificate       | ОК |
| 2025-09-01 11:24:06 | Running APKiD 2.1.5                    | ОК |
| 2025-09-01 11:24:11 | Detecting Trackers                     | ОК |
| 2025-09-01 11:24:13 | Decompiling APK to Java with JADX      | ОК |
| 2025-09-01 11:24:26 | Converting DEX to Smali                | ОК |
| 2025-09-01 11:24:26 | Code Analysis Started on - java_source | ОК |
| 2025-09-01 11:24:29 | Android SBOM Analysis Completed        | ОК |
| 2025-09-01 11:24:39 | Android SAST Completed                 | ОК |

| 2025-09-01 11:24:39 | Android API Analysis Started                     | ОК |
|---------------------|--|----|
| 2025-09-01 11:24:47 | Android API Analysis Completed                   | ОК |
| 2025-09-01 11:24:47 | Android Permission Mapping Started               | ОК |
| 2025-09-01 11:24:54 | Android Permission Mapping Completed             | ОК |
| 2025-09-01 11:24:55 | Android Behaviour Analysis Started               | ОК |
| 2025-09-01 11:25:06 | Android Behaviour Analysis Completed             | ОК |
| 2025-09-01 11:25:06 | Extracting Emails and URLs from Source Code      | ОК |
| 2025-09-01 11:25:10 | Email and URL Extraction Completed               | ОК |
| 2025-09-01 11:25:10 | Extracting String data from APK                  | ОК |
| 2025-09-01 11:25:10 | Extracting String data from Code                 | ОК |
| 2025-09-01 11:25:10 | Extracting String values and entropies from Code | ОК |

| 2025-09-01 11:25:13 | Performing Malware check on extracted domains | ОК |
|---------------------|---|----|
| 2025-09-01 11:25:17 | Saving to Database                            | ОК |

### Report Generated by - MobSF v4.4.0

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

© 2025 Mobile Security Framework - MobSF | Ajin Abraham | OpenSecurity.