

ANDROID STATIC ANALYSIS REPORT



Health Tracker (1.0.20)

File Name: $com.high secure.blood presure.blood sugar_21.apk$ Package Name: com. high secure. blood presure. blood sugarScan Date: Aug. 30, 2025, 9:10 p.m. **54/100 (MEDIUM RISK) App Security Score:** Grade: **Trackers Detection:** 3/432

FINDINGS SEVERITY

兼 HIGH	▲ MEDIUM	i INFO	✓ SECURE	◎ HOTSPOT
2	20	1	3	1

FILE INFORMATION

File Name: com.highsecure.bloodpresure.bloodsugar_21.apk

Size: 32.98MB

MD5: d8adc68ea48c6ea7556afea9d5ff35f8

SHA1: 36d56fe360dd0c0af89e248439c37c782821077a

SHA256: ec59b4289b829a164acc1c713694279c7ca1b9ba014dcc65854046a7d76d5288

1 APP INFORMATION

App Name: Health Tracker

Package Name: com.highsecure.bloodpresure.bloodsugar

 $\textbf{\textit{Main Activity:}} com. high secure. blood presure. blood sugar. ui. splash. Splash Activity$

Target SDK: 34 Min SDK: 21 Max SDK:

Android Version Name: 1.0.20

APP COMPONENTS

Activities: 50 Services: 13 Receivers: 14 Providers: 3

Exported Activities: 0 Exported Services: 3 Exported Receivers: 5 Exported Providers: 0



Binary is signed v1 signature: True v2 signature: True v3 signature: True v4 signature: False

X.509 Subject: C=US, ST=California, L=Mountain View, O=Google Inc., OU=Android, CN=Android

Signature Algorithm: rsassa_pkcs1v15 Valid From: 2023-09-05 10:04:45+00:00 Valid To: 2053-09-05 10:04:45+00:00

Issuer: C=US, ST=California, L=Mountain View, O=Google Inc., OU=Android, CN=Android

Serial Number: 0xd233fbf3be166d06c973c60a893a9604ebc55ce6

Hash Algorithm: sha256

md5: 89a8d993f6de4249425ba2dcc09a2fd9

sha1: b4d0cf7713090e2fa5e0b7f867a95a0c70083678

sha256: f4b305b8f0e095df3fdc7c75b33c203035dee2fea01f8705800ae3e4a9906556

PublicKey Algorithm: rsa

Bit Size: 4096

Fingerprint: 822345d3b6ea314fd99e77305f1a4980a0aa745df8c3158b88688fec1bcc3570

Found 1 unique certificates

⋮ APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.INTERNET	normal	full Internet access	Allows an application to create network sockets.
android.permission.CAMERA	dangerous	take pictures and videos	Allows application to take pictures and videos with the camera. This allows the application to collect images that the camera is seeing at any time.
android.permission.RECEIVE_BOOT_COMPLETED	normal	automatically start at boot	Allows an application to start itself as soon as the system has finished booting. This can make it take longer to start the phone and allow the application to slow down the overall phone by always running.
android.permission.VIBRATE	normal	control vibrator	Allows the application to control the vibrator.
android.permission.POST_NOTIFICATIONS	dangerous	allows an app to post notifications.	Allows an app to post notifications
com.android.alarm.permission.SET_ALARM	unknown	Unknown permission	Unknown permission from android reference

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.ACTION_MANAGE_OVERLAY_PERMISSION	unknown	Unknown permission	Unknown permission from android reference
android.permission.SYSTEM_ALERT_WINDOW	dangerous	display system-level alerts	Allows an application to show system-alert windows. Malicious applications can take over the entire screen of the phone.
android.permission.SYSTEM_OVERLAY_WINDOW	unknown	Unknown permission	Unknown permission from android reference
android.permission.SCHEDULE_EXACT_ALARM	normal	permits exact alarm scheduling for background work.	Allows an app to use exact alarm scheduling APIs to perform timing sensitive background work.
android.permission.FOREGROUND_SERVICE	normal	enables regular apps to use Service.startForeground.	Allows a regular application to use Service.startForeground.
android.permission.FOREGROUND_SERVICE_MEDIA_PLAYBACK	normal	enables foreground services for media playback.	Allows a regular application to use Service.startForeground with the type "mediaPlayback".
com.android.vending.BILLING	normal	application has in-app purchases	Allows an application to make in-app purchases from Google Play.

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.ACCESS_NETWORK_STATE	normal	view network status	Allows an application to view the status of all networks.
com.google.android.gms.permission.AD_ID	normal	application shows advertisements	This app uses a Google advertising ID and can possibly serve advertisements.
android.permission.ACCESS_ADSERVICES_AD_ID	normal	allow app to access the device's advertising ID.	This ID is a unique, user- resettable identifier provided by Google's advertising services, allowing apps to track user behavior for advertising purposes while maintaining user privacy.
android.permission.ACCESS_ADSERVICES_ATTRIBUTION	normal	allow applications to access advertising service attribution	This enables the app to retrieve information related to advertising attribution, which can be used for targeted advertising purposes. App can gather data about how users interact with ads, such as clicks or impressions, to measure the effectiveness of advertising campaigns.

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.ACCESS_ADSERVICES_TOPICS	normal	allow applications to access advertising service topics	This enables the app to retrieve information related to advertising topics or interests, which can be used for targeted advertising purposes.
android.permission.WAKE_LOCK	normal	prevent phone from sleeping	Allows an application to prevent the phone from going to sleep.
com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE	normal	permission defined by google	A custom permission defined by Google.
com.highsecure.bloodpresure.bloodsugar.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	unknown	Unknown permission	Unknown permission from android reference

M APKID ANALYSIS

FILE	DETAILS	
d8adc68ea48c6ea7556afea9d5ff35f8.apk	FINDINGS	DETAILS
иоаисооеа4осоеа/ээоагеаэиэпээго.арк	Anti-VM Code	possible VM check

FILE	DETAILS			
	FINDINGS	DETAILS		
classes.dex	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.HARDWARE check Build.TAGS check SIM operator check possible VM check		
	Anti Debug Code	Debug.isDebuggerConnected() check		
	Compiler	r8 without marker (suspicious)		
classes2.dex	FINDINGS	DETAILS		
	Compiler	r8 without marker (suspicious)		

△ NETWORK SECURITY

NO	SCOPE	SEVERITY	DESCRIPTION

CERTIFICATE ANALYSIS

HIGH: 0 | WARNING: 1 | INFO: 1

TITLE	SEVERITY	DESCRIPTION
Signed Application	info	Application is signed with a code signing certificate
Application vulnerable to Janus Vulnerability	warning	Application is signed with v1 signature scheme, making it vulnerable to Janus vulnerability on Android 5.0-8.0, if signed only with v1 signature scheme. Applications running on Android 5.0-7.0 signed with v1, and v2/v3 scheme is also vulnerable.

Q MANIFEST ANALYSIS

HIGH: 1 | WARNING: 9 | INFO: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	DESCRIPTION
1	App can be installed on a vulnerable unpatched Android version Android 5.0-5.0.2, [minSdk=21]	high	This application can be installed on an older version of android that has multiple unfixed vulnerabilities. These devices won't receive reasonable security updates from Google. Support an Android version => 10, API 29 to receive reasonable security updates.
2	Service (com.highsecure.bloodpresure.bloodsugar.alarmcore.service.TestService) is not Protected. [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
3	Broadcast Receiver (com.highsecure.bloodpresure.bloodsugar.alarmcore.receiver.AlarmReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
4	Broadcast Receiver (com.highsecure.bloodpresure.bloodsugar.alarmcore.common.ActionReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
5	Broadcast Receiver (com.highsecure.bloodpresure.bloodsugar.alarmcore.receiver.BootCompletedReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
6	Service (com.google.android.gms.auth.api.signin.RevocationBoundService) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.gms.auth.api.signin.permission.REVOCATION_NOTIFICATION [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
7	Service (androidx.work.impl.background.systemjob.SystemJobService) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.BIND_JOB_SERVICE [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

NO	ISSUE	SEVERITY	DESCRIPTION
8	Broadcast Receiver (androidx.work.impl.diagnostics.DiagnosticsReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
9	Broadcast Receiver (androidx.profileinstaller.ProfileInstallReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
10	High Intent Priority (999) - {1} Hit(s) [android:priority]	warning	By setting an intent priority higher than another intent, the app effectively overrides other requests.

</> CODE ANALYSIS

NO	ISSUE	SEVERITY	STANDARDS	FILES
1	App uses SQLite Database and execute raw SQL query. Untrusted user input in raw SQL queries can cause SQL Injection. Also sensitive information should be encrypted and written to the database.	warning	CWE: CWE-89: Improper Neutralization of Special Elements used in an SQL Command ('SQL Injection') OWASP Top 10: M7: Client Code Quality	defpackage/AbstractC4503vc.java defpackage/C0073Bj0.java defpackage/C0188Dp.java defpackage/C0749Ok.java defpackage/C0961Sm.java defpackage/C1603bh.java defpackage/C1747cg1.java defpackage/C1889df0.java defpackage/C2075ex.java defpackage/C2176fe.java defpackage/C2767jh.java defpackage/C2775jj1.java defpackage/C3603pQ0.java defpackage/C40.java defpackage/C40.java defpackage/C40.java defpackage/D40.java defpackage/D40.java defpackage/D40.java defpackage/D40.java defpackage/RH.java defpackage/RH.java
				com/bumptech/glide/Glide.java com/bumptech/glide/disklrucache/DiskLruC ache.java com/bumptech/glide/gifdecoder/GifHeaderP arser.java com/bumptech/glide/gifdecoder/StandardGi fDecoder.java com/bumptech/glide/load/data/AssetPathFet cher.java com/bumptech/glide/load/data/HttpUrlFetch er.java com/bumptech/glide/load/data/LocalUriFetch her.java com/bumptech/glide/load/data/LocalUriFetch her.java com/bumptech/glide/load/data/mediastore/ ThumbFetcher.java

com/bumptech/glide/load/engine/De b.java com/bumptech/glide/load/engine/De th.java com/bumptech/glide/load/engine/Eng a com/bumptech/glide/load/engine/Gli ption.java com/bumptech/glide/load/engine/Soggenerator.java com/bumptech/glide/load/engine/bit cycle/LruArrayPool.java com/bumptech/glide/load/engine/bit cycle/LruArrayPool.java com/bumptech/glide/load/engine/bit	E	NO	SEVERITY
cycle/LruBitmapPool.java com/bumptech/glide/load/engine/cac klruCacheWrapper.java com/bumptech/glide/load/engine/cac morySizeCalculator.java com/bumptech/glide/load/engine/exc GlideExecutor.java com/bumptech/glide/load/engine/exc GlideExecutor.java com/bumptech/glide/load/engine/exc RuntimeCompat.java com/bumptech/glide/load/engine/prc mapPreFillRunner.java com/bumptech/glide/load/model/Byt Encoder.java com/bumptech/glide/load/model/Byt FileLoader.java com/bumptech/glide/load/model/File .java com/bumptech/glide/load/model/Res oader.java com/bumptech/glide/load/model/Res riLoader.java com/bumptech/glide/load/model/Res riLoader.java com/bumptech/glide/load/model/Res oader.java com/bumptech/glide/load/model/Stro oder.java com/bumptech/glide/load/model/Stro oder.java com/bumptech/glide/load/model/Stro oder.java com/bumptech/glide/load/model/Stro oder.java com/bumptech/glide/load/model/Stro oder.java com/bumptech/glide/load/resource/E OnHeaderDecodedListener.java	JE	NO	SEVERITY

NO	ISSUE	SEVERITY	STANDARDS	BitmapEncoder.java FulrE6umptech/glide/load/resource/bitmap/ BitmapImageDecoderResourceDecoder.java
				com/bumptech/glide/load/resource/bitmap/ DefaultImageHeaderParser.java com/bumptech/glide/load/resource/bitmap/ Downsampler.java com/bumptech/glide/load/resource/bitmap/ DrawableToBitmapConverter.java com/bumptech/glide/load/resource/bitmap/ HardwareConfigState.java com/bumptech/glide/load/resource/bitmap/ TransformationUtils.java com/bumptech/glide/load/resource/bitmap/ VideoDecoder.java com/bumptech/glide/load/resource/gif/Byte BufferGifDecoder.java com/bumptech/glide/load/resource/gif/GifD rawableEncoder.java com/bumptech/glide/load/resource/gif/Strea mGifDecoder.java com/bumptech/glide/manager/DefaultConn ectivityMonitorFactory.java com/bumptech/glide/manager/RequestMan agerFragment.java com/bumptech/glide/manager/RequestMan agerRetriever.java com/bumptech/glide/manager/RequestTrack er.java com/bumptech/glide/manager/SingletonCon nectivityReceiver.java com/bumptech/glide/manager/SupportRequ estManagerFragment.java com/bumptech/glide/module/ManifestParse r.java com/bumptech/glide/module/ManifestParse r.java com/bumptech/glide/request/SingleRequest. java com/bumptech/glide/request/SingleRequest. java com/bumptech/glide/request/target/Custom ViewTarget.java com/bumptech/glide/request/target/Custom ViewTarget.java com/bumptech/glide/request/target/ViewTar
				get.java

NO	ISSUE	SEVERITY	STANDARDS	com/bumptech/glide/signature/ApplicationV
				tStream.java com/bumptech/glide/util/pool/FactoryPools. java com/github/mikephil/charting/charts/BarCh art.java com/github/mikephil/charting/charts/BarLin eChartBase.java com/github/mikephil/charting/charts/Chart.j ava com/github/mikephil/charting/charts/Combi nedChart.java com/github/mikephil/charting/charts/Horizo ntalBarChart.java com/github/mikephil/charting/charts/PieRad arChartBase.java com/github/mikephil/charting/charts/PieRad arChartBase.java com/highsecure/bloodpresure/bloodsugar/ MainApplication.java com/highsecure/bloodpresure/bloodsugar/a larmcore/common/ActionReceiver.java com/highsecure/bloodpresure/bloodsugar/a larmcore/receiver/BootCompletedReceiver.ja va com/highsecure/bloodpresure/bloodsugar/a larmcore/service/AlarmActivity.java com/highsecure/bloodpresure/bloodsugar/a larmcore/service/TestService.java com/highsecure/bloodpresure/bloodsugar/u i/home/fullScreen/FullScreenColumnHeartAc tivity.java com/highsecure/bloodpresure/bloodsugar/u i/home/fullScreen/FullScreenColumnSugarAc tivity.java com/highsecure/bloodpresure/bloodsugar/u i/home/fullScreen/FullScreenColumnSugarAc tivity.java com/highsecure/bloodpresure/bloodsugar/u i/home/graph/MyMarkerView.java com/highsecure/bloodpresure/bloodsugar/u i/home/graph/MyMarkerView.java com/highsecure/bloodpresure/bloodsugar/u i/home/graph/MyMarkerView.java

NO	ISSUE	SEVERITY	STANDARDS	com/highsecure/bloodpresure/bloodsugar/u
				com/wdullaer/materialdatetimepicker/time/
				RadialPickerLayout.java
				com/wdullaer/materialdatetimepicker/time/
				RadialSelectorView.java
				com/wdullaer/materialdatetimepicker/time/
				RadialTextsView.java
				defpackage/A3.java
				defpackage/A70.java
				defpackage/AbstractBinderC3484oc1.java
				defpackage/AbstractC0119Cg0.java
				defpackage/AbstractC0279Fi0.java
				defpackage/AbstractC0439lk0.java
				defpackage/AbstractC0514Jw.java
				defpackage/AbstractC0591Li0.java
				defpackage/AbstractC0765Os.java
				defpackage/AbstractC0881Qy.java
				defpackage/AbstractC0887Rb.java
				defpackage/AbstractC0895Rf.java
				defpackage/AbstractC1398aH.java
				defpackage/AbstractC1426aV.java
				defpackage/AbstractC2057eo.java
				defpackage/AbstractC2508hu0.java
				defpackage/AbstractC2864kM.java
				defpackage/AbstractC2886kX.java
				defpackage/AbstractC2905ke0.java
				defpackage/AbstractC3057lg0.java
				defpackage/AbstractC3334nb0.java
				defpackage/AbstractC3398o10.java
				defpackage/AbstractC3421o9.java
				defpackage/AbstractC3426oB.java
				defpackage/AbstractC3528ou0.java
				defpackage/AbstractC3590pK.java
				defpackage/AbstractC3930rf1.java
				defpackage/AbstractC4069sd0.java
				defpackage/AbstractC4087sj0.java
				defpackage/AbstractC4105sr0.java
				defpackage/AbstractC4232tj.java
				defpackage/AbstractC4442v9.java
				defpackage/AbstractC4575w41.java

NO	ISSUE	SEVERITY	STANDARDS	defpackage/AbstractC4622wP0.java Gefpack age/AbstractC4659wf0.java defpackage/AbstractC4671wj0.java
				defpackage/AbstractC4710x1.java
				defpackage/AbstractC4808xg0.java
				defpackage/AbstractC4820xk0.java
				defpackage/AbstractC4957yh0.java
				defpackage/AbstractC4959yi.java
				defpackage/AbstractDialogInterfaceOnClickLi
				stenerC1218Xk0.java
				defpackage/Ai1.java
				defpackage/AnimationAnimationListenerC00
				26Am.java
				defpackage/BinderC3881rK.java
				defpackage/BinderC4026sJ0.java
				defpackage/C0014Ag.java
				defpackage/C0017Ah0.java
				defpackage/C0059Bc0.java
				defpackage/C0104Bz.java
				defpackage/C0134Co.java
				defpackage/C0138Cq.java
				defpackage/C0154Cy.java
				defpackage/C0158Da.java
				defpackage/C0171Dg0.java
				defpackage/C0172Dh.java
				defpackage/C0188Dp.java
				defpackage/C0224Eh.java
				defpackage/C0231Ek0.java
				defpackage/C0328Gh.java
				defpackage/C0331Gi0.java
				defpackage/C0366Ha.java
				defpackage/C0380Hh.java
				defpackage/C0424ld.java
				defpackage/C0437lj0.java
				defpackage/C0466ly.java
				defpackage/C0518Jy.java
				defpackage/C0522Ka.java
				defpackage/C0560Kt.java
				defpackage/C0575La0.java
				defpackage/C0626Ma0.java
				defpackage/C0648Ml0.java

NO	ISSUE	SEVERITY	STANDARDS	defpackage/C0663Mt.java មិម្ពិជីសិkage/C0673My.java
				defpackage/C0714Ns0.java
				defpackage/C0715Nt.java
				defpackage/C0747Oj.java
				defpackage/C0200BiO inva
				defpackage/C0807j0.java
				defpackage/C0847Qh.java
				defpackage/C0851Qj.java
				defpackage/C0866Qq0.java
	The App logs information. Sensitive		CWE: CWE-532: Insertion of Sensitive	defpackage/C080CRf0.inva
2	information should never be logged.	info	Information into Log File	defpackage/C0896Rf0.java
	information should flever be logged.		OWASP MASVS: MSTG-STORAGE-3	defpackage/C0903Rj.java
				defpackage/C0922Rs0.java
				defpackage/C0956Sj0.java
				defpackage/C0958Sk0.java
				defpackage/C1002Tg0.java
				defpackage/C1027Tt.java
				defpackage/C1037Ty.java
				defpackage/C1093Va.java
				defpackage/C1111Vj.java
				defpackage/C1183Wt.java
				defpackage/C1204Xd0.java
				defpackage/C1233Xs.java
				defpackage/C1261Yg.java
				defpackage/C1318Zi0.java
				defpackage/C1319Zj.java
				defpackage/C1328Zn0.java
				defpackage/C1338Zs0.java
				defpackage/C1360a2.java
				defpackage/C1469al.java
				defpackage/C1487au.java
				defpackage/C1679cC.java
				defpackage/C1695cK.java
				defpackage/C1747cg1.java
				defpackage/C1760cl.java
				defpackage/C1810d60.java
				defpackage/C1841dK.java
				defpackage/C1889df0.java
				defpackage/C1941e11.java
				defpackage/C1945e3.java

				defpackage/C1990eM.java
NO	ISSUE	SEVERITY	STANDARDS	Felipaskage/C2092f30.java
				defpackage/C2101f60.java
				defpackage/C2136fM.java
				defpackage/C2156fW.java
				defpackage/C2210fr0.java
				defpackage/C2235g20.java
				defpackage/C2262gC.java
				defpackage/C2275gl0.java
				defpackage/C2331gh.java
				defpackage/C2347gn.java
				defpackage/C2381h20.java
				defpackage/C2388h41.java
				defpackage/C2483hj.java
				defpackage/C2527i20.java
				defpackage/C2530i30.java
				defpackage/C2539i60.java
				defpackage/C2544i8.java
				defpackage/C2601iZ0.java
				defpackage/C2606ib0.java
				defpackage/C2611id.java
				defpackage/C2642ip.java
				defpackage/C2648is.java
				defpackage/C2651iu.java
				defpackage/C2657ix.java
				defpackage/C2740jX.java
				defpackage/C2760je1.java
				defpackage/C2767jh.java
				defpackage/C2797ju.java
				defpackage/C2844kC.java
				defpackage/C2888kY.java
				defpackage/C2939ks.java
				defpackage/C2954kz0.java
				defpackage/C2994lE.java
				defpackage/C3012lN.java
				defpackage/C3045lc0.java
				defpackage/C3051le0.java
				defpackage/C3059lh.java
				defpackage/C3065lj.java
				defpackage/C3085ls.java
				defpackage/C3093lw.java

				defpackage/C3105m1.java
NO	ISSUE	SEVERITY	STANDARDS	FetrES kage/C3106m10.java
				defpackage/C3197me0.java
				defpackage/C3211mj.java
				defpackage/C3254n2.java
				defpackage/C3282nC.java
				defpackage/C3300nL.java
				defpackage/C3302nM.java
				defpackage/C3343ne0.java
				defpackage/C3357nj.java
				defpackage/C3496og1.java
				defpackage/C3578pE.java
				defpackage/C3605pR0.java
				defpackage/C3607pS0.java
				defpackage/C3656pl0.java
				defpackage/C3669ps.java
				defpackage/C3676pv0.java
				defpackage/C3734qJ.java
				defpackage/C3761qW0.java
				defpackage/C3772qb0.java
				defpackage/C3783qf.java
				defpackage/C3784qf0.java
				defpackage/C3834r1.java
				defpackage/C3885rM.java
				defpackage/C3929rf0.java
				defpackage/C3997s61.java
				defpackage/C4033sN.java
				defpackage/C4049sV.java
				defpackage/C4081sh0.java
				defpackage/C4155tB.java
				defpackage/C4156tB0.java
				defpackage/C4210tb1.java
				defpackage/C4251tr0.java
				defpackage/C4254tt.java
				defpackage/C4275u2.java
				defpackage/C4278u3.java
				defpackage/C4301uB.java
				defpackage/C4307uE.java
				defpackage/C4369ug.java
				defpackage/C4390uo.java
				defpackage/C4422v20.java

VIO.	ISSUE	SEVERITY	CTANDADDC	defpackage/C4431v50.java
NO	ISSUE	SEVERIT	STANDARDS	Flags kage/C4499va1.java
				defpackage/C4525vj0.java
				defpackage/C4542vr.java
				defpackage/C4617wN.java
				defpackage/C4661wg.java
				defpackage/C4686wq.java
				defpackage/C4807xg.java
				defpackage/C4810xh.java
				defpackage/C4811xh0.java
				defpackage/C4850xz.java
				defpackage/C4869y50.java
				defpackage/C4889yD.java
				defpackage/C4906yL0.java
				defpackage/C4969yl0.java
				defpackage/C5041zG.java
				defpackage/C5097zf0.java
				defpackage/C5109zj0.java
				defpackage/C5116zm.java
				defpackage/C5124zq.java
				defpackage/CW.java
				defpackage/CallableC1157Wg.java
				defpackage/CallableC2191fj.java
				defpackage/DH.java
				defpackage/E50.java
				defpackage/E81.java
				defpackage/El.java
				defpackage/EnumC1528b90.java
				defpackage/F0.java
				defpackage/FE.java
				defpackage/FJ0.java
				defpackage/G50.java
				defpackage/H9.java
				defpackage/HE.java
				defpackage/HandlerC0906Rk0.java
				defpackage/HandlerC2216fu0.java
				defpackage/HandlerC3840r3.java
				defpackage/l2.java
				defpackage/IF inva
				defpackage/IF.java
				defpackage/J00.java

NO	ISSUE	SEVERITY	STANDARDS	defpackage/J2.java
NO	1330E	SEVERIII	STANDARDS	Gerala Rage/JC.java
				defpackage/JLjava
				defpackage/JO0.java
				defpackage/K1.java
				defpackage/K4.java
				defpackage/K50.java
				defpackage/KH.java
				defpackage/KJ.java
				defpackage/KK.java
				defpackage/L0.java
				defpackage/L20.java
				defpackage/L50.java
				defpackage/L80.java
				defpackage/LH.java
				defpackage/LayoutInflaterFactory2C1369a5.j
				ava
				defpackage/M4.java
				defpackage/M50.java
				defpackage/MN0.java
				defpackage/N.java
				defpackage/N50.java
				defpackage/NL0.java
				defpackage/P90.java
				defpackage/Q.java
				defpackage/QL.java
				defpackage/Qc1.java
				defpackage/R9.java
				defpackage/RH.java
				defpackage/RunnableC0719Nv.java
				defpackage/RunnableC1105Vg.java
				defpackage/RunnableC1656c31.java
				defpackage/RunnableC2515hy.java
				defpackage/RunnableC2570iK.java
				defpackage/RunnableC2714jK.java
				defpackage/RunnableC2860kK.java
				defpackage/RunnableC2865kM0.java
				defpackage/RunnableC3364nl0.java
				·
				defpackage/RunnableC3403o3.java
				defpackage/RunnableC3551p31.java
				defpackage/RunnableC3679px.java

NO	ISSUE	SEVERITY	STANDARDS	defpackage/RunnableC3948rm.java Gefpack age/RunnableC4214td.java defpackage/SF.java
				defpackage/SL.java
				defpackage/ST.java
				defpackage/SU0.java
				defpackage/TA.java
				defpackage/TC.java
				defpackage/TH.java
				defpackage/TW0.java
				defpackage/U51.java
				defpackage/Ua1.java
				defpackage/V4.java
				defpackage/V9.java
				defpackage/VA0.java
				defpackage/VI.java
				defpackage/ViewOnClickListenerC1699cM.ja
				va
				defpackage/W6.java
				defpackage/W81.java
				defpackage/W91.java
				defpackage/WO0.java
				defpackage/X01.java
				defpackage/XD0.java
				defpackage/XG.java
				defpackage/XJ.java
				defpackage/XL.java
				defpackage/XU0.java
				defpackage/Y2.java
				defpackage/Y8.java
				defpackage/YB.java
				defpackage/YF0.java
				defpackage/YH.java
				defpackage/YJ.java
				defpackage/Z20.java
				defpackage/Z41.java
				defpackage/ZG.java
				defpackage/ZH.java
				eightbitlab/com/blurview/BlurView.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
3	SHA-1 is a weak hash known to have hash collisions.	warning	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	defpackage/AbstractC0895Rf.java defpackage/C0088Br.java defpackage/C4301uB.java defpackage/J00.java
4	This App may have root detection capabilities.	secure	OWASP MASVS: MSTG-RESILIENCE-1	defpackage/AbstractC0895Rf.java defpackage/Ai1.java defpackage/C4210tb1.java defpackage/NZ0.java defpackage/Ta1.java
5	This App uses SSL certificate pinning to detect or prevent MITM attacks in secure communication channel.	secure	OWASP MASVS: MSTG-NETWORK-4	defpackage/C1009Tk.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
6	The App uses an insecure Random Number Generator.	warning	CWE: CWE-330: Use of Insufficiently Random Values OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-6	com/highsecure/bloodpresure/bloodsugar/u i/measure/MeasureActivity.java defpackage/C0073Bj0.java defpackage/C0610Ls0.java defpackage/C1338Zs0.java defpackage/C1507b20.java defpackage/C1507b20.java defpackage/C1652c20.java defpackage/C1750ch1.java defpackage/C2039eh.java defpackage/C2467hd1.java defpackage/C2510hv0.java defpackage/C3476oa.java defpackage/C3476oa.java defpackage/C4580w60.java defpackage/C4580w60.java defpackage/C4953yg.java defpackage/C5076zX0.java defpackage/Cg1.java defpackage/Cg1.java defpackage/K4.java defpackage/K4.java defpackage/K4.java defpackage/W00.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
7	Files may contain hardcoded sensitive information like usernames, passwords, keys etc.	warning	CWE: CWE-312: Cleartext Storage of Sensitive Information OWASP Top 10: M9: Reverse Engineering OWASP MASVS: MSTG-STORAGE-14	com/bumptech/glide/load/Option.java com/bumptech/glide/load/engine/DataCach eKey.java com/bumptech/glide/load/engine/EngineRes ource.java com/bumptech/glide/load/engine/ResourceC acheKey.java com/bumptech/glide/manager/RequestMan agerRetriever.java com/highsecure/bloodpresure/bloodsugar/ model/BloodModel.java com/highsecure/bloodpresure/bloodsugar/ model/ManagerModel.java com/highsecure/bloodpresure/bloodsugar/ model/SugarModel.java defpackage/C2010eW.java
8	MD5 is a weak hash known to have hash collisions.	warning	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	defpackage/AbstractC3421o9.java defpackage/C1750ch1.java defpackage/C2510hv0.java defpackage/RunnableC0969Sq.java defpackage/YF0.java
9	App creates temp file. Sensitive information should never be written into a temp file.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	defpackage/C2156fW.java defpackage/C3302nM.java
10	The App uses the encryption mode CBC with PKCS5/PKCS7 padding. This configuration is vulnerable to padding oracle attacks.	high	CWE: CWE-649: Reliance on Obfuscation or Encryption of Security-Relevant Inputs without Integrity Checking OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-3	defpackage/C0138Cq.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
11	App can read/write to External Storage. Any App can read data written to External Storage.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	defpackage/AbstractC4518vh.java defpackage/C1926dv0.java defpackage/C4553vw0.java defpackage/CallableC2948kw0.java
12	Insecure WebView Implementation. Execution of user controlled code in WebView is a critical Security Hole.	warning	CWE: CWE-749: Exposed Dangerous Method or Function OWASP Top 10: M1: Improper Platform Usage OWASP MASVS: MSTG-PLATFORM-7	defpackage/YE0.java

■ NIAP ANALYSIS v1.3

NO IDENTIFIER REQUIREMENT	FEATURE	DESCRIPTION
---------------------------	---------	-------------

BEHAVIOUR ANALYSIS

RULE ID	BEHAVIOUR	LABEL	FILES
------------	-----------	-------	-------

RULE ID	BEHAVIOUR	LABEL	FILES
00022	Open a file from given absolute path of the file	file	defpackage/C0715Nt.java defpackage/C1338Zs0.java defpackage/C2163fZ0.java defpackage/C2740jX.java defpackage/C2803jx.java defpackage/C3300nL.java defpackage/C3302nM.java defpackage/C3565p80.java defpackage/C3828qy0.java defpackage/C4016sE0.java defpackage/C4617wN.java defpackage/C4835xr0.java defpackage/C4835xr0.java

RULE ID	BEHAVIOUR	LABEL	FILES
00013	Read file and put it into a stream	file	com/bumptech/glide/load/ImageHeaderParserUtils.java com/bumptech/glide/load/ImageHeaderParserUtils.java com/bumptech/glide/load/model/FileLoader.java com/bumptech/glide/load/resource/bitmap/ImageReader.java defpackage/AbstractC0895Rf.java defpackage/AbstractC32580u0.java defpackage/AbstractC4222sH0.java defpackage/AbstractC4223ztj.java defpackage/C0154Cy.java defpackage/C0154Cy.java defpackage/C0154Cy.java defpackage/C0851Qj.java defpackage/C1338Zs0.java defpackage/C1338Zs0.java defpackage/C1338Zs0.java defpackage/C2483hj.java defpackage/C2483hj.java defpackage/C3156fW.java defpackage/C3197me0.java defpackage/C3197me0.java defpackage/C3197me0.java defpackage/C3300nL.java defpackage/C3565p80.java defpackage/C35669s.java defpackage/C4536vo.java defpackage/C4536vo.java defpackage/C4536vo.java defpackage/C4537v0.java defpackage/C4537v0.java defpackage/C457v0.java defpackage/C457v0.java defpackage/C4617wN.java defpackage/C480ge/C157V0.java defpackage/C480ge/C157V0.java defpackage/C480ge/C310ge/C407v0.java defpackage/C480ge/C310ge/C407v0.java defpackage/C480ge/C407v0.java defpackage/C480ge/C407v0.java defpackage/C480ge/C50.java defpackage/C457v0.java defpackage/C4617wN.java defpackage/C4617wN.java defpackage/C4617wN.java defpackage/C4617wN.java defpackage/C4617wN.java defpackage/C4617wN.java defpackage/C407v0.java defpackage/C407v0.java defpackage/C407v0.java defpackage/C407v0.java defpackage/C407v0.java defpackage/C507v0.java defpackage/C507v0.java defpackage/C507v0.java defpackage/C507v0.java defpackage/C507v0.java defpackage/C507v0.java defpackage/C507v0.java defpackage/C507v0.java defpackage/C507v0.java

RULE ID	BEHAVIOUR	LABEL	FILES
00063	Implicit intent(view a web page, make a phone call, etc.)	control	com/highsecure/bloodpresure/bloodsugar/alarmcore/service/TestService.ja va defpackage/AbstractC0895Rf.java defpackage/AbstractC4575w41.java defpackage/C0151Cw0.java defpackage/C0207Dy0.java defpackage/C0207Dy0.java defpackage/C0363Gy0.java defpackage/C0518Jy.java defpackage/C0518Jy.java defpackage/C1328Zn0.java defpackage/C1328Zn0.java defpackage/C1750ch1.java defpackage/C1750ch1.java defpackage/C2109f9.java defpackage/C2339i60.java defpackage/C3328qy0.java defpackage/C3828qy0.java defpackage/C5097zf0.java defpackage/C5097zf0.java defpackage/H1.java defpackage/H1.java defpackage/H0.java defpackage/H0.java defpackage/KQ0.java defpackage/KQ0.java defpackage/KQ0.java defpackage/Fjava defpackage/Fjava defpackage/UF.java defpackage/UF.java defpackage/VA0.java defpackage/VA0.java defpackage/VA0.java defpackage/VE0.java defpackage/VE0.java

RULE ID	BEHAVIOUR	LABEL	FILES
00051	Implicit intent(view a web page, make a phone call, etc.) via setData	control	defpackage/C0363Gy0.java defpackage/C0518Jy.java defpackage/C0768Ot0.java defpackage/C2109f9.java defpackage/C3828qy0.java defpackage/C4807xg.java defpackage/HC0.java defpackage/KQ0.java defpackage/KQ0.java defpackage/SA0.java
00125	Check if the given file path exist	file	defpackage/AbstractC0895Rf.java defpackage/IA0.java
00191	Get messages in the SMS inbox	sms	defpackage/AbstractC0895Rf.java defpackage/DQ0.java defpackage/E41.java
00036	Get resource file from res/raw directory	reflection	com/highsecure/bloodpresure/bloodsugar/alarmcore/service/TestService.ja va defpackage/AbstractC0895Rf.java defpackage/C0518Jy.java defpackage/C2539i60.java defpackage/CU0.java defpackage/E41.java defpackage/YE0.java
00003	Put the compressed bitmap data into JSON object	camera	defpackage/C0224Eh.java defpackage/MN0.java defpackage/RunnableC4592wA0.java

RULE ID	BEHAVIOUR	LABEL	FILES
00014	Read file into a stream and put it into a JSON object	file	defpackage/AbstractC3528ou0.java defpackage/AbstractC4022sH0.java defpackage/C2156fW.java defpackage/C3300nL.java defpackage/C4403uu0.java defpackage/C4547vt0.java defpackage/C4617wN.java defpackage/CallableC1157Wg.java
00091	Retrieve data from broadcast	collection	defpackage/C0739Of.java defpackage/C3505oj1.java defpackage/P71.java defpackage/Q80.java defpackage/UF.java
00189	Get the content of a SMS message	sms	defpackage/C4686wq.java
00188	Get the address of a SMS message	sms	defpackage/C4686wq.java
00200	Query data from the contact list	collection contact	defpackage/C4686wq.java
00201	Query data from the call log	collection calllog	defpackage/C4686wq.java
00077	Read sensitive data(SMS, CALLLOG, etc)	collection sms calllog calendar	com/bumptech/glide/load/data/mediastore/ThumbFetcher.java defpackage/C4686wq.java
00024	Write file after Base64 decoding	reflection file	defpackage/C1338Zs0.java defpackage/C2544i8.java

RULE ID	BEHAVIOUR	LABEL	FILES
00030	Connect to the remote server through the given URL	network	com/bumptech/glide/load/data/HttpUrlFetcher.java defpackage/AE0.java defpackage/C0318Gc.java defpackage/C4435v61.java defpackage/IE0.java defpackage/KN.java defpackage/RunnableC3319nU0.java
00109	Connect to a URL and get the response code	network command	com/bumptech/glide/load/data/HttpUrlFetcher.java defpackage/AE0.java defpackage/C0648Ml0.java defpackage/C1027Tt.java defpackage/C1328Zn0.java defpackage/C1832dF0.java defpackage/C1889df0.java defpackage/C2611id.java defpackage/C3019IQ0.java defpackage/C3021pZ0.java defpackage/C3621pZ0.java defpackage/C4435v61.java defpackage/IE0.java defpackage/RunnableC3319nU0.java defpackage/RunnableC3364nl0.java defpackage/Yd1.java
00094	Connect to a URL and read data from it	command network	defpackage/AE0.java defpackage/C3019lQ0.java defpackage/C3761qW0.java defpackage/C4435v61.java defpackage/IE0.java
00147	Get the time of current location	collection location	defpackage/V4.java

RULE ID	BEHAVIOUR	LABEL	FILES
00075	Get location of the device	collection location	defpackage/V4.java
00115	Get last known location of the device	collection location	defpackage/V4.java
00029	Initialize class object dynamically	reflection	defpackage/AF.java
00089	Connect to a URL and receive input stream from the server	command network	com/bumptech/glide/load/data/HttpUrlFetcher.java defpackage/C1027Tt.java defpackage/C1328Zn0.java defpackage/C1889df0.java defpackage/C3019IQ0.java defpackage/C4435v61.java defpackage/IE0.java
00108	Read the input stream from given URL	network command	defpackage/C3019IQ0.java defpackage/C3636pe1.java defpackage/C4435v61.java defpackage/IE0.java defpackage/M51.java
00012	Read data and put it into a buffer stream	file	defpackage/C3669ps.java defpackage/C4835xr0.java
00112	Get the date of the calendar event	collection calendar	defpackage/C0188Dp.java defpackage/C2101f60.java defpackage/C2539i60.java defpackage/C3692q2.java defpackage/S2.java
00034	Query the current data network type	collection network	defpackage/Qf1.java defpackage/TB0.java

RULE ID	BEHAVIOUR	LABEL	FILES
00096	Connect to a URL and set request method	command network	defpackage/C0318Gc.java defpackage/C1328Zn0.java defpackage/C1889df0.java defpackage/C2611id.java defpackage/C4435v61.java defpackage/IE0.java defpackage/KN.java
00153	Send binary data over HTTP	http	defpackage/C2611id.java
00005	Get absolute path of file and put it to JSON object	file	defpackage/C3300nL.java defpackage/C3828qy0.java defpackage/C4617wN.java
00132	Query The ISO country code	telephony collection	defpackage/sl1.java
00009	Put data in cursor to JSON object	file	defpackage/C0437lj0.java defpackage/C2347gn.java defpackage/C3772qb0.java defpackage/TW0.java
00056	Modify voice volume	control	com/highsecure/bloodpresure/bloodsugar/alarmcore/service/TestService.ja va
00202	Make a phone call	control	defpackage/SA0.java
00203	Put a phone number into an intent	control	defpackage/SA0.java
00004	Get filename and put it to JSON object	file collection	defpackage/C3093lw.java defpackage/C3605pR0.java

RULE ID	BEHAVIOUR	LABEL	FILES
00072	Write HTTP input stream into a file	command network file	defpackage/C4016sE0.java
00028	Read file from assets directory	file	defpackage/C3979s01.java
00121	Create a directory	file command	defpackage/IA0.java
00104	Check if the given path is directory	file	defpackage/IA0.java
00079	Hide the current app's icon	evasion	defpackage/AbstractC1426aV.java
00187	Query a URI and check the result	collection sms calllog calendar	defpackage/C3408o41.java

FIREBASE DATABASES ANALYSIS

TITLE	SEVERITY	DESCRIPTION
Firebase Remote Config disabled	secure	Firebase Remote Config is disabled for https://firebaseremoteconfig.googleapis.com/v1/projects/622261731243/namespaces/firebase:fetch? key=AlzaSyD4Hg85sjaUUJPn1klN8Yn073IG_9PxgAg. This is indicated by the response: The response code is 403

SECOND SECOND PERMISSIONS

TYPE	MATCHES	PERMISSIONS
Malware Permissions	7/25	android.permission.INTERNET, android.permission.CAMERA, android.permission.RECEIVE_BOOT_COMPLETED, android.permission.VIBRATE, android.permission.SYSTEM_ALERT_WINDOW, android.permission.ACCESS_NETWORK_STATE, android.permission.WAKE_LOCK
Other Common Permissions	3/44	android.permission.FOREGROUND_SERVICE, com.google.android.gms.permission.AD_ID, com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE

Malware Permissions:

Top permissions that are widely abused by known malware.

Other Common Permissions:

Permissions that are commonly abused by known malware.

• OFAC SANCTIONED COUNTRIES

This app may communicate with the following OFAC sanctioned list of countries.

Q DOMAIN MALWARE CHECK

DOMAIN STATUS GEOLOCATION

DOMAIN	STATUS	GEOLOCATION
www.googleadservices.com	ok	IP: 142.250.68.2 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
support.google.com	ok	IP: 142.250.217.142 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
googleads.g.doubleclick.net	ok	IP: 142.250.68.2 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
issuetracker.google.com	ok	IP: 142.251.40.46 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map

DOMAIN	STATUS	GEOLOCATION
play.google.com	ok	IP: 142.250.188.238 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
fundingchoicesmessages.google.com	ok	IP: 142.250.217.142 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
googlemobileadssdk.page.link	ok	IP: 142.250.189.1 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
www.w3.org	ok	IP: 104.18.23.19 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map

DOMAIN	STATUS	GEOLOCATION
github.com	ok	IP: 140.82.113.4 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
firebase.google.com	ok	IP: 142.250.176.14 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
developer.android.com	ok	IP: 142.250.217.142 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
www.google.com	ok	IP: 142.250.72.132 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map

DOMAIN	STATUS	GEOLOCATION
csi.gstatic.com	ok	IP: 142.250.190.99 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
app-measurement.com	ok	IP: 142.251.40.46 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
pagead2.googlesyndication.com	ok	IP: 142.250.217.130 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
g.co	ok	IP: 142.250.72.174 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map

DOMAIN	STATUS	GEOLOCATION
www.example.com	ok	IP: 23.220.73.58 Country: Colombia Region: Antioquia City: Medellin Latitude: 6.251840 Longitude: -75.563591 View: Google Map
firebaseremoteconfigrealtime.googleapis.com	ok	IP: 142.250.68.10 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
admob-gmats.uc.r.appspot.com	ok	IP: 172.217.14.116 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
accounts.google.com	ok	IP: 142.250.101.84 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map

DOMAIN	STATUS	GEOLOCATION
imasdk.googleapis.com	ok	IP: 142.250.217.138 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
firebaseinstallations.googleapis.com	ok	IP: 142.250.68.10 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
blood-pressure-gcp.greensoftapis.com	ok	IP: 104.21.32.1 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
ns.adobe.com	ok	No Geolocation information available.
high-secure.appspot.com	ok	IP: 142.250.217.148 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map

DOMAIN	STATUS	GEOLOCATION
firebase-settings.crashlytics.com	ok	IP: 142.250.176.3 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
schemas.android.com	ok	No Geolocation information available.
google.com	ok	IP: 142.250.176.14 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
developers.google.com	ok	IP: 142.250.72.174 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
goo.gl	ok	IP: 142.250.217.142 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map



EMAIL	FILE
u0013android@android.com0 u0013android@android.com	defpackage/WU0.java
highsecure.global@gmail.com	com/highsecure/bloodpresure/bloodsugar/ui/main/MainActivity.java

A TRACKERS

TRACKER	CATEGORIES	URL
Google AdMob	Advertisement	https://reports.exodus-privacy.eu.org/trackers/312
Google CrashLytics	Crash reporting	https://reports.exodus-privacy.eu.org/trackers/27
Google Firebase Analytics	Analytics	https://reports.exodus-privacy.eu.org/trackers/49

HARDCODED SECRETS

POSSIBLE SECRETS

 $"com.google.firebase.crashlytics.mapping_file_id": "4606bacbd5cc4e65b37617191039524a"$

"google_api_key" : "AlzaSyD4Hg85sjaUUJPn1klN8Yn073lG_9PxgAg"

POSSIBLE SECRETS
"google_crash_reporting_api_key" : "AlzaSyD4Hg85sjaUUJPn1klN8Yn073lG_9PxgAg"
278D8B50886B328944BC53A0BBBCC068
vDxCHtRyDtZtywG/lqG2i2wEAK0QRlsYMxcEu2Y9QxY=
FBFDD745AE8F2137509A4244F8D2EA0C
yTyv47DW9aV6rpyU1wL04puCd80cKdCTVtCqLwFmVTX0TBccJdZ4Z0bBqZNN3F0R
fY7ocyET9PuMHUXxllKP/PpFa5xsSzhwfB8mpep5FSQ=
258EAFA5-E914-47DA-95CA-C5AB0DC85B11
uqJEUYtMC6igyTZFAAEE75NBgASQTYxYWvVnS4oylqiXJPhpeFyV9nSFbcfelJKd
470fa2b4ae81cd56ecbcda9735803434cec591fa
FlygBXZrpziR+Pp2xmzyZ9k6GUcrj9kWbY5XuUd40ERy2hxHTKqhUwfuGSusXUTd
1eASkBAriCqBxPWd4okyyc+CHCTvdkAuw8U5qBN0KobaC6TQVXZIultjy1xo8n06
JFMtS6Z9bzmnMwoeWTxjTTnvJVVZDuewSTBrvx9CdBc=
NnloFyYmTm9Yd/i5F1TZFAo2tPeZkpFEZBtgPBr60Ow=
7BE43C2ABEF90545D0CE08C882DF7C34
8HOKLqLOucCjn3kWyyKimNsF6Dcutdd9y3ap015kDIWZNsgYbLJqzHSzKo+jDSQ4

POSSIBLE SECRETS
5163F9CFDA0E7CB823B49D692D24EB4F
TdQDsqdcAU8jyTN6NihYJULAUxAJpTfNWWUTPnMXLns=
BF4444737E2FE34040FB2B0449F58E7F
UrsneQ7OIRNo8EjOO9YdieQqewqlcsXgRCgjv7EyHmQ=
Gt05wlkB9VlCQDpYnwS+bvW/Sf4rdLdhAuNRhSCvQ2I=
0kr13TlqRr0Mkim2K4wTtB+PeWlqdIn0V95/3g6ojAuM6jvjN6OT9QeeEcwm9v6h
757F32F6ABEFEDD921188BD564355F76
pkxrOWj7zD1ScyeXlo8fp1m52MhBIE9QvURtfE4hxB81XVp6EbBK8CYQjvvhYlf1
sgSNHgqJ9EwYu8w2dMx3zRGSIiO9D1spUgPO3F51srA=
af60eb711bd85bc1e4d3e0a462e074eea428a8
AED56374820B55AC269337FECF97D578
5gR2Yi2k1qmqwB908rtZUebo4TzAbjEGSkWYluNbRdnGPocO4klxU9dsn2qP+c0J
3ikNbWzMTlqU222KtrzzFiiUcpXtNPU8upxs9wXDAJYxbW4sx23+rx4eBiJjRteZ
JZBFNEdYFhTFBTCRgtU3dDnkdlKXmKLHUW9VyRRgLZX35JOvzKEIQuHunyCpcG/w

POSSIBLE SECRETS

308204433082032ba003020102020900c2e08746644a308d300d06092a864886f70d01010405003074310b3009060355040613025553311330110603550408130a43616 c69666f726e6961311630140603550407130d4d6f756e7461696e205669657731143012060355040a130b476f6f676c6520496e632e3110300e060355040b1307416e647 26f69643110300e06035504031307416e64726f6964301e170d303830383231323331333345a170d333630313037323331333345a3074310b30090603550406130255 53311330110603550408130a43616c69666f726e6961311630140603550407130d4d6f756e7461696e205669657731143012060355040a130b476f6f676c6520496e632e 3110300e060355040b1307416e64726f69643110300e06035504031307416e64726f696430820120300d06092a864886f70d01010105000382010d00308201080282010 100ab562e00d83ba208ae0a966f124e29da11f2ab56d08f58e2cca91303e9b754d372f640a71b1dcb130967624e4656a7776a92193db2e5bfb724a91e77188b0e6a47a43 b33d9609b77183145ccdf7b2e586674c9e1565b1f4c6a5955bff251a63dabf9c55c27222252e875e4f8154a645f897168c0b1bfc612eabf785769bb34aa7984dc7e2ea2764c ae8307d8c17154d7ee5f64a51a44a602c249054157dc02cd5f5c0e55fbef8519fbe327f0b1511692c5a06f19d18385f5c4dbc2d6b93f68cc2979c70e18ab93866b3bd5db899 9552a0e3b4c99df58fb918bedc182ba35e003c1b4b10dd244a8ee24fffd333872ab5221985edab0fc0d0b145b6aa192858e79020103a381d93081d6301d0603551d0e041 60414c77d8cc2211756259a7fd382df6be398e4d786a53081a60603551d2304819e30819b8014c77d8cc2211756259a7fd382df6be398e4d786a5a178a4763074310b300 9060355040613025553311330110603550408130a43616c69666f726e6961311630140603550407130d4d6f756e7461696e205669657731143012060355040a130b476f6 f676c6520496e632e3110300e060355040b1307416e64726f69643110300e06035504031307416e64726f6964820900c2e08746644a308d300c0603551d1304053003010 1ff300d06092a864886f70d010104050003820101006dd252ceef85302c360aaace939bcff2cca904bb5d7a1661f8ae46b2994204d0ff4a68c7ed1a531ec4595a623ce60763 b167297a7ae35712c407f208f0cb109429124d7b106219c084ca3eb3f9ad5fb871ef92269a8be28bf16d44c8d9a08e6cb2f005bb3fe2cb96447e868e731076ad45b33f6009 ea19c161e62641aa99271dfd5228c5c587875ddb7f452758d661f6cc0cccb7352e424cc4365c523532f7325137593c4ae341f4db41edda0d0b1071a7c440f0fe9ea01cb627c a674369d084bd2fd911ff06cdbf2cfa10dc0f893ae35762919048c7efc64c7144178342f70581c9de573af55b390dd7fdb9418631895d5f759f30112687ff621410c069308a

GajzmnIGCWKypTldGXdzGSwHW6ZZV69Bh6cWfmyAJmA=

36864200e0eaf5284d884a0e77d31646

5UR6HKB81c0cBAmhqUCkwnSn0PivsbvOC36lSRnvbJazdJtsmM3DNCGH8hJ11MS9

88A9D4D97EC91C68C215BB9AB0D0F30F

IVUtMgOC8oCk0OL1R8+dcIzJX9C75UT4Pn6J82++vFrHU4GwQD+682Yf0fGqttpS

OfZFeGMpPN4nP2QoVlOsW4kmNx194lMXDh8YPc+yAeg=

pwlWlXowmv5MgDBY81mya6zXLrSMULDo97qGgXQvfFI=

7B912946E159E39033E0FB1E78BE4A57

POSSIBLE SECRETS
808182838485868788898a8b8c8d8e8f909192939495969798999a9b9c9d9e9f
skGQhdInPY4sBMicxMIDA8FpM67X6t386GsGM5hjG6o=
B3EEABB8EE11C2BE770B684D95219ECB
qmKK3b5gFczPFV6EXQK4o/dThX0H+NXEfphwaNTcj5pJFkabLh1X9vORrSfnOkeV
A891ED1F006D6A850301EC45E1596ACF
3Dv+WIEpWKEbBzcuP3SgLUV0aXQTnDSdpPKu/RzIzoY=
7Ejn4kVFfklwTENQCsQUmu0CsZi/nLRRU7QLVgsNDkU=
EByWffqzraQVS82Db2+ro2d9ZqC8EsuKj9igHJ6rpI4=
Q54q2JslusSv8X8AsH7nKgnoWyF6GsnL4uj/9o5E5cc=
t30h8UZEoZP8GE77k4AdlDjTvNQpvs7DHs10k6C9ZzU=
7650F386D54D8429AF8F02BBD3EAB3B7
3071c8717539de5d5353f4c8cd59a032
t4LignzpQnyAJJAZeU8P3GGD0dgmuTMT4n9grwU+EMc=
7d73d21f1bd82c9e5268b6dcf9fde2cb
RRAtLSPp4UfCvUq8TqKgqVcK2MQ98P/X8fWWJOdf6yU=

POSSIBLE SECRETS

b4xBpY1Zr7toyC1sOTTNBO4ImhCct0sLu70B1nFUAHo=

gWtAtoadyS/0GQFYvFINsjkt4bRjT5fE+w3tC36yAJU=

bVq06mwryvswJ9TEv8eKHMxwi9DjT7SQH2xL+admUqskqroPQT0vVkasNMzV5jv7

8mLoio5zXFzLNZDTURhMAugjCGrSPBhh3GCaf2t8mPk=

308204a830820390a003020102020900d585b86c7dd34ef5300d06092a864886f70d0101040500308194310b3009060355040613025553311330110603550408130a436 16c69666f726e6961311630140603550407130d4d6f756e7461696e20566965773110300e060355040a1307416e64726f69643110300e060355040b1307416e64726f696 43110300e06035504031307416e64726f69643122302006092a864886f70d0109011613616e64726f696440616e64726f69642e636f6d301e170d3038303431353233333 635365a170d3335303930313233333635365a308194310b3009060355040613025553311330110603550408130a43616c69666f726e6961311630140603550407130d4d 6f756e7461696e20566965773110300e060355040a1307416e64726f69643110300e060355040b1307416e64726f69643110300e06035504031307416e64726f69643122 302006092a864886f70d0109011613616e64726f696440616e64726f69642e636f6d30820120300d06092a864886f70d01010105000382010d00308201080282010100d6 ce2e080abfe2314dd18db3cfd3185cb43d33fa0c74e1bdb6d1db8913f62c5c39df56f846813d65bec0f3ca426b07c5a8ed5a3990c167e76bc999b927894b8f0b22001994a9 2915e572c56d2a301ba36fc5fc113ad6cb9e7435a16d23ab7dfaeee165e4df1f0a8dbda70a869d516c4e9d051196ca7c0c557f175bc375f948c56aae86089ba44f8aa6a4dd9 a7dbf2c0a352282ad06b8cc185eb15579eef86d080b1d6189c0f9af98b1c2ebd107ea45abdb68a3c7838a5e5488c76c53d40b121de7bbd30e620c188ae1aa61dbbc87dd3ce62bd107ea45abdb68a3c7838a5e5488c76c53d40b121de7bbd30e620c188ae1aa61dbbc87dd3ce62bd107ea45abdb68a3c7838a5e5488c76c53d40b121de7bbd30e620c188ae1aa61dbbc87dd3ce62bd107ea45abdb68a3c7838a5e5488c76c53d40b121de7bbd30e620c188ae1aa61dbbc87dd3ce62bd107ea45abdb68a3c7838a5e5488c76c53d40b121de7bbd30e620c188ae1aa61dbbc87dd3ce62bd107ea45abdb68a3c7838a5e5488c76c53d40b121de7bbd30e620c188ae1aa61dbbc87dd3ce62bd107ea45abdb68a3c7838a5e5488c76c53d40b121de7bbd30e620c188ae1aa61dbbc87dd3ce62bd107ea45abdb68a3c7838a5e5488c76c53d40b121de7bbd30e620c188ae1aa61dbbc87dd3ce62bd107ea45abdb68a3c7838a5e5488c76c53d40b121de7bbd30e620c188ae1aa61dbbc87dd3ce62bd107ea45abdb68a3c7838a5e5488c76c53d40b121de7bbd30e620c188ae1aa61dbbc87dd3ce62bd107ea45abdb68a3c7838a5e548abdb68a3c78abdb68a3c78abdb68a3c78abdb68a3c78abdb68a3c78abdb68a3c78abdb68a3c78abdb68a3c78abdb68a3c78abdb68a3c78abdb68a3c78abdb68a3c78abdb68a3c78abdb68a3c78abdb68a3c78abdb68a3c78abdb68a3c78abdb68a3c78abdb68a3c78abdb68a3c78abdb68a3c78abdb68a3c78abdb68a3c78abdb68a3c78abdb68a3c78abdb68a3c78abdb68a3c78abdb68a3c78abdb68a3c78abdb68a3c78abdb68a3c78abdb68a3c78abdb68a3c78abdb68a3c78abdb68a3c78abdb68a3c78abdb68a3c78abdb68a3c78abdb68a3c78abdb68abdb68a3c78abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68abdb68ab645f2f55f3d4c375ec4070a93f7151d83670c16a971abe5ef2d11890e1b8aef3298cf066bf9e6ce144ac9ae86d1c1b0f020103a381fc3081f9301d0603551d0e041604148d1c c5be954c433c61863a15b04cbc03f24fe0b23081c90603551d230481c13081be80148d1cc5be954c433c61863a15b04cbc03f24fe0b2a1819aa48197308194310b30090603 55040613025553311330110603550408130a43616c69666f726e6961311630140603550407130d4d6f756e7461696e20566965773110300e060355040a1307416e64726f 69643110300e060355040b1307416e64726f69643110300e06035504031307416e64726f69643122302006092a864886f70d0109011613616e64726f696440616e64726f 69642e636f6d820900d585b86c7dd34ef5300c0603551d13040530030101ff300d06092a864886f70d0101040500038201010019d30cf105fb78923f4c0d7dd223233d409 67acfce00081d5bd7c6e9d6ed206b0e11209506416ca244939913d26b4aa0e0f524cad2bb5c6e4ca1016a15916ea1ec5dc95a5e3a010036f49248d5109bbf2e1e61818667 3a3be56daf0b77b1c229e3c255e3e84c905d2387efba09cbf13b202b4e5a22c93263484a23d2fc29fa9f1939759733afd8aa160f4296c2d0163e8182859c6643e9c1962fa0c 18333335bc090ff9a6b22ded1ad444229a539a94eefadabd065ced24b3e51e5dd7b66787bef12fe97fba484c423fb4ff8cc494c02f0f5051612ff6529393e8e46eac5bb21f27 7c151aa5f2aa627d1e89da70ab6033569de3b9897bfff7ca9da3e1243f60b

s/laC73MjD9vpfzZvssIGR7eelXzGompBCRU9Px19GF39ZofYoD29ElcUTZqSvpM

4F1B4C37912F1841DD4158C79216FEA5

ik Pku PQbpn IYa QGo 6Ao 4zz PX0 Qaf 9Hhm EZe T4ZfFQOg =

POSSIBLE SECRETS

19nlSd1PMyXKl1niHXaxZmvGyLnyitkJHQnkLHtPHLj6n1sor4NdBFlTmnlba7BL

flTy8eyNabiNCHuPyNX0x482LGXuzWluGD/71SlN2nKRl9kSJNQ0LUuMwsl06lrx

a0784d7a4716f3feb4f64e7f4b39bf04

AjndXp1s5xIDXysf7TNVubDac7r00lcAtHKozpGmJzQ=

nCcHhBJ+r5jDr0ERNbOfBIJ/pDQFZIqvHaO2vAiQNRE=

B7E645FBF8FFAA3DD8416360D458C586

bae8e37fc83441b16034566b

MyezUX/G4B4lwyhTDkP3w1lDN+jx4NQ6UyU5K5beVZyubOhn8Q7qD9UAXT+3eaCC

6A7EBDE7D37744615DBF515AFC41DC78

nv6PiabX0G4RLHtriKodA9C0rOBToujvB9ySFMp3wxE=



> PLAYSTORE INFORMATION

Title: Blood pressure - Blood Sugar

Score: 4.19 Installs: 1,000,000+ Price: 0 Android Version Support: Category: Health & Fitness Play Store URL: com.highsecure.bloodpresure.bloodsugar

Developer Details: highsecure, 5075131186865184702, None, http://high-secure.appspot.com/, highsecure.global@gmail.com,

Release Date: Feb 18, 2024 Privacy Policy: Privacy link

Description:

Health tracker your blood pressure monitor, blood sugar and your heart rate Health tracker: heart rate app is a comprehensive health application that can not only help measure and monitor your heart rate but also your blood pressure tracker and blood sugar tracker. With a simple and smart design, it helps users monitor and manage their health conditions as well as issues related to blood pressure, heart rate and blood sugar. Outstanding features - Comprehensive Monitoring: Measure your heart rate, monitor your blood sugar and blood pressure easily, quickly and conveniently. - Detailed Analysis: Analyze data of blood pressure, heart rate and blood sugar by charts and graphs to help people monitor their health status and make smart decisions. - Useful Reminders: Remind to help you avoid missing any blood pressure, blood sugar, heart rate measuring or medication schedulea with useful notifications from the health tracker; heart rate application - Smart Alerts; Notify you immediately if there are any noticeable abnormalities in your blood pressure, blood sugar, or heart rate. - All-In-One Integration: A multitasking app that measures heart rate while monitoring blood pressure and blood sugar which makes everything flexible, convenient, and reliable. The Application, monitoring heart rate, controlling blood pressure, and blood sugar, will help you recognize early symptoms of diseases related to blood pressure, heart rate, and blood sugar. Measure and Heart Rate Tracker: -Measuring heart rate is a simple but important process in following your cardiovascular health and activity such as blood pressure and heart rate. - The health tracker application uses an accurate technology of measuring your heart rate through the phone's camera. You just need to place your finger on the lens, then the application will start measuring and the results will be displayed immediately. - The application helps you manage and monitor your heart rate over time. Heart rate data will be displayed in graphs so you can easily understand your heart rate. 🛘 blood pressure tracker: - Monitoring blood pressure is an important process to ensure cardiovascular health and the body's circulatory system. - A blood pressure monitoring app allows users to monitor their blood pressure scientifically and, moreover, provide useful information about your blood pressure health to help you keep your blood pressure levels stable - The app has intuitive graphs to track blood pressure daily, weekly, monthly and yearly. Blood sugar tracker: - Blood sugar is an important indicator for evaluating the body's health. Blood sugar monitoring helps detect changes in blood sugar early, thereby provide timely prevention and treatment measures, especially for people with diabetes. - Blood sugar monitoring application allows recording and saving blood sugar measurement results and tracking blood sugar measurement and blood sugar change history over time. - The health tracker: heart rate application allows you to set a blood sugar measurement schedule as a reminder to suggest time to measure your blood sugar, helping you remember and follow your daily blood sugar measurement schedule. 🛘 Statistics and analysis - Health tracker: Heart rate monitor automatically records and summerise your blood sugar, heart rate, and blood pressure data from previous measurements, including specific results and time when the heart rate, blood pressure, and blood sugar were measured, which helps you monitor trends and signs of their health. 🛘 Attention: • The app cannot be used as a medical device in diagnosing heart disease. • Health tracker: Heart rate is NOT an application to measure blood pressure or blood sugar
In some devices, the act of measuring heart rate can make the device LED flash extremely hot.

⋮≡ SCAN LOGS

Timestamp	Event	Error
2025-08-30 21:10:32	Generating Hashes	ОК
2025-08-30 21:10:32	Extracting APK	ОК

2025-08-30 21:10:32	Unzipping	OK
2025-08-30 21:10:33	Parsing APK with androguard	ОК
2025-08-30 21:10:35	Extracting APK features using aapt/aapt2	ОК
2025-08-30 21:10:37	Getting Hardcoded Certificates/Keystores	ОК
2025-08-30 21:10:42	Parsing AndroidManifest.xml	ОК
2025-08-30 21:10:42	Extracting Manifest Data	ОК
2025-08-30 21:10:42	Manifest Analysis Started	ОК
2025-08-30 21:10:42	Performing Static Analysis on: Health Tracker (com.highsecure.bloodpresure.bloodsugar)	ОК
2025-08-30 21:10:43	Fetching Details from Play Store: com.highsecure.bloodpresure.bloodsugar	ОК
2025-08-30 21:10:43	Checking for Malware Permissions	OK
2025-08-30 21:10:43	Fetching icon path	OK

2025-08-30 21:10:43	Library Binary Analysis Started	ОК
2025-08-30 21:10:43	Reading Code Signing Certificate	ОК
2025-08-30 21:10:44	Running APKiD 2.1.5	ОК
2025-08-30 21:10:48	Detecting Trackers	ОК
2025-08-30 21:10:50	Decompiling APK to Java with JADX	ОК
2025-08-30 21:11:12	Converting DEX to Smali	ОК
2025-08-30 21:11:12	Code Analysis Started on - java_source	ОК
2025-08-30 21:11:15	Android SBOM Analysis Completed	ОК
2025-08-30 21:11:27	Android SAST Completed	ОК
2025-08-30 21:11:27	Android API Analysis Started	ОК
2025-08-30 21:11:41	Android API Analysis Completed	ОК

2025-08-30 21:11:41	Android Permission Mapping Started	OK
2025-08-30 21:11:56	Android Permission Mapping Completed	ОК
2025-08-30 21:11:57	Android Behaviour Analysis Started	ОК
2025-08-30 21:12:15	Android Behaviour Analysis Completed	ОК
2025-08-30 21:12:15	Extracting Emails and URLs from Source Code	ОК
2025-08-30 21:12:20	Email and URL Extraction Completed	ОК
2025-08-30 21:12:20	Extracting String data from APK	ОК
2025-08-30 21:12:23	Extracting String data from Code	ОК
2025-08-30 21:12:23	Extracting String values and entropies from Code	ОК
2025-08-30 21:12:27	Performing Malware check on extracted domains	ОК
2025-08-30 21:12:40	Saving to Database	OK

Report Generated by - MobSF v4.4.0

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

© 2025 Mobile Security Framework - MobSF | Ajin Abraham | OpenSecurity.